

```
select to_date ('2003-05-04 00:00:00', 'YYYY-MM-DD HH24:MI:SS')
from dual:
select to_char ( to_date ('2003-05-04 00:00:00', 'YYYY-MM-DD HH24:MI:SS') ,
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual:
select to_char ( to_date ('2003-05-04 08:03:50', 'YYYY-MM-DD HH24:MI:SS'),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to char (trunc (to date ('2003-05-04 08:03:50', 'YYYY-MM-DD HH24:MI:SS')),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( trunc ( to_date ('2003-05-04 19:03:50', 'YYYY-MM-DD HH24:MI:SS') ) ,
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 19:03:50', 'YYYY-MM-DD HH24:MI:SS') ),
```

'YYYY-MM-DD HH24:MI:SS') fecha

from dual;

```
select
to_char ( ROUND ( to_date ('2003-05-04 11:03:50', 'YYYY-MM-DD HH24:MI:SS') ) ,
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 11:59:59', 'YYYY-MM-DD HH24:MI:SS') ),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 12:59:59', 'YYYY-MM-DD HH24:MI:SS') ) ,
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 12:59:59', 'YYYY-MM-DD HH24:MI:SS'), 'MI' ),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 12:29:59', 'YYYY-MM-DD HH24:MI:SS'), 'MI' ) ,
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
```

```
select
to_char ( ROUND ( to_date ('2003-05-04 12:29:00', 'YYYY-MM-DD HH24:MI:SS'), 'MI' ),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 12:29:29', 'YYYY-MM-DD HH24:MI:SS'), 'MI' ),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select
to_char ( ROUND ( to_date ('2003-05-04 12:29:31', 'YYYY-MM-DD HH24:MI:SS'), 'MI' ),
       'YYYY-MM-DD HH24:MI:SS') fecha
from dual;
select SYSDATE from dual;
select dump (SYSDATE) from dual;
select SYStimestamp from dual;
select dump (SYStimestamp) from dual;
```