

New System Administrator User Guide

KYC

Exported on 12/11/2025

Table of Contents

1	1. Introduction	4
1.1	Purpose	4
1.2	System Overview.....	4
2	2. Getting Started	5
2.1	2.1 Logging In.....	5
2.2	2.2 Dashboard Overview.....	5
3	3. Applicants Page	6
3.1	3.1 Page Overview	6
3.2	3.2 Search and Filtering.....	6
3.2.1	Search Field.....	6
3.2.2	(Top-left of the filter bar)	6
3.2.3	Sources Filter	7
3.2.4	Date Range Filter.....	8
3.2.5	Status Filter	9
3.2.6	Assignee Filter.....	10
3.2.7	Clean All Button.....	11
3.3	3.3 Understanding the Applicants Table	12
3.3.1	Column Descriptions	13
3.4	3.4 Working with Applicants	14
3.4.1	Assigning Applicants to Yourself.....	14
3.4.2	Viewing Applicant Details.....	15
3.5	3.5 Applicant Detail View.....	15
3.5.1	Navigation Structure	16
3.5.2	3.5.1 Applicant Data Tab.....	16
3.5.3	3.5.2 Documents Tab	19
3.5.4	3.5.3 Liveness Tab	21
3.5.5	3.5.4 Questionnaire Tab	24

3.5.6	3.5.5 Files Tab	26
3.5.7	3.5.6 History Tab.....	28
3.6	3.6 Pipeline Status and Verification Checklist	30
3.7	3.8 Re-verification Process	32
3.7.1	Managing Your Queue	34
3.7.2	Pagination and Navigation	35
4	4. System Administration	37
4.1	4.1 Partner Selection	37
4.2	4.2 User Profile and Logout.....	38
4.2.1	User Information Display	38
4.2.2	Logout Process	38
5	Quick Reference Guide	40
5.1	Verification Decision Matrix	40
5.2	Match Percentage Guidelines	41
5.3	Verification Checklist Quick Check.....	41
6	Common Workflows	43
6.1	Daily Verification Workflow	43
6.2	Weekly Quality Check	45
6.3	Monthly Reporting.....	45
7	Troubleshooting	47
8	Glossary	50

1 1. Introduction

1.1 Purpose

This guide is designed for administrators, verifiers, risk managers, and other team members who work with the **KYC (Know Your Customer)** verification system. It provides comprehensive instructions for managing applicant verifications, documents, and related workflows.

1.2 System Overview

The **KYC Admin Panel** is a web-based platform that allows administrators to:

- Review and verify applicant submissions
- Manage verification documents
- Track verification statuses and workflows
- Assign tasks to team members
- Monitor verification sources (Manual, BankID, Diia)

2 2. Getting Started

2.1 2.1 Logging In

Access Requirements:

- Valid administrator credentials
- Google Cloud Platform (GCP) [IAP \(see page 51\)](#) authorization
- Work email registered in the system

Login Process:

1. Navigate to the **KYC Admin Panel** URL in your web browser
2. Complete [IAP \(see page 51\)](#) authorization through Google Cloud Platform
3. Enter your work email and password
4. Upon successful authentication, you'll be directed to the main dashboard

2.2 2.2 Dashboard Overview

Top Navigation Bar:

The navigation bar provides quick access to key system elements:

- **KYC Logo** (top-left): Returns to main dashboard
- **Partner Selector** to switch between partner organizations
- **User Information** (top-right)
- **Logout** button

3 3. Applicants Page

3.1 3.1 Page Overview

The **Applicants** page is your primary workspace for reviewing and managing verification applications. This page displays all applicants who have submitted verification requests.

Key Statistics:

- Total applicants shown at the bottom: "1-10 of 1000" indicates the current view and total records
- Pagination controls allow navigation through large datasets

3.2 3.2 Search and Filtering

The **Applicants** page offers powerful search and filtering capabilities to help you find specific applications quickly.

3.2.1 Search Field

3.2.2 (Top-left of the filter bar)

Search Capabilities:

- **Applicant Name:** Search by first name (Name column) or surname (Surname column)
- **External ID** ([see page 50](#)): Search by the unique applicant identifier (e.g., "789484370")
- **Status:** Quick search by verification status

External ID	Surname	Name	Source	Partner	Uploaded	Status	Assignee	Action
789484370	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 26, 2025, 09:43	Pending	-	⌵
7890643207	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 26, 2025, 09:35	Pending	-	⌵
7832343267	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 26, 2025, 09:29	Declined	-	⌵
340648618	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 26, 2025, 09:26	Pending	yevhenia.sorokina	⌵
781294386	Дія	Надія	UA_Diia	Partner Vbet	Oct 26, 2025, 09:18	Declined	-	⌵
qa12621	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 11:41	Declined	-	⌵
qa33442112221	Дія	Надія	UA_Diia	Partner Vbet	Oct 27, 2025, 10:27	Declined	-	⌵
qa3344211222	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:23	Declined	-	⌵
qa3344211	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:16	Pending	-	⌵
qa334421	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:03	Pending	-	⌵

Usage Tips:

- Search is case-insensitive
- Partial matches are supported
- Results update as you type

3.2.3 Sources Filter

Purpose: Filter applicants by verification data source

Available Sources:

1. **MANUAL:** Documents uploaded manually by the applicant
2. **BANK_ID:** Data received through the **BankID** integration
3. **UA_Diia:** Data received through **Diia** (Ukrainian digital government app)

The screenshot shows the 'Applicants' page in the KYC system. At the top, there's a header with 'KYC', a dropdown for 'Partner Vbet', and a user profile for 'yevhenia.sorokina'. Below the header is a filter bar with a search input (containing 'npt'), a dropdown for 'Source', a date range '2025/06/12 - 2025/11/06', a status dropdown (set to 'Approved, Declined, P...'), a 'Resync' button, and a 'Clear all' button. The main area is a table with columns: External ID, Surname, Name, Source, Partner, Upload date, Status, and Action. The table lists 10 applicants, all with 'PRYBYSHCH' as a surname and 'Partner Vbet' as a partner. The 'Source' column shows 'MANUAL' for most, and one has a loading spinner. The 'Status' column shows 'Declined' (in red) for several and 'Pending' (in yellow) for others. The 'Action' column has a magnifying glass icon for each row.

External ID	Surname	Name	Source	Partner	Upload date	Status	Action
6817621	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 11:41	Declined	🔍
683344211722	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:23	Declined	🔍
683344211	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:19	Pending	🔍
68334421	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:23	Pending	🔍
6833442	ПРИБИЩЕ	ІМЯ	-	Partner Vbet	Oct 23, 2025, 16:07	Pending	🔍
783344	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 23, 2025, 18:04	Pending	🔍
78334423	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 16, 2025, 11:09	Declined	🔍
783344260	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 08, 2025, 14:38	Declined	🔍
781224128	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 07, 2025, 20:45	Declined	🔍
781224128	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 07, 2025, 20:45	Declined	🔍

How to Use:


1. Click the **"Sources"** dropdown
2. Check/uncheck desired sources
3. Select **"--Select--"** to clear filters
4. Multiple sources can be selected simultaneously

Source Explanations:

- **MANUAL:** Traditional upload method where applicants manually submit photos/scans of documents
- **BANK_ID:** Electronic verification through banking infrastructure
- **UA_DIIA:** Government-backed digital identity verification through the Diia app

3.2.4 Date Range Filter

Purpose: Filter applicants by upload date



How to Use:

1. Click the date range field to open the calendar picker
 2. Two calendars appear side-by-side:
 - **Left Calendar:** Select start date
 - **Right Calendar:** Select end date
 - Navigate months using arrow buttons (< >)
 - Change year using the year dropdown
 - Click dates to select a range
 - Click outside the calendar or the  button to close
- Date Format:** YYYY/MM/DD

Use Cases:

- **Daily verification batches:** Set the same start and end date
- **Weekly reviews:** Select a 7-day range
- **Monthly reports:** Select the first and last day of the month
- **Custom audits:** Any date range needed


3.2.5 Status Filter

Purpose: Filter applicants by verification status

Available Statuses:

1. **New:** Recently submitted applications not yet reviewed

2. **Approved:** Successfully verified applications
3. **Pending:** Applications awaiting review or additional information
4. **Declined:** Applications rejected due to verification issues
5. **Declined (Re-check):** Previously declined applications requiring [re-verification](#) (see page 50)



Multi-Select Capability:

- Multiple statuses can be selected simultaneously
- Checkmarks indicate currently active filters
- View reflects all selected statuses

Common Filter Combinations:

- **"New" + "Pending":** View all applications requiring attention
- **"Declined" + "Declined (Re-check)":** Review rejection cases
- **"Approved" only:** Audit successful verifications

3.2.6 Assignee Filter

Purpose: Filter applicants by assigned administrator

Available Options:

1. **All unassigned:** Applications not yet assigned to any administrator
2. **All assigned:** Applications currently assigned to any team member

3. **Specific users:** Individual administrator names (e.g., Vasyl Pupkin)

External ID	Surname	Name	Source	Partner	Uploaded	Status	Assignee	Action
qa12421	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 11:41	Completed	-	⌵
qa3344211222	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:23	Completed	-	⌵
qa3344211	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:10	Pending	-	⌵
qa334421	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:03	Pending	-	⌵
qa33442	ПРИЗНИЩЕ	ИМЯ	-	Partner Vbet	Oct 23, 2025, 16:07	Pending	-	⌵
qa3344	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 23, 2025, 16:04	Pending	-	⌵
789904343	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 16, 2025, 11:09	Completed	-	⌵
789754390	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 06, 2025, 14:38	Completed	-	⌵
781224318	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 07, 2025, 10:55	Completed	-	⌵
781224318	ПРИЗНИЩЕ	ИМЯ	MANUAL	Partner Vbet	Oct 07, 2025, 10:55	Completed	-	⌵

Use Cases:

- **Team Leads:** Monitor workload distribution across the team
- **Administrators:** View personal queue (Assign to me action creates this)
- **Quality Control:** Review the specific administrator's work
- **Workload Balancing:** Identify unassigned applications

Search Within Assignees:

- Search field at the top of the dropdown
- Only one status can be selected at a time
- Type to filter administrator names
- Useful for large teams

3.2.7 Clean All Button

Purpose: Reset all filters to the default state

What It Clears:

- Search text
- **"Source"** selections
- Date range
- **"Status"** filter
- **"Assignee"** filter

KYC

Partner Vbet

Applicants

yevhenia.sorokina

Email

npla

MANUAL, UA_BANK_L...

2024/10/09 - 2025/11/06

New, Approved, Pend...

All unassigned

Clear all

External ID	Surname	Name	Source	Partner	Uploaded	Status	Assignee	Action
9a173d21	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 11:41	Rejected		⌵
9a3344211722	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:29	Rejected		⌵
4a3344211	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:10	Pending		⌵
9a334421	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 27, 2025, 10:03	Pending		⌵
9a33442	ПРИБИЩЕ	ІМЯ	-	Partner Vbet	Oct 23, 2025, 16:07	Pending		⌵
9a3344	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 23, 2025, 16:04	Pending		⌵
78994343	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 16, 2025, 11:09	Rejected		⌵
789754390	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 09, 2025, 14:38	Rejected		⌵
781224318	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 02, 2025, 10:56	Rejected		⌵
781224318	ПРИБИЩЕ	ІМЯ	MANUAL	Partner Vbet	Oct 02, 2025, 10:56	Rejected		⌵

Rows per page: 10

1-10 of 199274

<

>

- When to Use:
- Starting a fresh search
 - Viewing the entire applicant database
 - Resetting after a complex filtered view

3.3 Understanding the Applicants Table

The **Applicants** table displays key information in a structured format with the following columns:

Search by name, external id, status...

MANUAL, UA_BANK_ID...

2025/07/14 - 2025/11/06

Approved, New, Pending...

All unassigned

Clean all

External ID	Surname	Name	Source	Partner	Uploaded	Status	Assignee	Action
789484370	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 28, 2025, 09:43	Pending	-	
7890643207	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 28, 2025, 09:35	Pending	-	
7832343267	КРАСЮК	ОКСАНА	MANUAL	Partner Vbet	Oct 28, 2025, 09:29	Declined	-	
7812943486	Дія	Надія	UA_Diia	Partner Vbet	Oct 28, 2025, 09:18	Declined	-	
q812s21	ПРИЗБИЩЕ	ІМ'Я	MANUAL	Partner Vbet	Oct 27, 2025, 11:41	Declined	-	
q8333442112221	Дія	Надія	UA_Diia	Partner Vbet	Oct 27, 2025, 10:27	Declined	-	
q833344211222	ПРИЗБИЩЕ	ІМ'Я	MANUAL	Partner Vbet	Oct 27, 2025, 10:23	Declined	-	
q833344211	ПРИЗБИЩЕ	ІМ'Я	MANUAL	Partner Vbet	Oct 27, 2025, 10:10	Pending	-	
q83334421	ПРИЗБИЩЕ	ІМ'Я	MANUAL	Partner Vbet	Oct 27, 2025, 10:03	Pending	-	
q812s214a	КРИВЦОВ	ОЛЕКСАНДР	MANUAL	Partner Vbet	Oct 25, 2025, 11:55	Declined (Re-Check)	-	

Rows per page: 10

1-10 of 159310

< >

3.3.1 Column Descriptions

Column	Description	Details
External ID (see page 50)	Unique applicant identifier	7-15 digit number - the Copy icon for quick copying - Click the number to view the full profile
Surname	Applicant's last name	- Displayed in the original language - Click to view the full profile
Name	Applicant's first name	- Displayed in the original language - Click to view the full profile
Source	Verification data source	MANUAL: Manual upload BANK_ID: BankID verification UA_Diia: Diia verification - Click to view the full profile

Partner	Partner organization	- Shows associated partner - Corresponds to partner selector at top - Click to view the full profile
Uploaded	Submission timestamp	Format: "MMM DD, YYYY, HH: MM" - Shows when the applicant submitted documents - Click to view the full profile
Status	Current verification status	Pending: Awaiting review Declined: Verification failed Approved: Application verified successfully - Click to view the full profile
Assignee	Assigned administrator	- Shows administrator name if assigned - the "-" symbol if unassigned - Used for workload tracking - Click to view the full profile
Action	Available actions	- User icon with the "+" symbol - Clicking assigns the applicant to the administrator

3.4 3.4 Working with Applicants

3.4.1 Assigning Applicants to Yourself

Purpose: Take ownership of an applicant verification task

Steps:

1. Locate the applicant row in the table
2. Look at the **Action** column (rightmost)
3. Click the  icon
4. Click **Assign to me** from the action menu

After Assignment:

- Your name appears in the **Assignee** column for that applicant

- The applicant appears in your personal queue when you filter by your name
- Other team members can see that the applicant is assigned to you



Best Practices:

- Assign applications before beginning review to avoid duplicate work
- Check the "**Assignee**" filter regularly to manage your queue
- Team leads should monitor "**All unassigned**" to ensure a balanced workload

3.4.2 Viewing Applicant Details

Access Methods:

- Locate the applicant row in the table
- Click on any clickable value (e.g., [External ID](#) (see page 50), Name, Surname, Source, Partner, Upload timestamp, Status, Assignee). Any of these actions will open the detailed applicant profile.

3.5 3.5 Applicant Detail View

When you open an applicant's profile, you'll see a comprehensive view with multiple tabs and a verification pipeline sidebar.

3.5.1 Navigation Structure

Top Navigation:

- **Back Arrow (<<):** Return to applicants list
- **Tab Menu:** Six tabs for different information sections
 1. **Applicant data:** Personal information and verification status
 2. **Documents:** Submitted identity documents
 3. **Liveness:** Facial recognition and document comparison
 4. **Questionnaire** (see page 50): Applicant's questionnaire responses
 5. **Files:** Additional file uploads and management
 6. **History:** Complete audit trail of all changes

Right Sidebar:

- **Decline reason field:** For automatic documenting of rejection reasons
- **Pipeline status:** Current verification stage (e.g., "completed")
- **Verification Checklist:** Shows completed verification steps
- **Re-verification button:** Initiate the [re-verification](#) (see page 50) process

3.5.2 3.5.1 Applicant Data Tab

This is the default view when opening an applicant profile.

The screenshot displays the 'Applicant data' tab for a specific applicant. The interface is organized into three main sections: a top navigation bar, a central data area, and a right sidebar. The top bar includes a 'back' button and a tab menu with six options: Applicant data, Documents, Liveness, Questionnaire, Files, and History. The central area shows the applicant's status as 'Pending' and provides a comprehensive list of personal details, including an external ID, full name, date of birth, gender, country, and contact information. It also tracks the verification process, showing a manual source, successful PEP and Ludoman checks, and the document creation date. A prominent button at the bottom prompts the user to sign the applicant's personal data. The right sidebar offers additional context, displaying the current pipeline status as 'completed' and a checklist of verification steps, most of which are marked as complete. A 'Re-verification' button is available at the bottom of this sidebar.

- **Personal Information Section:**

Field	Description
Status	Current application status
ExternalID	Unique applicant identifier
First name	Applicant's given name
Middle name	Applicant's patronymic/middle name
Last name	Applicant's surname
Birthday	Date of birth
Gender	Gender designation
Country	Country of residence
Phone number	Contact phone
Email	Contact email address

• **Verification Information:**

Field	Description	Indicator
Source	Data submission method	MANUAL, BANK_ID, or UA_DIIA
PEP (see page 50) check	Politically Exposed Person screening	✓ = Passed
Ludoman (see page 50) check	Gambling risk assessment	✓ = Passed
Document created at	Initial submission date	YYYY-MM-DD



Important Risk Indicators:

- [PEP \(see page 50\)](#) **Check:** Green checkmark indicates the applicant is NOT flagged as a PEP. If flagged as PEP, verification continues but requires additional scrutiny.
- [Ludoman \(see page 50\)](#) **Check:** Green checkmark indicates NO gambling risk detected. If this check fails (red), verification automatically fails.

- [Sign Data \(see page 50\)](#) Button:

(at the bottom of the applicant data section)

Purpose: Digitally sign and confirm the applicant's personal data using secure mobile authentication

How It Works:

1. Initial Click:

- Click the **Sign Data** button
- System displays prompt: "Please sign the applicant's personal data"

2. QR Code Modal Appears:

- Modal window opens with title: "Scan QR Code to Sign Files"
- A large **QR code** is displayed in the center

3. Authentication Process:

- Your password, OR
- Biometric authentication (fingerprint/face recognition)
- Open the **CloudKey** mobile app on your smartphone
- Scan the displayed **QR code** with the app
- Confirm the signing action using:

4. Status Indication:

- Wait for the confirmation message
- Modal closes automatically upon successful signing

5. Cancel Option:

- The **Cancel** button is available at the bottom of the modal
- Use it if you need to abort the signing process

When to Use:

- After thoroughly reviewing all applicant information
- Before finalizing the approval decision
- As required by compliance procedures
- Only when you are certain that all data is correct

Security Features:

- Two-factor authentication (**something you have:** phone + **something you know:** password **OR something you are:** biometrics)
- Time-limited **QR code** (expires after a short period)
- Unique signature tied to your administrator account
- Cannot be replicated or forged

Effect:

- Creates an immutable record of data verification
- Adds signature event to history log with your user ID
- May be required before status change to "**Approved**"
- Provides non-repudiation (proof you reviewed and signed)

**Troubleshooting:**

- **QR code wasn't scanned:** Ensure phone camera has a clear view, adequate lighting
- **CloudKey app not working:** Check the app is updated to the latest version
- **Authentication fails:** Verify the correct password or re-register biometrics
- **Signing times out:** Click the **Sign Data** button again to generate a new QR code

**Best Practices:**

- Keep the **CloudKey** app installed and logged in on your work phone
- Test biometric authentication before busy work periods
- Don't share **QR code** screenshots (they're single-use but still sensitive)
- Sign data immediately after completing the review to maintain the workflow
- If you step away, cancel and restart the signing process for security

3.5.3 3.5.2 Documents Tab

Displays all identity documents submitted by the applicant.

Document Display Format:

Each document is shown in a card format with two sections:

Left Column:

- **Type:** Document category (e.g., [TAXPAYER_CARD](#) (see page 50), ID_CARD, PASSPORT)
- **Number:** Document number
- **Issue Date:** When document was issued (dash "-" if not provided)
- **Expired Date:** Document expiration date
- **Front Side:** Thumbnail image of document front

Right Column:

- **Issuing Authority** (see page 50): Code or name of issuing body
- **Additional Number** (see page 50): Secondary identification number
- **Method:** How the document was submitted
- **Back Side:** Thumbnail image of document back (if applicable)

Document Methods:

Method	Description	Implications
ADMIN	Modified by administrator	Manual review/correction completed
MANUAL	Uploaded by the applicant	Requires full verification
BANK_ID	Verified through BankID	Pre-validated by the banking system

UA_DIIA	Verified through the Diia app	Government-verified digital document
---------	-------------------------------	--------------------------------------

Viewing Document Images:

- Click on any thumbnail to view a full-size image
- Images are opened in a larger view for detailed inspection
- Check for:
 - **Image clarity and readability**
 - **Document authenticity indicators**
 - **Matching information between the document and the applicant data**
 - **Expiration dates**
 - **Visible tampering or alterations**




Document Verification Checklist:

1. Document numbers match the applicant data
2. Photos are clear and legible
3. No signs of tampering or forgery
4. Expiration dates are valid (future dates)
5. Information matches between front and back
6. Applicant photo matches the [liveness \(see page 50\)](#) photo
7. All required document types are present

3.5.4 3.5.3 Liveness Tab

Performs facial recognition comparison between the applicant's selfie and their identity document photo.



Left Panel: Automatic Selfie

- Portrait photo captured during the verification process
- **Controls:**
 - Rotate left arrow
 - Rotate right arrow
 - Zoom in
 - Zoom out

Right Panel: Identity Document

- Photo from the submitted ID document
- **Controls:**
 - Rotate left arrow
 - Rotate right arrow
 - Zoom in
 - Zoom out

Center: Match Score

- Circular indicator showing match confidence (e.g., 100%)
- **Color Coding:**
 - **Green:** High match (90-100%)
 - **Yellow:** Medium match (70-89%)
 - **Red:** Low match (<70%)

Mismatch Detection:

- **Prompt:** "Mismatch detected?"
- Appears below the match indicator
- Allows manual override if the system incorrectly identifies a mismatch

How to Use the Liveness Tab:**1. Initial Review:** Check the match percentage

- **95-100%:** Excellent match, likely legitimate
- **85-94%:** Good match, proceed with standard verification
- **70-84%:** Moderate match, examine closely for discrepancies
- **Below 70%:** Poor match, investigate for potential fraud

2. Visual Comparison: Look for:

- Same facial structure and features
- Consistent eye color, nose shape, and face shape
- Natural aging if the document photo is older
- Similar hairstyle (accounting for styling changes)

3. Image Quality Check:

- Both images are clear and well-lit
- Face is fully visible without obstructions
- No signs of photo manipulation

4. Using Controls:

- **Rotate:** If the image is sideways or upside down
- **Zoom:** For detailed feature comparison

**Red Flags to Watch For:**


- Match score **below 85%**
- Significantly different facial features
- Evidence of photo editing or manipulation
- Blurry or obscured selfie
- Document photo that doesn't match other documents
- Age discrepancy that doesn't align with birthdate

**What to Do If a Mismatch Is Detected:**

1. Compare with all available document photos
2. Check if the document has expired or is outdated
3. Review the history tab for previous verification attempts
4. Consider requesting [re-verification](#) (see page 50) with a new selfie

3.5.5 3.5.4 Questionnaire Tab

Displays responses to compliance and risk assessment questions submitted by the applicant.



Display States:

1. No Questionnaire Available

- **Message:** "NO POLL AVAILABLE"
- **Meaning:** Partner has not configured a questionnaire for this verification type
- **Action:** No questionnaire review needed; proceed to other verification steps

2. Questionnaire Present (when configured)

- **Number:** Question sequence
- **Question:** Full question text
- **Answer:** Applicant's response
- Table format with columns:

New Questionnaire Features:

1. Question Tips

- Applicants see additional tips for questions requiring clarification (This helps reduce incorrect or unclear answers)
- Tips are displayed automatically (no extra action needed)
- Configurable per question by system administrators

2. Answer Validation

- The system automatically checks answers for risk indicators
- Answers can be marked as:
- **Positive** (low risk) - highlighted in green

- **Negative/Risk**ed (high risk) - highlighted in red/yellow
- If the answer is marked as "**risk**ed," verification automatically fails
- Color highlights are visible in the Admin section for quick assessment

3. Simplified Questionnaire Mode

- New configuration type: "simplified"
- Allows applicants to fill all questions with default values in one click
- Reduces incorrect answers by providing safe defaults
- Applicants can change any answer afterward with no restrictions
- Questions displayed in simple list format

4. QES Button (see page 50) Validation

- Extra validation for the **QES** button removed
- Allows the questionnaire to be optional/disabled by the partner
- System handles empty questionnaires gracefully

Reviewing Questionnaire Responses:

When the Questionnaire is Present:

1. **Initial Scan:** Look for red-highlighted answers (auto-risk flagged)
 2. **Read Each Response:** Ensure answers make logical sense
 3. **Cross-Reference:** Compare answers with:
 - Applicant's stated country and residence
 - Document information
 - Expected customer profile
- **Risk Assessment:** Flag unusual patterns:
 - Inconsistent information
 - High-risk country mentions
 - Suspicious income sources
 - Politically sensitive positions

Common Questionnaire Topics:


- Source of funds
- Purpose of account/service
- Expected transaction volume
- Employment status and occupation
- Politically exposed person (**PEP** (see page 50)) status
- Tax residency
- Beneficial ownership

Decision Making:

- **Green answers** + consistent information = **Low risk, proceed**
- **Red/risk**ed answers = **Auto-declined**, review for override possibility
- **Unclear/contradictory answers** = Request clarification or **decline**

3.5.6 3.5.5 Files Tab

Allows uploading and managing additional documents related to the applicant's verification.



Left Section: Select Existing File

- **Title:** "Select [APPLICANT NAME] existing file"
- **Purpose:** Access previously uploaded files for this applicant
- **Content:** List or grid of existing files (if any)
- **Use Case:**
 - Re-review previous submissions
 - Download historical documents
 - Select files for further processing

Right Section: Upload New Files

- **Title:** "Upload New Files"
- **Upload Area:** Large [dropzone](#) (see page 51) with cloud icon
- **Upload Methods:**
 1. **Drag and Drop:** Drag files from your computer into the [dropzone](#) (see page 51)
 2. **Browse:** Click the Browse File button to open the file picker

Supported File Formats:

- **Images:** jpg, jpeg, png, bmp, gif, webp

- **Documents:** pdf

Common Use Cases for File Uploads:

1. Additional Identity Documents

- Secondary ID cards
- Utility bills for address verification
- Bank statements
- Tax documents

2. Supporting Documentation

- Proof of income
- Business registration documents
- Authorization letters
- Legal guardianship papers

3. Corrected Documents

- Replacement for poor-quality uploads
- Updated documents with new expiration dates
- Additional pages of multi-page documents

4. Administrative Files

- Internal notes or reports
- External verification results
- Correspondence with the applicant



Best Practices

1. Before Uploading:

- Verify the file is a correct document
- Check file size is reasonable (not too large)
- Ensure image quality is sufficient
- Confirm file format is supported

2. Naming Convention:

- Use descriptive file names
- Include document type
- Include date if relevant
- **Example:** "utility_bill_2025_10.pdf"

3. After Uploading:

- Verify that the file was uploaded successfully

- Check the file is readable/viewable
- Add a note in history if significant
- Update applicant status if needed

**Security Notes:**

- All files are encrypted and stored securely
- Access is logged in the History tab
- Files can only be accessed by authorized administrators
- Sensitive information should be handled according to compliance policies

**Security Notes:**

3.5.7 3.5.6 History Tab

Provides a complete audit trail of all changes made to the applicant's record.

Applicant data	Documents	Liveness	Questionnaire	Files	History			
User login	Date and time	Entity title	Entity ID	Field	Old value	New value		
-	Oct 28, 2025, 09:29	Applicant	b88fd02d-9202-4718-b1cc-660a3f1b565e	provider	-	"MANUAL"		
-	Oct 28, 2025, 09:29	Applicant	b88fd02d-9202-4718-b1cc-660a3f1b565e	profile_status	"new"	"pending"		
-	Oct 28, 2025, 09:29	Liveness	88122b19-c856-4156-91b5-90a0b879b50a	status	"uploaded"	"sent_to_image_service"		
-	Oct 28, 2025, 09:29	Liveness	88122b19-c856-4156-91b5-90a0b879b50a	status	"sent_to_image_service"	"success"		
-	Oct 28, 2025, 09:29	Liveness	88122b19-c856-4156-91b5-90a0b879b50a	image_service_report	-	{"report":{"Success","distan..."		
-	Oct 28, 2025, 09:29	Liveness	88122b19-c856-4156-91b5-90a0b879b50a	recognition_successful	-	true		
-	Oct 28, 2025, 09:30	Applicant	b88fd02d-9202-4718-b1cc-660a3f1b565e	dob	-	"18.01.1996"		
-	Oct 28, 2025, 09:30	Applicant	b88fd02d-9202-4718-b1cc-660a3f1b565e	gender	-	"F"		
-	Oct 28, 2025, 09:30	Applicant	b88fd02d-9202-4718-b1cc-660a3f1b565e	last_name	-	"KPACIOK"		
-	Oct 28, 2025, 09:30	Applicant	b88fd02d-9202-4718-b1cc-660a3f1b565e	first_name	-	"OKCAHA"		

Purpose:

- Track all modifications to applicant data

- Identify who made changes and when
- Review the decision-making process
- Audit compliance with procedures
- Investigate discrepancies or issues

Table Columns:

Column	Description	Example Values
User login	The administrator who made the change	Dash "-" if system-generated
Date and time	Timestamp of change	Oct 28, 2025, 09:25
Entity type	Type of record changed	Applicant, Document, Liveness
Entity ID	Unique identifier of the changed record	e.g., acd214b7-355f-406e-8bf4-5caa16c1b834
Field	Specific field that was modified	provider, dob, gender, last_name, etc.
Old value	Previous value before change	Dash "-" if new field
New value	New value after change	Actual changed data

Entry Types:**1. Applicant Changes**

- **Entity type:** "Applicant"
- Tracks changes to personal information
- **Common fields:**
 - **provider:** Verification source (MANUAL, etc.)
 - **dob:** Date of birth
 - **gender:** Gender designation
 - **first_name:** First name
 - **middle_name:** Middle name
 - **last_name:** Last name
 - **residence_country:** Country
 - **profile_status:** Application status (new → pending → approved/declined)

2. Document Changes

- **Entity type:** "Document"

- Tracks document submissions and modifications
- **Common fields:**
 - **document_type:** The type of verification document (e.g., ID_CARD, PASSPORT, etc.)
 - **document_number:** Primary document identification number
 - **issue_date:** Date when document was issued by authority
 - **expiry_date:** Date when document expires/becomes invalid
 - **front_side:** Image file of document front (tracked when uploaded/changed)
 - **issuing_authority:** Code or name of government body that issued the document
 - **additional_number:** Secondary identification number (e.g., for linking documents)
 - **method:** How the document was submitted or processed (e.g., MANUAL, ADMIN, etc.)
 - **back_side:** Image file of document back (tracked when uploaded/changed)
 - **status:** Document verification status (new, pending, approved, declined)



Using History for Investigations:

1. Follow the chronological order to understand the verification flow
2. Identify what was modified and by whom
3. Ensure changes follow proper procedures
4. Reference exact changes when resolving issues
5. Prove adherence to regulatory requirements



Red Flags in History:

- Multiple rapid changes to the same field
- Changes without a clear reason
- Missing expected steps in the workflow
- Unusual administrator access patterns
- Status changes without a supporting document change

3.6 Pipeline Status and Verification Checklist


(right sidebar of applicant detail view)

Purpose: Visual progress indicator showing which verification steps have been completed.

Pipeline Status Display:

(At the top of the sidebar)

- **Label:** "Pipeline status"
- **Status Indicator:** Shows current stage



Possible Pipeline Statuses:

- **In Progress:** Verification underway
- **Completed:** All automated checks finished
- **Failed:** Automated verification failed
- **Pending Review:** Awaiting manual administrator decision
- **Approved:** Final approval given
- **Declined:** Final rejection given

Verification Checklist:

Below the pipeline status, a complete checklist shows all verification steps with green checkmarks (✓) when completed:

Step	Description	What It Checks
Liveness	Facial recognition completed	Selfie matches the document photo
Questionnaire (see page 50)	Risk assessment completed	Questions answered appropriately
Expired date	Document validity checked	Documents not expired
Age restrictions	Age requirements met	Applicant meets minimum age (usually 18+)

Correct birthday	Birth date validation	Date of birth is valid and consistent
Multi account (see page 51)	Duplicate checking	The applicant doesn't have multiple accounts
Ludoman (see page 50)	Gambling risk assessment	No gambling-related risk flags
Document validation (see page 0)	Document authenticity check	Documents appear genuine
Risks checking (see page 51)	General risk assessment	No other risk indicators present
PEP (see page 50)	Political exposure screening	Not a politically exposed person

Visual Indicators:

-  - Step passed
-  - Step requires attention
-  - Step failed

**Using the Checklist:**

1. Scan for  marks indicating failures
2. Ensure all steps have been completed
3. Identify which specific check caused issues
4. Reference checklist when documenting decisions

3.7 3.8 Re-verification Process

Re-verification Button:

(Bottom of the right sidebar)

Purpose: Restart the verification process for an applicant who needs to correct information or resubmit documents.

When to Use Re-verification:

1. **Correctable Errors:**

- The applicant uploaded the wrong document type
- Poor-quality images that need resubmission
- Minor data entry mistakes that can be fixed

2. Updated Documents:

- The expired document has been renewed
- New documents available for verification

3. System Errors:

- Technical issues during initial verification
- Failed automated checks that should be retried

4. Additional Information:

- Applicant provides clarifying information
- New documents support a previously unclear application



CRITICAL REQUIREMENT:

- Ensure the [document Method](#) (see page 50) is set to "**ADMIN**" (see page 50) before clicking the **Re-verification** button
- This is required for proper synchronization with the **CRM** system
- Failure to set the "**ADMIN**" (see page 50) method may cause data inconsistencies

Re-verification Steps:

1. Review Current Application:

- Identify what needs to be corrected
- Document issues in notes

2. Communicate with Applicant:

- Inform the applicant what needs to be fixed
- Provide clear instructions

3. Set [Document Method](#) (see page 50):

- Go to the **Documents** tab
- Change method to "**ADMIN**" (see page 50) for relevant documents
- Save changes

4. Initiate Re-verification:

- Return to the **Applicant** data tab

- Click the **Re-verification** button

5. Monitor Progress:

- Check [pipeline status](#) (see page 50)
- Review [verification checklist](#) (see page 50)
- Process new submission when complete



Usage Limits:

- Use the button once per applicant per issue
- Excessive re-verification may indicate larger problems
- Track re-verification frequency in history

After Re-verification:

- Status typically resets to **"Pending"**
- [Verification checklist](#) (see page 50) resets
- New history entries are created
- The administrator can reassign to themselves or another team member

3.7.1 Managing Your Queue

View Your Assignments:

1. Click the **"Assignee"** filter dropdown
2. Select your name from the list
3. The table shows only applicants assigned to you

External ID	Surname	Name	Source	Partner	Uploaded	Status	Assignee	Action
228302641	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
231496192	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
231461091	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
229673811	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
228345353	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
229674382	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
229686840	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
228345515	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
227916576	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮
232122687	selenium last name	selenium first name	-	Partner Vbet	-	New	-	⋮

Sort and Prioritize:

- Use the **"Status"** filter to see pending items in your queue
- Use **"Date Range"** to prioritize by submission date
- Review the **"Source"** to handle different verification types appropriately



Workflow Recommendations:

1. Start each session by filtering **"Assignee: [Your Name]"** + **"Status: Pending"**
2. Process the oldest applications first (sort by the upload date)
3. Use **Clean all** when finished to return to the main view

3.7.2 Pagination and Navigation

Rows Per Page:

- **Default: 10** rows per page
- Click dropdown to change (options likely: 10, 25, 50, 100)
- Useful for processing batches or comprehensive reviews

Rows per page: 10 ▼ 1–10 of 163086 < >

Navigation Controls:

- **Page Counter:** Shows "1-10 of 159554" (current range and total)
- **Previous Button (<):** Go to the previous page
- **Next Button (>):** Go to the next page

**Tips:**

- **For quick reviews:** Use the default **10 rows/page**
- **For bulk processing:** Increase to **50-100 rows/page**
- Note your position using the page counter for long sessions

4 4. System Administration

4.1 4.1 Partner Selection

(Top-left of the navigation bar, next to the KYC logo)

Display: Dropdown showing current partner

Purpose: Switch between different partner organizations whose applicants you manage

How to Use:

1. Click the **Partner Dropdown** button
2. The list of available partners appears
3. Select the desired partner from the dropdown list
4. Page refreshes automatically to show data for the selected partner
5. All subsequent actions apply to the selected partner



Important Notes:

- Each partner has completely separate applicant data
- Always verify the correct partner is selected before processing applications
- Partner context persists throughout your session until you change it
- Switching partners does not affect your authentication status



Best Practices:

- Confirm partner selection at the start of each work session
- Double-check partner before approving/declining applications
- Use consistent naming when managing similar partners
- Document partner-specific procedures if workflows differ
- Coordinate with the team on partner assignment to avoid confusion

4.2 4.2 User Profile and Logout

4.2.1 User Information Display

(Top-right corner of every page)

Visible Information:

- Email Address
- "Email" Label
- Profile Icon
- Logout Icon

Purpose:

- Confirms which user account is currently active
- Provides quick access to the logout functionality
- Helps prevent accidental actions under the wrong account (in multi-admin environments)

4.2.2 Logout Process

When to Log Out:

- End of work shift
- Before leaving the workstation unattended
- When switching to a different user account
- At the end of the workday (even if remote)

How to Log Out:

1. Locate the **Logout** icon  at the top-right corner
2. Click the **Logout** icon
3. Confirm logout when prompted
4. Wait for the redirect to the **Login** page
5. Close the browser tab if on a shared computer

What Happens:

- Current session terminates immediately
- You're redirected to the **Login** page
- Re-authentication is required to access the system again
- **CloudKey** app signature sessions remain valid on your device

After Logout:

- Session tokens invalidated
- Access to the **KYC** system is blocked until re-login



Security Best Practices

Account Security:

- ✓ Use a strong, unique password for your account
- ✓ Enable two-factor authentication (via CloudKey app)
- ✓ Keep CloudKey app protected with a password or biometrics
- ✓ Log device usage if the system provides audit capabilities
- ✗ Never share your login credentials
- ✗ Don't write down passwords in accessible locations
- ✗ Don't log in from public or unsecured computers
- ✗ Don't stay logged in on shared devices

Session Management:

- ✓ Always log out when leaving the workstation, even briefly
- ✓ Set screen lock on your computer (separate from **KYC** logout)
- ✓ Use private/incognito browser mode if on a shared computer
- ✓ Clear the browser cache after sensitive sessions
- ✓ Report unexpected logouts or session issues immediately

Physical Security:

- ✓ Position the screen away from public view when processing applications
- ✓ Lock the physical workspace when handling sensitive data
- ✗ Don't share the screen during video calls when reviewing documents

Reporting Security Issues:

- ✓ Report lost or compromised credentials immediately
- ✓ Contact IT security if the device with the **CloudKey** app is lost or stolen
- ✓ Notify supervisor of suspicious login attempts
- ✓ Document any unauthorized access attempts
- ✓ Follow company incident response procedures

CloudKey App Security:

- ✓ Keep the app updated to the latest version
- ✓ Use a strong device lock (PIN/password/biometric)
- ✓ Enable remote wipe capability if the device is lost
- ✓ Report malfunctioning authentication immediately
- ✗ Don't root/jailbreak your device with the **CloudKey** app

5 Quick Reference Guide

5.1 Verification Decision Matrix

Scenario	Pipeline Status	Liveness Match	Documents	Questionnaire	Decision	Action
All checks green	Completed	95%+	Valid, clear	All green	APPROVE	Sign data (see page 50) → Set the Approved status → Save the changes
Minor issue	Completed	85-94%	Valid	All green	REVIEW	Manual review → Decide
Expired document	Completed	95%+	Expired	All green	DECLINE	Set the Declined status → Save the changes
Poor liveness	Completed	<70%	Valid	All green	DECLINE	Set the Declined status → Save the changes
Ludoman (see page 50) flag	Failed	Any	Any	Red flags	AUTO-DECLINE	Set the Declined status → Save the changes
Risk questionnaire (see page 50)	Completed	Any	Valid	Red flags	AUTO-DECLINE	Review → Decide
Correctable error	Completed	Any	Poor quality	Any	RE-VERIFY	Set ADMIN (see page 50) → Re-verify

5.2 Match Percentage Guidelines

Range	Rating	Recommendation
95-100%	Excellent	Proceed with confidence
90-94%	Very Good	Standard approval
85-89%	Good	Careful review, likely approve
75-84%	Moderate	Thorough investigation needed
70-74%	Questionable	Consider decline or re-verify
<70%	Poor	Likely to decline unless extenuating circumstances

5.3 Verification Checklist Quick Check

All Green = Proceed to Manual Review

- [Liveness](#) (see page 50) ✓
- [Questionnaire](#) (see page 50) ✓
- Expired date ✓
- Age restrictions ✓
- Correct birthday ✓
- [Multi account](#) (see page 51) ✓
- [Ludoman](#) (see page 50) ✓
- Document validation ✓
- Risks checking ✓
- [PEP](#) (see page 50) ✓



Any Red = Investigate Immediately

- Review the specific failed check
- Document finding

- Determine if correctable
- Decide: Decline or Re-verify



Critical Reminders

1. Always set Method to "[ADMIN](#)" (see page 50) before re-verification
2. Always sign applicant data before approving (requires **CloudKey** app)
3. Keep the **CloudKey** app installed and authenticated on your mobile device
4. Always check liveness match visually, not just percentage
5. Always verify document expiry dates
6. Check the **History** tab when something seems unusual
7. Use the **Re-verification** button only once per issue
8. Always verify the correct partner is selected before processing

6 Common Workflows

6.1 Daily Verification Workflow

Morning Routine:

1. Log in to the **KYC Admin Panel**
2. Select your partner from the partner selector
3. Navigate to the **Applicants** page
4. Filter by "**Status: New, Pending**" + "**Assignee: All unassigned**"
5. Assign an appropriate number of applications to yourself
6. Filter by "**Assignee: [Your Name]**"
7. Begin processing by date (oldest first)

Processing Each Application:

1. Open Applicant Profile

- Click any clickable value in the **Applicants** table to open the applicant detail view
- Note the [pipeline status \(see page 50\)](#) and [verification checklist \(see page 50\)](#)

2. Review Applicant Data Tab (First Priority)

- Verify all personal information is complete and consistent
- Check [PEP \(see page 50\)](#) and [Ludoman \(see page 50\)](#) indicators (should be green checkmarks)
- Review source type
- Note document creation date
- Verify email and phone number if provided

3. Check Documents Tab (Second Priority)

- **Review each submitted document:**
- [TAXPAYER_CARD \(see page 50\)](#): Check number is valid format
- **ID_CARD**: Verify number, issue date, expiry date
- **Additional documents**: Review any supplementary IDs

- **Examine document images:**

- Click thumbnails to view full size
- Check image clarity and readability
- Look for signs of tampering or forgery
- Verify expiration dates are in the future
- Confirm document source (prefer "[ADMIN](#)" ([see page 50](#)) or verified sources)

4. Verify [Liveness \(see page 50\)](#) Tab (Third Priority)

- Check match percentage:
 - **95-100%:** Excellent, proceed
 - **85-94%:** Good, standard verification
 - **70-84%:** Review carefully
 - **<70%:** Investigate for fraud
- Compare a selfie with a document photo visually
- Use Zoom if needed for a detailed comparison
- Look for consistent facial features

5. Review **Questionnaire** (see page 50) **Tab (If Applicable)**

- If "NO POLL AVAILABLE" appears, skip this step
- **If the questionnaire is present:**
 - Review all questions and answers
 - Check for red-highlighted **risky answers** (see page 50)
 - Verify consistency with applicant data
 - Flag suspicious or inconsistent responses

6. Check **Files Tab (If Needed)**

- Review any additional uploaded files
- Upload supplementary documents if required
- Verify file relevance to verification

7. Review **History Tab (When Uncertain)**

- Check the timeline of events
- Identify any unusual patterns
- Review previous administrator actions
- Verify proper workflow was followed

8. Make a Decision

For **APPROVAL:**

1. Verify all checklist items are green
2. Confirm no red flags in any tab
3. Click the **Sign Data** button on the **Applicant** data tab
4. Change status to "**Approved**"
5. Save changes

For **DECLINE:**

1. Navigate to the **Applicant** data tab
2. Scroll to the right sidebar
3. Document which check(s) failed
4. Change status to "**Declined**"
5. Save changes

For RE-VERIFICATION:

1. Identify what needs correction
2. Go to the **Documents** tab
3. Change the relevant [document method \(see page 50\)](#) to **"ADMIN"** ([see page 50](#))
4. Return to the **Applicant** data tab
5. Click the **Re-verification** button
6. Add notes explaining what the applicant needs to fix
7. (Optional) Communicate with the applicant

9. Move to the Next Application

- Use the browser back button or click the "back" link
- Return to filtered applicants list
- Process the next application

10. End of Day

- Complete or reassign any remaining applications
- Document any technical issues encountered
- Note any patterns or concerns for team discussion
- Log out securely

6.2 Weekly Quality Check

Review Process:

1. Filter by **"Status: Approved" + "Date Range: [Last 7 days]"**
2. Sample random applications (e.g., every 10th)
3. Review documentation quality
4. Check for consistency in decision-making
5. Identify training needs or pattern issues

6.3 Monthly Reporting

Data Collection:

1. Set the date range to the full month
2. Note total applications processed
3. Filter by each status to get counts:
 - Approved count
 - Declined count

- Pending count
- Filter by "**Source**" to track verification methods
- Export or document statistics for reporting

7 Troubleshooting

Problem: Cannot see any applicants

- **Solution 1:** Check filters - click **Clean all** to reset
- **Solution 2:** Verify partner selection matches expected data

Problem: Assigned applications not showing in my queue

- **Solution 1:** Confirm the filter is set to your exact username
- **Solution 2:** Check if **"All unassigned"** is selected instead

Problem: Cannot assign the application to myself

- **Solution 1:** Verify you have appropriate permissions
- **Solution 2:** Check if the application is already assigned to another user
- **Solution 3:** Contact the system administrator if the issue persists

Problem: [Liveness](#) (see page 50) match shows a low percentage despite a visual match

- **Solution 1:** Check if images are clear and well-lit
- **Solution 2:** Verify the applicant is facing the camera directly in the selfie
- **Solution 3:** Consider if the document photo is very old (natural aging)
- **Solution 4:** Try refreshing the **Liveness** tab
- **Solution 5:** If confident in the match, proceed with manual approval

Problem: Cannot click the Sign Data button

- **Solution 1:** Verify all required fields are completed
- **Solution 2:** Check that the [pipeline status](#) (see page 50) shows all checks completed
- **Solution 3:** Ensure you have permissions to sign data
- **Solution 4:** Try refreshing the page

Problem: QR code won't scan in the CloudKey app

- **Solution 1:** Ensure adequate lighting on the **QR code** display
- **Solution 2:** Hold the phone camera steady and at the correct distance (not too close)
- **Solution 3:** Check that the **CloudKey** app has camera permissions enabled
- **Solution 4:** Clean the phone camera lens
- **Solution 5:** Try a different angle or distance
- **Solution 6:** Close and reopen the **CloudKey** app
- **Solution 7:** Generate a new **QR code** by clicking **Cancel** and **Sign Data** again

Problem: CloudKey app authentication fails

- **Solution 1:** Verify you're entering the correct password
- **Solution 2:** Check that the biometric authentication is properly registered in the app
- **Solution 3:** Ensure the phone's biometric sensor is clean and functional
- **Solution 4:** Try switching between password and biometric authentication
- **Solution 6:** Update the **CloudKey** app to the latest version
- **Solution 7:** Re-register in the **CloudKey** app if persistent issues

- **Solution 8:** Contact IT support for **CloudKey** account issues

Problem: "Signing operation in progress" stuck/frozen

- **Solution 1:** Wait for 30-60 seconds (some network delays are normal)
- **Solution 2:** Check the internet connection on both the computer and the phone
- **Solution 3:** Don't close the modal or navigate away during signing
- **Solution 4:** Click **Cancel** if stuck for over 2 minutes
- **Solution 5:** Try the signing process again from the beginning
- **Solution 6:** Clear the browser cache if persistent
- **Solution 7:** Report to technical support if the issue continues

Problem: CloudKey app not installed or you can't access it

- **Solution 1:** Download **CloudKey** from the official app store (iOS App Store or Google Play)
- **Solution 2:** Contact the IT department for installation assistance
- **Solution 3:** Verify that the app installation is approved by the company policy
- **Solution 4:** Request a temporary alternative signing method from a supervisor (if available)

Problem: QR code expired/timed out

(This is a normal security feature - QR codes expire after a short time)

- **Solution 1:** Click the **Cancel** button on the modal
- **Solution 2:** Click the **Sign Data** button again to generate a fresh **QR code**
- **Solution 3:** Complete scanning and authentication more quickly
- **Solution 4:** Have the **CloudKey** app open and ready before clicking **Sign Data**

Problem: Re-verification button not working

- **Solution 1:** Verify the [document method](#) (see page 50) is set to "**ADMIN**" (see page 50)
- **Solution 2:** Check that you haven't already used re-verification recently
- **Solution 3:** Ensure the application is not in the final status ("**Approved**"/"**Declined**")
- **Solution 4:** Contact technical support if the issue persists

Problem: Document images not loading

- **Solution 1:** Check the internet connection
- **Solution 2:** Try refreshing the page
- **Solution 3:** Clear browser cache
- **Solution 4:** Verify the file wasn't corrupted during upload
- **Solution 5:** Try a different browser

Problem: The History tab shows no entries

- **Solution 1:** Check if this is a brand new application (history builds over time)
- **Solution 2:** Verify you have permissions to view history
- **Solution 3:** Refresh the page
- **Solution 4:** Contact the administrator if entries should exist

Problem: [Questionnaire](#) (see page 50) shows "NO POLL AVAILABLE", but it should be required

- **Solution 1:** Verify partner has the questionnaire configured
- **Solution 2:** Check with the administrator about questionnaire requirements
- **Solution 3:** Ensure that the questionnaire is not intentionally disabled for this partner/verification type

- **Solution 4:** Proceed with verification if the questionnaire is optional

Problem: File upload fails

- **Solution 1:** Check file format is supported (jpg, jpeg, png, bmp, gif, webp, pdf)
- **Solution 2:** Verify file size is not too large (<10MB)
- **Solution 3:** Ensure the filename has no special characters
- **Solution 4:** Try compressing image files
- **Solution 5:** Convert to a supported format if needed

Problem: [Pipeline status \(see page 50\)](#) stuck on "In Progress"

- **Solution 1:** Wait for a few minutes for automated checks to complete
- **Solution 2:** Refresh the page
- **Solution 3:** Check the **History** tab for errors
- **Solution 4:** Contact technical support if stuck for >10 minutes

Problem: All [verification checklist \(see page 50\)](#) items are green, but the status is still "Pending"

- **Solution 1:** This is normal - the checklist shows automated checks; manual approval is still required
- **Solution 2:** Review all tabs thoroughly
- **Solution 3:** Sign the applicant data
- **Solution 4:** Change the status to "**Approved**"/"**Declined**" manually

Problem: Wrong partner selected, already processed some applications

- **Solution 1:** Immediately stop processing
- **Solution 2:** Document which applications were processed under the wrong partner
- **Solution 3:** Contact the supervisor about the corrective action needed
- **Solution 4:** Switch to the correct partner
- **Solution 5:** May need to re-process applications or transfer them
- **Solution 6:** Establish partner verification habit at the start of each session

8 Glossary

Terms and Definitions:

- **Applicant:** An Individual who has submitted verification documents for the **KYC** review
- **External ID:** Unique system-generated identifier for each applicant
- **PEP (Politically Exposed Person):** An Individual with a prominent public function presenting a higher risk for bribery and corruption involvement
- **Ludoman:** Risk flag indicating gambling behavior concerns or high-risk gaming patterns

- **BankID (UA_BANK_ID):** Electronic banking identification system for digital identity verification
- **Diia (UA_DIIA):** Ukrainian government digital identification and services app for secure document sharing

- **Manual Verification:** Traditional document upload and review process, where the applicant submits photos/scans
- **Re-verification:** Process of reviewing a previously declined application with updated information or corrected documents
- **Pipeline Status:** Current stage of verification processing workflow (e.g., In Progress, Completed, Failed)
- **Liveness Check:** Facial recognition comparison between the applicant's selfie and the identity document photo
- **Match Percentage:** Numerical score (0-100%) indicating confidence level in facial recognition match
- **Document Method:** Indicates how the document was submitted or processed (ADMIN, MANUAL, BankID, Diia)
- **ADMIN Method:** Document modified or verified by administrator; required for CRM synchronization
- **Automatic Selfie:** Portrait photo captured during the verification process for the liveness check
- **Identity Document:** Official government-issued identification (passport, ID card, etc.)
- **Verification Checklist:** List of automated checks performed during the verification process
- **Sign Data:** Digital signature confirming the administrator has reviewed and validated the applicant information
- **CloudKey:** Mobile authentication app used for secure QR code-based signing of applicant data
- **QR Code Signing:** Two-factor authentication method using a mobile app to scan the QR code and confirm actions with a password or biometrics
- **Biometric Authentication:** A Security method using fingerprint, face recognition, or other biological characteristics
- **Taxpayer Card:** Tax identification document used in some jurisdictions
- **Issuing Authority:** Government body or organization that issued the identification document
- **Additional Number:** Secondary identification number on documents (e.g., for foreign passports)
- **Expiry Date:** Date when the identification document becomes invalid
- **Questionnaire:** A Set of risk assessment and compliance questions that applicants must answer
- **Risky Answer:** Questionnaire response flagged by system as high-risk, potentially triggering auto-decline
- **QES Button:** Qualified Electronic Signature button for document signing

- **Pipeline Completed:** Status indicating all automated verification checks have finished
- **Multi Account:** Check to prevent applicants from having duplicate accounts in the system
- **Age Restrictions:** Verification that the applicant meets the minimum age requirements
- **Document Validation:** Automated and manual checks for document authenticity
- **Risks Checking:** General risk assessment scanning for various fraud indicators
- **History Tab:** Audit trail showing all changes made to the applicant record with timestamps
- **Entity ID:** Unique identifier for specific record (applicant, document, or liveness entry)
- **Entity Type:** Category of record being changed (Applicant, Document, Liveness)
- **Upload Source:** Method by which applicant submitted verification data (MANUAL, BankID, Diia)
- **Files Tab:** Section for uploading and managing additional documents beyond standard identity documents
- **Dropzone:** Drag-and-drop area for uploading files
- **Status Badge:** Colored label indicating verification status (Pending, Approved, Declined)
- **Assignee:** Administrator to whom an application is assigned for processing
- **Clean All:** Button that resets all filters to the default state
- **Partner:** Client organization whose applicants are being verified in the system
- **Partner Selector:** A dropdown menu at the top of the main page for switching between different partner organizations
- **IAP (Identity-Aware Proxy):** Google Cloud Platform authentication layer for secure access
- **Session:** Period of authenticated access to the system between login and logout
- **Two-Factor Authentication (2FA):** A Security method requiring two different forms of verification (e.g., password + mobile app)