Oral toxicity prediction results for input compound



Predicted LD50: 500mg/kg

Predicted Toxicity Class: 4

1	2	3	4	5	6

Average similarity: 81.84%

Prediction accuracy: 70.97%



Name	C1=CC(=C(C=C1[N+](=O)[O-])Cl)NC(=O)C2=C(C=(
Molweight	327.12
Number of hydrogen bond acceptors	4
Number of hydrogen bond donors	2
Number of atoms	21
Number of bonds	22
Number of rotable bonds	4
Molecular refractivity	81.52
Topological Polar Surface Area	95.15
octanol/water partition coefficient(logP)	4.46

Toxicity Model Report

Copy Excel CSV PDF

Classification	Target	Shorthand	Prediction	Probability
Organ toxicity	Hepatotoxicity	dili	Inactive	0.77
Organ toxicity	Neurotoxicity	neuro	Inactive	0.78
Organ toxicity	Nephrotoxicity	nephro	**Active**	0.60
Organ toxicity	Respiratory toxicity	respi	Inactive	0.74
Organ toxicity	Cardiotoxicity	cardio	Inactive	0.90
Toxicity end points	Carcinogenicity	carcino	Inactive	0.66

Classification	Target	Shorthand	Prediction	Probability
Toxicity end points	Immunotoxicity	immuno	**Active**	0.60
Toxicity end points	Mutagenicity	mutagen	**Active**	0.88
Toxicity end points	Cytotoxicity	cyto	Inactive	0.78
Toxicity end points	Clinical toxicity	clinical	Inactive	0.54
Metabolism	Cytochrome CYP1A2	CYP1A2	Inactive	0.59
Metabolism	Cytochrome CYP2C19	CYP2C19	Inactive	0.71
Metabolism	Cytochrome CYP2C9	CYP2C9	**Active**	0.85
Metabolism	Cytochrome CYP2D6	CYP2D6	Inactive	0.77
Metabolism	Cytochrome CYP3A4	CYP3A4	**Active**	0.86
Metabolism	Cytochrome CYP2E1	CYP2E1	Inactive	1.0

Toxicity targets

Possible binding to toxicity targets is shown below. For more information on the targets, please click on the individual abbreviations.

AA2AR	ADRB2	ANDR	AOFA	CRFR1	DRD3	ESR1	ESR2	GCR	HRH1	NR1I2	OPRK	OPRM	PDE4D	PGH1	PRGR

Details about possible toxicity targets:

	Toxicity Target	Avg Pharmacophore Fit	Avg Similarity Known Ligands

	Amine Oxidase A	50.8%	0%
	Nuclear Receptor 1I2	0.16%	75%
	Prostaglandin G/H Synthase 1	40.95%	0%