



Oral toxicity prediction results for input compound




Predicted LD50: 200mg/kg

Predicted Toxicity Class: 3



Average similarity: 47.64%

Prediction accuracy: 54.26%



Name	CC(C)(C)[C@@H](C(=O)N[C@@H](CC1=CC=CC=C1)[C@H](CN(CC2=CC=C(C=C2)C[C@H](C(C)(C)C)NC(=O)OC)O)NC(=O)C
Molweight	704.86
Number of hydrogen bond acceptors	13
Number of hydrogen bond donors	5
Number of atoms	51
Number of bonds	53
Number of rotatable bonds	22
Molecular refractivity	193.76
Topological Polar Surface Area	171.22
octanol/water partition coefficient(logP)	5.78

Toxicity Model Report

Copy

Excel

CSV

PDF

Classification	Target	Shorthand	Prediction	Probability
Organ toxicity	Hepatotoxicity	dili	Active	0.51
Organ toxicity	Neurotoxicity	neuro	Active	0.86
Organ toxicity	Nephrotoxicity	nephro	Inactive	0.78

Classification	Target	Shorthand	Prediction	Probability
Organ toxicity	<u>Respiratory toxicity</u>	respi	Active	0.73
Organ toxicity	<u>Cardiotoxicity</u>	cardio	Inactive	0.51
Toxicity end points	<u>Carcinogenicity</u>	carcino	Inactive	0.56
Toxicity end points	<u>Immunotoxicity</u>	immuno	Inactive	0.97
Toxicity end points	<u>Mutagenicity</u>	mutagen	Inactive	0.65
Toxicity end points	<u>Cytotoxicity</u>	cyto	Inactive	0.60
Toxicity end points	<u>Clinical toxicity</u>	clinical	Active	0.85
Metabolism	<u>Cytochrome CYP1A2</u>	CYP1A2	Inactive	0.95
Metabolism	<u>Cytochrome CYP2C19</u>	CYP2C19	Inactive	0.74
Metabolism	<u>Cytochrome CYP2C9</u>	CYP2C9	Inactive	0.58
Metabolism	<u>Cytochrome CYP2D6</u>	CYP2D6	Inactive	0.70
Metabolism	<u>Cytochrome CYP3A4</u>	CYP3A4	Inactive	0.56
Metabolism	<u>Cytochrome CYP2E1</u>	CYP2E1	Inactive	0.99

Toxicity targets

Possible binding to toxicity targets is shown below. For more information on the targets, please click on the individual abbreviations.



<u>AA2AR</u>	<u>ADRB2</u>	<u>ANDR</u>	<u>AOFA</u>	<u>CRFR1</u>	<u>DRD3</u>	<u>ESR1</u>	<u>ESR2</u>	<u>GCR</u>	<u>HRH1</u>	<u>NR1I2</u>	<u>OPRK</u>	<u>OPRM</u>	<u>PDE4D</u>	<u>PGH1</u>	<u>PRGR</u>