



Oral toxicity prediction results for input compound




Predicted LD50: 5000mg/kg

Predicted Toxicity Class: 5



Average similarity: 59.88%

Prediction accuracy: 67.38%



Name	CC1=C(C(=CC=C1)C)OC (CC2=CC=CC=C2) [C@H](C[C@H] (CC3=CC=CC=C3)NC(=[C@H] (C(C)C)N4CCCN4=O)C
Molweight	628.8
Number of hydrogen bond acceptors	9
Number of hydrogen bond donors	4
Number of atoms	46
Number of bonds	49
Number of rotatable bonds	17
Molecular refractivity	187.92
Topological Polar Surface Area	120
octanol/water partition coefficient(logP)	5.38

Toxicity Model Report

Copy Excel CSV PDF

Classification	Target	Shorthand	Prediction	Probability
Organ toxicity	<u>Hepatotoxicity</u>	dili	Inactive	0.83
Organ toxicity	<u>Neurotoxicity</u>	neuro	Active	0.76
Organ toxicity	<u>Nephrotoxicity</u>	nephro	Active	0.56
Organ toxicity	<u>Respiratory toxicity</u>	respi	Active	0.79

Classification	Target	Shorthand	Prediction	Probability
Organ toxicity	<u>Cardiotoxicity</u>	cardio	Inactive	0.65
Toxicity end points	<u>Carcinogenicity</u>	carcino	Inactive	0.72
Toxicity end points	<u>Immunotoxicity</u>	immuno	Inactive	0.99
Toxicity end points	<u>Mutagenicity</u>	mutagen	Inactive	0.76
Toxicity end points	<u>Cytotoxicity</u>	cyto	Inactive	0.80
Toxicity end points	<u>Clinical toxicity</u>	clinical	Active	0.63
Metabolism	<u>Cytochrome CYP1A2</u>	CYP1A2	Inactive	0.95
Metabolism	<u>Cytochrome CYP2C19</u>	CYP2C19	Inactive	0.83
Metabolism	<u>Cytochrome CYP2C9</u>	CYP2C9	Inactive	0.58
Metabolism	<u>Cytochrome CYP2D6</u>	CYP2D6	Inactive	0.73
Metabolism	<u>Cytochrome CYP3A4</u>	CYP3A4	Inactive	0.58
Metabolism	<u>Cytochrome CYP2E1</u>	CYP2E1	Inactive	0.99

Toxicity targets

Possible binding to toxicity targets is shown below. For more information on the targets, please click on the individual abbreviations.



<u>AA2AR</u>	<u>ADRB2</u>	<u>ANDR</u>	<u>AOFA</u>	<u>CRFR1</u>	<u>DRD3</u>	<u>ESR1</u>	<u>ESR2</u>	<u>GCR</u>	<u>HRH1</u>	<u>NR1I2</u>	<u>OPRK</u>	<u>OPRM</u>	<u>PDE4D</u>	<u>PGH1</u>	<u>PRGR</u>