



Oral toxicity prediction results for input compound




Predicted LD50: 1000mg/kg

Predicted Toxicity Class: 4



Average similarity: 42.32%

Prediction accuracy: 54.26%



Name	CC(C)C1=NC(=CS1)CN(C(C(C)C)C(=O)N[C@@H](CC2=CC=CC=C2)CC@H(CC3=CC=CC=C3)NC(=C
Molweight	720.94
Number of hydrogen bond acceptors	11
Number of hydrogen bond donors	4
Number of atoms	50
Number of bonds	53
Number of rotatable bonds	22
Molecular refractivity	197.82
Topological Polar Surface Area	202.26
octanol/water partition coefficient(logP)	7.08

Toxicity Model Report

Copy Excel CSV PDF

Classification	Target	Shorthand	Prediction	Probability
Organ toxicity	<u>Hepatotoxicity</u>	dili	Active	0.73
Organ toxicity	<u>Neurotoxicity</u>	neuro	Active	0.88
Organ toxicity	<u>Nephrotoxicity</u>	nephro	Inactive	0.59
Organ toxicity	<u>Respiratory toxicity</u>	respi	Active	0.90
Organ toxicity	<u>Cardiotoxicity</u>	cardio	Inactive	0.52

Classification	Target	Shorthand	Prediction	Probability
Toxicity end points	<u>Carcinogenicity</u>	carcino	Inactive	0.62
Toxicity end points	<u>Immunotoxicity</u>	immuno	Inactive	0.97
Toxicity end points	<u>Mutagenicity</u>	mutagen	Inactive	0.70
Toxicity end points	<u>Cytotoxicity</u>	cyto	Inactive	0.63
Toxicity end points	<u>Clinical toxicity</u>	clinical	Active	0.61
Metabolism	<u>Cytochrome CYP1A2</u>	CYP1A2	Inactive	0.94
Metabolism	<u>Cytochrome CYP2C19</u>	CYP2C19	Inactive	0.76
Metabolism	<u>Cytochrome CYP2C9</u>	CYP2C9	Inactive	0.53
Metabolism	<u>Cytochrome CYP2D6</u>	CYP2D6	Inactive	0.70
Metabolism	<u>Cytochrome CYP3A4</u>	CYP3A4	Inactive	0.58
Metabolism	<u>Cytochrome CYP2E1</u>	CYP2E1	Inactive	0.99

Toxicity targets

Possible binding to toxicity targets is shown below. For more information on the targets, please click on the individual abbreviations.



<u>AA2AR</u>	<u>ADRB2</u>	<u>ANDR</u>	<u>AOFA</u>	<u>CRFR1</u>	<u>DRD3</u>	<u>ESR1</u>	<u>ESR2</u>	<u>GCR</u>	<u>HRH1</u>	<u>NR1I2</u>	<u>OPRK</u>	<u>OPRM</u>	<u>PDE4D</u>	<u>PGH1</u>	<u>PRGR</u>