



Classes

Week 2



Yang-Cheng Chang
Yuan-Ze University
yczhang@saturn.yzu.edu.tw




Copy Constructors

- When copies of objects are made
 - A variable is declared which is **initialized from** another object

```
person q("Mickey"); // constructor is used to build q.  
person r(p);        // copy constructor is used to build r.  
person p = q;       // copy constructor is used to initialize in declaration.
```


- A value parameter is initialized from its corresponding argument

```
class book{  
    person author;  
    book(person m):author(m){} // copy constructor initializes formal value parameter.  
};
```



Copy Constructors

```
class person {  
    private:  
        char* name;  
        int age;  
    public:  
        person(char* nm, int ae);           // default constructor  
        ~person();                          // default destructor  
        person(person &m);                  // copy constructor  
        person& operator=( person &m)      // assignment operator  
};
```



Don't write a copy constructor if shallow copies are ok

- If the object has **no pointers to dynamically allocated memory**, a shallow copy is probably sufficient.
 - Therefore the default copy constructor, default assignment operator, and default destructor are ok and you don't need to write your own.

```
class person {  
    private:  
        string name;  
        int age;  
    public:  
        person(string nm, int ae);           // default constructor  
};
```




Shallow Copies

- A **shallow copy** of an object copies all of the member field values.
 - This works well if the fields are values, **but ...**
- The **default** copy constructor and assignment operator make shallow copies.


Shallow Copies

- The pointer will be copied. but the memory it points to **will not be copied**
 - The field in both the original object and the copy will then point to the **same dynamically allocated memory**



Deep Copies

- A **deep** copy copies **all fields**, and makes **copies** of **dynamically allocated memory** pointed to by the fields.





Deep copies need ...

- If an object has **pointers** to dynamically allocated memory, and the dynamically allocated memory needs to be copied

```
class person {  
    private:  
        char* name;  
        int age;  
    public:  
        person(char* nm, int ae);           // default constructor  
};  
// default constructor  
person::person(char *nm, int ae){  
    name = new char[strlen(nm) + 1];  
    strcpy(name, nm);  
    age = ae;  
}
```





Deep copies need ...

- A class that requires deep copies generally needs
 - A **constructor** to either make an initial allocation or set the pointer to NULL.
 - A **destructor** to delete the dynamically allocated memory.
 - A **copy constructor** to make a copy of the dynamically allocated memory.
 - An overloaded **assignment operator** to make a copy of the dynamically allocated memory.



Assignment Operator =

```
class person {  
    private:  
        char* name;  
        int age;  
    public:  
        person(char* nm, int ae);           // default constructor  
        ~person();                          // default destructor  
        person(person &m);                  // copy constructor  
        person& operator=( person &m) // assignment operator  
};
```




Difference between copy constructor and assignment

- A copy constructor is used to initialize a **newly declared** variable from an existing variable

```
person r(p);           // copy constructor is used to build r.  
person p = q;          // copy constructor is used to initialize in declaration.
```

- The assignment operator is used to change an existing instance to have the same values as the right-side value
 - The instance **p** has to be **destroyed** and **re-initialized** if it has internal dynamic memory.

```
p = q;                 // Assignment operator, no constructor or copy constructor.
```



Difference between copy constructor and assignment

- A copy constructor is **simpler** than assignment
 - No need to test to see if it is being initialized from itself
 - No need to clean up (eg, delete) an existing value
 - **A reference to itself is not returned**

```
person::person(person& m){  
    .....  
}
```

Copy constructor

```
person& person::operator=(person& m){  
    .....  
    return *this  
}
```

Assignment operator



Rule

Don't write a copy constructor if the object has no pointers to dynamically allocated memory

If you need a copy constructor, you also need a destructor and assignment operator



Assignment 2

- Complete all the member functions of C++ class person
- You can download the declaration of class person

```
class person {  
    private:  
        // member variables  
        char* name;  
        int age;  
    public:  
        // constructor  
        person( char* nm = "noname", int ae = 5 );  
        // copy constructor  
        person( person& m );  
        // destructor  
        ~person();  
        // assignment operator  
        person& operator=( person& m );  
        // member functions  
        void setName( char* nm );  
        void setAge( int ae );  
        string getName();  
        int getAge();  
};
```