

Department of Computer Science
University of Pretoria

Programming Languages
COS 333

Practical 5: Fortran and COBOL

April 22, 2024

1 Objectives

This practical aims to achieve the following general learning objectives:

- To gain and consolidate some experience writing programs in different imperative programming languages, namely: Fortran and COBOL;
- To consolidate a variety of basic concepts related to imperative programming languages, as presented in the prescribed textbook for this course.

2 Plagiarism Policy

Plagiarism is a serious form of academic misconduct. It involves both appropriating someone else's work and passing it off as one's own work afterwards. Thus, you commit plagiarism when you present someone else's written or creative work (words, images, ideas, opinions, discoveries, artwork, music, recordings, computer-generated work, etc.) as your own. Note that using material produced in whole or part by an AI-based tool (such as ChatGPT) also constitutes plagiarism. Only hand in your own original work. Indicate precisely and accurately when you have used information provided by someone else. Referencing must be done in accordance with a recognised system. Indicate whether you have downloaded information from the Internet. For more details, visit the library's website: <http://www.library.up.ac.za/plagiarism/>.

3 Submission Instructions

Upload your practical-related source code files to the appropriate assignment upload slots on the ClickUP course page. For your Fortran submission you must implement and submit a single file named `s99999999.f`, where `99999999` is your student number. For your COBOL submission you must implement and submit a single file named `s99999999.cob`, where `99999999` is your student number. Multiple uploads are allowed, but only the last one will be marked. The submission deadline is **Monday, 6 May 2024, at 12:00**.

4 Background Information

For this practical, you will be writing programs in Fortran 2008 and COBOL. You will have to compare these languages in terms of their support for different concepts related to data types, control structures and subprograms. To do this, you will have to write short programs to demonstrate how each language handles the concept under consideration. These programs should not be long, but will demonstrate the concepts adequately, and should allow you to understand the language's support (or lack of support) for the features in question.

Your Fortran 2008 program should compile using version 7.5.0 of the `gfortran` compiler, while your COBOL program should compile using version 1.1.0 of the OpenCOBOL compiler. Support for Fortran 2008 is provided under Linux as part of the GNU Compiler Collection with the `gcc` compiler. OpenCOBOL is not a strictly

standard conforming implementation of COBOL, but implements most of the COBOL 85 and COBOL 2002 standards, as well as some proposed features from the COBOL 2014 specification. If you decide to use a different compiler for any language, **make sure that you test your programs using the specified versions of these compilers**. The course ClickUP page contains documentation related to the Fortran language [1] and the `gfortran` compiler [3]. Also included is documentation related to the OpenCOBOL compiler [2].

Note that that your Fortran program code must comply with the `gfortran` compiler's fixed format. Your COBOL program must also compile with COBOL's fixed format source file specification. Refer to the documentation for each compiler for information on how to enforce fixed format source files. Adherence to the fixed format will contribute to your mark for both your submissions.

5 Practical Tasks

You have to implement the same simple statistical measure program in Fortran 2008 and COBOL. The program reads in and stores a sequence of integer values and then prints out some statistics related to these values. Note that in the following discussion function signatures are provided in C-like syntax, and are intended to illustrate the basic nature of the return and parameter types. Your programs must adhere to the following requirements:

- You do not need to define any user-specified data types. Simply use an array to store your data.
- You must define a subprogram with the signature `void readData(arr)`, where `arr` is an array of integer values. The `readData` subprogram should prompt the user for integer inputs and populate the array with these values. The array should be modified by reference, meaning that there should be no return value for `readData`. You may assume that only five data values will be entered.
- Define a second subprogram with the signature `int findSmallest(arr)`, which receives an array of integer data values (here called `arr`) and returns the smallest of these values.
- Define a third subprogram with the signature `int findLargest(arr)`, which receives an array of integer values (here called `arr`) and returns the largest of these values.
- Declare a final subprogram with the signature `int mode(arr)`, which receives an array of integer values (here called `arr`) and returns the mode of the values in the array. The mode of a set of data values is the value that occurs most often within the set. For example, assume the array contains the following values:

| | | | | | | |
|---|---|---|---|---|---|---|
| 8 | 2 | 5 | 2 | 2 | 5 | 1 |
|---|---|---|---|---|---|---|

The mode of this array is 2 because the value occurs three times in the array, and no other value occurs more frequently than this. Should there be more than one candidate value for the mode (i.e. when more than one value occurs the same number of times), the mode is the first candidate in the list. For example, assume the array contains the following values:

| | | | | | | |
|---|---|---|---|---|---|---|
| 8 | 2 | 5 | 2 | 1 | 5 | 1 |
|---|---|---|---|---|---|---|

Both 1 and 2 are possibly the mode of the array, because both values occur twice. Your implementation should assume that the mode of this array is 2, because the first 2 in the array occurs before the first 1 in the array.

- Finally, your program should prompt the user for values that will be stored in the array. Your program should then determine the smallest and largest values stored in the array, as well as the mode of the values in the array, and print out these three values. Use the four subprograms you have written to perform these operations.

Note that in the above description the term “subprogram” refers to a unit of execution (you will probably know such units of execution as functions or methods). Some programming languages support different kinds of subprograms, and you should use the most appropriate type of subprogram for the task at hand.

It is also possible that language limitations may affect aspects of the subprograms in one way or another (for example, in terms of the return types allowed from subprograms). Should a subprogram not support a feature you would typically use, you must find another way to provide the required functionality. For example, if certain data types cannot be returned by a subprogram, consider whether you can pass a variable of the required type to the subprogram by reference. Similarly, if a value cannot be passed by reference, consider whether it can be returned instead.

6 Marking

Each of the implementations will count 5 marks for a total of 10 marks. Submit the Fortran and COBOL implementations to the appropriate assignment upload slots. Do not upload any additional files other than your source code. Both the implementation and the correct execution of the programs will be taken into account. Your program code will be assessed during the practical session in the week of **Monday, 6 May 2024**.

References

- [1] PGI Compilers and Tools. Fortran reference guide: Version 2018, 2018.
- [2] Gary Cutler. OpenCOBOL 1.1 programmer's guide, September 2010.
- [3] The **gfortran** team. Using GNU Fortran: For GCC version 6.3.0, 2016.