

Introduction

Department of Computer Engineering
INHA University
Dr. Tamer ABUHMED



Course Overview




- Staff
 - ➤ ABUHMED, Tamer (타메르) (<u>tamer@inha.ac.kr</u>)
 - ➤ Dao Dinh Nguyen (응웬) (nguyendaodinh@gmail.com)
- Lecture Location &Time
 - > Lecture: **Hitech-001 (Monday 10:30-12:30)**
 - > Lab: **Hitech-322 (Wednesday 10:30-12:30)**
- Grading Policy

Midterm(30%), Final exam(30%), Attendance (10%), Homework(10%), **Class Projects &Quizzes** (20%)

- Cheating Policy
 - Automatic **F** for both





Important!



- This class is about "Java programming"
- Java syntax will be discussed, but you will have to learn the basics stuffs (if .. Else, loop, functions, etc.) by yourself.

Prerequisite(very strict)

- Object oriented programming I/II
- Comfortable in programming using at least one language

Caution!

 This class will require intensive java programming for a skillful programmer (more than 5 hours per week)

Introduction To Java



 Most people are familiar with Java as a language for Internet applications

Servlet

Java Server Pages (JSP)

- We will study Java as a general purpose programming language
 - The syntax of expressions and assignments will be similar to that of other high-level languages such as C++.
- Java is the world's most widely used computer programming language.

Java Applications



- Standalone applications
 - Console Applications
 - Swing Applications (GUI)
- Web applications
 - Applet
 - Servlet
 - JSP
- Mobile applications
 - J2ME Applications
 - Android Applications
- Distributed Applications
 - Enterprise Java Beans (EJB Technology)

- Embedded Systems Applications
- Java Card Applications
 - smart card programing



Origins of the Java Language



- Created by Sun Microsystems team led by James Gosling (1991)
- Why is it called Java?
- First name of this language was Oak
- The name was existed, then it was renamed as Java.
- Originally designed for programming home appliances
 - Difficult task because appliances are controlled by a wide variety of computer processors
 - Team developed a two-step translation process to simplify the task of compiler writing for each class of appliances

Origins of the Java Language



- Patrick Naughton and Jonathan Payne at Sun Microsystems developed a Web browser that could run programs over the Internet (1994)
 - Beginning of Java's connection to the Internet
 - Original browser evolves into HotJava
- Netscape made its Web browser capable of running Java programs (1995)
 - Other companies follow suit

Java is everywhere!



Sun Microsystems was acquired by Oracle in 2009.



- Based on <u>www.java.com</u> website statistics 2016:
 - √ 97% of Enterprise Desktops Run Java
 - √ 89% of Desktops (or Computers) in the U.S. Run Java
 - √ 9 Million Java Developers Worldwide
 - √ #1 Choice for Developers
 - √ #1 Development Platform
 - √ 3 Billion Mobile Phones Run Java
 - √ 100% of Blu-ray Disc Players Ship with Java
 - √ 5 Billion Java Cards in Use
 - √ 125 million TV devices run Java
 - √ 5 of the Top 5 Original Equipment Manufacturers Ship Java ME

Java is everywhere!



Choose a Rank	ing (choose	a weightii	ng or make	your own))							
IEEE Spectrum	Trending	Jobs	Open	Custom			Cho	oose a Rank	ing (choose	a weightir	ng or mak	e your own)
Edit Ranking Add a Comparison 💟 🚯							IEEE Spectrum 1		Trending	Jobs	Open	Custom
Language Type	·						Edit	Ranking Ad	id a Compa	rison	0	
₩eb						Language Types (click to hide)						
Language Rank			Spe	ctrum Ra	anking		Æ	₩eb 🗍	Mobile 5	☐ Enterp	nrise :	Embed
1. Python		_	100.	0			A	y Web	Mobile 3	- Linterp	31130	Ellibed
2 . C		Ţ ,	99.7				Lar	iguage Rank	Туре	es	Job	s Rankin
3. Java	₩ [\Box	99.4				1.	Java	₩[100	0
Designed to allo or no modification					n run on different platfo b applications.	rms with little		С		, <u>.</u>		
4 . C++	[] 🖵 🐞	97.2						_			
5 . C#	₩ [Ţ	88.6				3.	Python	(1	99.3	3
6 . R		\Box	88.1				4.	C++	[] 🖵 🗰	92.6	5
7. JavaScript]	85.5				5.	JavaScript	₩[90.2	2
8. PHP			81.4				6.	C#	⊕ [86.6	5
9 . Go			76.1							-		
10. Swift		Ţ	75.3				7.	PHP	(81.0)
							8	HTMI			79.6	5

EEE Spectrum Trending Jobs Open Custom it Ranking | Add a Comparison | 💟 🚹 inguage Types (click to hide) Embedded nguage Rank Types Jobs Ranking \oplus \Box \Box Java 100.0 С 99.3 Python 99.3 ī 🖵 🗰 C++ 92.6 JavaScript 90.2 \bigoplus \square \lnot C# 86.6 PHP 81.0 8. HTML 79.6 9. Ruby 77.2 Ţ 10. Swift 77.2


Source: IEEE Spectrum

Java Code Execution

Life Cycle

Running Java-based Application





From Source to Machine Code




- "Compiling a program"
 - translating from a high-level language (HLL) source code to machine (object, or executable) code.
- "Compiler"
 - a program that translates HLL source code to machine (object, or executable) code.
- "Assembly"
 - translating from assemble language source code to machine (object, or executable) code.
- "Assembler"
 - a program that translates assembly source code to machine (object, or executable) code.
- Compilers need to know the specific target hardware

Compilers / Assemblers / Interpreters




- Compilers and Assemblers
 - translation is a separate user step
 - translation is "off-line," i.e. not at run time
- Interpreters another way to translate source to object code
 - interpretation (from source to object code) is not a separate user step
 - translation is "on-line," i.e. at run time



Java Program Translation



- Both Compilation and Interpretation
- Intermediate Code: "Byte Code"
 - similar to assembly code, but hardware independent
- Interpreter translates from generic byte code to hardware-specific machine code



Java Byte Code



- Generated by Java compiler
 - Instead of generating machine language as most compilers do, the Java compiler generates byte code.



- Translated to machine language of various kinds of computers
- Executed by Java interpreter
- Invisible to programmer
 - You don't have to know anything about how byte code works to write a Java program.

Why Use Byte Code?



Disadvantages:


- requires both compiler and interpreter
- slower program execution

Advantages:

- portability
 - very important
 - same program can run on computers of different types (useful with the Internet)
 - Java compiler for new types of computers can be made quickly

Java Program Translation Including Linker






Object-Oriented Programming (OOP)

Objects and Methods



- Java is an object-oriented programming (OOP) language
 - Programming methodology that views a program as consisting of objects that interact with one another by means of actions (called methods)
 - Objects of the same kind are said to have the same type or be in the same class



Object-Oriented Programming: OOP



Objects

Data

Methods

- A design and programming technique
- Some terminology:
 - object usually a person, place or thing (a noun)
 - Method an action performed by an object (a verb)
 - Type or Class a category of similar objects (such as automobiles)
- Objects have both data and methods
- Objects of the same class have the same data elements and methods
- Objects send and receive messages to invoke actions

Example of an Object Class





Example of an Object Class

Class: Automobile

Data Items:

- manufacturer's name
- model name
- year made
- color
- number of doors
- Body shape
- size of engine
- etc.

Methods: (action)

- Define data items (specify manufacturer's name, model, year, etc.)
- Change a data item (color, engine, etc.)
- Display data items
- Calculate cost
- Assemble
- etc.

Why OOP?



- Easy to design software as building blocks.
- Save development time (and cost) by reusing code
 - once a class is created, it can be used in other applications
- Easier debugging
 - classes can be tested independently
 - reused objects have already been tested



Design Principles of OOP




Three main design principles of Object-Oriented

Programming (OOP):

Encapsulation

Polymorphism


Inheritance



OOP: Encapsulation



- Design software
 - can be easily used
 - without knowing the details of how it works.
- Also known as information hiding



OOP: Reusable Components



Advantages of using reusable components:

- saves time and money
- components that have been used before
 - often better tested and more reliable than new software

Make your classes reusable:

- encapsulation
- general classes have a better chance of being reused than ad hoc classes

OOP: Polymorphism



- Polymorphism—the same word or phrase can be mean different things in different contexts
- Analogy: in English, bank can mean:
 - side of a river or
 - a place to put money
- In Java, two or more classes could each have a method called output
- Each output method would do the "right thing" for the class that it was in. E.g.
 - display a number (Integer class)
 - display an image (Photo class)

OOP: Inheritance




- Inheritance—a way of organizing classes
- Term comes from inheritance of traits like eye color, hair color, and so on.

 Classes with attributes in common can be grouped so that their common attributes are only defined once.

An Inheritance Hierarchy





What properties does each vehicle inherit from the types of vehicles above it in the diagram?

Java Simple Program



Source

```
public class Program1
{
  public static void main(String[] arg)
  {
    System.out.println("Hello World");
  }
}
```

Output

Hello World

Summary



- Overview about the course
- Introduction to Java
- Java Code Execution
 - How?
- Object-oriented programming
 - What?
 - Why?