

## Database Programming with SQL

### 4-1: Case and Character Manipulation

### Practice Activities

#### Objectives

- Select and apply single-row functions that perform case conversion and/or character manipulation
- Select and apply character case-manipulation functions LOWER, UPPER, and INITCAP in a SQL query
- Select and apply character-manipulation functions CONCAT, SUBSTR, LENGTH, INSTR, LPAD, RPAD, TRIM, and REPLACE in a SQL query
- Write flexible queries using substitution variables

#### Vocabulary

Identify the vocabulary word for each definition below.

DUAL	Dummy table used to view results from functions and calculations
Format	The arrangement of data for storage or display.
INITCAP	Converts alpha character values to uppercase for the first letter of each word, all other letters in lowercase.
Character functions	Functions that accept character data as input and can return both character and numeric values.
TRIM	Removes all specified characters from either the beginning or the ending of a string.
Expression	A symbol that represents a quantity or a relationship between quantities
Single-row functions	Functions that operate on single rows only and return one result per row
UPPER	Converts alpha characters to upper case
Input	Raw data entered into the computer
CONCAT	Concatenates the first character value to the second character value; equivalent to concatenation operator (  ).
Output	Data that is processed into information
LOWER	Converts alpha character values to lowercase.
LPAD	Pads the left side of a character, resulting in a right-justified value

<b>SUBSTR</b>	Returns specific characters from character value starting at a specific character position and going specified character positions long
<b>REPLACE</b>	Replaces a sequence of characters in a string with another set of characters.
<b>INSTR</b>	Returns the numeric position of a named string.
<b>LENGTH</b>	Returns the number of characters in the expression
<b>RPAD</b>	Pads the right-hand side of a character, resulting in a left- justified value.

## Try It / Solve It

- Using the three separate words “Oracle,” “Internet,” and “Academy,” use one command to produce the following output:

<b>The Best Class</b>
Oracle Internet Academy

```
SELECT CONCAT('Oracle ', 'Internet')||' Academy' AS "The Best Class"FROM DUAL;
```

- Use the string “Oracle Internet Academy” to produce the following output:

<b>The Net</b>
net

```
SELECT SUBSTR('Oracle Internet Academy', 13,3)AS "The Net"FROM DUAL;
```

- What is the length of the string “Oracle Internet Academy”?

23

- What’s the position of “I” in “Oracle Internet Academy”?

8

- Starting with the string “Oracle Internet Academy”, pad the string to create \*\*\*\*Oracle\*\*\*\*Internet\*\*\*\*Academy\*\*\*\*

```
SELECT LPAD('Oracle',10,'*')||LPAD('Internet',12,'*')||RPAD(LPAD('Academy',11,'*'),15,'*')AS"OIA"FROM DUAL;
```

- Starting with the string “Oracle Internet Academy”, pad the string to produce: Oracle\$\$\$Internet\$\$\$Academy

```
SELECT RPAD('Oracle',9,'$')||RPAD('Internet',11,'$')||'Academy' AS "OIA"FROM DUAL;
```

- Using the string ‘Oracle Internet Academy’, produce the output shown using the REPLACE function.

<b>The Best Class</b>
Oracle 2013-2014 Academy

```
SELECT REPLACE('Oracle Internet Academy', 'Internet', '2013–2014') AS "The Best Class"FROM DUAL;
```

8. List the order date and the order total from the Global Fast Foods F\_ORDERS table. Name the order total as TOTAL, and fill in the empty spaces to the left of the order total with \$.

```
SELECT order_date, LPAD(ORDER_TOTAL,10,'$')AS "TOTAL"FROM f_orders;
```

9. Write a query that will output a column called "ADDRESS" which has the following information: ZOE TWEE 1009 OLIVER AVENUE BOSTON, MA 12889. Use the Global Fast Foods F\_CUSTOMERS table.

```
SELECT UPPER(first_name) || ' ' || UPPER(last_name) || ' ' || UPPER(address)|| ' ' ||UPPER(city) ||','||UPPER(state)||' ' ||zip AS "ADDRESS"FROM f_customersWHERE id = 456;
```

10. Write a query to return the first character of the first name concatenated to the last\_name, the salary, and the department id for employees working in department 20. Give the first expression an alias of Name. Use the EMPLOYEES table. Change the query to use a substitution variable instead of the hard coded value 20 for department id. Run the query for department 30 and 50 without changing the original where-clause in your statement.

```
SELECT SUBSTR(first_name, 1,1) || last_name AS "Name", salary, department_idFROM employeesWHERE department_id = 20;
```

11. Using a substitution variable for the department name, write a query listing department id, department name, and location id for departments located in the \_department\_of\_your\_choice. Use the DEPARTMENTS table. Note: All substitution variables in OAE are treated as character strings, so no quotes ( ' ') are needed.

```
SELECT department_id, department_name, location_idFROM departmentsWHERE department_name = :dept_name;
```

12. Write a query that returns all the employee data depending on the month of their hire date. Use the EMPLOYEES table. The statement should return the month part of the hiredate which is then compared to an abbreviated month (JAN, FEB, MAR) passed into the query via a substitution variable.

```
SELECT *FROM employeesWHERE SUBSTR(hire_date, 4, 3) = : entered_month;
```