

Corresponding author(s): Ramnik J. Xavier

Last updated by author(s): 04/20/2022

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our [Editorial Policies](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

n/a Confirmed

- | | | |
|-------------------------------------|-------------------------------------|--|
| ☐ | ☒ | The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement |
| ☐ | ☒ | A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly |
| ☐ | ☒ | The statistical test(s) used AND whether they are one- or two-sided
<i>Only common tests should be described solely by name; describe more complex techniques in the Methods section.</i> |
| ☐ | ☒ | A description of all covariates tested |
| ☐ | ☒ | A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons |
| ☐ | ☒ | A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) |
| ☐ | ☒ | For null hypothesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted
<i>Give P values as exact values whenever suitable.</i> |
| ☒ | ☐ | For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings |
| ☒ | ☐ | For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes |
| ☐ | ☒ | Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated |

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

Data collection: NovoExpress (v1.4.1), SoftMax Pro6 (v6.2.1), Bio-Rad CFX Manager 3.1, NIS-Elements AR (v5.21), FACS Diva 6.1, MetaXpress (v6.2.3)

Data analysis: FlowJo (v10.7.1), ImmunoSpot 7, Progenesis Q1, TraceFinder 3.1, CellRanger (v5.0.1), GraphPad Prism (v8.0.2), Image J (v1.53), Agilent Seahorse Analytics (2.6.1.56), Image Pro Plus (v6.0), CellBender (v0.2.0), Seurat (v4.1.0), Compass (v0.9.10.2), Code used for this study is available at <https://gitlab.com/xavier-lab-computation/public/gpr65-scrnaseq>.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our [policy](#)

scRNA-seq data generated during this study are available under GEO accession code: GSE182767. Source data for the figures are provided in the individual source files. The reference mm10 mouse transcriptome was obtained from GENCODE: GCF_000001635.26.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

☒ Life sciences ☐ Behavioural & social sciences ☐ Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see [nature.com/documents/nr-reporting-summary-flat.pdf](https://www.nature.com/documents/nr-reporting-summary-flat.pdf)

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size	No statistical methods were used to predetermine sample size. Sample sizes were selected based on published studies (refs 10, 21, 32) and provided sufficient power for statistical analysis. Sample sizes are noted in the figure legends. For in vivo experiments, typically 4-7 mice were included in each group.
Data exclusions	Based on published studies, poor-quality cells in scRNA-seq dataset were identified and removed based on the following criteria: 1) Cells with < 200 detected genes; 2) Cells having outlier number of unique molecular identifiers (UMIs) >10000; 3) Cells having outlier number of identified genes (UMIs) >3000; and 4) proportion of mitochondrial gene expression > 10% were excluded.
Replication	Data shown are consistent and reliable results from sufficient biological and technical replicates which are indicated in the figure legend.
Randomization	For in vivo model study, mice with matched sex and age were randomly assigned to experimental groups.
Blinding	Data collection and analysis were performed in a blinded manner whenever possible. Data analysis was not blinded for experiments grouped by genotypes due to the experimental design, but unbiased quantification were applied to obtain the results. Blinding was performed for lipidomic data collection, and investigators were blinded to group allocation.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).
Research sample	State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.
Sampling strategy	Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.
Data collection	Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.
Timing	Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Non-participation	State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.
Randomization	If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.
-------------------	--

Research sample	Describe the research sample (e.g. a group of tagged <i>Passer domesticus</i> , all <i>Stenocereus thurberi</i> within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.
Data collection	Describe the data collection procedure, including who recorded the data and how.
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.

Did the study involve field work? ☐ Yes ☐ No

Field work, collection and transport

Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).
Access & import/export	Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).
Disturbance	Describe any disturbance caused by the study and how it was minimized.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

Methods

n/a	Involved in the study	n/a	Involved in the study
☐	☒ Antibodies	☒	☐ ChIP-seq
☒	☐ Eukaryotic cell lines	☐	☒ Flow cytometry
☒	☐ Palaeontology and archaeology	☒	☐ MRI-based neuroimaging
☐	☒ Animals and other organisms		
☒	☐ Human research participants		
☒	☐ Clinical data		
☒	☐ Dual use research of concern		

Antibodies

Antibodies used	Antibody information is available in Supplementary Table 1. Rat anti-mouse CD45, BV785; Biolegend #103149; 30-F11; 1:200; lot B311215 Rat anti-mouse CD45, Percp; Biolegend #103130; 30-F11; 1:200; lot B236192 Rat anti-mouse CD4, BV785; Biolegend #100453; GK1.5; 1:200; lot B38657 Rat anti-mouse CD4, BV650; Biolegend #100469; GK1.5; 1:200; lot B341177 Rat anti-mouse CD45RB, PE; Biolegend #103308; C363-16A; 1:150; lot B250200 Rat anti-mouse IL-17A, PE-CF594; Biolegend #506938; TC11-18H10.1; 1:150; lot B308342 Goat anti-mouse IL-22, PE; Biolegend #516404; Poly5164; 1:50; lot B331822
-----------------	--

Rat anti-mouse IFN γ , APC; Biolegend #505810; XMG1.2; 1:150; lot B299238
 Rat anti-mouse IFN γ , BV650; Biolegend #505832; XMG1.2; 1:150; lot B296088
 Rat anti-mouse Foxp3, PE; eBioscience #12-5773-82; FJK-16s; 1:150; lot 2176028
 Armenian Hamster anti-mouse TCR β , APC-Cy7; Biolegend #109220; H57-597; 1:150; lot B313783
 Armenian Hamster anti-mouse TCR γ , PE-Cy7; Biolegend #118124; GL3; 1:150; lot B231518
 Rat anti-mouse CD8, AF647; Biolegend #100724; 53-6.7; 1:200; lot B262299
 Rat anti-mouse B220, Pacific blue; Biolegend #103227; RA3-6B2; 1:200; lot B240165
 Rat anti-mouse CD11b, BV570; Biolegend #101233; M1/70; 1:150; lot B173020
 Armenian hamster anti-mouse CD11c, PE-Cy7; Biolegend #117318; N418; 1:150; lot B283053
 Rat anti-mouse F4/80, APC-Cy7; Biolegend #123117; BM8; 1:150; lot B232791
 Mouse anti-mouse CD64, AF647; Biolegend #139322; X54-5/7.1; 1:150; lot B251526
 Rat anti-mouse I-A/I-E, BV421; Biolegend #107631; M5/114.15.2; 1:200; lot B236982
 Rat anti-mouse CD107a (LAMP-1), AF647; Biolegend #121610; 1D4B; 1:150; lot NA
 Rat anti-mouse CD86, PE; Biolegend #105008; GL-1; 1:150; lot B267647
 Rat anti-mouse IL-17A, PE; BD #559502; TC11-18H10; 1:150; lot 8183538
 Mouse anti-mouse Ror γ t, PE-CF594; BD #562684; Q31-378; 1:150; lot 1124919
 Rat anti-mouse Ly6C, FITC; BD #553104; AL-21; 1:150; lot 4024747
 Rat anti-mouse Ly6G, BV650; BD #740554; 1A8; 1:150; lot 7353879
 Rat anti-mouse CD16/CD32; BD #553141; 2.4G2; 1:100; lot B291789
 Rat anti-FLAG Tag Antibody, PerCP-Cy5.5; Biolegend #637326; L5; 1:150; lot B309800
 Fixable Viability Dye eFluor 506; eBioscience #65-0866-18; NA; 1:1000; lot 2198947
 Phospho-CREB (Ser133) Rabbit mAb; Cell signaling technology #9198; 87G3; 1:400; lot 18
 Recombinant Anti-DGAT1 antibody - N-terminal; Abcam #ab181180; EPR13430-4; 1:400; lot GR3414797-1
 Alexa Fluor647 AffiniPure Goat Anti-Rabbit IgG (H+L); Jackson ImmunoResearch #111-605-144; Polyclonal; 1:1000; lot NA
 Mouse anti-mouse MHC class II (I-A); BioXcell #BE0178; Y-3P; 1:200; lot 67311701
 Armenian Hamster anti-mouse CD3e; BioXcell #BE0001-1; 145-2C11; 2 μ g/ml; lot 703419A1
 Syrian Hamster anti-mouse CD28; BioXcell #BE0015-1; 37.51; 2 μ g/ml; lot NA

Validation

All antibodies used are commercial antibodies validated by the manufacturers (e.g., BioLegend, BD, eBioscience). The validation statements are available on the manufacturers' websites.

Eukaryotic cell lines

Policy information about [cell lines](#)

Cell line source(s)

State the source of each cell line used.

Authentication

Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.

Mycoplasma contamination

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Commonly misidentified lines
(See [ICLAC](#) register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

☐ Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about [studies involving animals](#); [ARRIVE guidelines](#) recommended for reporting animal research

Laboratory animals

C57BL/6 (JAX 000664), Rag1 KO (JAX 002216), OT-II (JAX 004194), GPR65 (JAX 008577) and GPR65 I231L knock-in mice were maintained in specific-pathogen free conditions and cohoused in the same room at the animal facility maintained on a 12-hour light/dark cycle with a room temperature of 21°C and relative humidity of 30-70%. Males and females 8-12 weeks old were used for mouse studies.

Wild animals	No wild animals used in this study
Field-collected samples	No field-collected samples in this study.
Ethics oversight	Mouse experiments complied with all relevant ethical regulations and were performed according to protocols 2003N000158 and 2011N000126 approved by the Institutional Animal Care and Use Committee (IACUC) at Massachusetts General Hospital.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about [studies involving human research participants](#)

Population characteristics	<i>Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."</i>
Recruitment	<i>Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.</i>
Ethics oversight	<i>Identify the organization(s) that approved the study protocol.</i>

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about [clinical studies](#)

All manuscripts should comply with the ICMJE [guidelines for publication of clinical research](#) and a completed [CONSORT checklist](#) must be included with all submissions.

Clinical trial registration	<i>Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.</i>
Study protocol	<i>Note where the full trial protocol can be accessed OR if not available, explain why.</i>
Data collection	<i>Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.</i>
Outcomes	<i>Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.</i>

Dual use research of concern

Policy information about [dual use research of concern](#)

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes
☐	☐ Public health
☐	☐ National security
☐	☐ Crops and/or livestock
☐	☐ Ecosystems
☐	☐ Any other significant area

Experiments of concern

Does the work involve any of these experiments of concern:

No	Yes
☐	☐ Demonstrate how to render a vaccine ineffective
☐	☐ Confer resistance to therapeutically useful antibiotics or antiviral agents
☐	☐ Enhance the virulence of a pathogen or render a nonpathogen virulent
☐	☐ Increase transmissibility of a pathogen
☐	☐ Alter the host range of a pathogen
☐	☐ Enable evasion of diagnostic/detection modalities
☐	☐ Enable the weaponization of a biological agent or toxin
☐	☐ Any other potentially harmful combination of experiments and agents

ChIP-seq

Data deposition

- ☐ Confirm that both raw and final processed data have been deposited in a public database such as [GEO](#).
- ☐ Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session

(e.g. [UCSC](#))

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

- ☒ The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- ☒ The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- ☒ All plots are contour plots with outliers or pseudocolor plots.
- ☒ A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Mouse colons were harvested with fat and mesenterium removed, and then opened longitudinally, washed with HBSS and cut into 1 cm pieces. Colon tissues were treated with epithelial strip buffer (5mM EDTA (Invitrogen), 1mM DTT (Sigma), 15mM HEPES (Gibco) and 5% FBS (Gibco) in HBSS buffer, calcium and magnesium free) at 37°C for 30min with stirring, washed with HBSS and then digested with enzyme digestion buffer (0.167mg/ml Liberase TL (Roche), 0.1mg/ml DNase I (Sigma) and 15mM HEPES and 5% FBS in HBSS buffer) at 37°C for 30min with stirring. After digestion, the supernatant was filtered into ice cold collection buffer (HBSS with 5% FBS and 5 mM EDTA), harvested by centrifuge. Cell pellets were resuspended in 44% Percoll (diluted with HBSS from 100% Percoll) with carefully underlaid 67% Percoll. 50ml 100% Percoll contains 45ml Percoll (GE Healthcare), 4.48 ml HBSS (10x, without calcium, magnesium or sodium bicarbonate, Sigma), 0.5 ml 1M HEPES and 0.23ml 1N HCl (Sigma). The lymphoid fractions at the Percoll interphase were collected after centrifuge at 600xg for 20min, washed with HBSS and then resuspended with full RPMI 1640 medium and kept on ice. For myeloid cells analysis, cells were blocked with anti-CD16/CD32 antibody and then stained with myeloid cell panel antibodies and cell viability dye, fixed with 2% PFA (diluted with PBS from 4% PFA (Thermo)). For cytokine producing cells analysis, cells were treated with 50ng/ml PMA (Sigma), 1µg/ml ionomycin (Sigma) and GolgiPlug (BD) at incubator for 2-3h, and then stained with cell viability dye and Th cell panel antibodies using Fixation/Permeabilization Solution Kit (BD) according to the manufacturer's protocol. All staining were performed in MACS buffer (PBS with 2.5mM EDTA, 2% FBS) or PBS.

Instrument

Flow data was collected by NovoCyte Flow Cytometer (Agilent). CD45RB-high CD4+ T cells were sorted by BD FACSAria.

Software

BD FACSDiva, FlowJo (v10.7.1)

Cell population abundance

Efficiency was monitored during sorting and purity was confirmed by flow cytometry.

Gating strategy

First gate on FSC/SSC, second gate on singlet cells, third gate on live cells, then for CD45+ cells, CD4+ T cells, neutrophils, inflammatory monocytes, DCs, macrophages, cytokine-producing or transcription factor positive T cells as indicated in the supplementary figures.

☒ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Design specifications

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.

Behavioral performance measures

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition

Imaging type(s)

Specify: functional, structural, diffusion, perfusion.

Field strength

Specify in Tesla

Sequence & imaging parameters

Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.

Area of acquisition

State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.

Diffusion MRI

☐ Used

☐ Not used

Preprocessing

Preprocessing software

Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).

Normalization

If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.

Normalization template

Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.

Noise and artifact removal

Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).

Volume censoring

Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.

Statistical modeling & inference

Model type and settings

Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).

Effect(s) tested

Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.

Specify type of analysis: ☐ Whole brain ☐ ROI-based ☐ Both

Statistic type for inference
(See [Eklund et al. 2016](#))

Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.

Correction

Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).

Models & analysis

n/a | Involved in the study

☐ Functional and/or effective connectivity

☐ Graph analysis

☐ Multivariate modeling or predictive analysis

Functional and/or effective connectivity

Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).

Graph analysis

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.