Introduction to Python

Tan Sein Jone

University of British Columbia

August 7, 2024

Table of contents

1. Object Oriented Programming

2. Pythonics

3. Data Handling

Table of Contents

1. Object Oriented Programming

2. Pythonics

3. Data Handling

Classes and Objects

- A class is a blueprint for creating object
- Classes define the properties and behaviours of objects
- Objects have attributes and methods
- Attributes are variables that store data
- Methods are functions that perform actions

Examples of Classes in Pandas

- `pd.DataFrame` is a class that represents a two-dimensional table of data
- `pd.Series` is a class that represents a one-dimensional array of data
- `pd.Index` is a class that represents an index of data

Examples of Methods in Pandas

- `pd.DataFrame.head()` returns the first n rows of a dataframe
- `pd.DataFrame.tail()` returns the last n rows of a dataframe
- `pd.DataFrame.describe()` returns the summary statistics of a dataframe

Attributes

- Attributes are variables that store data
- They are defined in the `__init__` method
- They are accessed using the dot operator

Attributes

```
class Person:
    def __init__(self, name, age):
        self.name = name
        self.age = age
```

Breakdown

- `class Person:` defines a class named `Person`
- `def __init__(self, name, age):` defines a method named `__init__` that initializes the object
- `self` is a reference to the object itself
- `self.name` and `self.age` are attributes of the object

Attributes

```
person = Person("John", 36)
print(person.name)
print(person.age)
```

Methods

- Methods are functions that perform actions
- They are defined in the class
- They are accessed using the dot operator

Methods

```
class Person:
    def __init__(self, name, age):
        self.name = name
        self.age = age

    def greet(self):
        print(f"Hello, my name is {self.name}")
```

Breakdown

- `class Person:` defines a class named `Person`
- `def __init__(self, name, age):` defines a method named `__init__` that initializes the object
- `self` is a reference to the object itself
- `self.name` and `self.age` are attributes of the object
- `def greet(self):` defines a method named `greet` that prints a greeting

Methods

```
person = Person("John", 36)
person.greet()
```

Breakdown

- `person = Person("John", 36)` creates an object of class `Person`
- `person.greet()` calls the `greet` method of the object

Benefits of OOP

- Encapsulation
- Inheritance
- Polymorphism

Encapsulation

- Encapsulation is the bundling of data and methods that operate on the data
- It restricts access to some of the object's components
- It prevents the accidental modification of data

Inheritance

- Inheritance is the mechanism of basing a class upon another class
- It allows a class to inherit attributes and methods from another class
- It allows a class to override methods of another class

Polymorphism

- Polymorphism is the ability to present the same interface for different data types
- It allows a function to accept different data types
- It allows a class to override methods of another class

Do I Need to Know How to Write Classes?

- For the purposes of the program, probably not
- Why did I cover this topic? Because it is important to understand how Python works under the hood
- When you call a method in Pandas, you are calling a method of a class
- When you create a dataframe in Pandas, you are creating an object of a class
- This understanding will make it much easier to debug and troubleshoot your code

Summary

- Classes are blueprints for creating objects
- Objects have attributes and methods
- Attributes are variables that store data
- Methods are functions that perform actions
- Encapsulation is the bundling of data and methods
- Inheritance is the mechanism of basing a class upon another class
- Polymorphism is the ability to present the same interface for different data types

Table of Contents

1. Object Oriented Programming

2. Pythonics

3. Data Handling

Pythonics

- Pythonic code is code that follows the conventions of the Python language
- It is code that is clean, readable, and maintainable
- It is code that is idiomatic and expressive

Zen of Python

- The Zen of Python is a collection of aphorisms that capture the philosophy of Python
- It is a set of guiding principles for writing computer programs
- It is a set of rules for writing Pythonic code

Zen of Python

- Beautiful is better than ugly
- Explicit is better than implicit
- Simple is better than complex
- Complex is better than complicated
- Readability counts
- There should be one– and preferably only one –obvious way to do it
- Now is better than never
- Although never is often better than right now

Value Swapping and Multiple Assignment

- Python allows you to swap the values of two variables in a single line
- It also allows you to assign multiple values to multiple variables in a single line

Value Swapping and Multiple Assignment

```
a = 1
b = 2
a, b = b, a
print(a, b)
```

Breakdown

- `a, b = b, a` swaps the values of `a` and `b`
- `print(a, b)` prints the values of `a` and `b`
- The output is `2 1`

List Slicing

- Python allows you to slice lists using the slice operator
- It allows you to slice lists using the start, stop, and step arguments
- It allows you to slice lists using negative indices

List Slicing

```
numbers = [1, 2, 3, 4, 5]
print(numbers[1:3])
print(numbers[::2])
print(numbers[::-1])
```

Breakdown

- `print(numbers[1:3])` slices the list from index 1 to index 3
- `print(numbers[::2])` slices the list with a step of 2
- `print(numbers[::-1])` slices the list in reverse order
- The output is `[2, 3]`, `[1, 3, 5]`, `[5, 4, 3, 2, 1]`

Passing Multiple Arguments

- Python allows you to pass multiple arguments to a function
- It also allows you to pass keyword arguments to a function

Passing Multiple Arguments

```
def greet(*names):
    for name in names:
        print(f"Hello, {name}")

greet("John", "Jane", "Jack")
```

Breakdown

- `def greet(*names):` defines a function named `greet` that takes multiple arguments
- `for name in names:` iterates over the arguments
- `print(f"Hello, name")` prints a greeting for each argument
- The output is `Hello, John, Hello, Jane, Hello, Jack`

List Comprehension

- List comprehension is a concise way to create lists
- It allows you to create lists using a single line of code
- It is more readable and expressive than traditional loops

List Comprehension

```
squares = [x ** 2 for x in range(10)]
print(squares)
```

Breakdown

- `squares = [x ** 2 for x in range(10)]` creates a list of squares
- `print(squares)` prints the list of squares
- The output is `[0, 1, 4, 9, 16, 25, 36, 49, 64, 81]`

List Comprehension vs Loops

- It is possible to achieve the same result using a loop
- However, list comprehension is more concise and expressive
- It is also more readable and maintainable
- It is the preferred way to create lists in Python
- If the list comprehension is too complex, use a loop instead

Lambda Functions

- Lambda functions are anonymous functions
- They are defined using the `lambda` keyword
- They are used to create small, one-line functions

Lambda Functions

```
add = lambda x, y: x + y
print(add(1, 2))
```

Breakdown

- `add = lambda x, y: x + y` defines a lambda function that adds two numbers
- `print(add(1, 2))` calls the lambda function with arguments 1 and 2
- The output is `3`

A Note on Indentation

- Python uses indentation to define blocks of code
- It uses whitespace to delimit code

A Note on Indentation

- Indentation is important in Python
- It is used to define the scope of code
- It is used to group statements together

Summary

- Pythonic code is code that follows the conventions of the Python language
- It is code that is clean, readable, and maintainable
- It is code that is idiomatic and expressive
- The Zen of Python is a collection of aphorisms that capture the philosophy of Python
- It is a set of guiding principles for writing computer programs
- It is a set of rules for writing Pythonic code

Table of Contents

1. Object Oriented Programming

2. Pythonics

3. Data Handling

Data Handling

- Data handling is the process of managing data
- It involves reading, writing, and processing data
- It involves working with files, databases, and APIs

Lists and Dictionaries

- Lists are ordered collections of items
- Dictionaries are unordered collections of key-value pairs
- Lists are indexed by integers
- Dictionaries are indexed by keys

Combining Lists and Dictionaries

- You can combine lists and dictionaries to create complex data structures
- You can nest lists and dictionaries to create hierarchical data structures

Combining Lists and Dictionaries

```
person = {
    "name": "John",
    "age": 36,
    "friends": ["Jane", "Jack"]
}
print(person["name"])
print(person["age"])
print(person["friends"])
```

Breakdown

- `person = {"name": "John", "age": 36, "friends": ["Jane", "Jack"]}` creates a dictionary
- `print(person["name"])` prints the value of the key `"name"`
- `print(person["age"])` prints the value of the key `"age"`
- `print(person["friends"])` prints the value of the key `"friends"`
- The output is `John, 36, ["Jane", "Jack"]`

Reading and Writing Files

- Python allows you to read and write files
- It allows you to open files in read mode, write mode, or append mode
- It allows you to read files line by line or all at once

Reading and Writing Files

```
with open("data.txt", "w") as file:
    file.write("Hello, world!")

with open("data.txt", "r") as file:
    data = file.read()
    print(data)
```

Reading and Writing Files

- Python allows you to read and write files
- It allows you to open files in read mode, write mode, or append mode
- It allows you to read files line by line or all at once

NumPy

- NumPy is a library for numerical computing
- It provides support for arrays and matrices
- It allows you to perform mathematical operations on arrays and matrices
- It is the foundation of many other libraries

NumPy

```
import numpy as np

a = np.array([1, 2, 3])
b = np.array([4, 5, 6])
c = a * b
print(c)

d = np.dot(a, b)
print(d)
```

Breakdown

- `a = np.array([1, 2, 3])` creates an array `a`
- `b = np.array([4, 5, 6])` creates an array `b`
- `c = a * b` multiplies the arrays `a` and `b` element-wise
- `print(c)` prints the result of the multiplication
- `d = np.dot(a, b)` computes the dot product of the arrays `a` and `b`
- `print(d)` prints the result of the dot product

Pandas

- Pandas is a library for data manipulation and analysis
- It provides support for data structures like Series and DataFrame
- It allows you to read and write data from various sources
- It is built on top of NumPy

Pandas IO

- Pandas allows you to read and write data from various sources
- It allows you to read and write data from CSV files, Excel files, SQL databases, and APIs
- It allows you to read and write data from URLs, HTML tables, and clipboard

Pandas IO

```
import pandas as pd

data = pd.read_csv("data.csv")
print(data)

data.to_csv("data.csv", index=False)
```

Breakdown

- `data = pd.read_csv("data.csv")` reads a CSV file into a dataframe
- `print(data)` prints the dataframe
- `data.to_csv("data.csv", index=False)` writes the dataframe to a CSV file

Manipulating Dataframes

- Pandas allows you to manipulate dataframes
- It allows you to filter, sort, group, and aggregate data
- It allows you to merge, join, and concatenate data
- It allows you to reshape, pivot, and melt data

Manipulating Dataframes

```
import pandas as pd

data = pd.read_csv("age.csv")
data = data[data["age"] > 30]
data = data.sort_values("age")
data['rank'] = data['age'].rank()
data.loc['total'] = data.sum()
print(data)
```

Breakdown

- `data = pd.read_csv("age.csv")` reads a CSV file into a dataframe
- `data = data[data["age"] > 30]` filters the dataframe by age
- `data = data.sort_values("age")` sorts the dataframe by age
- `data['rank'] = data['age'].rank()` ranks the dataframe by age
- `data.loc['total'] = data.sum()` sums the dataframe
- `print(data)` prints the dataframe

pd.apply()

- Pandas allows you to apply functions to dataframes
- It allows you to apply functions to rows, columns, or cells
- It allows you to apply lambda functions, user-defined functions, or built-in functions

pd.apply()

```
import pandas as pd

data = pd.read_csv("age.csv")
data['age'] = data['age'].apply(lambda x: x + 1)
print(data)
```

Breakdown

- `data = pd.read_csv("age.csv")` reads a CSV file into a dataframe
- `data['age'] = data['age'].apply(lambda x: x + 1)` applies a lambda function to the age column
- `print(data)` prints the dataframe

Merge and Join

- Pandas allows you to merge and join dataframes
- It allows you to merge dataframes on columns or indices
- It allows you to merge dataframes using inner, outer, left, or right joins

Merge and Join

```
import pandas as pd

data1 = pd.read_csv("age.csv")
data2 = pd.read_csv("blood_type.csv")
data = pd.merge(data1, data2, on="name")
print(data)
```

Breakdown

- `data1 = pd.read_csv("age.csv")` reads a CSV file into a dataframe
- `data2 = pd.read_csv("blood_type.csv")` reads a CSV file into a dataframe
- `data = pd.merge(data1, data2, on="name")` merges the dataframes on the `"name"` column
- `print(data)` prints the merged dataframe

Null Values

- Pandas allows you to handle null values
- It allows you to drop null values, fill null values, or interpolate null values
- It allows you to check for null values, count null values, or filter null values

Null Values

```
import pandas as pd

data = pd.read_csv("temp.csv")
data = data.dropna()
data = data.fillna(0)
data = data.interpolate()
print(data)
```

Breakdown

- `data = pd.read_csv("temp.csv")` reads a CSV file into a dataframe
- `data = data.dropna()` drops null values from the dataframe
- `data = data.fillna(0)` fills null values with 0
- `data = data.interpolate()` interpolates null values
- `print(data)` prints the dataframe

Rules of Thumb for Missing Data

- If the missing data is random, drop the rows
- If the missing data is systematic, fill the missing values
- If the missing data is time-dependent, interpolate the missing values

Best Practices for Missing Data

- Regardless of what you do with missing data, always document your decisions
- Always check for missing data before performing any analysis
- Always check for missing data after performing any analysis

Summary

- Data handling is the process of managing data
- It involves reading, writing, and processing data
- It involves working with files, databases, and APIs
- Lists are ordered collections of items
- Dictionaries are unordered collections of key-value pairs
- NumPy is a library for numerical computing
- Pandas is a library for data manipulation and analysis