


Question 1 (Elmasri & Navathe: Chapter 6: 6.14)

Using the above schema for the LIBRARY database, provide one example for each of the following.

***Note:** the only difference between the above schema and the ones taught in class is the ways foreign keys' references are shown. Instead of writing them down, this one uses arrows, e.g., we have BOOK_LOANS.Card_no → BORROWER.Card_no.

Component	Example
Superkey	<u>book_id</u>
Minimal Key	<u>book_id</u>
Foreign Key	
Non-Primary-Key Attribute	

Question 2 (Elmasri & Navathe: Chapter 3: 3.7)

EMPLOYEE

Fname	Minit	Lname	<u>Ssn</u>	Bdate	Address	Sex	Salary	Super_ssn	Dno
-------	-------	-------	------------	-------	---------	-----	--------	-----------	-----

DEPARTMENT

Dname	<u>Dnumber</u>	Mgr_ssn	Mgr_start_date
-------	----------------	---------	----------------

DEPT_LOCATIONS

<u>Dnumber</u>	<u>Dlocation</u>
----------------	------------------

PROJECT


Pname	<u>Pnumber</u>	Plocation	Dnum
-------	----------------	-----------	------

WORKS_ON

<u>Essn</u>	<u>Pno</u>	Hours
-------------	------------	-------

DEPENDENT

<u>Essn</u>	<u>Dependent_name</u>	Sex	Bdate	Relationship
-------------	-----------------------	-----	-------	--------------



(Continues onto next page)

EMPLOYEE

Fname	Minit	Lname	<u>Ssn</u>	Bdate	Address	Sex	Salary	Super_ssn	Dno
John	B	Smith	123456789	1965-01-09	731 Fondren, Houston, TX	M	30000	333445555	5
Franklin	T	Wong	333445555	1955-12-08	638 Voss, Houston, TX	M	40000	888665555	5
Alicia	J	Zelaya	999887777	1968-01-19	3321 Castle, Spring, TX	F	25000	987654321	4
Jennifer	S	Wallace	987654321	1941-06-20	291 Berry, Bellaire, TX	F	43000	888665555	4
Ramesh	K	Narayan	666884444	1962-09-15	975 Fire Oak, Humble, TX	M	38000	333445555	5
Joyce	A	English	453453453	1972-07-31	5631 Rice, Houston, TX	F	25000	333445555	5
Ahmad	V	Jabbar	987987987	1969-03-29	980 Dallas, Houston, TX	M	25000	987654321	4
James	E	Borg	888665555	1937-11-10	450 Stone, Houston, TX	M	55000	NULL	1

DEPARTMENT

Dname	<u>Dnumber</u>	Mgr_ssn	Mgr_start_date
Research	5	333445555	1988-05-22
Administration	4	987654321	1995-01-01
Headquarters	1	888665555	1981-06-19

DEPT_LOCATIONS

<u>Dnumber</u>	<u>Dlocation</u>
1	Houston
4	Stafford
5	Bellaire
5	Sugarland
5	Houston

WORKS_ON

<u>Essn</u>	<u>Pno</u>	Hours
123456789	1	32.5
123456789	2	7.5
666884444	3	40.0
453453453	1	20.0
453453453	2	20.0
333445555	2	10.0
333445555	3	10.0
333445555	10	10.0
333445555	20	10.0
999887777	30	30.0
999887777	10	10.0
987987987	10	35.0
987987987	30	5.0
987654321	30	20.0
987654321	20	15.0
888665555	20	NULL

PROJECT

Pname	<u>Pnumber</u>	Plocation	Dnum
ProductX	1	Bellaire	5
ProductY	2	Sugarland	5
ProductZ	3	Houston	5
Computerization	10	Stafford	4
Reorganization	20	Houston	1
Newbenefits	30	Stafford	4

DEPENDENT

<u>Essn</u>	<u>Dependent_name</u>	Sex	Bdate	Relationship
333445555	Alice	F	1986-04-05	Daughter
333445555	Theodore	M	1983-10-25	Son
333445555	Joy	F	1958-05-03	Spouse
987654321	Abner	M	1942-02-28	Spouse
123456789	Michael	M	1988-01-04	Son
123456789	Alice	F	1988-12-30	Daughter
123456789	Elizabeth	F	1967-05-05	Spouse

Suppose each of the following update operations is applied directly to the database below. Discuss all integrity constraints violated by each operation, if any, and the different ways of enforcing these constraints.

- a) Insert < 'Robert', 'F', 'Scott', 943775543, '21-JUN-42', '2365 Newcastle Rd, Bellaire, TX', 'M', 58000, '888665555', 1 > into EMPLOYEE.

'21-JUN-42'

- b) Insert < 'ProductA', 4, 'Bellaire' (2) > into PROJECT.

- c) Insert < 'Production', 4, '943775543', '01-OCT-88' > into DEPARTMENT.

- d) Insert < 677678989, null, '40.0' > into WORKS_ON.


- e) Delete the WORKS_ON tuples with ESSN= '333445555'.

- f) Delete the EMPLOYEE tuple with SSN= '987654321'.

- g) Modify the MGRSSN and MGRSTARTDATE of the DEPARTMENT tuple with DNUMBER= 5 to '123456789' and '01-OCT-88', respectively.


- h) Modify the SUPERSSN attribute of the EMPLOYEE tuple with SSN= '999887777' to '943775543'.

Question 3 - Convert this E/R diagram to a relation schema, resolving the dual use of "name" attributes in some reasonable way. Which schema below is a reasonable translation from ER to relations? (Foreign key attributes are shown in bold and not listed here)




- A. Cities [name, mayor], Province [name, premier]
- B. Cities [**cname**, **pname**, mayor], Province [pname, premier]
- ☒ C. Cities [cname, **pname**, mayor], Province [pname, premier]
- D. Cities [cname, **pname**, mayor], In [cname, pname], Province [name, premier]

Question 4 - Map the ER diagrams below to corresponding schemas, and list any foreign keys wherever applicable. (Elmasri & Navathe: Chapter 3: 3.8, Chapter 7: 7.21)



Question 5 - Map the ER diagrams below to corresponding schemas, and list any foreign keys wherever applicable. (Elmasri & Navathe: Chapter 3: 3.8, Chapter 7: 7.21)



Question 6 - Map the ER diagrams below to corresponding schemas, and list any foreign keys wherever applicable. (Elmasri & Navathe: Chapter 3: 3.8, Chapter 7: 7.21)

