

Q3: Forward-Looking Revenue Outlook & Recommendation

GCV Solar + Storage Valuation — NYISO N.Y.C. Zone

E3 Applicant Exercise

2026

Q3a. How will each project’s revenue stream evolve over the next decade, and why?

Standalone Solar — capture price likely erodes over time

New York’s Climate Leadership and Community Protection Act (CLCPA) mandates 70% renewable electricity by 2030 and a zero-emission grid by 2040, implying a large wave of new solar (and offshore wind) entering NYISO downstate over the next decade. As more solar comes online, midday supply floods the market and pushes midday prices down relative to the rest of the day — the “duck curve” / solar cannibalization effect well documented in CAISO and emerging in NYISO. Since this project only earns during daylight hours, its capture price (currently $\approx 100\%$ of the flat average, per Q1b) should decline as a share of the market average even if the *overall* price level rises with electrification-driven demand growth.

Standalone Storage — value likely increases over time

The same trend that hurts solar helps storage: more solar depresses midday prices and steepens the evening ramp (net load jumps sharply after sunset as solar drops off but demand stays high), widening the daily price spread storage arbitrages. NYC’s Peaker Rule is also retiring older fossil peakers, tightening local capacity and likely increasing storage’s importance (and capacity-market value) for reliability. Countervailing risk: as more storage itself gets built to chase this same spread, the arbitrage opportunity can compress again (“storage cannibalization”) once the market saturates — so the value increase is not indefinite.

Combined System — the interaction benefit should grow

Our Q2c finding (interaction $\approx +0.05\%$) reflected minimal solar clipping today. As solar penetration rises and mid-day curtailment risk increases system-wide, a co-located battery’s ability to absorb otherwise-clipped or negative-priced solar energy becomes more valuable — so the strategic case for pairing solar and storage should strengthen over the decade, even though it is a weak argument today.

Q3b. Approach with 10 additional hours

Priority-ordered by expected impact on the answer:

1. **Forward price shapes (~3 hrs)** — Replace the 2023 backcast with a forward-looking hourly price shape reflecting expected capacity additions/retirements and load growth (electrification of heating/EVs, data center demand). Use published NYISO planning studies / NYSERDA CLCPA outlooks as the fundamental driver rather than building a full production-cost model from scratch.
2. **More realistic storage & solar operating assumptions (~2 hrs)** — Realistic round-trip efficiency (~85–90%, not the given 100%), solar degradation (~0.5%/yr), and battery degradation/augmentation cost. Q2b already uses a per-day LP that discovers multi-cycle dispatch where economic (worth +14.75% vs. a single fixed cycle); adding a per-cycle degradation cost here would temper that toward a realistic cycling frequency.
3. **Add capacity & ancillary revenue streams (~2 hrs)** — Energy arbitrage alone understates storage value; NYISO capacity market (ICAP) and frequency regulation are often the majority of a merchant battery’s revenue stack today. This is likely the single biggest gap in our Q2 analysis.
4. **Scenario/sensitivity analysis (~2 hrs)** — Run high/low cases on load growth, gas prices, and renewable build-out pace rather than a single point forecast, given how uncertain the 10-year price path is.
5. **Full pro forma (~1 hr)** — Layer in the provided capex, O&M, financing, and ITC/IRA tax credit treatment to get NPV/IRR rather than simple payback.

Q3c. Recommendation


Using simple payback (capex $\div$ 2023 backcast energy-only revenue, ignoring financing/tax/O&M — a reasonable first screen given the time constraints):

Configuration	Capex	Annual Revenue	Simple Payback
Standalone Solar	\$405M	\$18.8M	~22 yrs
Standalone Storage	\$75M	\$2.0M	~38 yrs
Combined Solar + Storage	\$445M	\$20.8M	~21 yrs

Recommendation: the Combined Solar + Storage installation, with moderate confidence, for three reasons:

- It closely matches (and slightly beats) standalone solar’s payback, so GCV isn’t giving up economics to add storage.
- It is more capital-efficient than building the two technologies as separate projects: the combined package’s per-unit equipment pricing (\$1.25/W solar, \$350/kWh storage) is cheaper than standalone pricing, saving **~\$35M in capex** for essentially the same revenue as running the two standalone projects side-by-side.
- It better hedges the Q3a trend: as solar capture prices likely erode over the decade, co-located storage is the piece of the portfolio whose value should be rising, partially offsetting that decline.

Caveat: standalone storage still looks weak here (~38-year payback) purely because we have only modeled day-ahead energy arbitrage. Storage’s real merchant revenue stack usually includes capacity and ancillary services — omitted here for time — so this recommendation, especially the



case for the storage component, should be revisited once that analysis (Q3b, item 3) is done before GCV commits capital.