

CONVERSE ➤

Converse Footwear Packaging Catalog

April 2019



Converse Footwear Packaging Catalog

TABLE OF CONTENTS

CORE	Converse Core Refresh	1	SPECIALTY	TTCxGrinch	31
	Crib Bootie Refresh	2		Foot Patrol	32
	Converse Core Refresh China Market (L4L)	3		Doe	33
	Converse Core China Market (L4L) Sticker	4		KITH 2	34
SPECIALTY	JW Anderson	5	SPECIALTY	BHM	35
	Great at Good.	6		Faith Connexion.	36
	DC Comics Rebirth	7		TTC x Gator	37
	Chiara Ferragni	8		Koché	38
	Undefeated	9		Unicons	39
	Chuck 70	10		Dinaverse	40
	CONS Skate	11		Feng Chen Wang	41
	KITH	12		Neighborhood	42
	Hello Kitty	13		Chuck Taylor Renew Collection	43
	Stussy	14		Yung Lean	44
	Brain Dead	15		Star Series	45
	NBA	16		Tom & Jerry	46
	Comme des Garçons	17		Pleasures	47
	Miley Cyrus Stars	18		Midnight Studios	48
	TTC	19		Jasper	49
	Dover Street Market.	20		O.P.I..	50
	Carhartt	21		KITH Logo	51
	Don C	22		Chuck 70 L4L	52
	Vince Staples Sea.	23		Pigalle.	53
	Off-White	24		Offspring.	54
	Clot Polar	25		Ambush	55
	PAM	26		Converse X Converse	56
	Hello Kitty Season 2.	27		Converse ONE Shipper Box.	57
	Marine Serre.	28		Converse One MOCs	58
	FOG	29		Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs	59
	SOLOIST	30			



Converse Footwear Packaging Catalog

PIMP YOUR LID

First String Inline.	67
Blank	68
Looney Tunes Core	69
Pimp Your Lid & Other Tray/Lid Styles MOCs.	70
NBA Tissue	79
Converse Core Refresh & Core Refresh China Market (L4L) Wrapping Tissue.	80
France Diecut MOC.	82
New Style MOC	83
Salesman Sample MOCs	84
Converse Carton Seal Tape	85
Converse DTC Tape	86
Sandal Hanger	87
NBA Hang Tag	88

Converse Core Refresh

Commercialized: August 2017

Page 1 of 1

OIA Project #: 14728



INNER BOX SIZE SPECIFICATIONS

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-30762-1-CB-B010	143	123	63	157	134	68	51	IM-1
	PBX-30762-1-CB-B030	164	136	71	178	147	76	63	IM-2
	PBX-30762-1-CB-B040	248	105	93	262	116	98	80	50H
	PBX-30762-1-CB-B050	187	147	80	201	158	85	75	IM-3
	PBX-30762-1-CB-B080	298	107	99	312	118	104	94	771B
	PBX-30762-1-CB-B090	229	137	93	243	148	98	90	SO-1
	PBX-30762-1-CB-B130	231	171	95	245	182	100	107	BM-2
	PBX-30762-1-CB-B150	255	147	102	269	158	107	105	SO-2
	PBX-30762-1-CB-B160	329	126	106	343	137	111	113	24B
	PBX-30762-1-CB-B170	288	112	119	302	123	124	103	BS-1
	PBX-30762-1-CB-B180	273	174	83	287	185	88	106	C1-2
	PBX-30762-1-CB-B200	280	157	111	294	168	116	120	SO-3
	PBX-30762-1-CB-B210	309	117	124	323	128	129	112	BS-2
	PBX-30762-1-CB-B230	352	137	117	366	148	122	130	25B
	PBX-30762-1-CB-B240	253	183	101	267	194	106	121	BM-3
	PBX-30762-1-CB-B260	318	167	120	333	178	125	141	SO-4
	PBX-30762-1-CB-B270	275	195	107	289	206	112	136	BM-4
	PBX-30762-1-CB-B280	246	259	94	260	270	99	148	X5
	PBX-30762-1-CB-B300	296	206	113	310	217	118	152	MM-1
	PBX-30762-1-CB-B310	359	176	129	373	187	134	164	SO-5
	PBX-30762-1-CB-B330	273	257	109	287	268	114	167	SX-1
	PBX-30762-1-CB-B340	294	196	133	308	207	138	158	KC-7
	PBX-30762-1-CB-B350	268	283	104	282	294	109	173	X6
	PBX-30762-1-CB-B360	319	217	119	333	228	124	168	MM-2
	PBX-30762-1-CB-B390	298	268	113	312	279	118	184	SX-2
	PBX-30762-1-CB-B391	347	327	123	361	338	128	243	MM-8
	PBX-30762-1-CB-B400	340	227	125	354	238	130	185	MM-3
	PBX-30762-1-CB-B411	384	245	136	398	256	141	219	MM-5
	PBX-30762-1-CB-B420	363	235	130	377	246	135	201	MM-4
	PBX-30762-1-CB-B430	348	288	124	362	299	129	222	SX-4
	PBX-30762-1-CB-B441	385	148	129	399	159	134	155	
	PBX-30762-1-CB-B450	390	260	140	404	271	145	236	
	PBX-30762-1-CB-B460	375	310	135	389	321	140	255	

Crib Bootie Refresh

Commercialized: August 2017

Page 1 of 1

OIA Project #: 14728



Box = Sleeve + Tray + Insert

INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-31487-2-OC-B011	136	129	61	148	141	67	103	

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
OC-1-B011-MX	285	204	151	293	212	167	6	0.24	
OC-1-B011-MQ	426	204	151	434	212	167	9	0.30	
OC-1-B011-MZ	426	271	151	434	279	167	12	0.40	
OC-1-B011-MW	426	405	151	434	413	167	18	0.62	
OC-1-B011-MT	567	405	151	575	413	167	24	0.72	

Converse Core Refresh China Market (L4L)

Commercialized: September 2017

Page 1 of 1

OIA Project #: 14728



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-31485-1-CB-B010	143	123	63	157	134	68	52	IM-1
PBX-31485-1-CB-B030	164	136	71	178	147	76	64	IM-2
PBX-31485-1-CB-B040	248	105	93	262	116	98	82	50H
PBX-31485-1-CB-B050	187	147	80	201	158	85	77	IM-3
PBX-31485-1-CB-B080	298	107	99	312	118	104	95	771B
PBX-31485-1-CB-B090	229	137	93	243	148	98	92	SO-1
PBX-31485-1-CB-B130	231	171	95	245	182	100	108	BM-2
PBX-31485-1-CB-B150	255	147	102	269	158	107	107	SO-2
PBX-31485-1-CB-B160	329	126	106	343	137	111	115	24B
PBX-31485-1-CB-B200	280	157	111	294	168	116	122	SO-3
PBX-31485-1-CB-B230	352	137	117	366	148	122	132	25B
PBX-31485-1-CB-B240	253	183	101	267	194	106	123	BM-3
PBX-31485-1-CB-B260	318	167	120	333	178	125	143	SO-4
PBX-31485-1-CB-B270	275	195	107	289	206	112	138	BM-4
PBX-31485-1-CB-B300	296	206	113	310	217	118	154	MM-1
PBX-31485-1-CB-B310	359	176	129	373	187	134	167	SO-5
PBX-31485-1-CB-B330	273	257	109	287	268	114	169	SX-1
PBX-31485-1-CB-B360	319	217	119	333	228	124	171	MM-2
PBX-31485-1-CB-B390	298	268	113	312	279	118	187	SX-2
PBX-31485-1-CB-B400	340	227	125	354	238	130	188	MM-3
PBX-31485-1-CB-B411	384	245	136	398	256	141	223	MM-5
PBX-31485-1-CB-B420	363	235	130	377	246	135	205	MM-4
PBX-31485-1-CB-B430	348	288	124	362	299	129	226	SX-4

Converse Core China Market (L4L) Sticker

Commercialized: January 2012

Page 1 of 1

OIA Project #: 14039



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box SKU	Description	Blank Dimensions (mm)	
			Length	Width
POT-21126-SM	TBD	Converse Core Baby China Market (L4L) Sticker	140	63

SPECIALTY**JW Anderson**

Commercialized: June 2017

Page 1 of 1

OIA Project #: 14701

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-30188-1-LD-B310	359	176	129	382	187	134	202	SO-5
PBX-30188-1-LD-B370	299	285	98	322	296	103	104	
PBX-30188-1-LD-B391	347	327	123	366	338	128	147	
PBX-30188-1-LD-B420	363	235	130	386	246	135	244	MM-4

SPECIALTY

Great at Good

Commercialized: August 2017

Page 1 of 1

OIA Project #: 14731



INNER BOX SIZE SPECIFICATIONS

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-30291-1-CB-B030	164	136	71	178	147	76	63	IM-2
	PBX-30291-1-CB-B090	229	137	93	243	148	98	90	SO-1
	PBX-30291-1-CB-B130	231	171	95	245	182	100	107	BM-2
	PBX-30291-1-CB-B150	255	147	102	269	158	107	105	SO-2
	PBX-30291-1-CB-B160	329	126	106	343	137	111	113	24B
	PBX-30291-1-CB-B200	280	157	111	294	168	116	120	SO-3
	PBX-30291-1-CB-B240	253	183	101	267	194	106	121	BM-3
	PBX-30291-1-CB-B260	318	167	120	333	178	125	141	SO-4
	PBX-30291-1-CB-B270	275	195	107	289	206	112	136	BM-4
	PBX-30291-1-CB-B300	296	206	113	310	217	118	152	MM-1
	PBX-30291-1-CB-B310	359	176	129	373	187	134	164	SO-5
	PBX-30291-1-CB-B360	319	217	119	333	228	124	168	MM-2
	PBX-30291-1-CB-B400	340	227	125	354	238	130	185	MM-3
	PBX-30291-1-CB-B411	384	245	136	398	256	141	219	MM-5
	PBX-30291-1-CB-B430	348	288	124	362	299	129	222	SX-4



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box SKU	Description	Blank Dimensions (mm)	
			Length	Width
POT-30293	all	Great At Good Sticker	50.8	50.8

SPECIALTY

DC Comics Rebirth

Commercialized: August 2017

Page 1 of 1

OIA Project #: 14755



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-30298-1-CB-B030	164	136	71	178	147	76	79	IM-2
PBX-30298-1-CB-B040	248	105	93	262	116	98	101	50H
PBX-30298-1-CB-B050	187	147	80	201	158	85	95	IM-3
PBX-30298-1-CB-B070	209	139	89	223	150	94	102	
PBX-30298-1-CB-B080	298	107	99	312	118	104	118	771B
PBX-30298-1-CB-B090	229	137	93	243	148	98	113	SO-1
PBX-30298-1-CB-B160	329	126	106	343	137	111	142	24B
PBX-30298-1-CB-B230	352	137	117	366	148	122	164	25B

SPECIALTY**Chiara Ferragni**

Commercialized: October 2017

Page 1 of 1

OIA Project #: 14823

**INNER BOX SIZE SPECIFICATIONS**

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-32499-1-CB-B200	280	157	111	294	168	116	120	SO-3
	PBX-32499-1-CB-B260	318	167	120	333	178	125	141	SO-4
	PBX-32499-1-CB-B310	359	176	129	373	187	134	164	SO-5

SPECIALTY

Undefeated

Commercialized: November 2017

Page 1 of 1

OIA Project #: 14810

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-32467-1-CB-B310	359	176	129	373	187	134	165	
PBX-32467-1-CB-B400	340	227	125	354	238	130	186	

SPECIALTY

Chuck 70

Commercialized: December 2017

Page 1 of 1

OIA Project #: 14846



INNER BOX SIZE SPECIFICATIONS

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-33118-1-CB-B080	298	107	99	312	118	104	95	771B
	PBX-33118-1-CB-B160	329	126	106	343	137	111	113	24B
	PBX-33118-1-CB-B200	280	157	111	294	168	116	120	SO-3
	PBX-33118-1-CB-B230	352	137	117	366	148	122	164	25B
	PBX-33118-1-CB-B260	318	167	120	333	178	125	141	SO-4
	PBX-33118-1-CB-B270	275	195	107	289	206	112	136	BM-4
	PBX-33118-1-CB-B300	296	206	113	310	217	118	152	MM-1
	PBX-33118-1-CB-B310	359	176	129	373	187	134	164	SO-5
	PBX-33118-1-CB-B360	319	217	119	333	228	124	168	MM-2
	PBX-33118-1-CB-B370	299	285	98	322	296	103	104	
	PBX-33118-1-CB-B391	347	327	123	370	338	128	147	
	PBX-33118-1-CB-B400	340	227	125	354	238	130	185	MM-3
	PBX-33118-1-CB-B450	390	260	140	404	271	145	236	

SPECIALTY

CONS Skate

Commercialized: December 2017

Page 1 of 1

OIA Project #: 14824



INNER BOX SIZE SPECIFICATIONS

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-30292-1-CB-B030	164	136	71	178	147	76	64	IM-2
	PBX-30292-1-CB-B090	229	137	93	243	148	98	92	SO-1
	PBX-30292-1-CB-B130	231	171	95	245	182	100	108	BM-2
	PBX-30292-1-CB-B150	255	147	102	269	158	107	107	SO-2
	PBX-30292-1-CB-B160	329	126	106	343	137	111	113	24B
	PBX-30292-1-CB-B200	280	157	111	294	168	116	120	SO-3
	PBX-30292-1-CB-B240	253	183	101	267	194	106	123	BM-3
	PBX-30292-1-CB-B260	318	167	120	333	178	125	141	SO-4
	PBX-30292-1-CB-B270	275	195	107	289	206	112	136	BM-4
	PBX-30292-1-CB-B300	296	206	113	310	217	118	152	MM-1
	PBX-30292-1-CB-B310	359	176	129	373	187	134	164	SO-5
	PBX-30292-1-CB-B360	319	217	119	333	228	124	168	MM-2
	PBX-30292-1-CB-B400	340	227	125	354	238	130	185	MM-3
	PBX-30292-1-CB-B411	384	245	136	398	256	141	223	MM-5
	PBX-30292-1-CB-B430	348	288	124	362	299	129	226	SX-4

SPECIALTY

KITH

Commercialized: January 2018

Page 1 of 1

OIA Project #: 14840



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33097-1-CB-B310	359	176	129	373	187	134	164	SO-5
PBX-33097-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY

Hello Kitty

Commercialized: January 2018

Page 1 of 1

OIA Project #: 14826



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-32502-1-CB-B030	164	136	71	178	147	76	79	IM-2
PBX-32502-1-CB-B050	187	147	80	201	158	85	95	IM-3
PBX-32502-1-CB-B090	229	137	93	243	148	98	113	SO-1
PBX-32502-1-CB-B130	231	171	95	250	179	98	134	
PBX-32502-1-CB-B240	253	183	101	272	191	104	152	
PBX-32502-1-CB-B260	318	167	120	337	175	123	177	
PBX-32502-1-CB-B310	359	176	129	378	184	132	206	
PBX-32502-1-CB-B411	384	245	136	403	253	139	276	

SPECIALTY

Stussy

Commercialized: March 2018

Page 1 of 1

OIA Project #: 14921



INNER BOX SIZE SPECIFICATIONS

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-33708-1-CB-B310	359	176	129	373	187	134	164	SO-5
	PBX-33708-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY

Brain Dead

Commercialized: April 2018

Page 1 of 1

OIA Project #: 14855

**INNER BOX SIZE SPECIFICATIONS**

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-33158-1-CB-B310	359	176	129	373	187	134	164	SO-5
	PBX-33158-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY

NBA

Commercialized: January 2018

Page 1 of 1

OIA Project #: 14888



INNER BOX SIZE SPECIFICATIONS

	Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
		Length	Width	Height	Length	Width	Height		
	PBX-33291-1-CB-B310	359	176	129	378	184	132	206	SO-5
	PBX-33291-1-CB-B400	340	227	125	359	235	128	232	MM-3
	PBX-33291-1-CB-B450	390	260	140	409	268	143	297	



Specialty NBA Tissue



Specialty NBA Stickers (yellow represents matte UV)

ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box Size	Description	Blank Dimensions (mm)	
			Length	Width
PTS-28874-1-B310	PBX-33291-1-CB-B310	Specialty NBA Tissue	930	350
PTS-28874-1-B400	PBX-33291-1-CB-B400	Specialty NBA Tissue	950	340
PTS-28874-1-B450	PBX-33291-1-CB-B450	Specialty NBA Tissue	1100	380
POT-33292	PBX-33291-1-CB-B310 PBX-33291-1-CB-B400 PBX-33291-1-CB-B450	Specialty NBA Sticker - Celtics	71	35
POT-33293		Specialty NBA Sticker - Cavaliers	71	35
POT-33295		Specialty NBA Sticker - Bulls	71	35
POT-33296		Specialty NBA Sticker - Lakers	71	35
POT-33297		Specialty NBA Sticker - Warriors	71	35
POT-33298		Specialty NBA Sticker - Spurs	71	35
POT-33299		Specialty NBA Sticker - Generic	71	35

SPECIALTY

Comme des Garçons

Commercialized: September 2014

Page 1 of 1

OIA Project #: 14065

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-22256-1-LD-B260	318	167	120	335	177	125	161	SO-4
PBX-22256-1-LD-B300	296	206	113	319	217	118	169	MM-1
PBX-22256-1-LD-B400	340	227	125	363	238	130	205	MM-3

SPECIALTY

Miley Cyrus Stars

Commercialized: April 2018

Page 1 of 1

OIA Project #: 14844

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-33406-1-CB-B080	298	107	99	312	118	104	101	
PBX-33406-1-CB-B160	329	126	106	343	137	111	122	
PBX-33406-1-CB-B200	280	157	111	294	168	116	129	
PBX-33406-1-CB-B230	352	137	117	366	148	122	141	
PBX-33406-1-CB-B260	318	167	120	333	178	125	152	
PBX-33406-1-CB-B300	296	206	113	310	217	118	164	
PBX-33406-1-CB-B360	319	217	119	333	228	124	181	

SPECIALTY

TTC

Commercialized: April 2018

Page 1 of 1

OIA Project #: 14652



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-33339-1-CB-B260	318	167	120	337	175	123	177	
PBX-33339-1-CB-B310	359	176	129	378	184	132	206	
PBX-33339-1-CB-B400	340	227	125	363	238	130	205	
PBX-33339-1-CB-B411	384	245	136	403	253	139	276	

SPECIALTY

Dover Street Market

Commercialized: April 2018

Page 1 of 1

OIA Project #: 14948

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-33912-1-CB-B260	318	167	120	333	178	125	141	
PBX-33912-1-CB-B310	359	176	129	373	187	134	164	
PBX-33912-1-CB-B411	384	245	136	398	256	141	219	

SPECIALTY

Carhartt

Commercialized: April 2018

Page 1 of 1

OIA Project #: 14947

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-33874-1-CB-B300	296	206	113	310	217	118	164	
PBX-33874-1-CB-B310	359	176	129	378	184	132	206	
PBX-33874-1-CB-B400	340	227	125	363	238	130	205	

SPECIALTY

Don C

Commercialized: April 2018

Page 1 of 1

OIA Project #: 14883



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33500-1-CB-B391	347	327	123	361	338	128	147	
PBX-33500-1-CB-B420	363	235	130	377	246	135	244	

SPECIALTY

Vince Staples Sea

Commercialized: May 2018

Page 1 of 1

OIA Project #: 14897



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-33571-1-CB-B300	296	206	113	310	217	118	164	
PBX-33571-1-CB-B400	340	227	125	354	238	130	185	



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box Size	Description	Blank Dimensions (mm)	
			Length	Width
POT-33540	PBX-33571-1-CB-B310 PBX-33571-1-CB-B400	Rubber Band Natural Color	200	10

SPECIALTY**Off-White**

Commercialized: May 2018

Page 1 of 1

OIA Project #: 14911

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33581-1-CB-B310	359	176	129	373	187	134	164	SO-5
PBX-33581-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY

Clot Polar

Commercialized: June 2018

Page 1 of 1

OIA Project #: 14882

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33453-1-CB-B310	359	176	129	373	187	134	164	SO-5
PBX-33453-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY

PAM

Commercialized: June 2018

Page 1 of 1

OIA Project #: 14915



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33650-1-CB-B310	359	176	129	373	187	134	164	SO-5
PBX-33650-1-CB-B400	340	227	125	354	238	130	185	MM-3



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box Size	Description	Blank Dimensions (mm)	
			Length	Width
PTS-33651-1-B310	PBX-33650-1-CB-B310	Converse Specialty PAM tissue	930	350
PTS-33651-1-B400	PBX-33650-1-CB-B400	Converse Specialty PAM tissue	950	340

SPECIALTY

Hello Kitty Season 2

Commercialized: June 2018

Page 1 of 1

OIA Project #: 14953



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-33951-1-CB-B030	164	136	71	178	147	76	79	IM-2
PBX-33951-1-CB-B050	187	147	80	201	158	85	95	IM-3
PBX-33951-1-CB-B090	229	137	93	243	148	98	113	SO-1
PBX-33951-1-CB-B130	231	171	95	250	179	98	134	
PBX-33951-1-CB-B240	253	183	101	272	191	104	152	
PBX-33951-1-CB-B260	318	167	120	337	175	123	177	
PBX-33951-1-CB-B310	359	176	129	378	184	132	206	

SPECIALTY

Marine Serre

Commercialized: July 2018

Page 1 of 1

OIA Project #: 18020

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33483-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY

FOG

Commercialized: July 2018

Page 1 of 1

OIA Project #: 18016



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34443-1-CB-B310	359	176	129	373	187	134	164	SO-5
PBX-34443-1-CB-B400	340	227	125	354	238	130	185	MM-3

SPECIALTY SOLOIST

Commercialized: August 2018

Page 1 of 1

OIA Project #: 14952



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33948-1-CB-B260	318	167	120	333	178	125	141	
PBX-33948-1-CB-B310	359	176	129	373	187	134	164	
PBX-33948-1-CB-B391	347	327	123	361	338	128	243	
PBX-33948-1-CB-B420	363	235	130	377	246	135	201	MM-3
PBX-33948-1-CB-B460	375	310	135	389	321	140	255	

SPECIALTY

TTCxGrinch

Commercialized: August 2018

Page 1 of 1

OIA Project #: 18040

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34629-1-CB-B260	318	167	120	333	178	125	141	
PBX-34629-1-CB-B411	384	245	136	403	253	139	276	MM-5

SPECIALTY

Foot Patrol

Commercialized: August 2018

Page 1 of 1

OIA Project #: 18017

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34441-1-CB-B260	318	167	120	333	178	125	141	
PBX-34441-1-CB-B310	359	176	129	373	187	134	164	

SPECIALTY

Doe

Commercialized: August 2018

Page 1 of 1

OIA Project #: 14997



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34323-1-CB-B260	318	167	120	333	178	125	141	
PBX-34323-1-CB-B310	359	176	129	373	187	134	164	
PBX-34323-1-CB-B400	340	227	125	354	238	130	185	

SPECIALTY

KITH 2

Commercialized: September 2018

Page 1 of 1

OIA Project #: 18018



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34468-1-CB-B260	318	167	120	333	178	125	141	
PBX-34468-1-CB-B310	359	176	129	373	187	134	164	
PBX-34468-1-CB-B400	340	227	125	354	238	130	185	

SPECIALTY**BHM**

Commercialized: September 2018

Page 1 of 1

OIA Project #: 18101

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34963-1-CB-B310	359	176	129	373	187	134	205	
PBX-34963-1-CB-B400	340	227	125	354	238	130	231	

SPECIALTY

Faith Connexion

Commercialized: September 2018

Page 1 of 1

OIA Project #: 14966

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34052-1-CB-B300	296	206	113	310	217	118	154	MM-1
PBX-34052-1-CB-B360	319	217	119	333	228	124	171	MM-2

SPECIALTY

TTC x Gator

Commercialized: October 2018

Page 1 of 1

OIA Project #: 18095

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34886-1-CB-B310	359	176	129	373	187	134	205	
PBX-34886-1-CB-B400	340	227	125	354	238	130	231	

SPECIALTY

Koché

Commercialized: October 2018

Page 1 of 1

OIA Project #: 14986



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34258-1-CB-B260	318	167	120	333	178	125	151	
PBX-34258-1-CB-B310	359	176	129	373	187	134	175	
PBX-34258-1-CB-B400	340	227	125	354	238	130	198	

SPECIALTY

Unicons

Commercialized: October 2018

Page 1 of 1

OIA Project #: 18113

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35015-1-CB-B030	164	136	71	178	147	76	58	
PBX-35015-1-CB-B090	229	137	93	243	148	98	90	
PBX-35015-1-CB-B200	280	157	111	294	168	116	120	
PBX-35015-1-CB-B300	296	206	113	310	217	118	152	

SPECIALTY

Dinoverse

Commercialized: July 2018

Page 1 of 1

OIA Project #: 14976

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34161-1-CB-B030	164	136	71	178	147	76	58	
PBX-34161-1-CB-B090	229	137	93	243	148	98	113	SO-1
PBX-34161-1-CB-B200	280	157	111	294	168	116	120	SO-3
PBX-34161-1-CB-B300	296	206	113	310	217	118	164	

SPECIALTY

Feng Chen Wang

Commercialized: November 2018

Page 1 of 1

OIA Project #: 14996



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34318-1-CB-B400	340	227	125	354	238	130	185	
PBX-34318-1-CB-B411	384	245	136	398	256	141	219	

SPECIALTY

Neighborhood

Commercialized: November 2018

Page 1 of 1

OIA Project #: 18064

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34822-1-CB-B260	318	167	120	333	178	125	175	
PBX-34822-1-CB-B300	296	206	113	310	217	118	189	
PBX-34822-1-CB-B310	359	176	129	373	187	134	204	
PBX-34822-1-CB-B400	340	227	125	354	238	130	230	

SPECIALTY

Chuck Taylor Renew Collection

Commercialized: November 2018

Page 1 of 1

OIA Project #: 18068

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34828-1-CB-B030	164	136	71	178	147	76	63	
PBX-34828-1-CB-B040	248	105	93	262	116	98	80	
PBX-34828-1-CB-B080	298	107	99	312	118	104	94	
PBX-34828-1-CB-B090	229	137	93	243	148	98	90	
PBX-34828-1-CB-B260	318	167	120	333	178	125	144	
PBX-34828-1-CB-B310	359	176	129	373	187	134	168	
PBX-34828-1-CB-B411	384	245	136	398	256	141	224	

SPECIALTY

Yung Lean

Commercialized: November 2018

Page 1 of 1

OIA Project #: 18049

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34755-1-CB-B260	318	167	120	333	178	125	175	
PBX-34755-1-CB-B310	359	176	129	373	187	134	204	

SPECIALTY

Star Series

Commercialized: November 2018

Page 1 of 1

OIA Project #: 18132

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35116-1-CB-B360	319	217	119	333	228	124	168	
PBX-35116-1-CB-B400	340	227	125	354	238	130	185	
PBX-35116-1-CB-B411	384	245	136	398	256	141	219	
PBX-35116-1-CB-B430	348	288	124	362	299	129	222	
PBX-35116-1-CB-B470	435	335	150	449	346	155	328	

SPECIALTY

Tom & Jerry

Commercialized: November 2018

Page 1 of 1

OIA Project #: 18158

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35239-1-CB-B260	318	167	120	333	178	125	141	
PBX-35239-1-CB-B310	359	176	129	373	187	134	164	

SPECIALTY

Pleasures

Commercialized: December 2018

Page 1 of 1

OIA Project #: 18061

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34810-1-CB-B300	296	206	113	310	217	118	189	
PBX-34810-1-CB-B400	340	227	125	354	238	130	230	
PBX-34810-1-CB-B411	384	245	136	398	256	141	273	

SPECIALTY

Midnight Studios

Commercialized: December 2018

Page 1 of 1

OIA Project #: 18062

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34807-1-CB-B300	296	206	113	310	217	118	153	
PBX-34807-1-CB-B400	340	227	125	354	238	130	186	
PBX-34807-1-CB-B450	390	260	140	404	271	145	238	

SPECIALTY

Jasper

Commercialized: December 2018

Page 1 of 1

OIA Project #: 18059



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34809-1-CB-B300	296	206	113	310	217	118	189	
PBX-34809-1-CB-B400	340	227	125	354	238	130	230	
PBX-34809-1-CB-B450	390	260	140	404	271	145	293	

SPECIALTY

O.P.I.

Commercialized: December 2018

Page 1 of 1

OIA Project #: 18154



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35197-1-CB-B200	280	157	111	294	168	116	149	
PBX-35197-1-CB-B260	318	167	120	333	178	125	175	
PBX-35197-1-CB-B270	275	195	107	289	206	112	169	
PBX-35197-1-CB-B300	296	206	113	310	217	118	189	
PBX-35197-1-CB-B310	359	176	129	373	187	134	204	
PBX-35197-1-CB-B360	319	217	119	333	228	124	209	
PBX-35197-1-CB-B400	340	227	125	354	238	130	230	

SPECIALTY

KITH Logo

Commercialized: January 2019

Page 1 of 1

OIA Project #: 18141

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35163-1-CB-B260	318	167	120	333	178	125	175	
PBX-35163-1-CB-B310	359	176	129	373	187	134	204	
PBX-35163-1-CB-B400	340	227	125	354	238	130	230	

SPECIALTY

Chuck 70 L4L

Commercialized: January 2019

Page 1 of 1

OIA Project #: 18178

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-35375-1-CB-B080	298	107	99	312	118	104	94	771B
PBX-35375-1-CB-B160	329	126	106	343	137	111	113	24B
PBX-35375-1-CB-B200	280	157	111	294	168	116	120	SO-3
PBX-35375-1-CB-B230	352	137	117	366	148	122	130	25B
PBX-35375-1-CB-B260	318	167	120	333	178	125	141	SO-4
PBX-35375-1-CB-B270	275	195	107	289	206	112	136	BM-4
PBX-35375-1-CB-B300	296	206	113	310	217	118	152	MM-1
PBX-35375-1-CB-B310	359	176	129	373	187	134	164	SO-5
PBX-35375-1-CB-B360	319	217	119	333	228	124	168	MM-2
PBX-35375-1-CB-B400	340	227	125	354	238	130	185	MM-3
PBX-35375-1-CB-B450	390	260	140	404	271	145	236	

SPECIALTY

Pigalle

Commercialized: January 2019

Page 1 of 1

OIA Project #: 18104



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-34889-1-CB-B200	280	157	111	294	168	116	151	
PBX-34889-1-CB-B260	318	167	120	333	178	125	177	
PBX-34889-1-CB-B310	359	176	129	373	187	134	206	
PBX-34889-1-CB-B400	340	227	125	354	238	130	233	
PBX-34889-1-CB-B411	384	245	136	398	256	141	276	

SPECIALTY

Offspring

Commercialized: January 2019

Page 1 of 1

OIA Project #: 18169

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35270-1-B360	319	217	119	333	228	124	209	
PBX-35270-1-B410	319	294	103	333	305	108	244	

SPECIALTY

Ambush

Commercialized: January 2019

Page 1 of 1

OIA Project #: 18114

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35016-1-CB-B300	296	206	113	310	217	118	153	
PBX-35016-1-CB-B400	340	227	125	354	238	130	186	

SPECIALTY

Converse X Converse

Commercialized: January 2019

Page 1 of 1

OIA Project #: 18196

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-35599-1-CB-B080	298	107	99	312	118	104	94	
PBX-35599-1-CB-B160	329	126	106	343	137	111	113	
PBX-35599-1-CB-B200	280	157	111	294	168	116	120	
PBX-35599-1-CB-B230	352	137	117	366	148	122	130	
PBX-35599-1-CB-B260	318	167	120	333	178	125	141	
PBX-35599-1-CB-B270	275	195	107	289	206	112	136	
PBX-35599-1-CB-B300	296	206	113	310	217	118	152	
PBX-35599-1-CB-B310	359	176	129	373	187	134	164	
PBX-35599-1-CB-B360	319	217	119	333	228	124	168	
PBX-35599-1-CB-B400	340	227	125	354	238	130	185	
PBX-35599-1-CB-B450	390	260	140	404	271	145	236	

SPECIALTY

Converse ONE Shipper Box

Commercialized: March 2019

Page 1 of 1

OIA Project #: 14893



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-33541-1-CB-B080	298	107	99	330	117	108	163	
PBX-33541-1-CB-B200	280	157	111	312	167	120	222	
PBX-33541-1-CB-B260	318	167	120	350	177	129	262	
PBX-33541-1-CB-B310	359	176	129	391	186	138	305	
PBX-33541-1-CB-B420	363	235	130	395	245	139	383	



ASSOCIATED ACCESSORY ITEM SKUS


Accessory SKU Code	Description	Blank Dimensions	
		Length	Width
POT-34312	Converse ONE Carton Seal Tape	90m/90,000mm	72mm

Converse One MOCs

Commercialized: February 2012

Page 1 of 1

OIA Project #: 11066



OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-2-B040-MO	122	106	277	128	112	289	1	0.083	50H
SL-2-B080-MO	124	112	327	130	118	339	1	0.098	771B
SL-2-B090-MO	154	106	258	160	112	270	1	0.090	SO-1
SL-2-B150-MO	164	115	284	170	121	296	1	0.105	SO-2
SL-2-B160-MO	143	119	358	149	125	370	1	0.117	24B
SL-2-B200-MO	174	124	309	180	130	321	1	0.120	SO-3
SL-2-B230-MO	154	130	381	160	136	393	1	0.134	25B
SL-2-B240-MO	200	114	282	206	120	294	1	0.118	BM-3
SL-2-B260-MO	184	133	348	190	139	360	1	0.142	SO-4
SL-2-B270-MO	212	120	304	218	126	316	1	0.133	BM-4
SL-2-B300-MO	223	126	325	229	132	337	1	0.149	MM-1
SL-2-B310-MO	193	142	388	199	148	400	1	0.164	SO-5
SL-2-B360-MO	234	132	348	240	138	360	1	0.165	MM-2
SL-2-B390-MO	285	126	327	291	132	339	1	0.175	SX-2
SL-2-B400-MO	244	138	369	250	144	381	1	0.181	MM-3
SL-2-B411-MO	251	144	399	257	150	411	1	0.206	MM-5
SL-2-B420-MO	252	143	392	258	149	404	1	0.196	MM-4
SL-2-B430-MO	305	137	377	311	143	389	1	0.216	SX-4
SL-2-B441-MO	165	142	414	171	148	426	1	0.157	
SL-2-B450-MO	277	153	419	283	159	431	1	0.228	
SL-2-B460-MO	327	148	404	333	154	416	1	0.248	

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 1 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B010-MX	271	206	160	279	214	176	6	0.257	IM-1
SL-1-B030-MX	297	230	181	305	238	197	6	0.316	IM-2
SL-1-B040-MX	296	235	267	304	243	283	6	0.388	50H
SL-1-B050-MX	319	257	204	327	265	220	6	0.386	IM-3
SL-1-B080-MX	314	239	317	322	247	333	6	0.446	771B
SL-1-B090-MX	299	296	246	307	304	262	6	0.466	SO-1
SL-1-B130-MX	367	302	248	375	310	264	6	0.530	BM-2
SL-1-B150-MX	323	319	272	331	327	288	6	0.547	SO-2
SL-1-B160-MX	335	277	349	343	285	365	6	0.553	24B
SL-1-B170-MX	374	249	308	382	257	324	6	0.502	BS-1
SL-1-B180-MX	373	266	292	381	274	308	6	0.515	C1-2
SL-1-B200-MX	350	339	297	358	347	313	6	0.629	SO-3
SL-1-B210-MX	389	259	329	397	267	345	6	0.550	BS-2
SL-1-B230-MX	368	299	369	376	307	385	6	0.641	25B
SL-1-B240-MX	391	320	270	399	328	286	6	0.603	BM-3
SL-1-B260-MX	377	359	336	385	367	352	6	0.733	SO-4
SL-1-B270-MX	415	338	292	423	346	308	6	0.680	BM-4
SL-2-B280-MX	543	299	263	551	307	279	6	0.679	X5
SL-1-B300-MX	437	356	313	445	364	329	6	0.759	MM-1
SL-1-B310-MX	404	377	376	412	385	392	6	0.841	SO-5
SL-1-B330-MX	539	344	290	547	352	306	6	0.800	SX-1
SL-1-B340-MX	417	416	311	425	424	327	6	0.864	KC-7
SL-2-B350-MX	591	329	285	599	337	301	6	0.808	X6
SL-1-B360-MX	459	374	336	467	382	352	6	0.845	MM-2
SL-1-B390-MX	561	356	315	569	364	331	6	0.878	SX-2
SL-1-B391-MX	679	386	364	687	394	380	6	1.135	MM-8
SL-1-B400-MX	479	392	357	487	400	373	6	0.930	MM-3
SL-1-B411-MX	515	425	401	523	433	417	6	1.104	MM-5
SL-1-B420-MX	495	407	380	503	415	396	6	1.011	MM-4
SL-1-B430-MX	601	389	365	609	397	381	6	1.062	SX-4
SL-1-B441-MX	404	321	402	412	329	418	6	0.752	
SL-1-B450-MX	545	437	407	553	445	423	6	1.178	

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 2 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B460-MX	645	423	392	653	431	408	6	1.225	
SL-1-B470-MX	695	468	452	703	476	468	6	1.503	
SL-1-B010-MQ	405	206	160	413	214	176	9	0.326	IM-1
SL-1-B030-MQ	444	230	181	452	238	197	9	0.402	IM-2
SL-1-B040-MQ	351	296	265	359	304	281	9	0.524	50H
SL-1-B050-MQ	477	257	204	485	265	220	9	0.489	IM-3
SL-1-B080-MQ	357	314	315	365	322	331	9	0.607	771B
SL-1-B090-MQ	447	296	246	455	304	262	9	0.579	SO-1
SL-1-B130-MQ	549	302	248	557	310	264	9	0.671	BM-2
SL-1-B150-MQ	477	323	272	485	331	288	9	0.683	SO-2
SL-1-B160-MQ	414	335	346	422	343	362	9	0.731	24B
SL-1-B170-MQ	374	372	305	382	380	321	9	0.723	BS-1
SL-1-B180-MQ	558	266	290	566	274	306	9	0.658	C1-2
SL-1-B200-MQ	507	350	297	515	358	313	9	0.793	SO-3
SL-1-B210-MQ	389	387	326	397	395	342	9	0.791	BS-2
SL-1-B230-MQ	447	368	369	455	376	385	9	0.858	25B
SL-1-B240-MQ	585	320	270	593	328	286	9	0.764	BM-3
SL-1-B260-MQ	537	377	336	545	385	352	9	0.929	SO-4
SL-1-B270-MQ	621	338	292	629	346	308	9	0.863	BM-4
SL-2-B280-MQ	813	299	263	821	307	279	9	0.892	X5
SL-1-B300-MQ	654	356	313	662	364	329	9	0.963	MM-1
SL-1-B310-MQ	564	404	376	572	412	392	9	1.074	SO-5
SL-1-B330-MQ	807	344	290	815	352	306	9	1.039	SX-1
SL-1-B340-MQ	624	416	311	632	424	327	9	1.075	KC-7
SL-2-B350-MQ	885	329	285	893	337	301	9	1.061	X6
SL-1-B360-MQ	687	374	336	695	382	352	9	1.072	MM-2
SL-1-B390-MQ	840	356	315	848	364	331	9	1.14	SX-2
SL-1-B391-MQ	1017	386	364	1025	394	380	9	1.490	MM-8
SL-1-B400-MQ	717	392	357	725	400	373	9	1.180	MM-3
SL-1-B411-MQ	771	425	401	779	433	417	9	1.400	MM-5
SL-1-B420-MQ	741	407	380	749	415	396	9	1.282	MM-4
SL-1-B430-MQ	900	389	365	908	397	381	9	1.378	SX-4

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 3 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B441-MQ	480	404	402	488	412	418	9	1.015	
SL-1-B450-MQ	816	437	407	824	445	423	9	1.497	
SL-1-B460-MQ	966	423	392	974	431	408	9	1.591	
SL-1-B010-MZ	405	274	160	413	282	176	12	0.426	IM-1
SL-1-B030-MZ	444	306	181	452	314	197	12	0.525	IM-2
SL-1-B040-MZ	394	351	265	402	359	281	12	0.658	50H
SL-1-B050-MZ	477	342	204	485	350	220	12	0.641	IM-3
SL-1-B080-MZ	418	357	315	426	365	331	12	0.745	771B
SL-1-B090-MZ	447	394	246	455	402	262	12	0.768	SO-1
SL-1-B130-MZ	549	402	248	557	410	264	12	0.881	BM-2
SL-1-B150-MZ	477	430	272	485	438	288	12	0.907	SO-2
SL-1-B160-MZ	446	414	349	454	422	365	12	0.935	24B
SL-1-B170-MZ	498	372	308	506	380	324	12	0.844	BS-1
SL-1-B180-MZ	558	354	292	566	362	308	12	0.841	C1-2
SL-1-B200-MZ	507	466	297	515	474	313	12	1.054	SO-3
SL-1-B210-MZ	518	387	329	526	395	345	12	0.923	BS-2
SL-1-B230-MZ	490	447	369	498	455	385	12	1.087	25B
SL-1-B240-MZ	585	426	270	593	434	286	12	1.000	BM-3
SL-1-B260-MZ	537	502	336	545	510	352	12	1.234	SO-4
SL-1-B270-MZ	621	450	292	629	458	308	12	1.128	BM-4
SL-2-B280-MZ	813	398	263	821	406	279	12	1.136	X5
SL-1-B300-MZ	654	474	313	662	482	329	12	1.258	MM-1
SL-1-B310-MZ	564	538	376	572	546	392	12	1.425	SO-5
SL-1-B330-MZ	807	454	290	815	462	306	12	1.329	SX-1
SL-1-B340-MZ	624	554	311	632	562	327	12	1.440	KC-7
SL-2-B350-MZ	885	438	285	893	446	301	12	1.354	X6
SL-1-B360-MZ	687	498	336	695	506	352	12	1.398	MM-2
SL-1-B390-MZ	840	474	315	848	482	331	12	1.466	SX-2
SL-1-B391-MZ	1017	514	364	1025	522	380	12	1.895	MM-8
SL-1-B400-MZ	717	522	357	725	530	373	12	1.539	MM-3
SL-1-B411-MZ	771	564	401	779	572	417	12	1.818	MM-5
SL-1-B420-MZ	741	542	380	749	550	396	12	1.670	MM-4

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 4 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B430-MZ	900	518	365	908	526	381	12	1.767	SX-4
SL-1-B441-MZ	538	480	402	546	488	418	12	1.273	
SL-1-B450-MZ	816	582	407	824	590	423	12	1.948	
SL-1-B460-MZ	966	563	392	974	571	408	12	2.044	
SL-1-B010-MW	563	405	160	417	413	176	18	0.658	IM-1
SL-1-B030-MW	392	444	181	465	452	197	18	0.803	IM-2
SL-1-B040-MW	974	351	265	597	359	281	18	0.827	50H
SL-1-B050-MW	571	477	204	519	485	220	18	0.957	IM-3
SL-1-B080-MW	408	357	315	633	365	331	18	0.941	771B
SL-1-B090-MW	589	447	246	597	455	262	18	1.021	SO-1
SL-1-B130-MW	601	549	248	609	557	264	18	1.297	BM-2
SL-1-B150-MW	643	477	272	651	485	288	18	1.190	SO-2
SL-1-B160-MW	667	414	346	675	422	362	18	1.167	24B
SL-1-B170-MW	745	372	305	753	380	321	18	1.076	BS-1
SL-1-B180-MW	558	529	290	566	537	306	18	1.262	C1-2
SL-1-B200-MW	697	507	297	705	515	313	18	1.370	SO-3
SL-1-B210-MW	775	387	326	783	395	342	18	1.177	BS-2
SL-1-B230-MW	733	447	369	741	455	385	18	1.364	25B
SL-1-B240-MW	637	585	270	645	593	286	18	1.477	BM-3
SL-1-B260-MW	751	537	336	759	545	352	18	1.589	SO-4
SL-1-B270-MW	673	621	292	681	629	308	18	1.667	BM-4
SL-2-B280-MW	813	595	263	821	603	279	18	1.705	X5
SL-1-B300-MW	709	654	313	717	662	329	18	1.858	MM-1
SL-1-B310-MW	805	564	376	813	572	392	18	1.816	SO-5
SL-1-B330-MW	807	685	290	815	693	306	18	2.048	SX-1
SL-1-B340-MW	829	624	311	837	632	327	18	1.914	KC-7
SL-2-B350-MW	885	655	285	893	663	301	18	2.039	X6
SL-1-B360-MW	745	687	336	753	695	352	18	2.062	MM-2
SL-1-B390-MW	840	709	315	848	717	331	18	2.232	SX-2
SL-1-B391-MW	1017	769	364	1025	777	380	18	2.840	MM-8
SL-1-B400-MW	781	717	357	789	725	373	18	2.263	MM-3
SL-1-B411-MW	847	771	401	855	779	417	18	2.663	MM-5

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 5 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B420-MW	811	741	380	819	749	396	18	2.445	MM-4
SL-1-B430-MW	900	775	365	908	783	381	18	2.682	SX-4
SL-1-B441-MW	805	480	402	813	488	418	18	1.602	
SL-1-B450-MW	871	816	407	879	824	423	18	2.89	
SL-1-B460-MW	966	843	392	974	851	408	18	3.112	
SL-2-B030-MT	591	457	181	599	465	197	24	0.951	IM-2
SL-2-B040-MT	589	467	265	597	475	281	24	1.098	
SL-1-B050-MT	635	511	204	643	519	220	24	1.162	IM-3
SL-2-B080-MT	625	475	315	633	483	331	24	1.232	771B
SL-1-B090-MT	595	589	246	603	597	262	24	1.398	
SL-1-B150-MT	643	635	272	651	643	288	24	2.393	SO-2
SL-2-B160-MT	667	551	346	675	559	362	24	1.544	24B
SL-1-B200-MT	697	675	297	705	683	313	24	1.879	SO-3
SL-1-B230-MT	733	595	369	741	603	385	24	1.806	25B
SL-1-B240-MT	779	637	270	787	645	286	24	1.811	
SL-1-B260-MT	751	715	336	759	723	352	24	2.167	SO-4
SL-1-B270-MT	827	673	292	835	681	308	24	2.979	BM-4
SL-1-B300-MT	871	709	313	879	717	329	24	2.27	MM-1
SL-1-B310-MT	805	751	376	813	759	392	24	2.464	SO-5
SL-1-B360-MT	915	745	336	923	753	352	24	2.522	MM-2
SL-1-B400-MT	955	781	357	963	789	373	24	2.773	MM-3
SL-1-B010-MX-CN	271	206	160	279	214	176	6	0.257	IM-1
SL-1-B030-MX-CN	297	230	181	305	238	197	6	0.316	IM-2
SL-1-B040-MX-CN	296	235	267	304	243	283	6	0.388	50H
SL-1-B050-MX-CN	319	257	204	327	265	220	6	0.386	IM-3
SL-1-B080-MX-CN	314	239	317	322	247	333	6	0.446	771B
SL-1-B090-MX-CN	299	296	246	307	304	262	6	0.466	SO-1
SL-1-B130-MX-CN	367	302	248	375	310	264	6	0.530	BM-2
SL-1-B150-MX-CN	323	319	272	331	327	288	6	0.547	SO-2
SL-1-B160-MX-CN	335	277	349	343	285	365	6	0.553	24B
SL-1-B170-MX-CN	374	249	308	382	257	324	6	0.502	BS-1
SL-1-B180-MX-CN	373	266	292	381	274	308	6	0.515	C1-2
SL-1-B200-MX-CN	350	339	297	358	347	313	6	0.629	SO-3
SL-1-B210-MX-CN	389	259	329	397	267	345	6	0.550	BS-2

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 6 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B230-MX-CN	368	299	369	376	307	385	6	0.641	25B
SL-1-B240-MX-CN	391	320	270	399	328	286	6	0.603	BM-3
SL-1-B260-MX-CN	377	359	336	385	367	352	6	0.733	SO-4
SL-1-B270-MX-CN	415	338	292	423	346	308	6	0.680	BM-4
SL-2-B280-MX-CN	543	299	263	551	307	279	6	0.679	X5
SL-1-B300-MX-CN	437	356	313	445	364	329	6	0.759	MM-1
SL-1-B310-MX-CN	404	377	376	412	385	392	6	0.841	SO-5
SL-1-B330-MX-CN	539	344	290	547	352	306	6	0.800	SX-1
SL-1-B340-MX-CN	417	416	311	425	424	327	6	0.864	KC-7
SL-2-B350-MX-CN	591	329	285	599	337	301	6	0.808	X6
SL-1-B360-MX-CN	459	374	336	467	382	352	6	0.845	MM-2
SL-1-B390-MX-CN	561	356	315	569	364	331	6	0.878	SX-2
SL-1-B391-MX-CN	679	386	364	687	394	380	6	1.135	MM-8
SL-1-B400-MX-CN	479	392	357	487	400	373	6	0.930	MM-3
SL-1-B411-MX-CN	515	425	401	523	433	417	6	1.104	MM-5
SL-1-B420-MX-CN	495	407	380	503	415	396	6	1.011	MM-4
SL-1-B430-MX-CN	601	389	365	609	397	381	6	1.062	SX-4
SL-1-B441-MX-CN	404	321	402	412	329	418	6	0.752	
SL-1-B450-MX-CN	545	437	407	553	445	423	6	1.178	
SL-1-B470-MX-CN	695	468	452	703	476	468	6	1.503	
SL-1-B010-MQ-CN	405	206	160	413	214	176	9	0.326	IM-1
SL-1-B030-MQ-CN	444	230	181	452	238	197	9	0.402	IM-2
SL-1-B040-MQ-CN	351	296	265	359	304	281	9	0.524	50H
SL-1-B050-MQ-CN	477	257	204	485	265	220	9	0.489	IM-3
SL-1-B080-MQ-CN	357	314	315	365	322	331	9	0.607	771B
SL-1-B090-MQ-CN	447	296	246	455	304	262	9	0.579	SO-1
SL-1-B130-MQ-CN	549	302	248	557	310	264	9	0.671	BM-2
SL-1-B150-MQ-CN	477	323	272	485	331	288	9	0.683	SO-2
SL-1-B160-MQ-CN	414	335	346	422	343	362	9	0.731	24B
SL-1-B170-MQ-CN	374	372	305	382	380	321	9	0.723	BS-1
SL-1-B180-MQ-CN	558	266	290	566	274	306	9	0.658	C1-2
SL-1-B200-MQ-CN	507	350	297	515	358	313	9	0.793	SO-3
SL-1-B210-MQ-CN	389	387	326	397	395	342	9	0.791	BS-2
SL-1-B230-MQ-CN	447	368	369	455	376	385	9	0.858	25B

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 7 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B240-MQ-CN	585	320	270	593	328	286	9	0.764	BM-3
SL-1-B260-MQ-CN	537	377	336	545	385	352	9	0.929	SO-4
SL-1-B270-MQ-CN	621	338	292	629	346	308	9	0.863	BM-4
SL-2-B280-MQ-CN	813	299	263	821	307	279	9	0.892	X5
SL-1-B300-MQ-CN	654	356	313	662	364	329	9	0.963	MM-1
SL-1-B310-MQ-CN	564	404	376	572	412	392	9	1.074	SO-5
SL-1-B330-MQ-CN	807	344	290	815	352	306	9	1.039	SX-1
SL-1-B340-MQ-CN	624	416	311	632	424	327	9	1.075	KC-7
SL-2-B350-MQ-CN	885	329	285	893	337	301	9	1.061	X6
SL-1-B360-MQ-CN	687	374	336	695	382	352	9	1.072	MM-2
SL-1-B390-MQ-CN	840	356	315	848	364	331	9	1.141	SX-2
SL-1-B391-MQ-CN	1017	386	364	1025	394	380	9	1.490	MM-8
SL-1-B400-MQ-CN	717	392	357	725	400	373	9	1.180	MM-3
SL-1-B411-MQ-CN	771	425	401	779	433	417	9	1.400	MM-5
SL-1-B420-MQ-CN	741	407	380	749	415	396	9	1.282	MM-4
SL-1-B430-MQ-CN	900	389	365	908	397	381	9	1.378	SX-4
SL-1-B441-MQ-CN	480	404	402	488	412	418	9	1.015	
SL-1-B450-MQ-CN	816	437	407	824	445	423	9	1.497	
SL-1-B010-MZ-CN	405	274	160	413	282	176	12	0.426	IM-1
SL-1-B030-MZ-CN	444	306	181	452	314	197	12	0.525	IM-2
SL-1-B040-MZ-CN	394	351	265	402	359	281	12	0.658	50H
SL-1-B050-MZ-CN	477	342	204	485	350	220	12	0.641	IM-3
SL-1-B080-MZ-CN	418	357	315	426	365	331	12	0.745	771B
SL-1-B090-MZ-CN	447	394	246	455	402	262	12	0.768	SO-1
SL-1-B130-MZ-CN	549	402	248	557	410	264	12	0.881	BM-2
SL-1-B150-MZ-CN	477	430	272	485	438	288	12	0.907	SO-2
SL-1-B160-MZ-CN	446	414	349	454	422	365	12	0.935	24B
SL-1-B170-MZ-CN	498	372	308	506	380	324	12	0.844	BS-1
SL-1-B180-MZ-CN	558	354	292	566	362	308	12	0.841	C1-2
SL-1-B200-MZ-CN	507	466	297	515	474	313	12	1.054	SO-3
SL-1-B210-MZ-CN	518	387	329	526	395	345	12	0.923	BS-2
SL-1-B230-MZ-CN	490	447	369	498	455	385	12	1.087	25B
SL-1-B240-MZ-CN	585	426	270	593	434	286	12	1.000	BM-3
SL-1-B260-MZ-CN	537	502	336	545	510	352	12	1.234	SO-4

Converse Core Refresh, Core Refresh China Market (L4L), Specialty MOCs

Commercialized: November 2011

Page 8 of 8

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
SL-1-B270-MZ-CN	621	450	292	629	458	308	12	1.128	BM-4
SL-2-B280-MZ-CN	813	398	263	821	406	279	12	1.136	X5
SL-1-B300-MZ-CN	654	474	313	662	482	329	12	1.258	MM-1
SL-1-B310-MZ-CN	564	538	376	572	546	392	12	1.425	SO-5
SL-1-B330-MZ-CN	807	454	290	815	462	306	12	1.329	SX-1
SL-1-B340-MZ-CN	624	554	311	632	562	327	12	1.440	KC-7
SL-2-B350-MZ-CN	885	438	285	893	446	301	12	1.354	X6
SL-1-B360-MZ-CN	687	498	336	695	506	352	12	1.398	MM-2
SL-1-B390-MZ-CN	840	474	315	848	482	331	12	1.466	SX-2
SL-1-B391-MZ-CN	1017	514	364	1025	522	380	12	1.895	MM-8
SL-1-B400-MZ-CN	717	522	357	725	530	373	12	1.539	MM-3
SL-1-B411-MZ-CN	771	564	401	779	572	417	12	1.818	MM-5
SL-1-B420-MZ-CN	741	542	380	749	550	396	12	1.670	MM-4
SL-1-B430-MZ-CN	900	518	365	908	526	381	12	1.767	SX-4
SL-1-B441-MZ-CN	538	480	402	546	488	418	12	1.273	
SL-1-B450-MZ-CN	816	582	407	824	590	423	12	1.948	
SL-1-B080-MX-BVK	317	239	314	325	247	330	6	0.446	
SL-1-B150-MX-BVK	319	272	323	327	280	339	6	0.508	
SL-1-B160-MX-BVK	349	277	335	357	285	351	6	0.553	
SL-1-B200-MX-BVK	339	297	350	347	305	366	6	0.593	
SL-1-B240-MX-BVK	320	270	391	328	278	407	6	0.564	
SL-1-B260-MX-BVK	359	336	377	367	344	393	6	0.711	
SL-1-B270-MX-BVK	338	292	415	346	300	431	6	0.641	
SL-1-B300-MX-BVK	356	313	437	364	321	453	6	0.721	
SL-1-B330-MX-BVK	344	290	539	352	298	555	6	0.756	
SL-1-B360-MX-BVK	374	336	459	382	344	475	6	0.809	
SL-1-B390-MX-BVK	356	315	561	364	323	577	6	0.843	
SL-1-B080-MZ-BVK	357	315	418	365	323	434	12	0.708	
SL-1-B160-MX-EU	335	277	349	343	285	365	6	0.55	
SL-1-B080-MZ-EU	418	357	315	426	365	331	12	0.75	
SL-1-B160-MZ-EU	446	414	349	454	422	365	12	0.93	
SL-1-B240-MZ-EU	600	335	390	608	343	406	12	0.97	

PIMP YOUR LID

First String Inline

Commercialized: January 2012

Page 1

OIA Project #: 11045



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-20793-1-LD-B080	298	107	99	321	118	104	122	771B
PBX-20793-1-LD-B090	229	137	93	252	148	98	116	SO-1
PBX-20793-1-LD-B150	255	147	102	278	158	107	134	SO-2
PBX-20793-1-LD-B160	329	126	106	345	136	111	146	24B
PBX-20793-1-LD-B200	280	157	111	303	168	116	152	SO-3
PBX-20793-1-LD-B230	352	137	117	375	148	122	167	25B
PBX-20793-1-LD-B260	318	167	120	335	177	125	177	SO-4
PBX-20793-1-LD-B270	275	195	107	298	206	112	168	BM-4
PBX-20793-1-LD-B290	297	186	112	320	197	117	176	MO-1
PBX-20793-1-LD-B300	296	206	113	319	217	118	186	MM-1
PBX-20793-1-LD-B310	359	176	129	382	187	134	203	SO-5
PBX-20793-1-LD-B320	319	197	119	342	208	124	195	MO-2
PBX-20793-1-LD-B360	319	217	119	342	228	124	206	MM-2
PBX-20793-1-LD-B380	340	207	125	363	218	130	213	MO-3
PBX-20793-1-LD-B390	298	268	113	321	279	118	205	SX-2
PBX-20793-1-LD-B400	340	227	125	363	238	130	226	MM-3
PBX-20793-1-LD-B420	363	235	130	386	246	135	243	MM-4
PBX-20793-1-LD-B430	348	288	124	371	299	129	259	SX-4

PIMP YOUR LID

Blank

Commercialized: May 2015

Page 2

OIA Project #: 14248

**INNER BOX SIZE SPECIFICATIONS**

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	Previous SKU
	Length	Width	Height	Length	Width	Height		
PBX-22575-1-LD-B080	298	107	99	321	118	104	122	
PBX-22575-1-LD-B090	229	137	93	252	148	98	116	
PBX-22575-1-LD-B200	280	157	111	303	168	116	137	
PBX-22575-1-LD-B260	318	167	120	335	177	125	177	
PBX-22575-1-LD-B310	359	176	129	382	187	134	203	

PIMP YOUR LID

Looney Tunes Core

Commercialized: October 2016

Page 3

OIA Project #: 14573



INNER BOX SIZE SPECIFICATIONS

Inner Box SKU	Inner Box Inside Dimensions (mm)			Inner Box Outside Dimensions (mm)			Inner Box Weight (grams)	
	Length	Width	Height	Length	Width	Height		
PBX-26446-1-LS-B010	143	123	63	166	134	68	61	
PBX-26446-1-LS-B030	164	136	71	187	147	76	74	
PBX-26446-1-LD-B040	248	105	93	271	116	98	103	
PBX-26446-1-LS-B050	187	147	80	210	158	85	88	
PBX-26446-1-LS-B070	209	139	89	232	150	94	95	
PBX-26446-1-LD-B080	298	107	99	321	118	104	120	
PBX-26446-1-LD-B160	329	126	106	352	137	111	144	
PBX-26446-1-LD-B230	352	137	117	375	148	122	165	

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 1 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B010-MX	274	209	167	282	217	183	6	0.266	IM-1
PYL-1-B030-MX	300	233	188	308	241	204	6	0.327	IM-2
PYL-1-B040-MX	300	239	275	308	247	291	6	0.403	50H
PYL-1-B050-MX	323	260	212	331	268	228	6	0.399	IM-3
PYL-1-B070-MX	306	287	234	314	295	250	6	0.447	BO-1
PYL-1-B080-MX	319	242	324	327	250	340	6	0.461	771B
PYL-1-B090-MX	304	298	255	312	306	271	6	0.481	SO-1
PYL-1-B120-MX	335	308	261	343	316	277	6	0.527	BO-2
PYL-1-B130-MX	367	302	257	375	310	273	6	0.539	BM-2
PYL-1-B150-MX	326	324	281	334	332	297	6	0.566	SO-2
PYL-1-B160-MX	338	282	355	346	290	371	6	0.570	24B
PYL-1-B190-MX	352	323	278	360	331	294	6	0.583	BO-3
PYL-1-B200-MX	355	344	306	363	352	322	6	0.652	SO-3
PYL-1-B230-MX	370	304	378	378	312	394	6	0.661	25B
PYL-1-B240-MX	391	320	279	399	328	295	6	0.612	BM-3
PYL-1-B250-MX	375	340	301	383	348	317	6	0.658	BO-4
PYL-1-B260-MX	377	359	345	385	367	361	6	0.742	SO-4
PYL-1-B270-MX	420	340	302	428	348	318	6	0.699	BM-4
PYL-1-B290-MX	399	353	323	407	361	339	6	0.728	MO-1
PYL-1-B300-MX	442	359	322	450	367	338	6	0.780	MM-1
PYL-1-B310-MX	407	380	385	415	388	401	6	0.860	SO-5
PYL-1-B320-MX	423	374	345	431	382	361	6	0.819	MO-2
PYL-1-B330-MX	536	341	299	544	349	315	6	0.802	SX-1
PYL-1-B350-MX	588	326	285	596	334	301	6	0.799	n/a
PYL-1-B360-MX	462	376	345	470	384	361	6	0.862	MM-2
PYL-1-B370-MX	592	308	316	600	316	332	6	0.803	n/a
PYL-1-B380-MX	444	395	367	452	403	383	6	0.912	MO-3
PYL-1-B390-MX	558	353	324	566	361	340	6	0.880	SX-2
PYL-1-B391-MX	676	383	373	684	391	389	6	1.138	MM-8
PYL-1-B393-MX	456	407	389	464	415	405	6	0.979	n/a
PYL-1-B400-MX	484	395	367	492	403	383	6	0.954	MM-3
PYL-1-B410-MX	610	323	336	618	331	352	6	0.878	n/a
PYL-1-B411-MX	512	422	410	520	430	426	6	1.105	MM-5

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 2 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B420-MX	492	404	389	500	412	405	6	1.012	MM-4
PYL-1-B430-MX	598	386	374	606	394	390	6	1.064	SX-4
PYL-1-B440-MX	576	371	350	584	379	366	6	0.973	SX-3
PYL-1-B450-MX	542	434	416	550	442	432	6	1.178	
PYL-1-B010-MQ	405	206	169	413	214	185	9	0.334	IM-1
PYL-1-B030-MQ	444	230	190	452	238	206	9	0.410	IM-2
PYL-1-B040-MQ	351	296	274	359	304	290	9	0.532	50H
PYL-1-B050-MQ	477	257	213	485	265	229	9	0.498	IM-3
PYL-1-B070-MQ	453	284	235	461	292	251	9	0.551	BO-1
PYL-1-B080-MQ	357	314	324	365	322	340	9	0.616	771B
PYL-1-B090-MQ	447	296	255	455	304	271	9	0.589	SO-1
PYL-1-B120-MQ	495	305	260	503	313	276	9	0.648	BO-2
PYL-1-B130-MQ	546	299	257	554	307	273	9	0.674	BM-2
PYL-1-B150-MQ	477	323	281	485	331	297	9	0.692	SO-2
PYL-1-B160-MQ	414	335	355	422	343	371	9	0.740	24B
PYL-1-B190-MQ	522	320	278	530	328	294	9	0.721	BO-3
PYL-1-B200-MQ	507	350	306	515	358	322	9	0.803	SO-3
PYL-1-B230-MQ	447	368	378	455	376	394	9	0.868	25B
PYL-1-B240-MQ	582	317	279	590	325	295	9	0.766	BM-3
PYL-1-B250-MQ	558	338	301	566	346	317	9	0.818	BO-4
PYL-1-B260-MQ	537	377	345	545	385	361	9	0.940	SO-4
PYL-1-B270-MQ	621	338	301	629	346	317	9	0.874	BM-4
PYL-1-B290-MQ	594	353	323	602	361	339	9	0.913	MO-1
PYL-1-B300-MQ	654	356	322	662	364	338	9	0.975	MM-1
PYL-1-B310-MQ	564	404	385	572	412	401	9	1.086	SO-5
PYL-1-B320-MQ	627	374	345	635	382	361	9	1.024	MO-2
PYL-1-B330-MQ	804	341	299	812	349	315	9	1.043	SX-1
PYL-1-B360-MQ	687	374	345	695	382	361	9	1.085	MM-2
PYL-1-B380-MQ	657	392	366	665	400	382	9	1.130	MO-3
PYL-1-B390-MQ	837	353	324	845	361	340	9	1.145	SX-2
PYL-1-B391-MQ	1014	383	373	1022	391	389	9	1.495	MM-8
PYL-1-B393-MQ	684	407	389	692	415	405	9	1.232	n/a
PYL-1-B400-MQ	717	392	366	725	400	382	9	1.193	MM-3

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 3 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B411-MQ	768	422	410	776	430	426	9	1.403	MM-5
PYL-1-B420-MQ	738	404	389	746	412	405	9	1.284	MM-4
PYL-1-B430-MQ	897	386	374	905	394	390	9	1.382	SX-4
PYL-1-B440-MQ	864	371	350	872	379	366	9	1.263	SX-3
PYL-1-B450-MQ	813	434	416	821	442	432	9	1.500	
PYL-1-B010-MZ	407	276	167	415	284	183	12	0.437	IM-1
PYL-1-B030-MZ	448	310	188	456	318	204	12	0.543	IM-2
PYL-1-B040-MZ	356	397	275	364	405	291	12	0.724	50H
PYL-1-B050-MZ	480	345	212	488	353	228	12	0.658	IM-3
PYL-1-B070-MZ	458	380	234	466	388	250	12	0.735	BO-1
PYL-1-B080-MZ	420	362	324	428	370	340	12	0.767	771B
PYL-1-B090-MZ	453	398	255	461	406	271	12	0.793	SO-1
PYL-1-B120-MZ	499	407	261	507	415	277	12	0.863	BO-2
PYL-1-B130-MZ	546	399	257	554	407	273	12	0.883	BM-2
PYL-1-B150-MZ	473	433	281	481	441	297	12	0.921	SO-2
PYL-1-B160-MZ	447	417	355	455	425	371	12	0.950	24B
PYL-1-B190-MZ	526	430	278	534	438	294	12	0.963	BO-3
PYL-1-B200-MZ	509	469	306	517	477	322	12	1.077	SO-3
PYL-1-B230-MZ	452	493	378	460	501	394	12	1.168	25B
PYL-1-B240-MZ	582	423	279	590	431	295	12	1.003	BM-3
PYL-1-B250-MZ	560	452	301	568	460	317	12	1.082	BO-4
PYL-1-B260-MZ	542	505	345	550	513	361	12	1.261	SO-4
PYL-1-B270-MZ	623	453	302	631	461	318	12	1.153	BM-4
PYL-1-B290-MZ	600	473	323	608	481	339	12	1.211	MO-1
PYL-1-B300-MZ	657	476	322	665	484	338	12	1.281	MM-1
PYL-1-B310-MZ	566	542	385	574	550	401	12	1.453	SO-5
PYL-1-B320-MZ	630	505	345	638	513	361	12	1.366	MO-2
PYL-1-B330-MZ	804	455	299	812	463	315	12	1.343	SX-1
PYL-1-B350-MZ	882	435	285	890	443	301	12	1.343	n/a
PYL-1-B360-MZ	690	502	345	698	510	361	12	1.428	MM-2
PYL-1-B370-MZ	888	411	316	896	419	332	12	1.338	n/a
PYL-1-B380-MZ	664	524	367	672	532	383	12	1.497	MO-3
PYL-1-B390-MZ	837	471	324	845	479	340	12	1.470	SX-2

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 4 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B391-MZ	1014	511	373	1022	519	389	12	1.900	MM-8
PYL-1-B393-MZ	684	543	389	692	551	405	12	1.615	n/a
PYL-1-B400-MZ	722	527	367	730	535	383	12	1.578	MM-3
PYL-1-B410-MZ	915	431	336	923	439	352	12	1.461	n/a
PYL-1-B411-MZ	768	563	410	776	571	426	12	1.826	MM-5
PYL-1-B420-MZ	738	539	389	746	547	405	12	1.673	MM-4
PYL-1-B430-MZ	897	515	374	905	523	390	12	1.771	SX-4
PYL-1-B440-MZ	864	495	350	872	503	366	12	1.621	SX-3
PYL-1-B450-MZ	813	579	416	821	587	432	12	1.951	
PYL-1-B010-MW	409	405	169	417	413	185	18	0.668	IM-1
PYL-1-B030-MW	457	444	190	465	452	206	18	0.814	IM-2
PYL-1-B040-MW	589	351	274	597	359	290	18	0.838	50H
PYL-1-B050-MW	511	477	213	519	485	229	18	0.969	IM-3
PYL-1-B070-MW	565	453	235	573	461	251	18	0.995	BO-1
PYL-1-B080-MW	625	357	324	633	365	340	18	0.953	771B
PYL-1-B090-MW	589	447	255	597	455	271	18	1.033	SO-1
PYL-1-B120-MW	607	495	260	615	503	276	18	1.179	BO-2
PYL-1-B130-MW	598	546	257	606	554	273	18	1.300	BM-2
PYL-1-B150-MW	643	477	281	651	485	297	18	1.203	SO-2
PYL-1-B160-MW	667	414	355	675	422	371	18	1.180	24B
PYL-1-B190-MW	637	522	278	645	530	294	18	1.312	BO-3
PYL-1-B200-MW	697	507	306	705	515	322	18	1.385	SO-3
PYL-1-B230-MW	733	447	378	741	455	394	18	1.379	25B
PYL-1-B240-MW	634	582	279	642	590	295	18	1.479	BM-3
PYL-1-B250-MW	673	558	301	681	566	317	18	1.494	BO-4
PYL-1-B260-MW	751	537	345	759	545	361	18	1.604	SO-4
PYL-1-B270-MW	673	621	301	681	629	317	18	1.683	BM-4
PYL-1-B290-MW	703	594	323	711	602	339	18	1.678	MO-1
PYL-1-B300-MW	709	654	322	717	662	338	18	1.874	MM-1
PYL-1-B310-MW	805	564	385	813	572	401	18	1.832	SO-5
PYL-1-B320-MW	745	627	345	753	635	361	18	1.879	MO-2
PYL-1-B330-MW	804	682	299	812	690	315	18	2.052	SX-1
PYL-1-B360-MW	745	687	345	753	695	361	18	2.080	MM-2

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 5 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B380-MW	781	657	366	789	665	382	18	2.071	MO-3
PYL-1-B390-MW	837	706	324	845	714	340	18	2.235	SX-2
PYL-1-B391-MW	1014	766	373	1022	774	389	18	2.845	MM-8
PYL-1-B393-MW	814	684	389	822	692	405	18	2.261	n/a
PYL-1-B400-MW	781	717	366	789	725	382	18	2.281	MM-3
PYL-1-B411-MW	844	768	410	852	776	426	18	2.666	MM-5
PYL-1-B420-MW	808	738	389	816	746	405	18	2.448	MM-4
PYL-1-B430-MW	897	772	374	905	780	390	18	2.685	SX-4
PYL-1-B440-MW	864	742	350	872	750	366	18	2.464	SX-3
PYL-1-B450-MW	868	813	416	876	821	432	18	2.898	
PYL-1-B010-MX-CN	274	209	167	282	217	183	6	0.266	IM-1
PYL-1-B030-MX-CN	300	233	188	308	241	204	6	0.327	IM-2
PYL-1-B040-MX-CN	300	239	275	308	247	291	6	0.403	50H
PYL-1-B050-MX-CN	323	260	212	331	268	228	6	0.399	IM-3
PYL-1-B070-MX-CN	306	287	234	314	295	250	6	0.447	BO-1
PYL-1-B080-MX-CN	319	242	324	327	250	340	6	0.461	771B
PYL-1-B090-MX-CN	304	298	255	312	306	271	6	0.481	SO-1
PYL-1-B120-MX-CN	335	308	261	343	316	277	6	0.527	BO-2
PYL-1-B130-MX-CN	367	302	257	375	310	273	6	0.539	BM-2
PYL-1-B150-MX-CN	326	324	281	334	332	297	6	0.566	SO-2
PYL-1-B160-MX-CN	338	282	355	346	290	371	6	0.570	24B
PYL-1-B190-MX-CN	352	323	278	360	331	294	6	0.583	BO-3
PYL-1-B200-MX-CN	355	344	306	363	352	322	6	0.652	SO-3
PYL-1-B230-MX-CN	370	304	378	378	312	394	6	0.661	25B
PYL-1-B240-MX-CN	391	320	279	399	328	295	6	0.612	BM-3
PYL-1-B250-MX-CN	375	340	301	383	348	317	6	0.658	BO-4
PYL-1-B260-MX-CN	377	359	345	385	367	361	6	0.742	SO-4
PYL-1-B270-MX-CN	420	340	302	428	348	318	6	0.699	BM-4
PYL-1-B290-MX-CN	399	353	323	407	361	339	6	0.728	MO-1
PYL-1-B300-MX-CN	442	359	322	450	367	338	6	0.780	MM-1
PYL-1-B310-MX-CN	407	380	385	415	388	401	6	0.860	SO-5
PYL-1-B320-MX-CN	423	374	345	431	382	361	6	0.819	MO-2

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 6 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B330-MX-CN	536	341	299	544	349	315	6	0.802	SX-1
PYL-1-B350-MX-CN	588	326	285	596	334	301	6	0.799	n/a
PYL-1-B360-MX-CN	462	376	345	470	384	361	6	0.862	MM-2
PYL-1-B370-MX-CN	592	308	316	600	316	332	6	0.803	n/a
PYL-1-B380-MX-CN	444	395	367	452	403	383	6	0.912	MO-3
PYL-1-B390-MX-CN	558	353	324	566	361	340	6	0.880	SX-2
PYL-1-B391-MX-CN	676	383	373	684	391	389	6	1.138	MM-8
PYL-1-B393-MX-CN	456	407	389	464	415	405	6	0.979	n/a
PYL-1-B400-MX-CN	484	395	367	492	403	383	6	0.954	MM-3
PYL-1-B410-MX-CN	610	323	336	618	331	352	6	0.878	n/a
PYL-1-B411-MX-CN	512	422	410	520	430	426	6	1.105	MM-5
PYL-1-B420-MX-CN	492	404	389	500	412	405	6	1.012	MM-4
PYL-1-B430-MX-CN	598	386	374	606	394	390	6	1.064	SX-4
PYL-1-B440-MX-CN	576	371	350	584	379	366	6	0.973	SX-3
PYL-1-B450-MX-CN	542	434	416	550	442	432	6	1.178	
PYL-1-B010-MQ-CN	405	206	169	413	214	185	9	0.334	IM-1
PYL-1-B030-MQ-CN	444	230	190	452	238	206	9	0.410	IM-2
PYL-1-B040-MQ-CN	351	296	274	359	304	290	9	0.532	50H
PYL-1-B050-MQ-CN	477	257	213	485	265	229	9	0.498	IM-3
PYL-1-B070-MQ-CN	453	284	235	461	292	251	9	0.551	BO-1
PYL-1-B080-MQ-CN	357	314	324	365	322	340	9	0.616	771B
PYL-1-B090-MQ-CN	447	296	255	455	304	271	9	0.589	SO-1
PYL-1-B120-MQ-CN	495	305	260	503	313	276	9	0.648	BO-2
PYL-1-B130-MQ-CN	546	299	257	554	307	273	9	0.674	BM-2
PYL-1-B150-MQ-CN	477	323	281	485	331	297	9	0.692	SO-2
PYL-1-B160-MQ-CN	414	335	355	422	343	371	9	0.740	24B
PYL-1-B190-MQ-CN	522	320	278	530	328	294	9	0.721	BO-3
PYL-1-B200-MQ-CN	507	350	306	515	358	322	9	0.803	SO-3
PYL-1-B230-MQ-CN	447	368	378	455	376	394	9	0.868	25B
PYL-1-B240-MQ-CN	582	317	279	590	325	295	9	0.766	BM-3
PYL-1-B250-MQ-CN	558	338	301	566	346	317	9	0.818	BO-4
PYL-1-B260-MQ-CN	537	377	345	545	385	361	9	0.940	SO-4
PYL-1-B270-MQ-CN	621	338	301	629	346	317	9	0.874	BM-4

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 7 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B290-MQ-CN	594	353	323	602	361	339	9	0.913	MO-1
PYL-1-B300-MQ-CN	654	356	322	662	364	338	9	0.975	MM-1
PYL-1-B310-MQ-CN	564	404	385	572	412	401	9	1.086	SO-5
PYL-1-B320-MQ-CN	627	374	345	635	382	361	9	1.024	MO-2
PYL-1-B330-MQ-CN	804	341	299	812	349	315	9	1.043	SX-1
PYL-1-B360-MQ-CN	687	374	345	695	382	361	9	1.085	MM-2
PYL-1-B380-MQ-CN	657	392	366	665	400	382	9	1.130	MO-3
PYL-1-B390-MQ-CN	837	353	324	845	361	340	9	1.145	SX-2
PYL-1-B391-MQ-CN	1014	383	373	1022	391	389	9	1.495	MM-8
PYL-1-B393-MQ-CN	684	407	389	692	415	405	9	1.232	n/a
PYL-1-B400-MQ-CN	717	392	366	725	400	382	9	1.193	MM-3
PYL-1-B411-MQ-CN	768	422	410	776	430	426	9	1.403	MM-5
PYL-1-B420-MQ-CN	738	404	389	746	412	405	9	1.284	MM-4
PYL-1-B430-MQ-CN	897	386	374	905	394	390	9	1.382	SX-4
PYL-1-B440-MQ-CN	864	371	350	872	379	366	9	1.263	SX-3
PYL-1-B450-MQ-CN	813	434	416	821	442	432	9	1.500	
PYL-1-B010-MZ-CN	407	276	167	415	284	183	12	0.437	IM-1
PYL-1-B030-MZ-CN	448	310	188	456	318	204	12	0.543	IM-2
PYL-1-B040-MZ-CN	356	397	275	364	405	291	12	0.724	50H
PYL-1-B050-MZ-CN	480	345	212	488	353	228	12	0.658	IM-3
PYL-1-B070-MZ-CN	458	380	234	466	388	250	12	0.735	BO-1
PYL-1-B080-MZ-CN	420	362	324	428	370	340	12	0.767	771B
PYL-1-B090-MZ-CN	453	398	255	461	406	271	12	0.793	SO-1
PYL-1-B120-MZ-CN	499	407	261	507	415	277	12	0.863	BO-2
PYL-1-B130-MZ-CN	546	399	257	554	407	273	12	0.883	BM-2
PYL-1-B150-MZ-CN	473	433	281	481	441	297	12	0.921	SO-2
PYL-1-B160-MZ-CN	447	417	355	455	425	371	12	0.950	24B
PYL-1-B190-MZ-CN	526	430	278	534	438	294	12	0.963	BO-3
PYL-1-B200-MZ-CN	509	469	306	517	477	322	12	1.077	SO-3
PYL-1-B230-MZ-CN	452	493	378	460	501	394	12	1.168	25B
PYL-1-B240-MZ-CN	582	423	279	590	431	295	12	1.003	BM-3
PYL-1-B250-MZ-CN	560	452	301	568	460	317	12	1.082	BO-4
PYL-1-B260-MZ-CN	542	505	345	550	513	361	12	1.261	SO-4

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 8 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B270-MZ-CN	623	453	302	631	461	318	12	1.153	BM-4
PYL-1-B290-MZ-CN	600	473	323	608	481	339	12	1.211	MO-1
PYL-1-B300-MZ-CN	657	476	322	665	484	338	12	1.281	MM-1
PYL-1-B310-MZ-CN	566	542	385	574	550	401	12	1.453	SO-5
PYL-1-B320-MZ-CN	630	505	345	638	513	361	12	1.366	MO-2
PYL-1-B330-MZ-CN	804	455	299	812	463	315	12	1.343	SX-1
PYL-1-B350-MZ-CN	882	435	285	890	443	301	12	1.343	n/a
PYL-1-B360-MZ-CN	690	502	345	698	510	361	12	1.428	MM-2
PYL-1-B370-MZ-CN	888	411	316	896	419	332	12	1.338	n/a
PYL-1-B380-MZ-CN	664	524	367	672	532	383	12	1.497	MO-3
PYL-1-B390-MZ-CN	837	471	324	845	479	340	12	1.470	SX-2
PYL-1-B391-MZ-CN	1014	511	373	1022	519	389	12	1.900	MM-8
PYL-1-B393-MZ-CN	684	543	389	692	551	405	12	1.615	n/a
PYL-1-B400-MZ-CN	722	527	367	730	535	383	12	1.578	MM-3
PYL-1-B410-MZ-CN	915	431	336	923	439	352	12	1.461	n/a
PYL-1-B411-MZ-CN	768	563	410	776	571	426	12	1.826	MM-5
PYL-1-B420-MZ-CN	738	539	389	746	547	405	12	1.673	MM-4
PYL-1-B430-MZ-CN	897	515	374	905	523	390	12	1.771	SX-4
PYL-1-B440-MZ-CN	864	495	350	872	503	366	12	1.621	SX-3
PYL-1-B450-MZ-CN	813	579	416	821	587	432	12	1.951	
PYL-1-B010-MW-CN	409	405	169	417	413	185	18	0.668	IM-1
PYL-1-B030-MW-CN	457	444	190	465	452	206	18	0.814	IM-2
PYL-1-B040-MW-CN	589	351	274	597	359	290	18	0.838	50H
PYL-1-B050-MW-CN	511	477	213	519	485	229	18	0.969	IM-3
PYL-1-B070-MW-CN	565	453	235	573	461	251	18	0.995	BO-1
PYL-1-B080-MW-CN	625	357	324	633	365	340	18	0.953	771B
PYL-1-B090-MW-CN	589	447	255	597	455	271	18	1.033	SO-1
PYL-1-B120-MW-CN	607	495	260	615	503	276	18	1.179	BO-2
PYL-1-B130-MW-CN	598	546	257	606	554	273	18	1.300	BM-2
PYL-1-B150-MW-CN	643	477	281	651	485	297	18	1.203	SO-2
PYL-1-B160-MW-CN	667	414	355	675	422	371	18	1.180	24B
PYL-1-B190-MW-CN	637	522	278	645	530	294	18	1.312	BO-3
PYL-1-B200-MW-CN	697	507	306	705	515	322	18	1.385	SO-3

Pimp Your Lid & Other Tray/Lid Styles MOCs

Commercialized: January 2012

Page 9 of 9

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
PYL-1-B230-MW-CN	733	447	378	741	455	394	18	1.379	25B
PYL-1-B240-MW-CN	634	582	279	642	590	295	18	1.479	BM-3
PYL-1-B250-MW-CN	673	558	301	681	566	317	18	1.494	BO-4
PYL-1-B260-MW-CN	751	537	345	759	545	361	18	1.604	SO-4
PYL-1-B270-MW-CN	673	621	301	681	629	317	18	1.683	BM-4
PYL-1-B290-MW-CN	703	594	323	711	602	339	18	1.678	MO-1
PYL-1-B300-MW-CN	709	654	322	717	662	338	18	1.874	MM-1
PYL-1-B310-MW-CN	805	564	385	813	572	401	18	1.832	SO-5
PYL-1-B320-MW-CN	745	627	345	753	635	361	18	1.879	MO-2
PYL-1-B330-MW-CN	804	682	299	812	690	315	18	2.052	SX-1
PYL-1-B360-MW-CN	745	687	345	753	695	361	18	2.080	MM-2
PYL-1-B380-MW-CN	781	657	366	789	665	382	18	2.071	MO-3
PYL-1-B390-MW-CN	837	706	324	845	714	340	18	2.235	SX-2
PYL-1-B391-MW-CN	1014	766	373	1022	774	389	18	2.845	MM-8
PYL-1-B393-MW-CN	814	684	389	822	692	405	18	2.261	n/a
PYL-1-B400-MW-CN	781	717	366	789	725	382	18	2.281	MM-3
PYL-1-B411-MW-CN	844	768	410	852	776	426	18	2.666	MM-5
PYL-1-B420-MW-CN	808	738	389	816	746	405	18	2.448	MM-4
PYL-1-B430-MW-CN	897	772	374	905	780	390	18	2.685	SX-4
PYL-1-B440-MW-CN	864	742	350	872	750	366	18	2.464	SX-3
PYL-1-B450-MW-CN	868	813	416	876	821	432	18	2.898	

NBA Tissue

Commercialized: April 2017

Page 1 of 1

OIA Project #: 14623



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box Size	Description	Blank Dimensions (mm)	
			Length	Width
PTS-28874-1-B300	PBX-28873-1-LD-B300	NBA Tissue	860	290
PTS-28874-1-B411	PBX-28873-1-LD-B411	NBA Tissue	930	350


Converse Core Refresh & Core Refresh China Market (L4L) Wrapping Tissue

Commercialized: March 2015

Page 1 of 2

OIA Project #: 14016

ASSOCIATED ACCESSORY ITEM SKUS




Accessory SKU Code	Assoc. Inner Box Size	Description	Blank Dimensions (mm)	
			Length	Width
PTS-20570-1-T01	B010 B030	Converse Core Wrapping Tissue	560	140
PTS-20570-1-T02	B050 B090	Converse Core Wrapping Tissue	610	180
PTS-20570-1-T03	B130 B270	Converse Core Wrapping Tissue	810	230
PTS-20570-1-T04	B040	Converse Core Wrapping Tissue	550	240
PTS-20570-1-T06	B240 B280 B150 B180 B200 B170	Converse Core Wrapping Tissue	730	250
PTS-20570-1-T07	B080	Converse Core Wrapping Tissue	570	280
PTS-20570-1-T08	B300 B330 B340 B350 B360	Converse Core Wrapping Tissue	860	290
PTS-20570-1-T10	B210 B160 B140	Converse Core Wrapping Tissue	640	300
PTS-20570-1-T11	B260 B230	Converse Core Wrapping Tissue	780	310
PTS-20570-1-T12	B390 B400	Converse Core Wrapping Tissue	950	340
PTS-20570-1-T15	B310 B411	Converse Core Wrapping Tissue	930	350
PTS-20570-1-T16	B420 B441	Converse Core Wrapping Tissue	890	380
PTS-20570-1-T17	B391 B430 B450	Converse Core Wrapping Tissue	1100	380
PTS-20570-1-T18	B140 B160 B230	Converse Core Wrapping Tissue	660	360
PTS-20570-1-T19	B460	Converse Core Wrapping Tissue	1100	370
PTS-20570-1-T20	B470	Converse Core Wrapping Tissue	1200	425

Converse Core Refresh & Core Refresh China Market (L4L) Wrapping Tissue

Commercialized: March 2015

Page 2 of 2

OIA Project #: 14016



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Assoc. Inner Box Size	Description	Blank Dimensions (mm)	
			Length	Width
PTS-20570-1-TNG PTS-32497-1-TNG		Converse Core Tongue Wrapping Tissue	220	160
PTS-20570-1-TNG2 PTS-32497-1-TNG2		Converse Core Tongue Wrapping Tissue	300	160

France Diecut MOC

Commercialized: September 2012

Page 1 of 1

OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			Units Per MOC	MOC Net Weight (Kg)	Previous SKU
	Length	Width	Height	Length	Width	Height			
GSC-1-Common	392	392	584	400	400	600		0.880	

New Style MOC

Commercialized: March 2018

Page 1 of 1



OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.

Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			MOC Net Weight (Kg)	Units Per MOC
	Length	Width	Height	Length	Width	Height		
SL-1-B160-MXS	335	277	349	343	285	365	0.49	6
SL-1-B200-MXS	350	339	297	358	347	313	0.591	6
SL-1-B310-MXS	404	377	376	412	385	392	0.80	6
SL-1-B240-MQS	585	320	270	593	328	286	0.76	9
PYL-1-B360-MQS	687	374	345	695	382	361	1.07	9

Salesman Sample MOCs

Commercialized: March 2013

Page 1 of 1



OUTER CARTON SIZE SPECIFICATIONS

Manufacturing tolerance for MOC outside dimensions is +/-3mm.


Outer Carton ID	Target MOC Inside Dimensions (mm)			Target MOC Outside Dimensions (mm)			MOC Net Weight (Kg)
	Length	Width	Height	Length	Width	Height	
CONV-1040	1000	450	340	1016	466	372	2.45
CONV-1041	1150	450	340	1166	466	372	2.71
CONV-1042	300	270	320	316	286	352	0.74
CONV-1043	300	280	240	316	296	272	0.66
CONV-1044	390	270	320	406	286	352	0.85
CONV-1045	400	440	320	416	456	352	1.37
CONV-1046	440	440	320	456	456	352	1.44
CONV-1047	463	418	317	479	434	349	1.40
CONV-1048	520	440	320	536	456	352	1.57
CONV-1049	620	440	320	636	456	352	1.73
CONV-1050	650	450	340	666	466	372	1.86
CONV-1051	669	411	340	685	427	372	1.75
CONV-1052	700	450	400	716	466	432	2.09
CONV-1053	750	440	280	766	456	312	1.84
CONV-1054	950	450	340	966	466	372	2.37
CONV-1055	820	440	280	836	456	312	1.95
CONV-1056	748	554	416	764	570	448	2.69
CONV-1057	290	190	250	306	206	282	0.47
CONV-1058	320	220	270	336	236	302	0.59
CONV-1059	380	230	330	396	246	362	0.75
CONV-1060	430	320	270	446	336	302	0.96
CONV-1061	480	380	330	496	396	362	1.32
CONV-1062	570	480	320	586	496	352	1.80
CONV-1063	700	460	320	716	476	352	1.94
CONV-1064	720	380	330	736	396	362	1.68
CONV-1065	720	500	330	736	516	362	2.17

Converse Carton Seal Tape

Commercialized: December 2016

Page 1 of 1

OIA Project #: 14569



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Description	Blank Dimensions	
		Length	Width
16CTEW	Converse Carton Seal Tape EW	90m/90,000mm	72mm
16CTBY	Converse Carton Seal Tape BY	90m/90,000mm	72mm
16CTVY	Converse Carton Seal Tape VY	90m/90,000mm	72mm
16CTARV	Converse Carton Seal Tape ARV	90m/90,000mm	72mm
16CTVQ	Converse Carton Seal Tape VQ	90m/90,000mm	72mm
16CTADO	Converse Carton Seal Tape ADO	90m/90,000mm	72mm
16CTLYN	Converse Carton Seal Tape LYN	90m/90,000mm	72mm
16CTGSI	Converse Carton Seal Tape GSI	90m/90,000mm	72mm
16CT300BY	Converse Carton Seal Tape BY - 300m length	300m/300,000mm	72mm

Converse DTC Tape

Commercialized: November 2018

Page 1 of 1

OIA Project #: 18032



White Ink (magenta is FPO)

ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Description	Blank Dimensions	
		Length	Width
18CDTCT	Converse DTC Tape	90m/90,000mm	72mm


ACCESSORIES

Sandal Hanger

Commercialized: August 2018

Page 1

OIA Project #: 18048



ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Associated Inner Box SKU	Description	Blank Dimensions (in mm)	
			Length	Width
PHG-34762-1-SHS		Sandal Hanger	220	82
PHG-34762-1-SHL		Sandal Hanger	231	99
PHG-34762-1-SHXL		Sandal Hanger	265	99

ACCESSORIES

NBA Hang Tag

Commercialized: December 2018

Page 1

OIA Project #: 18179



String is included

ASSOCIATED ACCESSORY ITEM SKUS

Accessory SKU Code	Associated Inner Box SKU	Description	Blank Dimensions (in mm)	
			Length	Width
PHT-34961		NBA Hang Tag	97	53