



Menu ▼

Log in



HTML

CSS



Java Quiz Results

Score: 25 of 25

100% Correct:

Question 1:

What is a correct syntax to output "Hello World" in Java?

✓ `System.out.println("Hello World");`

Your answer

`echo("Hello World");`

`Console.WriteLine("Hello World");`

`print ("Hello World");`

Question 2:

Java is short for "JavaScript".

✓ False

Your answer

True

Question 3:

How do you insert COMMENTS in Java code?

✓ `// This is a comment`

Your answer

`/* This is a comment`

`# This is a comment`

Question 4:

Which data type is used to create a variable that should store text?

✓ `String`

Your answer

`Txt`

`myString`

`string`

Question 5:

How do you create a variable with the numeric value 5?

✓ `int x = 5;`

Your answer

`x = 5;`

`num x = 5`

`float x = 5;`

Question 6:

How do you create a variable with the floating number 2.8?

✓ `float x = 2.8f;`

Your answer

`int x = 2.8f;`

`byte x = 2.8f`

`x = 2.8f;`

Question 7:

Which method can be used to find the length of a string?

✓ `length()`

Your answer

`len()`

`getSize()`

`getLength()`

Question 8:

Which operator is used to add together two values?

✓ The + sign

Your answer

The & sign

The * sign

Question 9:

The value of a string variable can be surrounded by single quotes.

✓ False

Your answer

True

Question 10:

Which method can be used to return a string in upper case letters?

✓ toUpperCase()

Your answer

toupperCase()

tuc()

upperCase()

Question 11:

Which operator can be used to compare two values?

✓ ==

Your answer

=

> <

< >

Question 12:

To declare an array in Java, define the variable type with:

✓ []

Your answer

{ }

()

Question 13:

Array indexes start with:

✓ 0

Your answer

1

Question 14:

How do you create a method in Java?

✓ methodName()

Your answer

methodName.

(methodName)

methodName[]

Question 15:

How do you call a method in Java?

✓ methodName();

Your answer

methodName[];

(methodName);

methodName;

Question 16:

Which keyword is used to create a class in Java?

✓ class

Your answer

class()

MyClass

className

Question 17:

What is the correct way to create an object called myObj of MyClass?

✓ `MyClass myObj = new MyClass();`

Your answer

`class myObj = new MyClass();`

`class MyClass = new myObj();`

`new myObj = MyClass();`

Question 18:

In Java, it is possible to inherit attributes and methods from one class to another.

✓ True

Your answer

False

Question 19:

Which method can be used to find the highest value of x and y?

✓ Math.max(x,y)

Your answer

Math.maxNum(x,y)

Math.largest(x,y)

Math.maximum(x,y)

Question 20:

Which operator is used to multiply numbers?

✓ *

Your answer

%

x

#

Question 21:

Which keyword is used to import a package from the Java API library?

✓ import

Your answer

getlib

lib

package

Question 22:

How do you start writing an if statement in Java?

✓ if (x > y)

Your answer

if x > y then:

if x > y:

Question 23:

How do you start writing a while loop in Java?

✓ while (x > y)

Your answer

x > y while {

while x > y:

while x > y {

Question 24:

Which keyword is used to return a value inside a method?

✓ return

Your answer

void

get

break

Question 25:

Which statement is used to stop a loop?

✓ break

Your answer

stop

return

exit

Study Java in our Java Tutorial

Kickstart your career

Get certified by completing a course

Get certified




ADVERTISEMENT



NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a course today!



Get started

CODE GAME



Play Game

ADVERTISEMENT



ADVERTISEMENT

ADVERTISEMENT



[Report Error](#)

[Forum](#)

[About](#)

[Shop](#)

Top Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

[How To Tutorial](#)

[SQL Tutorial](#)

[Python Tutorial](#)

[W3.CSS Tutorial](#)

[Bootstrap Tutorial](#)

[PHP Tutorial](#)

[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Web Courses

[HTML Course](#)
[CSS Course](#)
[JavaScript Course](#)
[Front End Course](#)
[SQL Course](#)
[Python Course](#)
[PHP Course](#)
[jQuery Course](#)
[Java Course](#)
[C++ Course](#)
[C# Course](#)
[XML Course](#)

[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant

full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

