


FLIP00 Interim Inspection

Cong Ma

(None)





Overview

- [Problem Definition](#)
- [Related Work and Challenges](#)
- [GOAM Algorithm](#)
- [Evaluation Results](#)
- [Conclusion](#)

Problem Definition

Background

Related Work and Challenges

Related Work - data collection

Challenges (1)

GOAM Algorithm

Step One - Group Feature Extraction

Step Two - Outlying Degree Scoring

Step Three - Outlying Aspects Identification

Evaluation Results

Synthetic Dataset

Conclusion



Problem Definition

Background

Related Work and Challenges

GOAM Algorithm

Evaluation Results

Conclusion

Problem Definition



Background

Problem Definition
Background
Related Work and Challenges
GOAM Algorithm
Evaluation Results
Conclusion

Defn

Kobe Bryant marked his retirement from the NBA by scoring 60 points in his final game as a Los Angeles Laker on Wednesday, April 12, 2016. Drafted into the NBA at the age of 17, Kobe earned the sport’s highest accolades throughout his long career.



[Problem Definition](#)

[Related Work and Challenges](#)

[Related Work - data collection](#)

[Challenges \(1\)](#)

[GOAM Algorithm](#)

[Evaluation Results](#)

[Conclusion](#)

Related Work and Challenges



Related Work - data collection

- [Problem Definition](#)
- [Related Work and Challenges](#)
- [Related Work - data collection](#)
- [Challenges \(1\)](#)
- [GOAM Algorithm](#)
- [Evaluation Results](#)
- [Conclusion](#)

- Existing Methods - [Download from kaggle](#)
- Existing Methods - [Configure the running environment and load the required packages](#)



Challenges (1)

Problem Definition
Related Work and Challenges
Related Work - data collection
Challenges (1)
GOAM Algorithm
Evaluation Results
Conclusion

- How to **represent** the group features.
 - ◆ Can be affected by outlier values.
 - ◆ Can **Not** reflect the overall distribution of group features.





[Problem Definition](#)

[Related Work and Challenges](#)

[GOAM Algorithm](#)

[Step One - Group Feature Extraction](#)

[Step Two - Outlying Degree Scoring](#)

[Step Three - Outlying Aspects Identification](#)

[Evaluation Results](#)

[Conclusion](#)

GOAM Algorithm

Step One - Group Feature Extraction

Problem Definition

Related Work and Challenges

GOAM Algorithm

Step One - Group Feature Extraction

Step Two - Outlying Degree Scoring

Step Three - Outlying Aspects

Identification

Evaluation Results

Conclusion

- Suppose f_1, f_2, f_3 are three features of G_q .

$$f_1: \{x_1, x_2, x_3, x_4, x_5, x_2, x_3, x_4, x_1, x_2\}$$

$$f_2: \{y_2, y_2, y_1, y_2, y_3, y_3, y_5, y_4, y_4, y_2\}$$

$$f_3: \{z_1, z_4, z_2, z_4, z_5, z_3, z_1, z_2, z_4, z_2\}$$



(a) f_1



(b) f_2



(c) f_3

Figure 1: Histogram of G_q on three features



Step Two - Outlying Degree Scoring

- [Problem Definition](#)
- [Related Work and Challenges](#)
- [GOAM Algorithm](#)
- [Step One - Group Feature Extraction](#)
- [Step Two - Outlying Degree Scoring](#)**
- [Step Three - Outlying Aspects Identification](#)
- [Evaluation Results](#)
- [Conclusion](#)

- Calculate Earth Mover Distance
 - ◆ Represent one feature among different groups
 - ◆ Purpose: calculate the minimum mean distance




Figure 2: EMD of one feature



Step Two - Outlying Degree Scoring

Problem Definition
Related Work and Challenges
GOAM Algorithm
Step One - Group Feature Extraction
Step Two - Outlying Degree Scoring
Step Three - Outlying Aspects Identification
Evaluation Results
Conclusion

■ Calculate the outlying degree

$$OD(G_q) = \sum_1^n EDM(h_{q_s}, h_{k_s})$$

- ◆ $n \Leftrightarrow$ the number of contrast groups.
- ◆ $h_{k_s} \Leftrightarrow$ the histogram representation of G_k in the subspace s .





Step Three - Outlying Aspects Identification

- [Problem Definition](#)
- [Related Work and Challenges](#)
- [GOAM Algorithm](#)
- [Step One - Group Feature Extraction](#)
- [Step Two - Outlying Degree Scoring](#)
- [Step Three - Outlying Aspects Identification](#)
- [Evaluation Results](#)
- [Conclusion](#)

- Identify group outlying aspects mining based on the value of outlying degree.
- The greater the outlying degree is, the more likely it is group outlying aspect.



Illustration

- Problem Definition
- Related Work and Challenges
- GOAM Algorithm
 - Step One - Group Feature Extraction
 - Step Two - Outlying Degree Scoring
 - Step Three - Outlying Aspects Identification
- Evaluation Results
- Conclusion

Table 1: Original Dataset

G_1	F_1	F_2	F_3	F_4	G_2	F_1	F_2	F_3	F_4
	10	8	9	8		7	7	6	6
	9	9	7	9		8	9	9	8
	8	10	8	8		6	7	8	9
	8	8	6	7		7	7	7	8
	9	9	9	8		8	6	6	7
G_3	F_1	F_2	F_3	F_4	G_4	F_1	F_2	F_3	F_4
	8	10	8	8		9	8	8	8
	9	9	7	9		7	7	7	9
	10	9	10	7		8	6	6	8
	9	10	8	6		9	8	8	7
	9	9	7	9		8	7	9	8



[Problem Definition](#)

[Related Work and Challenges](#)

[GOAM Algorithm](#)

[Evaluation Results](#)

[Synthetic Dataset](#)

[Conclusion](#)

Evaluation Results



- Problem Definition
- Related Work and Challenges
- GOAM Algorithm
- Evaluation Results
- Synthetic Dataset
- Conclusion

■ Synthetic Dataset and Ground Truth

Table 2: Synthetic Dataset and Ground Truth

Query group	F₁	F₂	<i>F₃</i>	F₄	<i>F₅</i>	<i>F₆</i>	<i>F₇</i>	<i>F₈</i>
<i>i₁</i>	10	8	9	7	7	6	6	8
<i>i₂</i>	9	9	7	8	9	9	8	9
<i>i₃</i>	8	10	8	9	6	8	7	8
<i>i₄</i>	8	8	6	7	8	8	6	7
<i>i₅</i>	9	9	9	7	7	7	8	8
<i>i₆</i>	8	10	8	8	6	6	8	7
<i>i₇</i>	9	9	7	9	8	8	8	7
<i>i₈</i>	10	9	10	7	7	7	7	7
<i>i₉</i>	9	10	8	8	7	6	7	7
<i>i₁₀</i>	9	9	7	7	7	8	8	8



Synthetic Dataset Results

- [Problem Definition](#)
- [Related Work and Challenges](#)
- [GOAM Algorithm](#)
- [Evaluation Results](#)
- [Synthetic Dataset](#)
- [Conclusion](#)

Table 3: The experiment result on synthetic dataset

Method	Truth Outlying Aspects	Identified Aspects	Accuracy
GOAM	$\{F_1\}, \{F_2F_4\}$	$\{F_1\}, \{F_2F_4\}$	100%
Arithmetic Mean based OAM	$\{F_1\}, \{F_2F_4\}$	$\{F_4\}, \{F_2\}$	0%
Median based OAM	$\{F_1\}, \{F_2F_4\}$	$\{F_2\}, \{F_4\}$	0%



- [Problem Definition](#)
- [Related Work and Challenges](#)
- [GOAM Algorithm](#)
- [Evaluation Results](#)
- [Conclusion](#)

Conclusion



Conclusion

[Problem Definition](#)

[Related Work and Challenges](#)

[GOAM Algorithm](#)

[Evaluation Results](#)

[Conclusion](#)

- Formalize the problem of *Group Outlying Aspects Mining* by extending outlying aspects mining;
- Propose a novel method **GOAM algorithm** to solve the *Group Outlying Aspects Mining* problem;
- Utilize the pruning strategies to reduce time complexity.



TULIP

Team for Universal Learning and Intelligent Processing



Thanks For Your Listening

Made by MC
QingDao technological university

