

Univariate analysis

Bivariate analysis

Multivariate analysis

Summarize by

Time

Type of correlation

Spearman

i Correlation measures may be unreliable when the proportion of missing is large! When the number of complete pairs is less then 10, the correlation is removed from visualization. Details of these time points can be examined in the previous subtab.

☒ Scale correlation axis to data?


i Scaled axis's range is determined by the observed correlation, which is better for observing the change the correlation. Unscaled axis's range is fixed to [-1, 1], which is better for observing the magnitude of correlation.

☒ Show correlation table?


Variables

- ☐ ID
- ☐ Week
- ☒ Head.circumference
- ☒ Anogenitals.FA
- ☐ Anogenitals.anterior
- ☐ Bud.bead.size
- ☐ BMI.for.age
- ☐ FSH
- ☐ Estradiol_N
- ☐ Testosterone
- ☐ Ovary.volume
- ☐ Bud.bead.volume
- ☐ Thyroid.volume
- ☐ Uterus.volume

Bivariate summary



Empirical correlation



Correlation values by time

Week	Correlation	# of complete pairs
1	0.112	136
2	0.195	136
4	0.124	136
6	0.244	64
8	0.231	136
12	0.249	136
16	0.212	136
20	0.169	136
24	0.185	136
28	0.282	135

Previous

1

2

Next