

# Mapping the EERM to the Relational Model

---



# Mapping the EER Model Concepts to Relations

---

- Specialisation class/subclass relationship
- Shared subclass
- Categories


# Specialisation Class/Subclass Relationship [1]

- Multiple relation option

**Employee(SSN, Name, Address)**

**Secretary(SSN, TypingSpeed)**

**Technician(SSN, EngType)**



- Single relation option

**Employee(SSN, Name, Address, TypingSpeed, EngType)**

- Disjoint subclasses
- Use null values
- Not recommended if many specific attributes defined for the subclasses

# Specialisation Class/Subclass Relationship [2]


---

- Multiple relation option

**Car(VehicleID, Price, MaxSpeed, NoPassengers)**

**Truck(VehicleID, Price, NoAxles, Tonnage)**

Total and disjoint must hold (note: diff names in conceptual and logical; ok)




# Specialisation Class/Subclass Relationship [3]

- Single relation option

**Part(PartNo, Description, Mflag, ManufactureDate, DrawingNo, BatchNo, Pflag, SupplierName, ListPrice)**

- Overlapping subclasses
- Use of boolean fields (Mflag, Pflag)



# Shared Subclass


---

**EMPLOYEE(SSN, Salary, Position, Rank)**

**STUDENT(SSN, MajorDept, DegreeProgramme)**

**TEACHING\_ASSISTANT(SSN)**

Or use flags in EMPLOYEE and STUDENT



# Categories


---

**PERSON(SSN, DrivingLicense, Name, OwnerID)**

**COMPANY(CName, CAddress, OwnerID)**

**OWNER(OwnerID, OwnerType)**

OwnerID is called a surrogate key; null value?



# Summary

---

- Subclass/Superclass Relationship; a special relationship!
- Multiple Relation and Single Relation approach
- Implementation details: shared keys or flags
- Participation constraint (e.g. disjoint vs overlapping) can guide the mapping