ABDM SANDBOX · FUNCTIONAL TEST REPORT

UI functional test report, M2 Health Information Provider

Yira Clinics · YIRA HEALTH TECH PVT LTD

DOCUMENT ID FT-M2	VERSION 1.2	RELEASE DATE 2026-10-30	RUN TYPE ui, UI functional test
ENTITY TYPE private	EXECUTED BY Manikanta N	TEST DATES 2026-10-28 to 2026-10-29	

› Confidential. Aadhaar, ABHA and mobile numbers are masked, and the report holds no credential, token or OTP.

CONTENTS

Contents

01	Document control	3
02	Executive summary	4
03	ABDM details	5
04	Results summary	5
05	Scope and limitations	6
06	Flow details	7
07	Test environment and tools	7
08	Test team	7
09	Approach and methodology	8
10	Test data	8
11	Evidence	9
	Health Record Creation	9
	HIP Initiated Health Record Linking Using Demographic Auth	11
	User Initiated Health Record Linking	15
	Sending Notification for deep link workflow	19
	Data transfer & share	20
12	Failures and iterations log	21
13	Conclusion and sign-off	21
14	Annexures	21

01 · DOCUMENT CONTROL

Document control

DOCUMENT TITLE	M2 UI functional test report
DOCUMENT ID	FT-M2
VERSION	1.2
PREPARED BY	Manikanta N, Tester
REVIEWED BY	Not yet reviewed
APPROVED BY	Not yet approved
RELEASED BY	Not yet released
RELEASE DATE	2026-10-30

Change history

VERSION	DATE	BY	CHANGE
1.0	2026-10-29	Manikanta N	First issue
1.1	2026-10-30	Manikanta N	Product name corrected from ClinicX to Yira Clinics
1.2	2026-10-30	Manikanta N	Patient names, initials and dates of birth masked in the screenshots; year of birth masked in the workbook

Distribution

NAME	ORGANISATION	ROLE
Manikanta N	YIRA HEALTH TECH PVT LTD	Tester

02 · EXECUTIVE SUMMARY

Executive summary

MEASURE	ALL CASES	MANDATORY
Cases in NHA's sheet	13	13
Applicable to this integrator	13	13
Tested	13	13
Passed	13	13
Conditional pass	0	0
Failed	0	0
Blocked	0	0
Not tested	0	0
Not applicable	0	0

Cases in NHA's sheet: Every case in the workbook.
Applicable to this integrator: The cases less those not applicable to a private entity.
Tested: Run to a result: passed, conditional pass or failed.
Passed: The Expected Result was seen.
Conditional pass: The Expected Result was seen, with a gap beside it, listed with its condition.
Failed: The Expected Result was not seen in three passes.
Blocked: Started, then waiting for a tester, a device or test data.
Not tested: Applicable and not run yet, NA on a mandatory case NHA has not agreed to, or an unknown status.
Not applicable: Not for this entity type as the sheet's groups mark it, run or not; or NA agreed or optional.

› Ready for sandbox exit.

03 · ABDM DETAILS

ABDM details

ENTITY NAME	YIRA HEALTH TECH PVT LTD
PRODUCT NAME	Yira Clinics
CATEGORY	HMIS
ROLE	HIP
ENTITY TYPE	private
MILESTONE	M2
API VERSION	V3
RUN TYPE	ui, UI functional test
TEST EXECUTION DATES	2026-10-28 to 2026-10-29
NUMBER OF DAYS FOR TESTING	2
MOST PASSES ANY CASE TOOK	3
TEST EXECUTED BY	Manikanta N
RECORDINGS	None

04 · RESULTS SUMMARY

Results summary

Results by function

FUNCTION	CASES	PASSED	CONDITIONAL PASS	FAILED	BLOCKED	NOT TESTED	NOT APPLICABLE
Health Record Creation	1	1	0	0	0	0	0
HIP Initiated Health Record Linking Using Demographic Auth	3	3	0	0	0	0	0
User Initiated Health Record Linking	7	7	0	0	0	0	0
Sending Notification for deep link workflow	1	1	0	0	0	0	0
Data transfer & share	1	1	0	0	0	0	0

05 · SCOPE AND LIMITATIONS

Scope and limitations

APPLICATION	URL
Yira Clinics web (HIP IN3610001937, Ocimum dentistry)	http://localhost:4200/

WORKBOOK	M2_BUILDING_HIP_TEST_CASES.xlsx
TABS	Building HIP
LIMITATIONS	The results hold for the build and configuration tested from 2026-10-28 to 2026-10-29. The build under test ran on a local machine; ABDM callbacks reached it through a Cloudflare quick tunnel registered as the bridge URL. The tunnel was replaced twice during the run after the machine slept, and the bridge URL re-registered each time (run log). The build does not store the bodies of its outbound replies and pushes (on-discover, on-init, on-confirm, on-notify, on-request, data push, notify); their content is shown by the code and by ABDM accepting them and by what followed. ABDM sandbox: one
	on-discover was answered with 'Runtime Error', and twice no health-information request followed a granted consent (USER_INIT_LINK_607 passes 1 and 2). Extra checks outside the set (count mismatch ABDM-1037, wrong OTP, consent revocation) were not run. HIP_INIT_SHARE_CARECONTEXT was re-run on 2026-10-29 on backend db30fa2 / frontend feb708f, after a read-only Consents view was added. Backend changes since 85ae1bd are only that view (0326320, db30fa2) and a hospital-role check on the staff ABDM patient routes (a5a4dca); the linking, data-flow, FHIR, gateway and crypto code the other 12 cases
	ran on is unchanged. Frontend feb708f adds the view to the ABDM Records tab and also carries the M1/M3 commits merged at 00:13 on 2026-10-29 (HIU record request pages and the shared calendar), none of which touches the ABDM Records tab or the linking screens. The quick tunnel was replaced and the bridge URL re-registered for the re-run. The product's name is Yira Clinics. Its screens still show the working name ClinicX in places, so screenshots and screen messages quoted in this report can carry that name.

06 · FLOW DETAILS

Flow details

FLOW	ABHA ADDRESS USED	HI TYPES CREATED OR TESTED
HIP initiated linking by demographic details	xxx0319@sbx	Prescription, WellnessRecord, OPConsultation, Invoice
User initiated linking	xxx0606@sbx	Prescription
SMS notify with deep link		Prescription
Data transfer and share	xxx0319@sbx, xxx0606@sbx	Prescription, WellnessRecord, OPConsultation

07 · TEST ENVIRONMENT AND TOOLS

Test environment and tools

TOOL	VERSION OR VALUE
Browser	Google Chrome (headed, driven through the Playwright MCP server)
Browser version	156.0.8078.48
Playwright	@playwright/mcp 0.0.83
PHR app	ABDM sandbox PHR app
PHR app version	Not recorded
Emulator	None: the tester's Android phone
Model that ran the agent	claude-opus-5-5
backend_build	Clinicx-Backend ABHABang-26-10 at 85ae1bd; HIP_INIT_SHARE_CARECONTEXT re-run at db30fa2
frontend_build	Clinicx-Frontend at ab5a8a0; HIP_INIT_SHARE_CARECONTEXT re-run at feb708f
callback_route	Cloudflare quick tunnel to the local backend, registered as the bridge URL

08 · TEST TEAM

Test team

NAME	ROLE	QUALIFICATIONS
Manikanta N	Tester	

09 · APPROACH AND METHODOLOGY

Approach and methodology

RUNNER	An agent ran each case with the module's test skill and wrote the result into the workbook.
PASSES	At most three per case. Iterations is the number of passes a case took.
APPROVALS	A person gave every OTP, consent and approval as the case needed it. The agent kept no OTP.
PHR APP	A case through the PHR app is proved by one PHR app screenshot of the consent or the record.
RUN TYPE	ui: Playwright drove the screens, with a screenshot per step.
REQUEST IDS	A fresh one on every call. Look each up in the gateway's own record.

10 · TEST DATA

Test data

ITEM	VALUE
ABHA address, HIP initiated linking and share (patient HOSP11-2026-0032)	xxx0319@sbx
ABHA address, user initiated linking (patient OCM123-2026-0013, registered without ABHA)	xxx0606@sbx
Mobile for user initiated linking and the SMS deep link	XXXXXX5506
HIP id	IN3610001937

11 · EVIDENCE

Evidence

Health Record Creation

Health_RECORD_CREATION_101 Creation of Health Records

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS None in the manifest

EXPECTED RESULT 1. ABDM mandates only the sharing of digital health records in FHIR format. 2. Kindly ensure to implement SNOMED CT/ LOINC Codes. Refer to following link to know more: https://sandbox.abdm.gov.in/sandbox/v3/toolkit

OBSERVED All 8 HI types are created as NRCES document bundles stored against care contexts, with SNOMED CT and LOINC codes.




Fig 1, step 1



OPD visit, 27 Oct 2026
Visit · 26 Oct 2026, 05:26 PM · OP–342
What the patient's PHR app receives for this record, from the records as they are now.
Consultation report
OP consultation
27 Oct 2026, 09:30 AM · mani kanta
MEDICATIONS
Acetaminophen 500 mg oral tablet — 500 mg, 1-0-0 (Morning), for 5 days (for Primary ameloblastic carcinoma)
Dolo 500 mg oral tablet — 500 mg, 1-0-0 (Morning), for 7 days (for Primary ameloblastic carcinoma)
DIAGNOSIS
Primary ameloblastic carcinoma
Prescription record
Prescription
27 Oct 2026, 01:04 PM · mani kanta
PRESCRIPTION RECORD
Acetaminophen 500 mg oral tablet — 500 mg, 1-0-0 (Morning), for 5 days (for Primary ameloblastic carcinoma)
Dolo 500 mg oral tablet — 500 mg, 1-0-0 (Morning), for 7 days (for Primary ameloblastic carcinoma)
FILES
Prescription record (signed copy) PDF · 13 KB
Invoice INV-000001-7603
Invoice

Fig 2, step 2

HIP Initiated Health Record Linking Using Demographic Auth

HIP_INTI_LINK_504 Generate Link Token

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
00c8e3d1-4aa8-4e21-937f-fe692f88708a,
eb698f25-663b-46ca-9e84-6ef145db724f,
47926fe3-8e13-4b75-ab53-b9b5baceed3a

EXPECTED RESULT 1. A new linking token should be created. Before generating a new token, check if an existing token is already available for the same patient. If it is still valid, reuse the same token for linking. Currently, the token is valid for 6 months

OBSERVED A record save requests a link token when none is held, stores it for six months, and reuses it for the next link.

STEP	RESULT	NOTE
1	PASS	token requested and received, requestId matched
2	PASS	stored against patient and ABHA address, 6 months
3	PASS	reused for WR-5, no second generate-token




Fig 3, step 1




Fig 4, step 2



Fig 5, step 3

HIP_INTI_LINK_505 Linking of Health Records

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
`eb698f25-663b-46ca-9e84-6ef145db724f`,
`47926fe3-8e13-4b75-ab53-b9b5baceed3a`,
`800ed08d-86d7-46b8-8fd5-aed664ab5b4c`

EXPECTED RESULT 1. Linking of care context initiated using the token. 2. User can pull linked health records via PHR app. Note: Linking of health records should be done automatically once records have been saved at HIP end.

OBSERVED Care contexts link automatically on save, and a record added to a linked visit sends the context notify (SUCCESS).

STEP	RESULT	NOTE
1	PASS	link initiated with the token on save, Successfully Linked care context
2	PASS	records pulled and visible in the PHR app (tester screenshots), context notify SUCCESS




Fig 6, step 1




Fig 7, step 2




Fig 8, step 3




Fig 9, step 4




Fig 10, step 5




Fig 11, step 6

HIP_INTI_LINK_506 Pull Records

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
2dbace9a-b69d-4153-bb15-a7177b585b17,
1534304c-8baa-47bd-b123-a43fe5ecafd2,
a535f7b1-1e96-4100-9c64-10935e640c06

EXPECTED RESULT 1. Linked records can be pulled using the "Pull Records" button in the PHR app.

OBSERVED The linked records were pulled and shown in the PHR app.




Fig 12, step 1




Fig 13, step 2




Fig 14, step 3




Fig 15, step 4

User Initiated Health Record Linking

USER_INIT_LINK_601 Login into PHR App

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS None in the manifest

EXPECTED RESULT 1. User should be able to successfully log in to the PHR app.

OBSERVED The tester logged in to the PHR app with the second ABHA.

USER_INIT_LINK_602 Search for Facility/ HIP

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
17df06aa-b95d-4f33-b2d0-5ba9cbf0677b

EXPECTED RESULT 1. User should be able to search and select the desired health provider (HIP).

OBSERVED Ocimum dentistry is found and selected in the PHR app.




Fig 16, step 1

USER_INIT_LINK_603 Share User Profile Details with HIP

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
17df06aa-b95d-4f33-b2d0-5ba9cbf0677b

EXPECTED RESULT 1. The Gateway send the request to the HIP to identify the patient in th HIP System. 2. The Facility/ HIP will receive the User's profile details. HIP searches their records for any of the verified identifers; search with Mobile number. On mobile number match HIP to do a fuzzy logic match on matched records. 3. Proceed with sharing the health records for linking.

OBSERVED The discover reaches the HIP with the transaction id, patient id and verified identifiers.

USER_INIT_LINK_606 Validate Request

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
17df06aa-b95d-4f33-b2d0-5ba9cbf0677b

EXPECTED RESULT 1. HIP send the matching record to the patient (PHR App)

OBSERVED The patient is matched by mobile, with gender and year of birth agreeing.

USER_INIT_LINK_604 Fetch Health Records

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
17df06aa-b95d-4f33-b2d0-5ba9cbf0677b,
764fd0a5-cd3f-4b0d-8e1c-038a56341033

EXPECTED RESULT 1. If health records are available at the HIP, the user receives the list of available records and selects the records to proceed with linking.

OBSERVED Only unlinked care contexts are returned, and the person selects one to link.




Fig 17, step 1

USER_INIT_LINK_605 Provide Consent for Health Record Linking

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
764fd0a5-cd3f-4b0d-8e1c-038a56341033,
44b6d7d6-9720-4573-b350-b65c8cf57e9d

EXPECTED RESULT 1. If OTP is valid, selected health records are linked with the ABHA. 2. Linked health record should be visible under the “Linked Facilities” section in the PHR app.

OBSERVED The HIP sends the OTP, verifies it on confirm and links only the selected care context.

STEP	RESULT	NOTE
1	PASS	init received, on-init DIRECT/MOBILE with link reference
2	PASS	OTP sent by the HIP, confirm with matching linkRefNumber and token
3	PASS	on-confirm with the selected care context only, record visible under the linked facility




Fig 18, step 1




Fig 19, step 2

USER_INIT_LINK_607 Pull Records

RESULT PASS, 3 passes. Marking: Mandatory.

REQUEST IDS
188f3727-eeac-44a9-b3ad-c57214b083df,
cfd114d3-02d2-4a4c-bc1a-a354ed3b479c,
1ddc08b0-a32f-45a2-8684-80efc33070c3,
20ae5b76-ded9-4738-8b0f-5a46676b28a5

EXPECTED RESULT 1. Health record linking is completed. 2. User can now pull linked records in their PHR app.

OBSERVED The linked prescription was pulled into the PHR app on the third pass; ABDM sent no data request on the first two.




Fig 20, step 1

Sending Notification for deep link workflow

HIP_INIT_NOTIFY_HIECM Sending Notification to Patient with Deep Link

RESULT PASS, 1 pass. Marking: Mandatory.

REQUEST IDS
ee33aa71-2e46-4704-8472-d823408f26bf

EXPECTED RESULT 1. SMS with deep link is sent to the patient's mobile.

OBSERVED A new record for a patient without ABHA sends sms/notify2 on its own, and the SMS with the deep link arrives.




Fig 21, step 1




Fig 22, step 2

Data transfer & share

HIP_INIT_SHARE_CARECONTEXT HIP must share health records associated with care context on request

RESULT PASS, 2 passes. Marking: Mandatory.

REQUEST IDS
8b0b8f8b-2d65-4296-9c59-6865556cd787,
7a34c022-ec56-46d6-a0dc-2fc139eb86c6

EXPECTED RESULT 1. Health records will be successfully received in the PHR app 2. Health records must be properly decryptable using the HIP public key and nonce. 3. Health records shared/ transferred must be in proper FHIR formats defined by NrCes.

OBSERVED Records are shared encrypted on request and shown in the PHR app, and Yira Clinics shows each stored consent against the patient with its HI types, date range, purpose and expiry.




Fig 23, step 1




Fig 24, step 2

12 · FAILURES AND ITERATIONS LOG

Failures and iterations log

No case failed, is blocked or passed with a condition.

13 · CONCLUSION AND SIGN-OFF

Conclusion and sign-off

› Ready for sandbox exit.

SIGN-OFF	NAME	DATE	SIGNATURE
Prepared by	Manikanta N, Tester		
Reviewed by	Not yet reviewed		
Approved by	Not yet approved		

14 · ANNEXURES

Annexures

RECORDING	LINK

ANNEXURE	FILE
Completed workbook	M2_BUILDING_HIP_TEST_CASES.xlsx
REQUEST-ID manifest	m2-20261028-1847.json
Full size screenshots	abdm-ft/evidence, each figure listed in report-m2-screenshots.json