

Pretty-print

```
{  
    "observation_lab_day2_id": "35576ad8-e110-4e15-9134-a9bdc89f9e13",  
    "resource": {  
        "basedOn": [  
            {  
                "reference": "ServiceRequest\36547537-ed9a-45e7-a06e-01f4c6f4ecb4"  
            }  
        ],  
        "category": [  
            {  
                "coding": [  
                    {  
                        "code": "laboratory",  
                        "display": "Laboratory",  
                        "system": "http://terminology.hl7.org/CodeSystem/observation-category"  
                    }  
                ]  
            }  
        ],  
        "code": {  
            "coding": [  
                {  
                    "code": "2161-8",  
                    "display": "Creatinine [Mass\volume] in Urine",  
                    "system": "http://loinc.org"  
                }  
            ]  
        },  
        "effectiveDateTime": "2022-12-28T22:30:10+00:00",  
        "encounter": {  
            "reference": "Encounter\72d09428-fbc3-4847-979c-7cbd1622c521"  
        },  
        "id": "35576ad8-e110-4e15-9134-a9bdc89f9e13",  
        "identifier": [  
            {  
                "system": "http://sys-ids.kemkes.go.id/observation\f588feae-4ba0-40f0-af65-c4ec294cbd99",  
                "value": "011111A"  
            }  
        ],  
        "interpretation": [  
            {  
                "coding": [  
                    {  
                        "code": "H",  
                        "display": "High",  
                        "system": "http://terminology.hl7.org/CodeSystem/v3-ObservationInterpretation"  
                    }  
                ]  
            }  
        ],  
        "issued": "2022-12-28T22:30:10+00:00",  
        "meta": {  
            "lastUpdated": "2026-02-12T07:42:42.782036+00:00",  
            "versionId": "MTc3MDg4MjE2Mjc4MjAzNjAwMA"  
        },  
        "performer": [  
            {  
                "reference": "Practitioner\10010910332"  
            },  
            {  
                "reference": "Organization\f588feae-4ba0-40f0-af65-c4ec294cbd99"  
            }  
        ]  
    }  
}
```

**Pretty-print**

```
[  
  "referenceRange": [  
    {  
      "high": {  
        "code": "mg/dL",  
        "system": "http://unitsofmeasure.org",  
        "unit": "mg/dL",  
        "value": 0.7  
      },  
      "text": "Normal"  
    },  
    {  
      "high": {  
        "code": "mg/dL",  
        "system": "http://unitsofmeasure.org",  
        "unit": "mg/dL",  
        "value": 1.2  
      },  
      "low": {  
        "code": "mg/dL",  
        "system": "http://unitsofmeasure.org",  
        "unit": "mg/dL",  
        "value": 0.8  
      },  
      "text": "Borderline high"  
    },  
    {  
      "low": {  
        "code": "mg/dL",  
        "system": "http://unitsofmeasure.org",  
        "unit": "mg/dL",  
        "value": 1.5  
      },  
      "text": "High"  
    }  
  ],  
  "resourceType": "Observation",  
  "specimen": {  
    "reference": "Specimen/7e9202f2-4305-48f2-9061-f41fa39ffa49"  
  },  
  "status": "final",  
  "subject": {  
    "reference": "Patient/P01836748436"  
  },  
  "valueQuantity": {  
    "code": "mg/dL",  
    "system": "http://unitsofmeasure.org",  
    "unit": "mg/dL",  
    "value": 1.5  
  }  
}
```