



Programs and Options

Air Conditioner

The following list contains all air conditioner programs, which are supported by the API. Please note that not all programs are supported for a specific air conditioner model. Therefore, we recommend to use the [available program interface](#) to check the program availability. Upon powering on an air conditioner, the last set program will be started automatically.

Air Conditioner Programs

HeatingVentilationAirConditioning.AirConditioner.Program.ActiveClean

Active Clean program for the Air Conditioner.

HeatingVentilationAirConditioning.AirConditioner.Program.Auto

Auto program for Air Conditioner.

HeatingVentilationAirConditioning.AirConditioner.Program.Cool

Cooling program for the Air Conditioner.

HeatingVentilationAirConditioning.AirConditioner.Program.Dry

Dry program for the Air Conditioner.

HeatingVentilationAirConditioning.AirConditioner.Program.Fan

Fan program for the Air Conditioner.

HeatingVentilationAirConditioning.AirConditioner.Program.Heat

Heating program for the Air Conditioner.

Example



Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [HeatingVentilationAirConditioning.AirConditioner.Option.FanSpeedPercentage](#)
- [HeatingVentilationAirConditioning.AirConditioner.Option.FanSpeedMode](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
HeatingVentilationAirConditioning.AirConditioner.Program.Auto](#)

[➤ Expand source](#)

Fan Speed Percentage Option

Cooking

Cleaning

Cooling

Key



Data type

Enumeration

Possible values

1%-100%

Availability

Heat Cool Fan Dry Auto ActiveC

Percentage

Example

[GET /api/homeappliances/{hald}/programs/active/options/HeatingVentilationAirConditioning.AirConditioner.Option.FanSpeedPercentage](#)

[> Expand source](#)

Fan Speed Mode Option

Cooking

Cleaning

Cooling

Key



Setting to adjust the Fanspeed mode as Manual or Automatic for AirConditioner.

Data type

Enumeration

Possible values

- Automatic

Key:

*HeatingVentilationAirConditioning.AirConditioner.EnumType.FanSpeedMode.A
utomatic*

- Manual

Key:

*HeatingVentilationAirConditioning.AirConditioner.EnumType.FanSpeedMode.M
anual*

Availability

Heat

Cool

Fan

Dry

Auto

ActiveC

Automatic

Manual

Example

[GET /api/homeappliances/{hald}/programs/active/options/
HeatingVentilationAirConditioning.AirConditioner.Option.FanSpeedMode](#)

[➤ Expand source](#)



API. Please note that not all programs are supported for a specific cleaning robot model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Please also note that there are two series of cleaning robots which differ in their feature set and capabilities: the older Roxxter, and the newer Spotless. We mark feature and option availability for each series below.

Clean All

Key

ConsumerProducts.CleaningRobot.Program.Cleaning.CleanAll

Availability

Roxxter, Spotless

Description

With the Clean All program, the robot cleans all accessible rooms one after the other. When you start this cleaning program, the robot will explore its immediate surroundings and create a temporary map. It will then start systematically cleaning the area it has explored.

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[> Expand source](#)

Clean Map

Key



Description

With the Clean Map program, the robot moves over and cleans the map of your house in a fixed cleaning pattern. You will need to create and confirm this map using the Home Connect app via the robot first.

Example

PUT /api/homeappliances/{hald}/programs/active

[➤ Expand source](#)

Go Home

Key

ConsumerProducts.CleaningRobot.Program.Basic.GoHome

Availability

Roxxter, Spotless

Description

With the Go Home program, you can send the robot back to the charging station.

Example

PUT /api/homeappliances/{hald}/programs/active

[➤ Expand source](#)



that not all options are supported by a given program or specific cleaning robot series. Additionally, most of our appliances dynamically update available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

- [ConsumerProducts.CleaningRobot.Option.ReferenceMapId](#)
- [ConsumerProducts.CleaningRobot.Option.CleaningMode](#)
- [ConsumerProducts.CleaningRobot.Option.SuctionPower](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
ConsumerProducts.CleaningRobot.Program.Cleaning.CleanMap](#)

[➤ Expand source](#)

Reference Map ID Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Option.ReferenceMapId



This option defines the used reference map for Roxxter series.

Data type

Enumeration

Possible values

- Temporary map
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.TempMap*
- User-defined map 1
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.Map1*
- User-defined map 2
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.Map2*
- User-defined map 3
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.Map3*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

CleanAll

CleanMap

GoHome

TempMap

Map1

Map2

Map3

Example

[GET /api/homeappliances/{hald}/programs/active/options/](#)



Cleaning Mode Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Option.CleaningMode

Availability

Roxxter, Spotless

Description

This option defines the favoured cleaning mode.

Data type

Enumeration

Possible values for Roxxter series

- Silent mode
Key: *ConsumerProducts.CleaningRobot.EnumType.CleaningModes.Silent*
Description: For simple cleaning tasks with a very low operating noise and long battery life.
- Eco mode
Key: *ConsumerProducts.CleaningRobot.EnumType.CleaningModes.Standard*



Key: *ConsumerProducts.CleaningRobot.EnumType.CleaningModes.Power*

Description: Maximum power for demanding everyday cleaning tasks in medium-sized rooms.

CleanAll

CleanMap

GoHome

Silent

Eco

Power

Possible values for Spotless series

- Intelligent mode

Key:

ConsumerProducts.CleaningRobot.EnumType.CleaningMode.IntelligentMode

Description: The robot will define the cleaning settings automatically based on your cleaning habits and room types.

- Vacuum only mode

Key: *ConsumerProducts.CleaningRobot.EnumType.CleaningMode.VacuumOnly*

Description: The robot will only vacuum.

- Mop only mode

Key: *ConsumerProducts.CleaningRobot.EnumType.CleaningMode.MopOnly*

Description: The robot will only mop.

- Vacuum and mop only mode

Key:

ConsumerProducts.CleaningRobot.EnumType.CleaningMode.VacuumAndMop

Description: The robot will vacuum and mop simultaneously.

- Mop after vacuum mode

Key:

ConsumerProducts.CleaningRobot.EnumType.CleaningMode.MopAfterVacuum

Description: The robot will first vacuum and then mop.

CleanAll

GoHome

Intelligent



Mop only

Vacuum and mop only

Mop after vacuum

Example

GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CleaningRobot.Option.CleaningMode

[> Expand source](#)

Suction Power Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Option.SuctionPower

Availability

Spotless

Description



Enumeration

Possible values for Spotless series

- Silent mode
Key: *ConsumerProducts.CleaningRobot.EnumType.SuctionPower.Silent*
Description: The robot will clean with a very low operating noise.
- Standard mode
Key: *ConsumerProducts.CleaningRobot.EnumType.SuctionPower.Standard*
Description: The robot will clean with normal power.
- Max mode
Key: *ConsumerProducts.CleaningRobot.EnumType.SuctionPower.Max*
Description: The robot will clean with maximum power.

CleanAll

GoHome

Silent

Standard

Max

Example

[GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CleaningRobot.Option.SuctionPower](#)

[> Expand source](#)



API. Please note that not all programs are supported for a specific coffee machine model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Coffee Programs

ConsumerProducts.CoffeeMaker.Program.Beverage.Ristretto

Very concentrated and thus especially aromatic espresso

ConsumerProducts.CoffeeMaker.Program.Beverage.Espresso

The classic: small, strong coffee with hazel crema

ConsumerProducts.CoffeeMaker.Program.Beverage.EspressoDoppio

Coffee Beverage with double filling compared to default espresso

ConsumerProducts.CoffeeMaker.Program.Beverage.Coffee

Large cup of coffee, brewed using espresso as the base

ConsumerProducts.CoffeeMaker.Program.Beverage.XLCoffee

Extra large coffee. Simple and flavoursome preparation of large cups, thanks to a special brewing process. Also perfect for the take-away mug.

ConsumerProducts.CoffeeMaker.Program.Beverage.CaffeGrande

The tall Caffè Crema

Coffee Milk Mix Programs

ConsumerProducts.CoffeeMaker.Program.Beverage.EspressoMacchiato

Espresso with some milk froth; Italian for 'stained espresso'

ConsumerProducts.CoffeeMaker.Program.Beverage.Cappuccino

One third of each espresso, warm milk and milk froth



Half coffee, half warm milk; typically served in a bowl

Milk Programs

ConsumerProducts.CoffeeMaker.Program.Beverage.MilkFroth

Frothed milk, e.g. for hot chocolate

ConsumerProducts.CoffeeMaker.Program.Beverage.WarmMilk

Heated (not steamed) milk

Coffee World Programs

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.KleinerBrauner

Austrian coffee speciality: Single espresso with a dash of warm milk

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.GrosserBrauner

Austrian coffee speciality: Double espresso with a dash of warm milk

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.Verlaengerter

Austrian coffee speciality: Espresso diluted ("verlängert") with the same quantity of hot water

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.VerlaengerterBraun

Austrian coffee speciality: Verlängerter with a dash of warm milk

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.WienerMelange

Austrian coffee speciality: Half espresso, half milk froth; stronger than a cappuccino

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.FlatWhite

Espresso topped with a specific style of silky frothed milk



Spanish coffee speciality: Espresso with a dash of warm milk; Spanish for "cut coffee"

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.CafeConLeche

Spanish coffee speciality: Half coffee, half milk froth; with a brown milk froth on top

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.CafeAuLait

French coffee speciality: Caffe latte with a high share of coffee; typically served for breakfast

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.Doppio

Italian coffee speciality: Double espresso; prepared with the double amount of ground coffee

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.Kaapi

South Indian coffee speciality: Hot milk with two teaspoons of very intense coffee; typically sweetened

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.KoffieVerkeerd

Dutch coffee speciality: Mild caffe latte with more warm milk than coffee; inverted ("verkeerd"), as caffe latte usually has more coffee than milk

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.Galao

Portuguese coffee speciality: Very mild caffe latte; typically served in a glass

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.Garoto

Portuguese coffee speciality: Half milk froth, half espresso; also referred to as "children's coffee"

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.Americano

American coffee speciality: espresso diluted with two parts of hot water; easier to drink than a classic filter coffee



American coffee speciality: Coffee plus two espressos for an extra kick caffeine

ConsumerProducts.CoffeeMaker.Program.CoffeeWorld.DeadEye

American coffee speciality: coffee with three espressos; for the ultimate caffeine kick.

Hot Water Program

ConsumerProducts.CoffeeMaker.Program.Beverage.HotWater

Heated water, e.g. for tea; also suited for prewarming cups.

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[➤ Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [ConsumerProducts.CoffeeMaker.Option.BeanAmount](#)
- [ConsumerProducts.CoffeeMaker.Option.FillQuantity](#)
- [ConsumerProducts.CoffeeMaker.Option.CoffeeTemperature](#)
- [ConsumerProducts.CoffeeMaker.Option.BeanContainerSelection](#)
- [ConsumerProducts.CoffeeMaker.Option.FlowRate](#)



Example

GET /api/homeappliances/{hald}/programs/available/
ConsumerProducts.CoffeeMaker.Program.Beverage.Coffee

[> Expand source](#)

Bean Amount Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.BeanAmount

Description

This option describes the bean amount of a coffee machine program.

Data type

Enumeration

Possible values

- Very mild

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.VeryMild*



Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.MildPlus*

- Normal

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.Normal*

- Normal +

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.NormalPlus*

- Strong

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.Strong*

- Strong +

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.StrongPlus*

- Very strong

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.VeryStrong*

- Very strong +

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.VeryStrongPlus*

- Extra strong

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.ExtraStrong*

- DoubleShot

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.DoubleShot*

- DoubleShot +

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.DoubleShotPlus*

Description: Extra strong coffee is ground and brewed in two steps to reduce bitterness

- DoubleShot ++

Key:

ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.DoubleShotPlusPlus

Description: Extra strong coffee is ground and brewed in two steps to reduce bitterness

- TripleShot

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.TripleShot*

Description: Extra strong coffee is ground and brewed in three steps, in order to release less bitter substances

- TripleShot +

Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanAmount.TripleShotPlus*

Description: Extra strong coffee is ground and brewed in three steps, in order to



Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/homeappliances/{hald}/programs/active/options/ConsumerProducts.CoffeeMaker.Option.BeanAmount](#)

[➤ Expand source](#)

Fill Quantity Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.FillQuantity

Description



Possible values

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) to get valid constraints (min, max & stepsize).

For example:

FillQuantity (EU / CN) - Built-in Appliance:

Program	Min	Max	Stepsize
Espresso	35	60	5
Espresso Macchiato	40	60	10
Coffee	60	250	10
Cappuccino	100	300	20
Latte Macchiato	200	400	20
Caffe Latte	100	400	20

FillQuantity (EU / CN) - Stand-alone Appliance:

Program	Min	Max	Stepsize
Espresso	35	60	5
Espresso Macchiato	50	80	10
Coffee	60	260	20
Cappuccino	100	300	20
Latte Macchiato	200	400	20



Espresso	40	60	10
Espresso Macchiato	40	60	10
Coffee	120	480	30
Cappuccino	120	480	30
Latte Macchiato	120	480	30
Caffe Latte	120	480	30

Example

GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CoffeeMaker.Option.FillQuantity

> *Expand source*

Coffee Temperature Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.CoffeeTemperature



Data type

Enumeration

Possible values

- 88 °C
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeTemperature.88C*
- 90 °C
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeTemperature.90C*
- 92 °C
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeTemperature.92C*
- 94 °C
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeTemperature.94C*
- 95 °C
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeTemperature.95C*
- 96 °C
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeTemperature.96C*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CoffeeMaker.Option.CoffeeTemperature](#)

[➤ Expand source](#)



Bean Container Selection Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.BeanContainerSelection

Description

This option defines the preferred bean container.

Data type

Enumeration

Possible values

- Right
Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanContainerSelection.Right*
- Left
Key: *ConsumerProducts.CoffeeMaker.EnumType.BeanContainerSelection.Left*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/homeappliances/{hald}/programs/active/options/](#)



Flow Rate Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.FlowRate

Description

This options defines the water-coffee contact time. The duration extends to coffee intensity.

Data type

Enumeration

Possible values

- Normal
Key: *ConsumerProducts.CoffeeMaker.EnumType.FlowRate.Normal*
- Intense
Key: *ConsumerProducts.CoffeeMaker.EnumType.FlowRate.Intense*
- IntensePlus
Key: *ConsumerProducts.CoffeeMaker.EnumType.FlowRate.IntensePlus*

Availability



them on UI.

Example

GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CoffeeMaker.Option.FlowRate

[> Expand source](#)

Multiple Beverages Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.MultipleBeverages

Description

This options defines if double dispensing is enabled.

Data type

Boolean

Possible values



GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CoffeeMaker.Option.MultipleBeverages

➤ [Expand source](#)

Coffee Milk Ratio Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.CoffeeMilkRatio

Description

This options defines the milk amount.

Data type

Enumeration

Possible values

- 10%
Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.10Percent*
- 20%



Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.30Percent*

- 40%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.40Percent*

- 50%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.50Percent*

- 55%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.55Percent*

- 60%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.60Percent*

- 65%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.65Percent*

- 67%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.67Percent*

- 70%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.70Percent*

- 75%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.75Percent*

- 80%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.80Percent*

- 85%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.85Percent*

- 90%

Key: *ConsumerProducts.CoffeeMaker.EnumType.CoffeeMilkRatio.90Percent*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/v1/programs-and-options/](#)



Hot Water Temperature Option

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.HotWaterTemperature

Description

This options defines the temperature suitable for your type of tea.

Data type

Enumeration

Possible values

- White Tea

Key:

ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.WhiteTea

- Green Tea

Key:

ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.GreenTea

- Black Tea

Key:

ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.BlackTea



Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.55C*

- 60 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.60C*

- 65 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.65C*

- 70 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.70C*

- 75 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.75C*

- 80 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.80C*

- 85 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.85C*

- 90 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.90C*

- 95 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.95C*

- 97 °C

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.97C*

Fahrenheit values:

- 122 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.122F*

- 131 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.131F*

- 140 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.140F*

- 149 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.149F*

- 158 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.158F*

- 167 °F



Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.185F*

- 194 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.194F*

- 203 °F

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.203F*

- Max

Key: *ConsumerProducts.CoffeeMaker.EnumType.HotWaterTemperature.Max*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/homeappliances/{hald}/programs/active/options/
ConsumerProducts.CoffeeMaker.Option.HotWaterTemperature](#)

[➤ Expand source](#)

Cooktop

Program support is currently not planned to be released. Selected and active program can be already requested.



Cook Processor

Program support is currently not planned to be released. Selected and active program can be already requested.

Dishwasher

The following list contains all dishwasher programs, which are supported by the API. Please note that not all programs are supported for a specific dishwasher model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Dishcare.Dishwasher.Program.PreRinse

Rinsing of dishes in cold water without detergent.

Dishcare.Dishwasher.Program.Auto1

Automatically adjusted program sequence: cleaning and drying according to degree of soiling (sensor-optimized) of **lightly** soiled dishes with optimum consumption.



Automatically adjusted program sequence: cleaning and drying according to degree of soiling (sensor-optimized) of **highly** soiled dishes with optimum consumption.

Dishcare.Dishwasher.Program.Eco50

Most economical rinsing program for cleaning and drying of normally soiled dishes for all rinsing situations with reduced water and energy consumption.

Dishcare.Dishwasher.Program.Quick45

Particularly quick cleaning of lightly soiled dishes within approx. half an hour.

Dishcare.Dishwasher.Program.Intensiv70

Special cleaning for highly soiled dishes, particularly for pots and pans.

Dishcare.Dishwasher.Program.Normal65

Cleaning for medium up to highly soiled dishes, particularly for mixed dishes.

Dishcare.Dishwasher.Program.Glas40

Gentle cleaning of sensitive dishes, e.g. high-quality glasses at lower temperatures. The drying phase is extended especially for extra gentle drying.

Dishcare.Dishwasher.Program.GlassCare

A cycle for lightly soiled dishes which is ideal for temperature sensitive dishes or silverware. It is especially helpful to reduce a cloudy or etched appearance on glasses.

Dishcare.Dishwasher.Program.NightWash

Particularly gentle cleaning and drying of normally soiled dishes.

Dishcare.Dishwasher.Program.Quick65

Particularly quick cleaning of normally soiled dishes.

Dishcare.Dishwasher.Program.Normal45



Dishcare.Dishwasher.Program.AutoHalfLoad

Reduced water consumption when washing small, lightly soiled loads.

Dishcare.Dishwasher.Program.IntensivPower

Special cleaning for dishes with heavy or burnt-in soiling, particularly for pots and pans.

Dishcare.Dishwasher.Program.MagicDaily

Time-optimised with intensive cleaning and drying for daily use.

Dishcare.Dishwasher.Program.Super60

Maximum cleaning and drying performance for highly soiled dishes.

Dishcare.Dishwasher.Program.Kurz60

Time-optimised, for normally soiled dishes.

Dishcare.Dishwasher.Program.ExpressSparkle65

Special cleaning for dishes with very heavy and burnt-in soiling, particularly for pots and pans.

Dishcare.Dishwasher.Program.MachineCare

Machine cleaning cycle. Without dishes, using machine cleaning detergent.

Dishcare.Dishwasher.Program.SteamFresh

Rinsing and hygienic drying.

Dishcare.Dishwasher.Program.MaximumCleaning

Special cleaning for heavily soiled, greasy dishes, particularly for pots and pans.

Dishcare.Dishwasher.Program.MixedLoad

Recommended for a mixed load with glasses, tableware, pots and pans.



Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [BSH.Common.Option.StartInRelative](#)
- [Dishcare.Dishwasher.Option.IntensivZone](#)
- [Dishcare.Dishwasher.Option.BrillianceDry](#)
- [Dishcare.Dishwasher.Option.VarioSpeedPlus](#)
- [Dishcare.Dishwasher.Option.SilenceOnDemand](#)
- [Dishcare.Dishwasher.Option.HalfLoad](#)
- [Dishcare.Dishwasher.Option.ExtraDry](#)
- [Dishcare.Dishwasher.Option.HygienePlus](#)
- [Dishcare.Dishwasher.Option.EcoDry](#)
- [Dishcare.Dishwasher.Option.ZeoliteDry](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
Dishcare.Dishwasher.Program.Eco50](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

BSH.Common.Option.StartInRelative

Description

This option defines when the program should start in seconds. It can be updated in operation state DelayedStart.

Please note that this option can't be used in a program selection command. This is only supported by the program start command.

Data type

Integer

Possible values

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) to get valid constraints (min, max & stepsize).

For example: 0 to 86340 seconds

Example

[GET /api/homeappliances/{hald}/programs/active/options/
BSH.Common.Option.StartInRelative](#)

[➤ Expand source](#)



Intensive Zone Option

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.IntensivZone

Description

This option defines if the cleaning is done with higher spray pressure on the lower basket for very dirty pots and pans.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.IntensivZone](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.BrillianceDry

Description

This option defines if the program sequence is optimized with special drying cycle ensures more shine on glasses and plastic items.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.BrillianceDry](#)

[➤ Expand source](#)

VarioSpeed Plus Option



Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.VarioSpeedPlus

Description

This option defines if the program run time is reduced by up to 66% with the usual optimum cleaning and drying.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.VarioSpeedPlus](#)

[➤ Expand source](#)

Silence on Demand Option



Cooling

Key

Dishcare.Dishwasher.Option.SilenceOnDemand

Description

This option defines if the extra silent mode is activated for a selected period of time.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.SilenceOnDemand

[➤ Expand source](#)

Half Load Option

Cooking

⌕ .

**Key**

Dishcare.Dishwasher.Option.HalfLoad

Description

This option defines if economical cleaning is enabled for smaller loads which reduces energy and water consumption and also saves time. The utensils can be placed in the upper and lower baskets.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.HalfLoad

[➤ Expand source](#)

Extra Dry Option

Cooking

Cleaning

**Key**

Dishcare.Dishwasher.Option.ExtraDry

Description

This option defines if improved drying for glasses and plasticware is enabled.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.ExtraDry

[> Expand source](#)

Hygiene Plus Option

Cooking

Cleaning





Description

This option defines if the cleaning is done with increased temperatures which ensures maximum hygienic cleanliness for regular use.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.HygienePlus](#)

[➤ Expand source](#)

Eco Dry Option

Cooking

Cleaning

Cooling

Key



This option defines if the door is opened automatically for extra energy efficient and effective drying.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.EcoDry](#)

[> Expand source](#)

Zeolite Dry Option

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.ZeoliteDry



Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/programs/active/options/
Dishcare.Dishwasher.Option.ZeoliteDry_

[➤ Expand source](#)

Dryer

The following list contains all dryer programs, which are supported by the API. Please note that not all programs are supported for a specific dryer model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Automatic Programs

LaundryCare.Dryer.Program.Cotton



Standard program for synthetic textiles which do not require sensitive temperatures. Different drying targets can be chosen. (Max. load: max. 3,5 kg)

LaundryCare.Dryer.Program.Mix

Program for mixed cotton and synthetic textiles which do not require sensitive temperatures. A perfect drying result for ironing is possible and at the same time, wrinkles are avoided. (Max. load: 3,0 kg)

LaundryCare.Dryer.Program.Blankets

Special program for drying blankets (two medium size) or bed covers (one big) with synthetic filling. It is designed to ensure a proper final drying degree without moisture in textiles with filling layers. (Max. load: 2.5 kg)

LaundryCare.Dryer.Program.BusinessShirts

Special program dedicated for shirts/blouses. It minimises wrinkles to accomplish a perfect ironing result. (Max. load: 1,5 kg)

LaundryCare.Dryer.Program.DownFeathers

Special program for drying down-filled items like jackets, sleeping bags, blankets, pillows, etc. This program is designed to ensure a proper final drying degree without leaving residual moisture in textiles with filling layers and at the same time, fluffing up the feathers with warm air. (Max. load: 1.5 kg)

LaundryCare.Dryer.Program.Hygiene

Special program developed to dry textiles with higher temperature as cotton program. It is targeted for hard wearing fabrics to enhance the temperature at a level to provide highest hygiene requirements. (Max. load: 4.0 kg)

LaundryCare.Dryer.Program.Jeans

Special program for drying jeans items, adjusting the drying time with a special final phase to dry double- seams. (Max. load: 6,0 kg)

LaundryCare.Dryer.Program.Outdoor



LaundryCare.Dryer.Program.SyntheticRefresh

Steam program for drying and smoothing out the wrinkles of easy-care fabrics such as shirts/blouses. Remove fabrics immediately after the program has been finished and hang them up to prevent wrinkles. (Max. load: 1.5 kg)

LaundryCare.Dryer.Program.Towels

Special program dedicated for drying towels, adjusted for different textiles like cotton, terry, etc. Possible prolongation of program for drying very thick items or in order to achieve very low final residual moisture. (Max. load: 6.0 kg)

LaundryCare.Dryer.Program.Delicates

Special program designed to treat delicate textiles like washable underwear made of velvet or lycra. The drying process keeps the features of textiles intact by using sensitive temperatures. (Max. load: 2.0 kg)

LaundryCare.Dryer.Program.Super40

Special program optimised for drying small loads containing thin items made of synthetic fibres, light cotton or mixed fabrics which do not require sensitive temperatures. (Max. load: 1.0 - 2.0 kg, depending on model)

LaundryCare.Dryer.Program.Shirts15

Special program developed for drying max. five shirts which do not require low temperatures. (Max. load: 1.5 kg)

LaundryCare.Dryer.Program.Pillow

Special program for drying down filled textiles like jackets, sleeping bags, blankets, pillows, etc. This program is designed to ensure a proper final drying degree without leaving residual moisture in textiles with filling layers and at the same time, fluffing up the feathers with warm air. (Max. load: 1.5 -2.5 kg, depending on model)

LaundryCare.Dryer.Program.AntiShrink

This program is designed for pre-drying small loads of cotton or linen fabrics and

[> Expand source](#)

Time Programs with Variable Duration

LaundryCare.Dryer.Program.MyTime.MyDryingTime

The program Duration and temperature can be adjusted individually. For drying different fabrics (cotton, synthetic fibres and mixed fabrics) in one drying process.

LaundryCare.Dryer.Program.TimeCold

The timed programme has been developed to 'loosen up' all kinds of dry textiles except wool and silk at room temperature. It can also be used to air-out items that have been worn only for a short period of time. This programme offers the possibility to loosen up the clothing after having hung on the clothesline. The time can be set individually in this function. (Max. load: 3.0 kg)

LaundryCare.Dryer.Program.TimeWarm

The timed programme has been developed to refine the drying result of small delicate loads or separate items like multi-layered, sensitive fabrics. If you use a basket (see special accessories) this programme is also suitable for drying single wool textiles, sport shoes and plush toys. Depending on the residual moisture and type of laundry, it may be necessary to run the cycle more than once. The time can be set individually in this function. (Max. load: 3 kg)

LaundryCare.Dryer.Program.InBasket

Special program dedicated for drying woollen items (suitable also for shoes and soft toys). Items need to be put into the drying basket. The drying process keeps the features of textiles intact by using sensitive temperatures and no mechanical treatment. (Max. load: 1.5 kg)

Example

[PUT /api/homeappliances/{hald}/programs/active](#)



Time Programs with Fixed Duration

LaundryCare.Dryer.Program.TimeColdFix.TimeCold20

Timed program (20 min.) developed to loosen up all kinds of dry textiles except wool and silk using room temperature. As well as designed to air-out items that have been worn only for a short period of time. (Max. load: 3.0 kg)

LaundryCare.Dryer.Program.TimeColdFix.TimeCold30

Timed program (30 min.) developed to loosen up all kinds of dry textiles except wool and silk using room temperature. As well as designed to air-out items that have been worn only for a short period of time. (Max. load: 3.0 kg)

LaundryCare.Dryer.Program.TimeColdFix.TimeCold60

Timed program (60 min.) developed to loosen up all kinds of dry textiles except wool and silk using room temperature. As well as designed to air-out items that have been worn only for a short period of time. (Max. load: 3.0 kg)

LaundryCare.Dryer.Program.TimeWarmFix.TimeWarm30

Timed program (30 min.) developed to refine the drying result of small delicate loads or separate items like multi-layered, sensitive fabrics. If you use a basket (see special accessories) this program is also suitable for drying single wool textiles, sport shoes and plush toys. Depending on the residual moisture and type of laundry, it may be necessary to run the cycle more than once. (Max. load: 3.0 kg)

LaundryCare.Dryer.Program.TimeWarmFix.TimeWarm40

Timed program (40 min.) developed to refine the drying result of small delicate loads or separate items like multi-layered, sensitive fabrics. If you use a basket (see special accessories) this program is also suitable for drying single wool textiles, sport shoes and plush toys. Depending on the residual moisture and type of laundry, it may be necessary to run the cycle more than once. (Max. load: 3 kg)

LaundryCare.Dryer.Program.TimeWarmFix.TimeWarm60



LaundryCare.Dryer.Program.Dessous

Timed program designed to treat delicate textiles made of synthetic fibres, cotton or blended items like underwear loads. The drying process keeps the features of textiles intact by using sensitive temperatures. (Max. load: 1.0 kg)

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[➤ Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [LaundryCare.Dryer.Option.DryingTarget](#)
- [BSH.Common.Option.Duration](#)
- [BSH.Common.Option.FinishInRelative](#)
- [LaundryCare.Common.Option.VarioPerfect](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
LaundryCare.Dryer.Program.Synthetic](#)

[➤ Expand source](#)



Drying Target Option

Cooking

Cleaning

Cooling

Key

LaundryCare.Dryer.Option.DryingTarget

Description

This options describes the drying target of a dryer program.

Data type

Enumeration

Possible values

- Iron Dry
Key: *LaundryCare.Dryer.EnumType.DryingTarget.IronDry*
Description: The dryer will stop drying if the clothes are iron dry.
- Gentle Dry
Key: *LaundryCare.Dryer.EnumType.DryingTarget.GentleDry*
Description: The dryer will stop drying if the clothes are slightly damp.
- Cupboard Dry
Key: *LaundryCare.Dryer.EnumType.DryingTarget.CupboardDry*
Description: The dryer will stop drying if the clothes are cupboard dry.



- Extra Dry

Key: *LaundryCare.Dryer.EnumType.DryingTarget.ExtraDry*

Description: The dryer will stop drying if the clothes are extra dry.

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

GET /api/homeappliances/{hald}/programs/active/options/
LaundryCare.Dryer.Option.DryingTarget

[> Expand source](#)

Freezer

There are no programs available for Freezers. Please view the Status ([Door state](#)), Settings and Events section for further possibilities to integrate the Freezer using the Home Connect API.



[state](#)), Settings and Events section for further possibilities to integrate the Fridge Freezer using the Home Connect API.

Hood

The following list contains all hood programs, which are supported by the API. Please note that not all programs are supported for a specific hood model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Automatic Mode

Key

Cooking.Common.Program.Hood.Automatic

Description

In automatic mode, a sensor in the extractor hood detects the intensity of the cooking and roasting fumes. Depending on the sensor setting, the fan automatically switches to another fan setting. If you monitor the home appliance, you will receive the following additional events:

- *Cooking.Common.Option.Hood.VentingLevel*
- *Cooking.Common.Option.Hood.IntensiveLevel*
- *BSH.Common.Option.ElapsedProgramTime*

Example



Fan Setting

Key

Cooking.Common.Program.Hood.Venting

Description

Manual program which allows the user to select fan setting or intensive setting. If you monitor the home appliance, you will receive the following events:

- *BSH.Common.Option.ElapsedProgramTime*

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[➤ Expand source](#)

Fan Run-on

Key

Cooking.Common.Program.Hood.DelayedShutOff

Description

The fan run-on ensures that remaining odours will be eliminated after cooking. Afterwards the fan switches off automatically. If you monitor the home appliance, you will receive the following events:

- *BSH.Common.Option.Duration*
- *BSH.Common.Option.ElapsedProgramTime*
- *BSH.Common.Option.ProgramProgress*

[> Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [Cooking.Common.Option.Hood.VentingLevel](#)
- [Cooking.Common.Option.Hood.IntensiveLevel](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
Cooking.Common.Program.Hood.Venting](#)

[> Expand source](#)

Venting Level Option

Cooking

Cleaning



Description

This option defines the required fan setting.

Data type

Enumeration

Possible values

- Fan off
Key: *Cooking.Hood.EnumType.Stage.FanOff*
- Fan stage 1
Key: *Cooking.Hood.EnumType.Stage.FanStage01*
- Fan stage 2
Key: *Cooking.Hood.EnumType.Stage.FanStage02*
- Fan stage 3
Key: *Cooking.Hood.EnumType.Stage.FanStage03*
- Fan stage 4
Key: *Cooking.Hood.EnumType.Stage.FanStage04*
- Fan stage 5
Key: *Cooking.Hood.EnumType.Stage.FanStage05*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Values

Automatic

Venting

DelayedShutOff

FanOff

FanStage01

— — —



FanStage04

FanStage05

Example

GET /api/homeappliances/{hald}/programs/active/options/
Cooking.Common.Option.Hood.VentingLevel

[➤ Expand source](#)

Intensive Level Option

Cooking

Cleaning

Cooling

Key

Cooking.Common.Option.Hood.IntensiveLevel

Description

This option defines the intensive setting.

Data type

Enumeration



- Intensive stage 1
Key: *Cooking.Hood.EnumType.IntensiveStage.IntensiveStage1*
- Intensive stage 2
Key: *Cooking.Hood.EnumType.IntensiveStage.IntensiveStage2*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Values	Automatic	Venting	DelayedShutC
IntensiveStageOff			
IntensiveStage1			
IntensiveStage2			

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Cooking.Common.Option.Hood.IntensiveLevel](#)

[➤ Expand source](#)



Please note that not all programs are supported for a specific microwave model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Please also note that along with standard microwave appliances identifying as type = Microwave, there are microwave appliances which identify as type = Oven in [get home appliances response](#).

To learn if appliance identifying as type = Oven is a microwave, one would have to check if supported programs are of **Cooking.Oven.Program.Microwave.*** variety only. If they are, it is a microwave appliance. If there are no microwave programs, it is an oven. If there are both oven and microwave programs, it is a oven + microwave combi appliance. Please see the table below for reference.

	Cooking.Oven.Program.*	Cooking.Oven.Program.M
Oven		
Microwave		
Oven + Microwave combi		

Microwave Programs

Cooking.Oven.Program.Microwave.90Watt

90Watt program for the Microwave.

Cooking.Oven.Program.Microwave.180Watt

180Watt for Microwave.

Cooking.Oven.Program.Microwave.360Watt

360Watt for Microwave.

Cooking.Oven.Program.Microwave.450Watt

450Watt for Microwave.



[PUT /api/homeappliances/{hald}/programs/active](#)

[› Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [BSH.Common.Option.Duration](#)
- [BSH.Common.Option.StartInRelative](#)

Example

[PUT /api/homeappliances/{hald}/programs/available/
Cooking.Oven.Program.Microwave.90Watt](#)

[› Expand source](#)

Duration Option

See [Duration Option](#)



Start In Relative Option

See [Start In Relative Option](#)

Oven

The following list contains all oven programs, which are supported by the API. Please note that not all programs are supported for a specific oven model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Please also note that along with standard oven appliances, there are microwave appliances which identify as type = Oven in [get home appliances response](#). It is possible to use microwave programs and capabilities on such appliances, but remember that in case of ovens, appliance type will not give a full understanding of specific appliance type one is working with.

To learn if appliance identifying as type = Oven is a microwave, one would have to check if supported programs are of **Cooking.Oven.Program.Microwave.*** variety only. If they are, it is a microwave appliance. If there are no microwave programs, it is an oven. If there are both oven and microwave programs, it is a oven + microwave combi appliance. Please see the table below for reference.

Cooking.Oven.Program.* Cooking.Oven.Program.M

Oven

Microwave

Oven + Microwave combi



equal or higher than 100 °C or 212 °F otherwise the fast pre-heat option is not activated. In addition we suggest to use a duration of at least 10 minutes (better more) in order to continue pre-heating until the user has finished the preparations. To get notified when pre-heating is finished, monitor events on the home appliance and filter for the event with the key `Cooking.Oven.Event.PreheatFinished`. Upon reception you can inform the user that s/he can insert the meal.

Cooking.Oven.Program.HeatingMode.HotAir

This heating type is suitable for baking on one or several levels.

Cooking.Oven.Program.HeatingMode.HotAirEco

This heating type is suitable for energy-optimised cooking of selected dishes on one level without preheating.

Cooking.Oven.Program.HeatingMode.HotAirGrilling

This heating type is suitable for roasting poultry, whole fish and larger pieces of meat.

Cooking.Oven.Program.HeatingMode.TopBottomHeating

This heating type is suitable for traditional baking and roasting on one level.

Cooking.Oven.Program.HeatingMode.TopBottomHeatingEco

This heating type is suitable for energy-optimised cooking of selected dishes on one level without preheating.

Cooking.Oven.Program.HeatingMode.BottomHeating

This heating type is suitable for cooking in a bain-marie and for the final baking stage.

Cooking.Oven.Program.HeatingMode.PizzaSetting

This heating type is suitable for preparing pizza.

Cooking.Oven.Program.HeatingMode.SlowCook

**Cooking.Oven.Program.HeatingMode.KeepWarm**

The heating type is suitable for keeping cooked dishes warm.

Cooking.Oven.Program.HeatingMode.PreheatOvenware

This heating type is suitable for warming ovenware.

Cooking.Oven.Program.HeatingMode.FrozenHeatupSpecial

This heating type is suitable for the fast preparation of frozen products at level 1.

Cooking.Oven.Program.HeatingMode.Desiccation

This heating type is suitable for drying herbs, fruit and vegetables.

Cooking.Oven.Program.HeatingMode.Defrost

This heating type is suitable for the gentle defrosting of frozen meals.

Cooking.Oven.Program.HeatingMode.Proof

In Proof, the oven uses the upper and lower elements to maintain a low temperature to proof bread or other yeast doughs.

Cooking.Oven.Program.HeatingMode.HotAir30Steam

This heating type is suitable for cooking without added liquid for pastries. (Hot air + 30% humidity)

Cooking.Oven.Program.HeatingMode.HotAir60Steam

This heating type is suitable for yeast-risen dough and bread. Also for rising yeast dough and sour dough at low temperature. (Hot air + 60% humidity)

Cooking.Oven.Program.HeatingMode.HotAir80Steam

This heating type is suitable for puff pastry, meat and poultry. (Hot air + 80% humidity)



A constant temperature is maintained for a period of 24-74 hours.

Cooking.Oven.Program.Microwave.90Watt

This microwave power setting is suitable for defrosting delicate foods.

Cooking.Oven.Program.Microwave.180Watt

This microwave power setting is suitable for defrosting and continued cooking.

Cooking.Oven.Program.Microwave.360Watt

This microwave power setting is suitable for cooking meat and heating delicate foods.

Cooking.Oven.Program.Microwave.600Watt

This microwave power setting is suitable for heating and cooking food.

Cooking.Oven.Program.Microwave.900Watt

This microwave power setting is suitable for heating beverages.

Cooking.Oven.Program.Microwave.1000Watt

This microwave power setting is suitable for heating beverages.

Cooking.Oven.Program.Microwave.Max

This microwave power setting is suitable for heating beverages.

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[➤ Expand source](#)



that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [Cooking.Oven.Option.SetpointTemperature](#)
- [BSH.Common.Option.Duration](#)
- [Cooking.Oven.Option.FastPreHeat](#)
- [BSH.Common.Option.StartInRelative](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
Cooking.Oven.Program.HeatingMode.HotAir](#)

[➤ Expand source](#)

Setpoint Temperature Option

Cooking

Cleaning

Cooling

Key

Cooking.Oven.Option.SetpointTemperature

Description



Possible values

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) to get valid constraints (min, max & stepsize).

For example: 30 to 250 °C or 150 to 480 °F

Example

[GET /api/homeappliances/{hald}/programs/active/options/
Cooking.Oven.Option.SetpointTemperature](#)

[➤ Expand source](#)

Duration Option

Cooking

Cleaning

Cooling

Key

BSH.Common.Option.Duration

Description



Integer

Possible values

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) to get valid constraints (min, max & stepsize).

For example: 1 to 86340 seconds

Example

[GET /api/homeappliances/{hald}/programs/active/options/
BSH.Common.Option.Duration](#)

[➤ Expand source](#)

Fast Pre-heat Option

Cooking

Cleaning

Cooling

Key



the fast pre-heat option is not activated. In addition we suggest to use a duration of at least 10 minutes (better more) in order to continue pre-heating until the user has finished the preparations. To get notified when pre-heating is finished, monitor events on the home appliance and filter for the event with the key *Cooking.Oven.Event.PreheatFinished*. Upon reception you can inform the user that s/he can insert the meal.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/programs/active/options/
Cooking.Oven.Option.FastPreHeat

➤ [Expand source](#)

Refrigerator

There are no programs available for refrigerator. Please view the Status ([Door state](#)), Settings and Events section for further possibilities to integrate the refrieraerator using the Home Connect API.



Warming Drawer

The following list contains all warming drawer programs, which are supported by the API. Please note that not all programs are supported for a specific warming drawer model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

Cooking.Oven.Program.HeatingMode.WarmingDrawer

This heating type is suitable for warming ovenware.

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[➤ Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [Cooking.Oven.Option.WarmingLevel](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
Cooking.Oven.Program.HeatingMode.WarmingDrawer](#)

[➤ Expand source](#)



Warming Level Option

Cooking

Cleaning

Cooling

Key

Cooking.Oven.Option.WarmingLevel

Description

This option defines the level of the warming drawer.

Data type

Enumeration

Possible values

- Low
Key: *Cooking.Oven.EnumType.WarmingLevel.Low*
- Medium
Key: *Cooking.Oven.EnumType.WarmingLevel.Medium*
- High
Key: *Cooking.Oven.EnumType.WarmingLevel.High*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

— .



Washer

The following list contains all washer programs, which are supported by the API. Please note that not all programs are supported for a specific washer model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

LaundryCare.Washer.Program.Cotton

For cleaning cotton or linen clothing with normal to heavy soiling. (Max. load. If Speed Perfect function is selected: 5 kg).

LaundryCare.Washer.Program.Cotton.CottonEco

For cleaning cotton clothing with normal soiling, while optimising energy and water consumption. (Max. load)

LaundryCare.Washer.Program.Cotton.Eco4060

For cleaning of textiles made of cotton, linen and blended fabrics with normal soiling, which according to the care symbol are washable at 40 °C or 60 °C. Textiles can be washed together.

LaundryCare.Washer.Program.Cotton.Colour

For cleaning of hard-wearing textiles made of cotton, linen and blended fabrics. Energy-saving programme. The actual washing temperature may deviate from the



LaundryCare.Washer.Program.Mix

For cleaning different fabrics (cottons, synthetic and mixed fibres) in the same laundry load. Suitable for laundry with light to normal soiling. (Max. load: 4.0 kg).

LaundryCare.Washer.Program.Mix.NightWash

For cleaning different fabrics (cottons, synthetic and mixed fibres) in the same laundry load. Suitable for laundry with light to normal soiling. (Max. load: 4.0 kg)

LaundryCare.Washer.Program.DelicatesSilk

For cleaning delicate fabrics such as silk, satin and viscose. Reduced spin for optimal fabric care. It is recommended to use a mild detergent. (Max. load: 2.0 kg).

LaundryCare.Washer.Program.Wool

For gentle washing of items made from wool, such as cashmere and sheep's wool. Reduced drum movement to prevent felting and shrinking. Particularly gentle, can be used in place of hand-washing. It is recommended to use a detergent specifically for woollens. (Max. load: 2.0 kg)

LaundryCare.Washer.Program.Sensitive

Optimised programme for allergy sufferers. Washes cotton and linen items. Effectively removes pollen and other allergens. (Max. load: 7 kg; if Speed Perfect function selected: 5 kg)

LaundryCare.Washer.Program.Auto30

For cleaning different fabrics (cottons, synthetic fibres) in the same laundry load. The programme automatically detects the type of fabric and the degree of soiling. The washing time, volume of water and spin profile are adjusted accordingly. (Max. load: 3.5 kg)

LaundryCare.Washer.Program.Auto40

For cleaning different fabrics (cottons, synthetic fibres) in the same laundry load. The programme automatically detects the type of fabric and the degree of soiling. The



washing time, volume of water and spin profile are adjusted accordingly. (Max. load: 6.0 kg)

LaundryCare.Washer.Program.Chiffon

For cleaning delicate items made from chiffon. Reduced spin for optimal fabric care. It is recommended to use a mild detergent. (Max. load: 2.0 kg)

LaundryCare.Washer.Program.Curtains

For cleaning heavy and light curtains or blinds. Reduced spin for preventing wrinkles. It is recommended to use a special detergent. (Max. load: 3.5 kg)

LaundryCare.Washer.Program.DarkWash

For gentle washing of dark-coloured laundry, such as jeans. Turn garments inside-out before washing. Reduced spin for preventing colour fade. We recommend the use of a liquid detergent. (Max. load: 3.5 kg)

LaundryCare.Washer.Program.Dessous

For gentle washing of delicate items made from velvet, lace, Lycra, silk or satin. We recommend the use of a mild detergent. (Max. load: 1.0 kg)

LaundryCare.Washer.Program.Monsoon


For cleaning rain-soaked fabrics made from cotton, synthetic fibres and mixed fabrics. Reliably removes dust and sand. Reduces any remaining moisture thanks to a special spinning cycle.

LaundryCare.Washer.Program.Outdoor

For gentle washing of water-repellent and breathable fabrics. It is recommended to use a mild liquid detergent. Do not use softener. (Max. load: 2.0 kg)

LaundryCare.Washer.Program.PlushToy

Optimised programme for washing plush toys. Not suitable for plush toys with leather applications. It is recommended to use a mild detergent (Max. load: 1.5 kg)



For hygienic washing of bathroom items, such as towels and dressing gowns.
Adjusted spin for optimal washing results and a particularly soft feel. (Max. load: 3.5 kg)

For gentle washing of water-repellent and breathable fabrics followed by waterproofing (requires additional waterproofing agent). Before starting, remove any remaining softener from the detergent dispenser drawer. It is recommended to use a mild liquid detergent. Do not use softener. (Max. load: 1.0 kg)

For cleaning lightly to normally soiled laundry (cotton, linen, synthetic and mixed fabric) in less than 60 minutes.

For quickly freshening up lightly soiled laundry (cottons, synthetic and mixed fibres) in 15 minutes. (Max. load: 2.0 kg)

For quickly freshening up lightly soiled laundry (cotton, synthetic and mixed fibres) in 15 minutes or 30 minutes.

For gentle washing of microfibre throws and blankets, bed covers and pillows stuffed with down or synthetic fibres. Wash large items separately. It is recommended to dose a mild detergent economically.

—



For cleaning the washing machine drum and the supply and drain hoses.

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[› Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [LaundryCare.Washer.Option.Temperature](#)
- [LaundryCare.Washer.Option.SpinSpeed](#)
- [BSH.Common.Option.FinishInRelative](#)
- [LaundryCare.Washer.Option.IDos1Active](#)
- [LaundryCare.Washer.Option.IDos2Active](#)
- [LaundryCare.Common.Option.VarioPerfect](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
LaundryCare.Washer.Program.Cotton](#)

[› Expand source](#)



Temperature Option

Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.Temperature

Description

This option defines the temperature of the washing program.

Data type

Enumeration

Possible values

- Cold
Key: *LaundryCare.Washer.EnumType.Temperature.Cold*
Description: Cold water
- 20 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC20*
Description: Optimal for 20 °C washable clothes
- 30 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC30*
Description: Optimal for 30 °C washable clothes
- 40 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC40*
Description: Optimal for 40 °C washable clothes
- 50 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC50*



- 70 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC70*
Description: Optimal for 70 °C washable clothes
- 80 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC80*
Description: Optimal for 80 °C washable clothes
- 90 °C clothes
Key: *LaundryCare.Washer.EnumType.Temperature.GC90*
Description: Optimal for 90 °C washable clothes

Typically supported by US/CA appliances:

- Cold Key: *LaundryCare.Washer.EnumType.Temperature.UICold*
Description: Optimal for cold washable clothes
- Warm Key: *LaundryCare.Washer.EnumType.Temperature.UIWarm*
Description: Optimal for warm washable clothes
- Hot Key: *LaundryCare.Washer.EnumType.Temperature.UIHot*
Description: Optimal for hot washable clothes
- Extra hot Key: *LaundryCare.Washer.EnumType.Temperature.UIExtraHot*
Description: Optimal for extra hot washable clothes

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/homeappliances/{hald}/programs/active/options/
LaundryCare.Washer.Option.Temperature](#)

[➤ Expand source](#)



Spin Speed Option

Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.SpinSpeed

Description

This option defines the spin speed of a washer program.

Data type

Enumeration

Possible values

- No spinning
Key: *LaundryCare.Washer.EnumType.SpinSpeed.Off*
Description: The washer will not spin.
- 400 rpm
Key: *LaundryCare.Washer.EnumType.SpinSpeed.RPM400*
Description: The washer will spin with 400 rpm.
- 600 rpm
Key: *LaundryCare.Washer.EnumType.SpinSpeed.RPM600*
Description: The washer will spin with 600 rpm.
- 800 rpm
Key: *LaundryCare.Washer.EnumType.SpinSpeed.RPM800*
Description: The washer will spin with 800 rpm.
- 1000 rpm
Key: *LaundryCare.Washer.EnumType.SpinSpeed.RPM1000*



- 1400 rpm
Key: *LaundryCare.Washer.EnumType.SpinSpeed.RPM1400*
Description: The washer will spin with 1400 rpm.
- 1600 rpm
Key: *LaundryCare.Washer.EnumType.SpinSpeed.RPM1600*
Description: The washer will spin with 1600 rpm.

Typically supported by US/CA appliances:

- No spinning Key: *LaundryCare.Washer.EnumType.SpinSpeed.UIOff*
Description: The washer will not spin.
- Low Key: *LaundryCare.Washer.EnumType.SpinSpeed.UILow*
Description: The washer will spin with low spin speed.
- Medium Key: *LaundryCare.Washer.EnumType.SpinSpeed.UIMedium*
Description: The washer will spin with average spin speed.
- High Key: *LaundryCare.Washer.EnumType.SpinSpeed.UIHigh*
Description: The washer will spin with high spin speed.

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

GET [/api/homeappliances/{hald}/programs/active/options/LaundryCare.Washer.Option.SpinSpeed](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

BSH.Common.Option.FinishInRelative

Description

This option defines when the program should end in seconds. It can be updated in operation state DelayedStart.

Please note that this option can't be used in a program selection command. This is only supported by the program start command.

Data type

Integer

Possible values

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) to get valid constraints (min, max & stepsize).

For example: 0 to 86400 seconds

Example

[GET /api/homeappliances/{hald}/programs/active/options/
BSH.Common.Option.FinishInRelative](#)

[➤ Expand source](#)



LaundryCare.Washer.Option.IDos1Active Option

Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.IDos1Active

Description

This option defines if the detergent feed is activated / deactivated. (i-Dos content 1)

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
LaundryCare.Washer.Option.IDos1Active](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.IDos2Active

Description

This option defines if the detergent feed is activated / deactivated. (i-Dos content 2)

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/programs/active/options/
LaundryCare.Washer.Option.IDos2Active](#)

[➤ Expand source](#)

Vario Perfect Option



Cleaning

Cooling

Key

LaundryCare.Common.Option.VarioPerfect

Description

This option defines if a cycle saves energy (Eco Perfect) or time (Speed Perfect).

Data type

Enumeration

Possible values

- Off
Key: *LaundryCare.Common.EnumType.VarioPerfect.Off*
- Eco Perfect
Key: *LaundryCare.Common.EnumType.VarioPerfect.EcoPerfect*
- Speed Perfect
Key: *LaundryCare.Common.EnumType.VarioPerfect.SpeedPerfect*

Availability

Please note that most of our appliances dynamically update the API over the available options upon selection of the program. Therefore, the simplest and safest implementation would be to first [select a program without any option](#) and then [query the available options of this program](#) and for example dynamically present them on UI.

Example

[GET /api/homeappliances/{hald}/programs/active/options/
LaundryCare.Common.Option.VarioPerfect](#)



Washer Dryer

Typically, [washer](#) and [dryer](#) programs are supported by a washer dryer. Please note that not all programs are supported for a specific washer dryer model. Therefore, we recommend to use the [available program interface](#) to check the program availability.

In addition, the following washer dryer programs are supported which are a combination of a washer and dryer program.

LaundryCare.WasherDryer.Program.Cotton

For cleaning normally to heavily soiled cotton or linen clothing. Automatic drying at normal temperature.

LaundryCare.WasherDryer.Program.Cotton.Eco4060

For cleaning of textiles made of cotton, linen and blended fabrics with normal soiling, which according to the care symbol are washable at 40 °C or 60 °C. Textiles can be washed together. Automatic drying at normal temperature.

LaundryCare.WasherDryer.Program.Mix

For cleaning of mixed load of cottons and synthetic fabrics.

LaundryCare.WasherDryer.Program.EasyCare

For cleaning easy-care laundry made of synthetic fibres or mixed fabrics, such as polyamide or polyester. Drying at a low temperature for textile care.

LaundryCare.WasherDryer.Program.WashAndDry.60



For fast cleaning and subsequent drying of light dirty or medium dirty textiles made of cotton or mixed fabric in 90 minutes.

Example

[PUT /api/homeappliances/{hald}/programs/active](#)

[➤ Expand source](#)

Options

The following list contains all options which are supported by the API. Please note that not all options are supported by a program. Therefore, we recommend to use the [program constraints endpoint](#) to check the option availability.

- [LaundryCare.Dryer.Option.DryingTarget](#)
- [LaundryCare.Washer.Option.Temperature](#)
- [LaundryCare.Washer.Option.SpinSpeed](#)
- [BSH.Common.Option.FinishInRelative](#)
- [LaundryCare.Washer.Option.IDos1Active](#)
- [LaundryCare.Washer.Option.IDos2Active](#)
- [LaundryCare.Common.Option.VarioPerfect](#)

Example

[GET /api/homeappliances/{hald}/programs/available/
LaundryCare.Washer.Program.Cotton](#)

[➤ Expand source](#)



Wine Cooler

There are no programs available for Wine Coolers. Please view the Status ([Door state](#)), Settings and Events section for further possibilities to integrate the Wine Cooler using the Home Connect API.

Next Chapter

