



Commands

Pause Program

Cooking

Cleaning

Cooling

Key

BSH.Common.Command.PauseProgram

Description

This command can be used to pause the active program.

Data type

Boolean

Possible values

- true

Example

PUT /api/homeappliances/{hald}/commands/
BSH.Common.Command.PauseProgram

[➤ Expand source](#)



Resume Program

Cooking

Cleaning

Cooling

Key

BSH.Common.Command.ResumeProgram

Description

This command can be used to resume the paused program.

Data type

Boolean

Possible values

- true

Example

PUT /api/homeappliances/{hald}/commands/
BSH.Common.Command.ResumeProgram

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

BSH.Common.Command.OpenDoor

Description

This command can be used to open the door.

Data type

Boolean

Possible values

- true

Example

[PUT /api/homeappliances/{hald}/commands/BSH.Common.Command.OpenDoor](#)

[> Expand source](#)



Cleaning

Cooling

Key

BSH.Common.Command.PartlyOpenDoor

Description

This command can be used to open the door partly.

Data type

Boolean

Possible values

- true

Example

PUT /api/homeappliances/{hald}/commands/
BSH.Common.Command.PartlyOpenDoor

[➤ Expand source](#)