



Events

Availability Matrix

The following table lists all supported event types. Please note that the event types PAIRED and DEPAIRED are only supported by the [events all interface](#).

Type	Data present	Comment
KEEP-ALIVE		Periodic keep-alive message (inter
STATUS	X	Status changes (e.g. 'DoorState')
EVENT	X	Event (e.g. 'Preheat finished')
NOTIFY	X	Value changes
CONNECTED	X	Connection to home appliance re-
DISCONNECTED	X	Connection to home appliance los
PAIRED	X	New home appliance was added t
DEPAIRED	X	Existing home appliance was rem

Events

The following table lists all feature-based events.

Feature Key	Event Type
BSH.Common.Appliance.Connected	CONNECTED



Feature Key	Event Type
connected	DISCONNECTED
BSH.Common.Appliance.Paired	PAIRED
BSH.Common.Appliance.Depaired	DEPAIRED
BSH.Common.Root.SelectedProgram	NOTIFY
BSH.Common.Root.ActiveProgram	NOTIFY
BSH.Common.Option.StartInRelative	NOTIFY
BSH.Common.Option.FinishInRelative	NOTIFY
BSH.Common.Option.Duration	NOTIFY
Cooking.Oven.Option.SetpointTemperature	NOTIFY
Cooking.Oven.Option.FastPreHeat	NOTIFY
Cooking.Oven.Option.WarmingLevel	NOTIFY
Dishcare.Dishwasher.Option.IntensivZone	NOTIFY
Dishcare.Dishwasher.Option.BrillianceDry	NOTIFY
Dishcare.Dishwasher.Option.VarioSpeedPlus	NOTIFY



Feature Key	Event Type
.SilenceOnDemand	NOTIFY
Dishcare.Dishwasher.Option .HalfLoad	NOTIFY
Dishcare.Dishwasher.Option .ExtraDry	NOTIFY
Dishcare.Dishwasher.Option .HygienePlus	NOTIFY
Dishcare.Dishwasher.Option .EcoDry	NOTIFY
Dishcare.Dishwasher.Option .ZeoliteDry	NOTIFY
LaundryCare.Washer.Option n.Temperature	NOTIFY
LaundryCare.Washer.Option n.SpinSpeed	NOTIFY
LaundryCare.Washer.Option n.IDos1Active	NOTIFY
LaundryCare.Washer.Option n.IDos2Active	NOTIFY
LaundryCare.Dryer.Option. DryingTarget	NOTIFY
ConsumerProducts.Coffee Maker.Option.BeanAmount	NOTIFY
ConsumerProducts.Coffee Maker.Option.FillQuantity	NOTIFY
ConsumerProducts.Coffee Maker.Option.CoffeeTempe rature	NOTIFY



Feature Key	Event Type
Maker.Option.BeanContainerSelection	NOTIFY
ConsumerProducts.CoffeeMaker.Option.FlowRate	NOTIFY
ConsumerProducts.CoffeeMaker.Option.MultipleBeverages	NOTIFY
ConsumerProducts.CoffeeMaker.Option.CoffeeMilkRatio	NOTIFY
ConsumerProducts.CoffeeMaker.Option.HotWaterTemperature	NOTIFY
Cooking.Common.Option.Hood.VentingLevel	NOTIFY
Cooking.Common.Option.Hood.IntensiveLevel	NOTIFY
ConsumerProducts.CleaningRobot.Option.ReferenceMapId	NOTIFY
ConsumerProducts.CleaningRobot.Option.CleaningMode	NOTIFY
BSH.Common.Option.ElapsedProgramTime	NOTIFY
BSH.Common.Option.RemainingProgramTime	NOTIFY
BSH.Common.Option.RemainingProgramTimeIsEstimated	NOTIFY



Feature Key	Event Type
atedTotalProgramTime	NOTIFY
BSH.Common.Option.Progr amProgress	NOTIFY
ConsumerProducts.Cleanin gRobot.Option.ProcessPhas e	NOTIFY
BSH.Common.Setting.Powe rState	NOTIFY
BSH.Common.Setting.Temp eratureUnit	NOTIFY
BSH.Common.Setting.Liqui dVolumeUnit	NOTIFY
BSH.Common.Setting.Child Lock	NOTIFY
BSH.Common.Setting.Alar mClock	NOTIFY
Cooking.Oven.Setting.Sabb athMode	NOTIFY
Refrigeration.Common.Sett ing.Light.External.Power	NOTIFY
Refrigeration.Common.Sett ing.Light.Internal.Power	NOTIFY
Refrigeration.Common.Sett ing.Light.External.Brightnes s	NOTIFY
Refrigeration.Common.Sett ing.Light.Internal.Brightnes s	NOTIFY



Feature Key

Event Type

ighting

NOTIFY

Cooking.Common.Setting.LightingBrightness

NOTIFY

Cooking.Hood.Setting.ColorTemperature

NOTIFY

Cooking.Hood.Setting.ColorTemperaturePercent

NOTIFY

BSH.Common.Setting.AmbientLightEnabled

NOTIFY

BSH.Common.Setting.AmbientLightBrightness

NOTIFY

BSH.Common.Setting.AmbientLightColor

NOTIFY

BSH.Common.Setting.AmbientLightCustomColor

NOTIFY

ConsumerProducts.CoffeeMaker.Setting.CupWarmer

NOTIFY

Refrigeration.FridgeFreezer.Setting.SetpointTemperatureFreezer

NOTIFY

Refrigeration.FridgeFreezer.Setting.SetpointTemperatureRefrigerator

NOTIFY

Refrigeration.Common.Setting.BottleCooler.SetpointTemperature

NOTIFY

Refrigeration.Common.Setting.ChillerLeft.SetpointTemperature

NOTIFY



Feature Key	Event Type
ing.ChillerCommon.SetpointTemperature	NOTIFY
Refrigeration.Common.Setting.ChillerRight.SetpointTemperature	NOTIFY
Refrigeration.Common.Setting.WineCompartment.SetpointTemperature	NOTIFY
Refrigeration.Common.Setting.WineCompartment2.SetpointTemperature	NOTIFY
Refrigeration.Common.Setting.WineCompartment3.SetpointTemperature	NOTIFY
Refrigeration.FridgeFreezer.Setting.SuperModeFreezer	NOTIFY
Refrigeration.FridgeFreezer.Setting.SuperModeRefrigerator	NOTIFY
Refrigeration.Common.Setting.EcoMode	NOTIFY
Refrigeration.Common.Setting.SabbathMode	NOTIFY
Refrigeration.Common.Setting.VacationMode	NOTIFY
Refrigeration.Common.Setting.FreshMode	NOTIFY
Refrigeration.Common.Setting.Dispenser.Enabled	NOTIFY



Feature Key	Event Type
Refrigeration.Common.Setting.Door.AssistantFridge	NOTIFY
Refrigeration.Common.Setting.Door.AssistantFreezer	NOTIFY
Refrigeration.Common.Setting.Door.AssistantForceFridge	NOTIFY
Refrigeration.Common.Setting.Door.AssistantForceFreezer	NOTIFY
Refrigeration.Common.Setting.Door.AssistantTimeoutFridge	NOTIFY
Refrigeration.Common.Setting.Door.AssistantTimeoutFreezer	NOTIFY
Refrigeration.Common.Setting.Door.AssistantTriggerFridge	NOTIFY
Refrigeration.Common.Setting.Door.AssistantTriggerFreezer	NOTIFY
ConsumerProducts.CleaningRobot.Setting.CurrentMap	NOTIFY
ConsumerProducts.CleaningRobot.Setting.NameOfMap1	NOTIFY
ConsumerProducts.CleaningRobot.Setting.NameOfMap2	NOTIFY



Feature Key

Event Type

gRobot.Setting.NameOfMa p3	NOTIFY
ConsumerProducts.Cleanin gRobot.Setting.NameOfMa p4	NOTIFY
ConsumerProducts.Cleanin gRobot.Setting.NameOfMa p5	NOTIFY
LaundryCare.Washer.Settin g.lDos1BaseLevel	NOTIFY
LaundryCare.Washer.Settin g.lDos2BaseLevel	NOTIFY
BSH.Common.Status.Remo teControlActive	STATUS
BSH.Common.Status.Remo teControlStartAllowed	STATUS
BSH.Common.Status.Local ControlActive	STATUS
BSH.Common.Status.Opera tionState	STATUS
BSH.Common.Status.Door State	STATUS
Refrigeration.Common.Stat us.Door.BottleCooler	STATUS
Refrigeration.Common.Stat us.Door.ChillerCommon	STATUS
Refrigeration.Common.Stat us.Door.Chiller	STATUS



Feature KeyEvent Type

us.Door.ChillerLeftSTATUS

Refrigeration.Common.Stat
us.Door.ChillerRightSTATUS

Refrigeration.Common.Stat
us.Door.FlexCompartmentSTATUS

Refrigeration.Common.Stat
us.Door.FreezerSTATUS

Refrigeration.Common.Stat
us.Door.RefrigeratorSTATUS

Refrigeration.Common.Stat
us.Door.Refrigerator2STATUS

Refrigeration.Common.Stat
us.Door.Refrigerator3STATUS

Refrigeration.Common.Stat
us.Door.WineCompartmentSTATUS

ConsumerProducts.Coffee
Maker.Status.BeverageCou
nterCoffeeSTATUS

ConsumerProducts.Coffee
Maker.Status.BeverageCou
nterPowderCoffeeSTATUS

ConsumerProducts.Coffee
Maker.Status.BeverageCou
nterHotWaterCupsSTATUS

ConsumerProducts.Coffee
Maker.Status.BeverageCou
nterHotMilkSTATUS

ConsumerProducts.Coffee
Maker.Status.BeverageCouSTATUS



Feature Key

Event Type

Maker.Status.BeverageCounterMilk

STATUS

ConsumerProducts.CoffeeMaker.Status.BeverageCounterCoffeeAndMilk

STATUS

ConsumerProducts.CoffeeMaker.Status.BeverageCounterHotWater

STATUS

ConsumerProducts.CoffeeMaker.Status.BeverageCounterRistrettoEspresso

STATUS

BSH.Common.Status.BatteryLevel

STATUS

BSH.Common.Status.BatteryChargingState

STATUS

BSH.Common.Status.ChargingConnection

STATUS

BSH.Common.Status.Video.CameraState

STATUS

ConsumerProducts.CleaningRobot.Status.LastSelectedMap

STATUS

ConsumerProducts.CleaningRobot.Status.DustBoxInserted

STATUS

ConsumerProducts.CleaningRobot.Status.Lost

STATUS

ConsumerProducts.CleaningRobot.Status.Lifted

STATUS



Feature Key	Event Type
mAborted	EVENT
BSH.Common.Event.ProgramFinished	EVENT
BSH.Common.Event.AlarmClockElapsed	EVENT
Cooking.Oven.Event.PreheatFinished	EVENT
Cooking.Oven.Event.RegularPreheatFinished	EVENT
LaundryCare.Dryer.Event.DryingProcessFinished	EVENT
Dishcare.Dishwasher.Event.SaltNearlyEmpty	EVENT
Dishcare.Dishwasher.Event.RinseAidNearlyEmpty	EVENT
ConsumerProducts.CoffeeMaker.Event.BeanContainerEmpty	EVENT
ConsumerProducts.CoffeeMaker.Event.WaterTankEmpty	EVENT
ConsumerProducts.CoffeeMaker.Event.DripTrayFull	EVENT
ConsumerProducts.CoffeeMaker.Event.KeepMilkTankCool	EVENT
ConsumerProducts.CoffeeMaker.Event.DescalingIn20Cups	EVENT



Feature Key

Event Type

Maker.Event.DescalingIn15Cups	EVENT
ConsumerProducts.CoffeeMaker.Event.DescalingIn10Cups	EVENT
ConsumerProducts.CoffeeMaker.Event.DescalingIn5Cups	EVENT
ConsumerProducts.CoffeeMaker.Event.DeviceShouldBeDescaled	EVENT
ConsumerProducts.CoffeeMaker.Event.DeviceDescalingOverdue	EVENT
ConsumerProducts.CoffeeMaker.Event.DeviceDescalingBlockage	EVENT
ConsumerProducts.CoffeeMaker.Event.DeviceShouldBeCleaned	EVENT
ConsumerProducts.CoffeeMaker.Event.DeviceCleaningOverdue	EVENT
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn20Cups	EVENT
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn15Cups	EVENT
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn10Cups	EVENT



Feature Key

Event Type

Maker.Event.CalcNCleanIn5Cups

EVENT

ConsumerProducts.CoffeeMaker.Event.DeviceShouldBeCalcNCleaned

EVENT

ConsumerProducts.CoffeeMaker.Event.DeviceCalcNCleanOverdue

EVENT

ConsumerProducts.CoffeeMaker.Event.DeviceCalcNCleanBlockage

EVENT

Refrigeration.FridgeFreezer.Event.DoorAlarmFreezer

EVENT

Refrigeration.FridgeFreezer.Event.DoorAlarmRefrigerator

EVENT

Refrigeration.FridgeFreezer.Event.TemperatureAlarmFreezer

EVENT

ConsumerProducts.CleaningRobot.Event.EmptyDustBoxAndCleanFilter

EVENT

ConsumerProducts.CleaningRobot.Event.RobotIsStuck

EVENT

ConsumerProducts.CleaningRobot.Event.DockingStationNotFound

EVENT

LaundryCare.Washer.Event.IDos1FillLevelPoor

EVENT

LaundryCare.Washer.Event.

EVENT



Feature Key	Event Type
od.GreaseFilterMaxSaturationNearlyReached	EVENT
Cooking.Common.Event.Hood.GreaseFilterMaxSaturationReached	EVENT
BSH.Common.Status.InteriorIlluminationActive	EVENT
ConsumerProducts.CleaningRobot.Event.Robot.Lifted	EVENT
ConsumerProducts.CleaningRobot.Event.DustBin.NotInstalled	EVENT
BSH.Common.EnumType.EventPresentState	EVENT


* - Roxxter series only

** - Spotless series only

Example

GET /api/homeappliances/{hald}/events

> *Expand source*





Selected Program Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Root.SelectedProgram

Description

This event notifies that the program which is currently selected and shown on the user interface of the home appliance has changed.

Data type

String (Program Key)

Possible values

See [Air Conditioner](#), [Cleaning Robot](#), [Coffee Machine](#), [Cooktop](#), [Cook Processor](#), [Dishwasher](#), [Dryer](#), [Microwave](#), [Oven](#), [Warming Drawer](#), [Washer](#), [Washer Dryer](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Active Program Change



Cleaning

Cooling

Key

BSH.Common.Root.ActiveProgram

Description

This event notifies that the program which is currently executed by the home appliance has changed.

Data type

String (Program Key)

Possible values

See [Air Conditioner](#), [Cleaning Robot](#), [Coffee Machine](#), [Cooktop](#), [Cook Processor](#), [Dishwasher](#), [Dryer](#), [Hood](#), [Microwave](#), [Oven](#), [Warming Drawer](#), [Washer](#), [Washer Dryer](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Option Changes



Cooking

Cleaning

Cooling

Key

BSH.Common.Option.StartInRelative

Description

This event notifies that the delayed start of a program has changed, e.g. by the user operating the home appliance locally.

Data type

Integer

Possible values

see [Start in Relative option](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Finish in Relative Change

Cooking

Cleaning

**Key**

BSH.Common.Option.FinishInRelative

Description

This event notifies that the delayed start of a program has changed, e.g. by the user operating the home appliance locally.

Data type

Integer

Possible values

see [Finish in Relative option](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Program Duration Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Option.Duration



Integer

Possible values

see [Duration option](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Oven Setpoint Temperature Change

Cooking

Cleaning

Cooling

Key

Cooking.Oven.Option.SetpointTemperature

Description

This event notifies that the intended temperature of an oven program has changed, e.g. by the user operating the oven locally.

Data type

Double

Possible values



[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

Fast Pre-heat Change

Cooking

Cleaning

Cooling

Key

Cooking.Oven.Option.FastPreHeat

Description

This event notifies that the fast pre-heat option of an oven program has changed, e.g. by the user operating the oven locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)



Warming Level Change

Cooking

Cleaning

Cooling

Key

Cooking.Oven.Option.WarmingLevel

Description

This event notifies that the warming level option of an warming drawer program has changed, e.g. by the user operating the warming drawer locally.

Data type

Enumeration

Possible values

see [Warming Level enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Intensive Zone Change



Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.IntensivZone

Description

This event notifies that the intensive zone option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Brilliance Dry Change

Cooking

Cleaning



Description

This event notifies that the brilliance dry option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

VarioSpeed Plus Change

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.VarioSpeedPlus

Description



Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/events

[> Expand source](#)

Silence on Demand Change

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.SilenceOnDemand

Description

This event notifies that the silence on demand option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values



[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Half Load Change

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.HalfLoad

Description

This event notifies that the half load option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)



Extra Dry Change

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.ExtraDry

Description

This event notifies that the extra dry option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)



Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.HygienePlus

Description

This event notifies that the Hygiene Plus option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Eco Dry Change

Cooking

Cleaning



Description

This event notifies that the Eco Dry option of a dishwasher program has changed, e.g. by the user operating the dishwasher locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Zeolite Dry Change

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Option.ZeoliteDry

Description



Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/events

[> Expand source](#)

Washer Temperature Change

Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.Temperature

Description

This event notifies that the temperature of a washer program changed, e.g. by the user operating the washer locally.

Data type

Enumeration

Possible values

[> Expand source](#)

Spin Speed Change

Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.SpinSpeed

Description

This event notifies that the spin speed of a washer program changed, e.g. by the user operating the washer locally.

Data type

Enumeration

Possible values

see [Speed Spin enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Option.IDos1Active

Description

This event notifies that the i-Dos content 1 active of a washer program changed, e.g. by the user operating the washer locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

i-Dos Content 2 Active Change

Cooking

**Key**

LaundryCare.Washer.Option.IDos2Active

Description

This event notifies that the i-Dos content 2 active of a washer program changed, e.g. by the user operating the washer locally.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Drying Target Change

Cooking

Cleaning

Cooling

Key

LaundryCare.DryerOption.DryingTarget



Data type

Enumeration

Possible values

see [Drying Target enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

Bean Amount Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.BeanAmount

Description

This event notifies that the bean amount of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Enumeration



Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Fill Quantity Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.FillQuantity

Description

This event notifies that the fill quantity of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Integer

Possible values

see [Fill Quantity option](#)

Example

[GET /api/homeappliances/{hald}/events](#)



Coffee Temperature Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.CoffeeTemperature

Description

This event notifies that the coffee temperature of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Enumeration

Possible values

see [Coffee Temperature enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Bean Container Selection Change



Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.BeanContainerSelection

Description

This event notifies that the bean container selection of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Enumeration

Possible values

see [Bean Container Selection enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Flow Rate Change

Cooking

Cleaning

Cooling



Description

This event notifies that the flow rate of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Enumeration

Possible values

see [Flow Rate enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Multiple Beverages Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.MultipleBeverages

Description

This event notifies that the multiple beverages option of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.



Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/events

[➤ Expand source](#)

Coffee Milk Ratio Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.CoffeeMilkRatio

Description

This event notifies that the milk amount of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Enumeration

Possible values



[> Expand source](#)

Hot Water Temperature Rate Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Option.HotWaterTemperature

Description

This event notifies that the hot water temperature of a coffee machine program has changed, e.g. by the user operating the coffee machine locally.

Data type

Enumeration

Possible values

see [Hot Water Temperature enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

Cooking.Common.Option.Hood.VentingLevel

Description

This event notifies that the fan setting of a hood program has changed, e.g. by the user operating the hood locally.

Data type

Enumeration

Possible values

see [Fan Setting enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Intensive Setting Change

Cooking

Cleaning

**Key**

Cooking.Common.Option.Hood.IntensiveLevel

Description

This event notifies that the intensive setting of a hood program has changed, e.g. by the user operating the hood locally.

Data type

Enumeration

Possible values

see [Intensive Setting enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Reference Map ID Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Option.ReferenceMapId



This event notifies that the reference map id of a cleaning robot program has changed.

Data type

Enumeration

Possible values

see [Reference Map ID enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Cleaning Mode Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Option.CleaningMode

Description

This event notifies that the cleaning mode of a cleaning robot program has changed.

Data type



Example

GET /api/homeappliances/{hald}/events

➤ [Expand source](#)

Program Progress Changes

Elapsed Program Time Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Option.ElapsedProgramTime

Description

This event notifies several times per minute during an active program about the elapsed time after the program has been started.



0 to 86340 seconds

Example

GET /api/homeappliances/{hald}/events

[> Expand source](#)

Remaining Program Time Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Option.RemainingProgramTime

Description

This event notifies several times per minute during an active program about the remaining time until the program will finish.

Data type

Integer

Possible values

0 to 86340 seconds

Example



Remaining Program Time Is Estimated Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Option.RemainingProgramTimelsEstimated

Description

This event notifies if the remaining program time is estimated.

Data type

Boolean

Possible values

- true if estimated
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Estimated Total Program Time Change



Cleaning

Cooling

Key

BSH.Common.Option.EstimatedTotalProgramTime

Description

This event notifies about the estimated duration of the program during the program selection phase.

Data type

Integer

Possible values

0 to 86340 seconds

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Program Progress Change

Cooking

Cleaning

Cooling



Description

This event notifies of any change of the program progress during an active program until the program will finish.

Data type

Integer

Possible values

0 to 100 %

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Process Phase Change

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Option.ProcessPhase

Description

This event notifies of any change of the process phase during an active program until the program will finish



Roxxter Possible values

- Moving to destination
Key:
ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.MovingToTarget
- Cleaning
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.Cleaning*
- Searching for charging station
Key:
ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.SearchingBaseStation
- Moving to charging station
Key:
ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.MovingToHome
- Charging
Key:
ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.ChargingBreak
- Map confirmation
Key:
ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.MapValidationByUser
- Exploring
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.Exploring*
- Localizing
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.Localizing*

Spotless Possible values

- Charging Break
Key:
ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.ChargingBreak
- Localizing
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.Localizing*
- Vacuuming
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.Vacuuming*



- Mopping
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.Mopping*
- Returning To Station
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.ReturningToStation*
- Service Break
Key: *ConsumerProducts.CleaningRobot.EnumType.ProcessPhase.ServiceBreak*

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

Operation State Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Status.OperationState

Description

This event notifies that the operation state of the home appliance changed.

Data type



Example

GET /api/homeappliances/{hald}/events

[› Expand source](#)

Program Progress Events

Program Aborted

Cooking

Cleaning

Cooling

Key

BSH.Common.Event.ProgramAborted

Description

This event is triggered by the home appliance each time when a program is successfully cancelled. Please note that this event is not supported by all programs.



see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Program Finished

Cooking

Cleaning

Cooling

Key

BSH.Common.Event.ProgramFinished

Description

This event is triggered by the home appliance each time when a program run is finished successfully. If the WrinkleGuard option is set for the dryer, the ProgramFinished event is only sent after the phase has been completed. Once drying is complete, the DryingProcessFinished event is sent regardless of the WrinkleGuard option.

Data type

Enumeration

Possible values

[ProgramFinished](#) [DryingProcessFinished](#) [WrinkleGuardFinished](#) [WrinkleGuardNotFinished](#)



[> Expand source](#)

Alarm Clock Elapsed

Cooking

Cleaning

Cooling

Key

BSH.Common.Event.AlarmClockElapsed

Description

This event is triggered when the alarm clock of the home appliance has elapsed.

Data type

Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

Cooking.Oven.Event.PreheatFinished

Description

This event is triggered when program option [FastPreheat](#) is active and the preheating phase is finished.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Regular Pre-heat Finished

Cooking

Cleaning

**Key**

Cooking.Oven.Event.RegularPreheatFinished

Description

This event is triggered when program option [FastPreheat](#) is **not** active and the preheating phase is finished. Please note that the option is not supported by all ovens.

Data type

Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

Drying Process Finished

Cooking

Cleaning

Cooling

Key

LaundryCare.Dryer.Event.DryingProcessFinished



Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Home Appliance State Changes

Power State Change

Cooking

Cleaning

Cooling

Key



Data type

Enumeration

Possible values

see [Power State enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Remote Control Activation Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Status.RemoteControlActive

Description

This event notifies that the allowance for remote controlling has changed. This can happen due to a programmatic change (only disabling), or manually by the user changing the flag locally on the home appliance.

Data type

Boolean



- false otherwise

Example

GET /api/homeappliances/{hald}/events

[› Expand source](#)

Remote Start Allowance Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Status.RemoteControlStartAllowed

Description

This event notifies that the allowance for the remote program start has changed. This can happen due to a programmatic change (only disabling), or manually by the user changing the flag locally on the home appliance, or automatic after a certain duration - usually 24 hours.

Data type

Boolean

Possible values

- true if remote start has been activated

Get the full API documentation

[> Expand source](#)

Local Control Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Status.LocalControlActive

Description

This event notifies that the home appliance is manually controlled by the user operating the home appliance, e.g. opening the door or pressing a button. After a few seconds without user intervention this flag is reverted and an appropriate event is sent.

Data type

Boolean

Possible values

- true if the home appliance has been operated locally
- false otherwise

Example

[GET /api/homeappliances/{hald}/events](#)



Door State Change

Cooking

Cleaning

Cooling

Key

BSH.Common.Status.DoorState

Description

This event notifies that the state of the door of the home appliance has changed. This event is either triggered by the user operating the home appliance locally (i.e. opening/closing door) or automatically by the home appliance (i.e. locking the door).

Data type

Enumeration

Possible values

see [Door State enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Door State Bottle Cooler Change



Cleaning

Cooling

Key

Refrigeration.Common.Status.Door.BottleCooler

Description

This event notifies that the state of the door of the home appliance has changed. This event is triggered by the user operating the home appliance locally (i.e. opening/closing door).

Data type

Enumeration

Possible values

see [Door State Bottle Cooler enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Door State Chiller Change

Cooking

Cleaning



Refrigeration.Common.Status.Door.ChillerLeft
Refrigeration.Common.Status.Door.ChillerRight

Description

This event notifies that the state of the door of the home appliance has changed. This event is triggered by the user operating the home appliance locally (i.e. opening/closing door).

Data type

Enumeration

Possible values

see [Door State Refrigerator enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Door State Flex Compartment Change

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Status.Door.FlexCompartment



Data type

Enumeration

Possible values

see [Door State Flex Compartment enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Door State Freezer Change

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Status.Door.Freezer

Description

This event notifies that the state of the door of the home appliance has changed. This event is triggered by the user operating the home appliance locally (i.e. opening/closing door).

Data type

—



Example

GET /api/homeappliances/{hald}/events

› [Expand source](#)

Door State Refrigerator Change

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Status.Door.Refrigerator
Refrigeration.Common.Status.Door.Refrigerator2
Refrigeration.Common.Status.Door.Refrigerator3

Description

This event notifies that the state of the door of the home appliance has changed. This event is triggered by the user operating the home appliance locally (i.e. opening/closing door).

Data type

Enumeration

Possible values

see [Door State Refrigerator enumeration](#)

— .



Door State Wine Compartment Change

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Status.Door.WineCompartment

Description

This event notifies that the state of the door of the home appliance has changed. This event is triggered by the user operating the home appliance locally (i.e. opening/closing door).

Data type

Enumeration

Possible values

see [Door State Wine Compartment enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)



Home Appliance Events

Salt Nearly Empty Event

Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Event.SaltNearlyEmpty

Description

This event is triggered by the home appliance each time when the salt supply is running low.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Dishcare.Dishwasher.Event.RinseAidNearlyEmpty

Description

This event is triggered by the home appliance each time when the rinse aid supply is running low.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

Bean Container Empty Event

Cooking

Cleaning

**Key**

ConsumerProducts.CoffeeMaker.Event.BeanContainerEmpty

Description

This event is triggered by the home appliance each time when the bean container is empty.

Data type

Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Water Tank Empty Event

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Event.WaterTankEmpty



Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Drip Tray Full Event

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Event.DripTrayFull

Description

This event is triggered by the home appliance each time when the drip tray is full.

Data type

Enumeration

Possible values



[> Expand source](#)

Keep Milk Tank Cool Event

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Event.KeepMilkTankCool

Description

This event is triggered by the home appliance each time when the user should remove the milk container and put it in a cool place so that the milk stays fresh.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Event.DescalingIn20Cups
ConsumerProducts.CoffeeMaker.Event.DescalingIn15Cups
ConsumerProducts.CoffeeMaker.Event.DescalingIn10Cups
ConsumerProducts.CoffeeMaker.Event.DescalingIn5Cups
ConsumerProducts.CoffeeMaker.Event.DeviceShouldBeDescaled
ConsumerProducts.CoffeeMaker.Event.DeviceDescalingOverdue
ConsumerProducts.CoffeeMaker.Event.DeviceDescalingBlockage
ConsumerProducts.CoffeeMaker.Event.DeviceShouldBeCleaned
ConsumerProducts.CoffeeMaker.Event.DeviceCleaningOverdue
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn20Cups
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn15Cups
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn10Cups
ConsumerProducts.CoffeeMaker.Event.CalcNCleanIn5Cups
ConsumerProducts.CoffeeMaker.Event.DeviceShouldBeCalcNCleaned
ConsumerProducts.CoffeeMaker.Event.DeviceCalcNCleanOverdue
ConsumerProducts.CoffeeMaker.Event.DeviceCalcNCleanBlockage

Description

This event is triggered by the home appliance each time when cleaning and/or descaling is needed.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example



Door Alarm Freezer Event

Cooking

Cleaning

Cooling

Key

Refrigeration.FridgeFreezer.Event.DoorAlarmFreezer

Description

This event is triggered by the home appliance each time when the freezer door was left open too long.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)



Cleaning

Cooling

Key

Refrigeration.FridgeFreezer.Event.DoorAlarmRefrigerator

Description

This event is triggered by the home appliance each time when the refrigerator door was left open too long.

Data type

Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Temperature Alarm Freezer Event

Cooking

Cleaning

Cooling



Description

This event is triggered by the home appliance each time when the freezer temperature is too high.

Data type

Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Empty Dust Box And Clean Filter Event

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Event.EmptyDustBoxAndCleanFilter

Availability

Roxxter



Enumeration

Possible values

see [EventPresentState](#) enumeration

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Cleaning Robot Is Stuck Event

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Event.RobotIsStuck

Description

This event is triggered by the home appliance each time when it is stuck and isn't able to continue its run.

Data type

Enumeration

Possible values



[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)

Docking Station Not Found Event

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Event.DockingStationNotFound

Description

This event is triggered by the home appliance each time when it wasn't able to find the charging station.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[› Expand source](#)



Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Event.IDos1FillLevelPoor

Description

This event is triggered by the home appliance each time when i-Dos content 1 is poor.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

i-Dos 2 Fill Level Poor Event

Cooking

Cleaning



Description

This event is triggered by the home appliance each time when i-Dos content 2 is poor.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[> Expand source](#)

Grease Filter Max Saturation Nearly Reached Event

Cooking

Cleaning

Cooling

Key

Cooking.Common.Event.Hood.GreaseFilterMaxSaturationNearlyReached

Description

This event is triggered by the home appliance each time when the grease filters need to be cleaned soon.



see [EventPresentState enumeration](#)

Example

[GET /api/homeappliances/{hald}/events](#)

[➤ Expand source](#)

Grease Filter Max Saturation Reached Event

Cooking

Cleaning

Cooling

Key

Cooking.Common.Event.Hood.GreaseFilterMaxSaturationReached

Description

This event is triggered by the home appliance each time when the grease filters are saturated.

Data type

Enumeration

Possible values

see [EventPresentState enumeration](#)

Example



Event Present State Enumeration

Cooking

Cleaning

Cooling

Possible values

- Event is present
Key: *BSH.Common.EnumType.EventPresentState.Present*
Description: The event occurred and is present.
- Event is off
Key: *BSH.Common.EnumType.EventPresentState.Off*
Description: The event is off.
- Event confirmed
Key: *BSH.Common.EnumType.EventPresentState.Confirmed*
Description: The event has been confirmed by the user.

Availability

Off



Next Chapter