



Settings

Power State

Cooking

Cleaning

Cooling

Key

BSH.Common.Setting.PowerState

Description

This setting describes the current power state of the home appliance.

Data type

Enumeration

Possible values

- Off

Key: *BSH.Common.EnumType.PowerState.Off*

Description: The home appliance switched to off state but can be switched on by writing the value *BSH.Common.EnumType.PowerState.On* to this setting.

- On

Key: *BSH.Common.EnumType.PowerState.On*

Description: The home appliance switched to on state. You can switch it off by writing the value *BSH.Common.EnumType.PowerState.Off* or *BSH.Common.EnumType.PowerState.Standby* depending on what is supported by the appliance.



Off

On

Standby

Example

[GET /api/homeappliances/{hald}/settings/BSH.Common.Setting.PowerState](#)

[> Expand source](#)

Temperature Unit

Cooking

Cleaning

Cooling

Key



be assumed that the appliance is set to *Celsius*.

Data type

Enumeration

Possible values

- Celsius
Key: *BSH.Common.EnumType.TemperatureUnit.Celsius*
Description: °C
- Fahrenheit
Key: *BSH.Common.EnumType.TemperatureUnit.Fahrenheit*
Description: °F

Availability

Celsius

Fahrenheit

Example

GET [/api/homeappliances/{hald}/settings/BSH.Common.Setting.TemperatureUnit](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

BSH.Common.Setting.LiquidVolumeUnit

Description

This setting describes the liquid volume unit of the home appliance. Please note that this setting isn't supported by all appliances. If the feature isn't returned then it can be assumed that the appliance is set to *MiliLiter*.

Data type

Enumeration

Possible values

- FluidOunces
Key: *BSH.Common.EnumType.LiquidVolumeUnit.FluidOunces*
Description: fl.ounces
- MilliLiter
Key: *BSH.Common.EnumType.LiquidVolumeUnit.MilliLiter*
Description: ml

Availability

FluidOunces

MilliLiter



Child Lock

Cooking

Cleaning

Cooling

Key

BSH.Common.Setting.ChildLock

Description

This setting describes the child lock state of the home appliance.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example



Alarm Clock

Cooking

Cleaning

Cooling

Key

BSH.Common.Setting.AlarmClock

Description

The setting can be used to set the alarm clock.

Data type

Integer

Possible values

0 to 38340 seconds

Example

[GET /api/homeappliances/{hald}/settings/BSH.Common.Setting.AlarmClock](#)



Cup Warmer

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CoffeeMaker.Setting.CupWarmer

Description

The setting can be used to enable the cup warmer. Please note that this feature is not supported by all coffee machines.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example



Setpoint Temperature Refrigerator

Cooking

Cleaning

Cooling

Key

Refrigeration.FridgeFreezer.Setting.SetpointTemperatureRefrigerator

Description

Setting for the desired temperature in the refrigerator

Data type

Double

Possible values

Please note that there is no common value range for all appliances. The value range



GET /api/homeappliances/{hald}/settings/
Refrigeration.FridgeFreezer.Setting.SetpointTemperatureRefrigerator

➤ [Expand source](#)

Setpoint Temperature Freezer

Cooking

Cleaning

Cooling

Key

Refrigeration.FridgeFreezer.Setting.SetpointTemperatureFreezer

Description

Setting for the desired temperature in the freezer

Data type

Double

Possible values



Example

GET /api/homeappliances/{hald}/settings/
Refrigeration.FridgeFreezer.Setting.SetpointTemperatureFreezer

➤ [Expand source](#)

Setpoint Temperature Bottle Cooler

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.BottleCooler.SetpointTemperature

Description

Setting for the desired temperature in the bottle cooler

⌵ ⌵ ⌵



Please note that there is no common value range for all appliances. The value range can be always requested by using the [get specific setting](#) endpoint.

For example: -1 to 3 °C or 28 to 46 °F

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.BottleCooler.SetpointTemperature](#)

[> Expand source](#)

Setpoint Temperature Chiller

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.ChillerLeft.SetpointTemperature

Refrigeration.Common.Setting.ChillerCommon.SetpointTemperature



Data type

Double

Possible values

Please note that there is no common value range for all appliances. The value range can be always requested by using the [get specific setting](#) endpoint.

For example: -1 to 3 °C or 30 to 37 °F

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.ChillerCommon.SetpointTemperature](#)

[> Expand source](#)

Setpoint Temperature Wine Compartment

Cooking

Cleaning



Refrigeration.Common.Setting.WineCompartment2.SetpointTemperature

Refrigeration.Common.Setting.WineCompartment3.SetpointTemperature

Description

Setting for the desired temperature in the wine compartment (top, middle or bottom)

Data type

Double

Possible values

Please note that there is no common value range for all appliances. The value range can be always requested by using the [get specific setting](#) endpoint.

For example: 5 to 20 °C or 41 to 68 °F

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.WineCompartment.SetpointTemperature](#)

[➤ Expand source](#)

Super Mode Refrigerator



Cleaning

Cooling

Key

Refrigeration.FridgeFreezer.Setting.SuperModeRefrigerator

Description

The setting has no impact on setpoint temperatures but will make the refrigeratorcompartment cool to the lowest possible temperature until it is disabled by the manually by the customer or by the HA because of a timeout.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.FridgeFreezer.Setting.SuperModeRefrigerator](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.FridgeFreezer.Setting.SuperModeFreezer

Description

This setting has no impact on setpoint temperatures but will make the freezer compartment cool to the lowest possible temperature until it is disabled by the manually by the customer or by the home appliance because of a timeout.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.FridgeFreezer.Setting.SuperModeFreezer](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.EcoMode

Description

Higher temperatures in the appliance mean that less cooling capacity is required and the appliance runs in an eco-friendly setting.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/Refrigeration.Common.Setting.EcoMode](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

Cooking.Oven.Setting.SabbathMode (for ovens)

Refrigeration.Common.Setting.SabbathMode (for cooling appliances)

Description

In Sabbath Mode, various functions (e.g. lighting, acoustic signals) are deactivated to ensure that practising Jews are also able to use the appliance on the Sabbath.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.SabbathMode

➤ [Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.VacationMode

Description

If you will be away for an extended period, you can switch to the eco-friendly Vacation Mode in the appliance. The refrigerator temperature switches to +14°C. No food may be stored in the refrigerator during this period. The temperature in the freezer is maintained according to the setting.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/Refrigeration.Common.Setting.VacationMode](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.FreshMode

Description

The Fresh Mode ensures that food keeps for a longer period. The appliance sets the following temperatures automatically: refrigerator 2°C. The freezer remains unchanged.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.FreshMode

> [Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Dispenser.Enabled

Description

You can switch the ice water dispenser on and off.

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.Dispenser.Enabled](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Door.AssistantFridge
Refrigeration.Common.Setting.Door.AssistantFreezer

Description

Enables/disables the Automatic Door Opening Refrigerator / Freezer Compartment

Data type

Boolean

Possible values

- true if enabled
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.Door.AssistantFridge](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Door.AssistantForceFridge

Refrigeration.Common.Setting.Door.AssistantForceFreezer

Description

This setting describes the level of pressure required to activate automatic door opening.

Data type

Enumeration

Possible values

- Low
Key: *Refrigeration.Common.EnumType.Door.AssistantForce.LowForce*
- Mid
Key: *Refrigeration.Common.EnumType.Door.AssistantForce.MiddleForce*
- High
Key: *Refrigeration.Common.EnumType.Door.AssistantForce.HighForce*

Availability

LowForce

MiddleForce

[> Expand source](#)

Door Assistant Timeout

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Door.AssistantTimeoutFridge

Refrigeration.Common.Setting.Door.AssistantTimeoutFreezer

Description

This setting describes the time frame for door assistant.

Data type

Integer

Example

```
...  
"DoorAssistantTimeout": 10,  
...  
}
```



Door Assistant Trigger

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Door.AssistantTriggerFridge

Refrigeration.Common.Setting.Door.AssistantTriggerFreezer

Description

This setting describes the way to activate automatic door openings.

Data type

Enumeration

Possible values

- Push
Key: *Refrigeration.Common.EnumType.Door.AssistantTrigger.Push*
- Pull
Key: *Refrigeration.Common.EnumType.Door.AssistantTrigger.Pull*



Push

Pull

PushPull

Example

GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.Door.AssistantTriggerFridge

[> Expand source](#)

Current Map

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Setting.CurrentMap



This setting describes the currently selected map of the cleaning robot.

Data type

Enumeration

Possible values

- Temporary map
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.TempMap*
- User-defined map 1
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.Map1*
- User-defined map 2
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.Map2*
- User-defined map 3
Key: *ConsumerProducts.CleaningRobot.EnumType.AvailableMaps.Map3*

Availability

TempMap

Map1

Map2

Map3

Example

[GET /api/homeappliances/{hald}/settings/
ConsumerProducts.CleaningRobot.Setting.CurrentMap](#)

[> Expand source](#)



Names of Maps

Cooking

Cleaning

Cooling

Key

ConsumerProducts.CleaningRobot.Setting.NameOfMap1

ConsumerProducts.CleaningRobot.Setting.NameOfMap2

ConsumerProducts.CleaningRobot.Setting.NameOfMap3

Availability

Roxxter

Description

This setting describes the name of the user-defined map (1 - 3).

Data type

String

Example

GET /api/homeappliances/{hald}/settings/
ConsumerProducts.CleaningRobot.Setting.NameOfMap1

[➤ Expand source](#)



Cooling Light Brightness

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Light.External.Brightness

Refrigeration.Common.Setting.Light.Internal.Brightness

Description

This setting describes the external / internal light state of cooling devices.

Data type

Double

Possible values

0 - 100%

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.Light.External.Brightness](#)

[➤ Expand source](#)



Cooling Light Power

Cooking

Cleaning

Cooling

Key

Refrigeration.Common.Setting.Light.External.Power

Refrigeration.Common.Setting.Light.Internal.Power

Description

This setting describes the external / internal light state of cooling devices.

Data type

Boolean

Possible values

- true if on
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/
Refrigeration.Common.Setting.Light.External.Power](#)

[➤ Expand source](#)



Functional Light

Cooking

Cleaning

Cooling

Key

Cooking.Common.Setting.Lighting

Description

This setting describes the functional light state of hoods.

Data type

Boolean

Possible values

- true if on
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/Cooking.Common.Setting.Lighting](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Cooking.Common.Setting.LightingBrightness

Description

This setting describes the brightness state of the functional light.

Data type

Double

Possible values

10 - 100%

Example

[GET /api/homeappliances/{hald}/settings/
Cooking.Common.Setting.LightingBrightness](#)

[➤ Expand source](#)



Cooking

Cleaning

Cooling

Key

Cooking.Hood.Setting.ColorTemperaturePercent

Description

This setting describes the color temperature of the functional light in percent (warm light: 0 %, cold light: 100 %). If the [ColorTemperature](#) setting is supported, then it must to be set to custom otherwise this setting can't be used.

Data type

Double

Possible values

0 - 100%

Example

[GET /api/homeappliances/{hald}/settings/
Cooking.Hood.Setting.ColorTemperaturePercent](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

Cooking.Hood.Setting.ColorTemperature

Description

This setting describes the color temperature of the functional light (warm light: 0 %, cold light: 100 %). If the setting is set to custom, then [ColorTemperaturePercent](#) setting can be used to set color temperature in percents (warm light: 0 %, cold light: 100 %).

Data type

Enumeration

Possible values

- Individual
Key: *Cooking.Hood.EnumType.ColorTemperature.custom*
- Warm
Key: *Cooking.Hood.EnumType.ColorTemperature.warm*
- Warm to neutral
Key: *Cooking.Hood.EnumType.ColorTemperature.warmToNeutral*
- Neutral
Key: *Cooking.Hood.EnumType.ColorTemperature.neutral*
- Neutral to cold
Key: *Cooking.Hood.EnumType.ColorTemperature.neutralToCold*
- Cold



Individual

Warm

Warm to neutral

Neutral

Neutral to cold

Cold

Example

[GET /api/homeappliances/{hald}/settings/Cooking.Hood.Setting.ColorTemperature](#)

[➤ Expand source](#)

Ambient Light

Cooking

Cleaning

Cooling



This setting describes the ambient light state of hoods.

Data type

Boolean

Possible values

- true if on
- false otherwise

Example

[GET /api/homeappliances/{hald}/settings/
BSH.Common.Setting.AmbientLightEnabled](#)

[> Expand source](#)

Ambient Light Brightness

Cooking

Cleaning

Cooling



This setting describes the brightness state of the ambient light. Please note that the brightness can't be set if the ambient light color is set to *CustomColor*.

Data type

Double

Possible values

10 - 100%

Example

[GET /api/homeappliances/{hald}/settings/
BSH.Common.Setting.AmbientLightBrightness](#)

[➤ Expand source](#)

Ambient Light Color

Cooking

Cleaning

Cooling

--



This setting describes the color state of the ambient light.

Data type

Enumeration

Possible values

- Custom Color
Key: *BSH.Common.EnumType.AmbientLightColor.CustomColor*
- Color 1 .. 99
Key: *BSH.Common.EnumType.AmbientLightColor.Color[1 .. 99]*

Availability

CustomColor

Color[1 .. 99]

Example

GET /api/homeappliances/{hald}/settings/
BSH.Common.Setting.AmbientLightColor

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

BSH.Common.Setting.AmbientLightCustomColor

Description

This setting describes the brightness state of the ambient light. Please note that the custom color can be **only** set if the ambient light color is set to *CustomColor*.

Data type

String

Example

GET /api/homeappliances/{hald}/settings/
BSH.Common.Setting.AmbientLightCustomColor

[➤ Expand source](#)

i-Dos 1 Base Level



Cleaning

Cooling

Key

LaundryCare.Washer.Setting.IDos1BaseLevel

Description

This setting describes the basis dosing volume for i-Dos content 1.

Data type

Integer

Possible values

Please note that there is no common value range for all appliances. The value range can be always requested by using the [get specific setting](#) endpoint.

For example: 5 to 200 ml

Example

[GET /api/homeappliances/{hald}/settings/
LaundryCare.Washer.Setting.IDos1BaseLevel](#)

[> Expand source](#)



Cooking

Cleaning

Cooling

Key

LaundryCare.Washer.Setting.IDos2BaseLevel

Description

This setting describes the basis dosing volume for i-Dos content 2.

Data type

Integer

Possible values

Please note that there is no common value range for all appliances. The value range can be always requested by using the [get specific setting](#) endpoint.

For example: 5 to 200 ml

Example

[GET /api/homeappliances/{hald}/settings/
LaundryCare.Washer.Setting.IDos2BaseLevel](#)

[> Expand source](#)

Next Chapter

