

Effective Date: January 1, 2026

VoltVibe Environmental Sustainability, Recycling, and Battery Disposal Policy

1. VoltVibe's Environmental Commitment & Core Philosophy

At VoltVibe, we believe that high-performance energy storage should not come at the expense of our planet. As a leading manufacturer of high-capacity consumer power systems, we recognize the ecological impact associated with extracting and processing rare earth minerals, lithium compounds, cobalt elements, and nickel active materials. Consequently, we are committed to reducing our carbon footprint, utilizing recycled plastic composite materials in our product housings, and implementing clean, plastic-free packaging across our entire product line. Our corporate directive mandates a 'closed-loop' manufacturing standard, meaning we aim to source at least 45% of our raw battery elements from recycled consumer components by the year 2028.

To fund these ecological programs, VoltVibe allocates a fixed 0.5% share of total quarterly hardware revenues to our Environmental Restoration Fund. This fund supports reforestation initiatives in areas affected by mining, finances research into heavy-metal extraction chemistry, and subsidizes municipal hazardous waste collection drives. Detailed reports of our fund allocations and environmental impact metrics are audited annually by third-party ecological auditors and published on our public transparency portal.

In addition to manufacturing, we enforce a strict ESG (Environmental, Social, Governance) standard across our entire supplier network. All external components, including structural fasteners, battery cells, and logical boards, must be verified as sourced from conflict-free and environmentally compliant providers. We conduct biannual supply-chain audits to verify compliance, and any supplier found violating environmental safety standards will be suspended from our vendor registry within 30 days.

2. The Battery Recycling Rewards Program & Enrollment

To encourage customers to responsibly dispose of old energy storage units, VoltVibe operates a national recycling program. Under this program, customers can return pre-owned VoltVibe battery modules or qualifying third-party consumer electronics to receive store credit voucher rewards. Participation is free and automatic for all registered members.

The customer dashboard features an option to request a 'Recycling Kit.' Upon selection, VoltVibe will mail the customer a specialized shipping container equipped with thermal-insulating wrap, terminal-insulating tape, and a pre-paid carrier shipping label. Customers must package the battery modules in strict compliance with the packing instructions detailed in Section 4.0 before dropping the kit off at an authorized carrier.

collection hub. Once the package is processed at our recycling partner's depot, the customer account is credited with the corresponding reward voucher.

Please note that the mail-in recycling program is strictly limited to stable, undamaged battery modules. Under international hazardous cargo shipping laws, mailing damaged, swollen, punctured, or venting battery packs is illegal and carries severe regulatory fines. If a customer possesses an unstable battery module, they must utilize the local physical safety disposal track detailed in Section 5.1, rather than attempting to ship the unit back to VoltVibe.

Furthermore, customers who participate in the recycling program are eligible to receive custom environmental achievement badges on their loyalty profile. These badges grant additional multipliers during specific green promotion periods, allowing customers to earn bonus loyalty points on their hardware purchases.

3. Recycling Credit Tiers and Validation Audits

Recycling rewards are processed based on the category and capacity of the returned battery module. Our engineering team inspects returned units to verify their capacity and safety status before authorizing credit releases.

2.1 Recycling Credit Tiers

- High-Capacity Units (>100Wh): Customers returning a VoltVibe Titan PowerStation or a VoltVibe Ranger expansion battery receive a \$25.00 USD store credit voucher.
- Medium-Capacity Units (20Wh to 99Wh): Customers returning mid-sized battery packs receive a \$10.00 USD store credit voucher.
- Small-Capacity Units (<20Wh): Customers returning smartphones, accessories, or small power banks receive a \$5.00 USD store credit voucher.

2.2 Credit Validation and Weight Audit Ambiguity

THE METRIC AUDIT AMBIGUITY: To receive the recycling credit, the customer must upload their disposal certificate to the VoltVibe sustainability portal. The credit approval is conditional upon an automated weight verification audit. The system compares the weight recorded on the municipal recycler's receipt against the standard product weight in our database. If the weights differ by more than 15% (to account for missing plastic clips or case wear), the credit request is flagged for audit. In these cases, credit approval is at the sole discretion of the Sustainability Coordinator, who will evaluate local waste processor scale tolerances. Approved credits are issued as a single-use promo code sent via email within 14 business days.

4. Step-by-Step Recycling Preparation Guide

To prevent accidental short circuits during transport, customers must prepare battery modules in accordance with the following safety instructions before sealing the shipping container:

1. **Power Off the Unit:** Ensure the battery module is completely powered down. Disconnect all external devices and charging cables.
2. **Isolate Terminals:** Apply heavy-duty, non-conductive electrical tape over all exposure contacts, USB ports, and AC sockets.
3. **Wrap in Anti-Static Shielding:** Place the device inside the provided anti-static bubble wrap sleeve and seal with tape.
4. **Buffer in Shipping Container:** Place the wrapped device in the center of the shipping box, surrounding it with the foam inserts to prevent shifting during transit. Do not pack more than one high-capacity battery module in a single shipping kit.

Failure to isolate the battery terminals before shipping represents a significant safety hazard. If a package arrives at our depot showing evidence of terminal short-circuiting or localized overheating due to negligent packaging, the claim will be denied, the customer's account will be flagged, and they will be barred from participating in future recycling promotions.

We recommend taking a photograph of the packaged battery inside the shipping box before sealing it. This photograph serves as vital documentation in the event that the carrier damages the package during transit, allowing our team to file a claim under the transit insurance policy (governed by doc_21).

5. Safe Disposal Guidelines & Legal Obligations

Lithium-ion batteries contain heavy metals and volatile organic compounds that can leak and contaminate soil or water tables. Furthermore, damaged lithium batteries present serious fire hazards. It is a violation of federal law to dispose of lithium-ion batteries in standard household trash bins.

3.1 Municipal Recycling Center Locations

If a customer does not wish to mail their battery back to VoltVibe (e.g. if the battery is physically damaged or swollen, making it illegal to ship under the HAZMAT rules of doc_21_transit_insurance_claims.pdf), they must locate an authorized municipal hazardous waste processing point. Most cities operate weekly hazardous waste drop-off locations. Customers must request a certified receipt from the facility clerk, noting the weight of the battery disposed of, to submit for their recycling reward.

3.2 Swollen or Damaged Battery Handling Warnings

If a battery is swollen or leaking, do not touch it with bare hands. Use safety goggles and thick gloves to place the unit in a metal container filled with dry sand or cat litter. Store the container outside in a well-ventilated area until it can be safely transported to a hazardous waste facility. NEVER submerge a lithium battery in water or attempt to puncture the outer housing, as doing so will result in an immediate chemical fire.

6. Environmental Compliance & Regional Overrides

Recycling policies are subject to local legislative frameworks. In states with active Extended Producer Responsibility (EPR) laws, such as California, Oregon, New York, and Washington, VoltVibe provides localized physical drop-off kiosks at authorized retail partners. Customers in these states can drop off old battery modules without using mail-in kits.

Under the European Union Battery Directive (2006/66/EC), our European distributors are required to accept returned consumer batteries free of charge. European customers can request a prepaid shipping envelope through our EU administrative portal, and all returned materials are processed at our certified recycling center in Rotterdam, Netherlands.

For domestic customers residing in states without municipal hazardous waste programs, VoltVibe will coordinate with regional waste management contractors to organize twice-yearly mobile collections. Dates and pickup locations are announced on our community forum.

Any disputes regarding regional recycling incentives or voucher issuance must be submitted to the Sustainability Coordinator. Claimants must provide proof of residency and a valid tax ID to override standard account credit limits.

7. Reward Voucher Limitations & Policy Exceptions

While we encourage widespread recycling, we enforce standard limits to prevent program abuse and commercial exploitation:

4.1 Yearly Account Limits

THE EXCEPTION LIMIT: Each registered customer account is limited to a maximum of 1 high-capacity recycling credit (\$25.00) and 2 small-capacity recycling credits (\$5.00 each) per calendar year. Vouchers are non-transferable, cannot be redeemed for cash, and cannot be combined on a single order. Vouchers must be applied to physical product purchases exceeding \$50 USD. Furthermore, recycling credit vouchers cannot be used to purchase VoltVibe Gift Cards (governed by doc_04) or to pay for shipping insurance fees (under doc_21).

4.2 Exclusions on Multi-Discount Orders

Recycling reward vouchers cannot be combined with device trade-in credits (as defined in doc_10_trade_in_valuation.pdf) or standard promotional free-shipping codes. If a customer applies a recycling voucher to an order, the system will block the application of any other discount code, and standard shipping rates will apply to the shipment in accordance with doc_08_shipping_rates.pdf. Customers should calculate their total order value to determine whether using a trade-in credit or a recycling voucher provides the higher discount.

Furthermore, accounts with duplicate registrations (such as multiple profiles sharing a single physical billing address) are classified as a single household entity. The yearly recycling credit limits are applied to the household entity as a whole, and any attempt to bypass this rule by creating separate accounts will result in immediate suspension of all associated user accounts.

8. Chemical Shredding & Raw Material Extraction

Once returned battery modules arrive at our recycling facility, they enter the mechanical shredding and sorting line. The modules are first cooled using liquid nitrogen (cryogenic crushing) to prevent short circuits and thermal events during cutting. The crushed particles are then sorted using magnetic separators and eddy current separators to isolate plastics, steel casing frames, and copper/aluminum foils.

The remaining 'black mass' contains the active electrode materials, including lithium, cobalt, nickel, and manganese. This mass is processed using a hydrometallurgical loop, where organic acids are used to leach out the specific metal ions. This organic leaching method is highly efficient, reducing carbon emissions by 60% compared to traditional pyrometallurgical smelting loops.

The extracted cobalt and nickel are converted into high-purity metal sulfates, which are sold directly back to our primary battery cell suppliers to manufacture new cathode components. By establishing this closed loop, VoltVibe minimizes the demand for virgin raw materials, helping protect fragile ecosystems from the ecological damage associated with open-pit mining.

9. Carbon Offset Audits and Transparency Reports

VoltVibe is audited annually by the Global Carbon Accounting Standards (GCAS) board. We compile detailed logs of the energy used during the recycling shredding process, the transport fuel emissions, and the chemical reagents consumed in the hydrometallurgical extraction cycle. These emissions are offset by our investments in verified wind and solar infrastructure projects.

Our annual environmental compliance report is made public on our transparency site. If our recycling facilities fail to achieve GRS compliance metrics, we pay statutory penalties to local conservation projects and pause promotional recycling vouchers until compliance is restored.

10. Battery Material Recovery Index & Technical Processing

Returned battery units are processed at our recycling partner's facility in Nevada, where they undergo mechanical shredding and hydrometallurgical processing. This recovery system extracts high-purity battery elements. The table below shows the average material recovery rates from returned battery modules:

5.1 Carbon Offset Calculations

By recycling battery modules rather than mining raw materials, VoltVibe reduces carbon emissions by approximately 4.5 kg of CO₂ equivalent per kilogram of battery weight. For every high-capacity battery recycled, VoltVibe purchases certified carbon offsets matching this reduction, ensuring a carbon-neutral recycling loop. Audit reports detailing our cumulative offset achievements are published annually in our corporate sustainability report.

Our hydrometallurgical processing loop utilizes organic acids rather than toxic inorganic solvents, reducing secondary waste emissions by 60% compared to traditional recovery methods. The recovered materials are

certified by the Global Recycled Standard (GRS) before being used in our manufacturing plants.

Material Recovered	Purity Level	Primary Reuse in VoltVibe Manufacturing
Lithium Carbonate	99.5% Purity	New cathode active materials for power cells.
Cobalt Sulfate	99.2% Purity	Energy density enhancers for Ranger modules.
Nickel Sulfate	99.8% Purity	Anode substrate coatings for next-gen models.
Copper Foil	99.9% Purity	Logical board busbars and heavy battery connectors.
Aluminum Shell	98.5% Purity	Casing frames and heatsink modules.