船艦維修資訊

Table of contents

Page

船艦維修資訊 1
References 1
Description 1
1 章節標題 1
2 船艦維修 1
2.1 維修 1

List of tables

1 References 1
2 333333333 1

References

Table 1 References

Data module/Technical publication	Title

Description

1 章節標題

內文段落

2 船艦維修

2.1 維修

請參閱以下網站以取得更多資訊：https://www.soic.org.tw/

Table 2 333333333

貓	狗	動物
豬 356	牛	

Spare parts and tools 備品與工具

小時HR

Produced by: SOIC

2.3.1 Supply scope for spare parts 裝備供應商應提供之備品內容範圍

The maker/supplier shall provide enough spare parts as follows：

（1） In compliance with CR or ABS Classification Society Rules for ships with unrestricted service. (CR or ABS 船級協會無水域限制船舶備品量規定)

（2） 2-years on-board spare parts（艦上保養二年備品）

A. The 2-years on-board spare parts will be loaded shipboard at ship delivery, and are intended to be used for maintenance by ship crews.

艦上保養二年備品係提供艦上官兵執行週期性檢查、保養或更換之保養維修零附件。

B. Based on technical manual and maker’s maintenance experience, spare parts (including but not limited to the following) which require to periodical check or change with maintenance intervals of every 1 month / 3 months

/ 6 months / 12 months / 24 months, shall be provided by the supplier：

(a) Cathodic protection zinc anodes or zinc pieces. (at least one set of spare anodes for each type) 防蝕鋅極或鋅塊。

(b) Filter elements with seals. (At least one set of various types of spare

filter elements shall be provided, including air filter, fuel filter, lubricating oil filter, hydraulic oil filter, fresh water filter, sea water filter, oil / water separating filter) 各類過濾器濾芯。

(c) Belts (at least one set of spare belts for each type) 皮帶。

(d) Mechanical seals（機械軸封）。(e) Grease（油脂）。

(f) Others（其他）。

The quantity shall meet two (2) years requirement of periodical check or change-out. The ship is estimated with 2000 operating hours per year.

依據裝備技術手冊及裝備廠家保養維修作業經驗，將保養週期為(每日、每週、每月、每季、每半年、每年、每兩年)需週期性檢查或更換之保養維修零附件，(包括但不限於：防蝕鋅極或鋅塊、過濾器濾芯、皮帶、機械軸封、油脂)，裝備廠家/供應商應提供2年份定期檢查或更換所需備用數量。本船預估每年執行任務操作時數約2000小時。

Produced by: SOIC

一、一般說明

Table of contents

Page

一、一般說明.....1
References.....1
Description.....2
1 一、一般說明 General Notes.....2

List of tables

1 References.....1
2 一、一般說明 General Notes.....2

References

Table 1 References

Data module/Technical publication	Title

Produced by: SOIC

Description

1 一、一般說明 General Notes

Table 2 一、一般說明 General Notes

HULL No.(船號)		**P.O.S. No.**(採購規範編號)	
NAME OF MATERIAL/EQUIPMENT(裝備名稱)		**Ventilating Engine (E/R area)** (通風機-機艙區)	
QTY(數量)	**10 SET** (台) **/ SHIP** (每船)		
RULES, REGULATIONS, SPECIFICATIONS & STANDARDS TO BE APPLIED (適用之船級法規及其他規章、規範、標準)			見第**19**頁

NO. OF DWGS or DOCUMENTS PER SHIP TO BE PROVIDED BY SELLER / MANUFACTURER

裝備廠家應供圖說種類及份數

DRAWINGS & DOCUMENTS圖說文件	**For bidding**		**For approval**		**For working**		**Finish**	
	紙本	電子	紙本	電子	紙本	電子	紙本	電子
Specification / Particulars (裝備主要規格性能、型號)	3	1	2	1	5	1	1(1)	1
Supply Scope (供貨範圍)	3	1	2	1	5	1	1(1)	1
Material List (供貨材料清單)	3	1	2	1	5	1	1(1)	1
Weight Table (重量表)	3	1	2	1	5	1	1(1)	1
Outline, Assembly, Construction and Foundation plan (外觀圖、組裝圖、構造及基座圖)	3	1	2	1	5	1	1(1)	1
Function & Performance Chart (功能及性能圖表)	3	1	2	1	5	1	1(1)	1
List of Accessories (安裝測試附屬件清單)	3	1	2	1	5	1	1(1)	1
Test & Inspection Procedure (測試及檢驗程序)	3	1	2	1	5	1	1(1)	1
Technical Manual—See Appendix (A) 技術手冊(詳附錄A)			1	1	5	1	1(1)	1

Produced by: SOIC

HULL No.(船號)		**P.O.S. No.**(採購規範編號)	
NAME OF MATERIAL/EQUIPMENT(裝備名稱)		**Ventilating Engine (E/R area)** (通風機-機艙區)	
QTY(數量)	**10 SET** (台) **/ SHIP** (每船)		
RULES, REGULATIONS, SPECIFICATIONS & STANDARDS TO BE APPLIED (適用之船級法規及其他規章、規範、標準)		見第**19**頁	

NO. OF DWGS or DOCUMENTS PER SHIP TO BE PROVIDED BY SELLER / MANUFACTURER

裝備廠家應供圖說種類及份數

DRAWINGS & DOCUMENTS圖說文件	**For bidding**		**For approval**		**For working**		**Finish**	
	紙本	電子	紙本	電子	紙本	電子	紙本	電子
Supply List of Spare Parts & Tools (include sketch) 裝備廠家供料之備品工具清單及簡圖	1	1	1	1	1	1	1	1
Digital photographs for spare parts & tools 工具及備品照片			1	1	1	1		

Remarks :

1. All Drawings/Documents shall be provided in Microsoft Word (*.doc) or Excel (*.xls) or Access (*.mdb) or Acrobat (*.pdf) or AutoCAD(*.dwg) format. All electronic media files shall be editable.

所有廠家製作之圖說/文件皆需提供電子檔案，其格式為(*.doc) 或 Excel (*.xls) 或

Access (*.mdb) 或Acrobat (*.pdf) 或AutoCAD(*.dwg)等可編輯之電子檔。

2. The number indicated in the bracket () is for the subsequent vessels.

括號內數字表示後續船出圖份數。

Produced by: SOIC

2.1 Languages, Format, and Schedule 語言、格式及時程表

Table of contents

Page

2.1 Languages, Format, and Schedule 語言、格式及時程表 1
References 1
Description 1
1 2.1 Languages, Format, and Schedule 語言、格式及時程表 1
1.1 2.1 Languages, Format, and Schedule 1
1.1.1 2.1.1 Languages 1
1.1.2 2.1.2 SI Unit 1
1.1.3 2.1.3 Format 2
1.1.4 2.1.4 Drawings / Documents Submitting Schedule 2
1.1.5 2.1.5 Specific Drawings / Documents 2

List of tables

1 References 1

References

Table 1 References

Data module/Technical publication	Title

Description

1 2.1 Languages, Format, and Schedule 語言、格式及時程表

1.1 2.1 Languages, Format, and Schedule

1.1.1 2.1.1 Languages

Unless otherwise specified, language used in drawings and documents shall be in traditional Chinese or English-Chinese bilingualism. If other foreign language is adopted in the original documents, a cross-reference with English- Chinese version shall be provided.

除另有規定外，所有圖說及文件以繁體中文或中文/英文雙語對照書寫編製，若原始文件為其他外國語言(非中文或英文)，必須提供英文/中文對照。

1.1.2 2.1.2 SI Unit

The unit of measurement must be metric or SI system. All pressure unit shall be in Bar.

尺寸應用公制或SI單位表示，壓力單位應用Bar表示。

Produced by: SOIC

1.1.3 2.1.3 Format

（1） 3D STP (*.stp) or 3DM (*.3dm) graphic files of equipment shall be provided by the maker/ supplier forto build up 3D model.

廠家/供應商須提供裝備3D (*.stp or *.3dm)格式圖檔。

（2） All Drawings / Documents shall be developed in Microsoft Word (*.docx) or Excel (*.xls) or Acrobat (*.pdf) or AutoCAD (*.dwg) format. All electronic media files shall be editable.

所有廠家製作之圖說/文件皆需提供電子檔案，其格式為(*.doc) 或Excel (*.xls)

或 Acrobat (*.pdf) 或AutoCAD (*.dwg)等可編輯之電子檔。

1.1.4 2.1.4 Drawings / Documents Submitting Schedule

The Drawings / Documents submitting schedule are as follows：

各藍圖與文件提交時程如下：

（1） Drawings or documents for bidding to be submitted with bidding.

報價用藍圖與文件需在報價時同時提供。

（2） Drawings or documents for approval to be submitted within 14 days after the contract to be effective. 審核用藍圖與文件需在得標簽約後14日內提供。

（3） Drawings or documents for working to be submitted within 30 days after approval. 施工用藍圖與文件需於退審圖後30日內提供。

（4） Finish plan to be submitted not later than 7 days before shipment.

完成用藍圖與文件需在裝備裝運前7日之前提供。

（5） See Table (H-3) of Appendix (H) for ILS documents submitting schedule.

ILS文件提供期程，詳參閱本採購規範書Appendix (H)之附表(H-3)。

1.1.5 2.1.5 Specific Drawings / Documents

If applicable, the Maker / Supplier shall provide the following documentations：

裝備供應商依據下述適用項目，提供下列裝備性能資料:

（1） Core winding diagram for Motors of 37.5 KW or above and for Squirrel Cage Motor, and core winding table for others. 37.5KW(含)以上的馬達與鼠籠式馬達須提供繞線圖，其它的馬達須提供繞線表。

（2） Power curve for propulsion main engine and ship service generator.

推進主機與發電機之馬力曲線圖

（3） Performance curve for propulsion propellers.

螺槳性能曲線

Produced by: SOIC

（4） Performance curve for miscellaneous pumps.

各類泵性能曲線

（5） Shop test report

出廠測試報告書

（6） Electrical/electronic equipment test standard and procedure

電機/電子裝備測試標準與方法

（7） Electrical / electronic components layout diagrams, wiring diagram.

電子裝備(組件)位置圖、線路圖

（8） Illustration and detail procedures of start-up and shut-down, including but not limited to the following: (a) safety precautions, (b) checks prior to start- up, (c) step-by-step start-up procedures, (d) checks during operation, (e) step-by-step shut-down procedures. The procedures shall be developed in Microsoft Word (*.doc) with illustration (*.jpg) and in traditional Chinese.

裝備起停步驟(含圖示)包括(a)安全注意事項(b)啟動前檢查事項(c)詳細啟動程序(d)裝備啟動後操作應檢查事項(e)詳細關機程序。本項起停步驟應以中文編製，另行製作提供。

Produced by: SOIC

2.2 Applicable Rules and Certificates 適用法規及證書

Table of contents

Page

2.2 Applicable Rules and Certificates 適用法規及證書 1
References 1
Description 1
1 Applicable Rules and Certificates 適用法規及證書 1
1.1 Class Society（船級協會） 1
1.2 Certificate of Conformity （原廠出廠證明及檢驗合格證明） 2
1.3 Submitting Schedule 2
1.4 Factory Acceptance Test (FAT) 裝備製造商廠試 2
1.5 Notes 2

List of tables

1 References 1
2 1

References

Table 1 References

Data module/Technical publication	Title

Description

1 Applicable Rules and Certificates 適用法規及證書

1.1 Class Society（船級協會）

Table 2

1	CRHS56高強度低合金鋼	2	GAS TURBINE 燃氣渦輪機
3	PROPULSION MOTOR 推進馬達	4	Main Reduction Gear 減速機
5	THRUSTER BEARING (IF NOT 推力軸承(如未整合至減速機)	6	CPP and Shaft System 軸系及可變螺距螺槳

Produced by: SOIC

7	Diesel Generator 發電機組	8	Main Switchboard 主配電盤
9	Helicopter Landing and Aid Light （直昇機輔降燈號）	10	Steering Gear （舵機）
11	Windlass（錨機）	12	Anchor and Anchor Chain （錨及錨鏈）

1.2 Certificate of Conformity （原廠出廠證明及檢驗合格證明）

If the equipment is not required for inspection by Class Society, a Certificate of Conformity (or type approval certificates) shall be provided to show that the supplied equipment are new, unused products without deterioration in quality, and have been tested and examined as qualified products in compliance with required specifications.

若裝備不需船級協會檢驗，則須提供原廠出廠證明(或型式認證)及檢驗合格證明

1.3 Submitting Schedule

One (1) original and three (3) copies of Classification Certificates (including Factory Acceptance Test Report), Certificate of Conformity, Material test records / Mill Sheet, and/or shop test record shall be provided not later than 7 days before shipment.

1份正本和3份影印本之船級協會證書、材料檢驗測試報告或材質證明、原廠檢驗測試報告等，須於裝備交運前7日提供。

1.4 Factory Acceptance Test (FAT) 裝備製造商廠試

One month prior to fabricating start, the Maker / Supplier shall prepare the milestones of manufacturing process including Material allocation, assembly and Factory Acceptance Test. The test schedule shall be notified 2 months prior to factory acceptance test informing in writingwhich might attend the inspection / test. The test schedule and relevant test procedures shall also be submitted by e- mail to QC department for ship’s owner review two months prior to Factory Acceptance Test.

在裝備開始製造前一個月，廠家/供應商應準備製造流程，包括材料配置、組裝與廠試；裝備製造商廠試期程，需在廠試前兩個月，通知參與檢測。廠試期程及相關的測試程序需在廠試前兩個月以e-mail提送保部送船東審核。

The FAT test report, including shop test records and/or mill sheets, shall be submitted by e-mail or by courier toQC department for ship’s owner review after finishing test at once.

裝備廠試報告與材質證明文件，須於完成測試後，立即以電郵或快遞提供給保部送船東審核。

1.5 Notes

（1） Drawings, plans, and data necessary for Classification society approval shall be submitted directly by the maker/supplier.

必須送驗船協會審核之圖面或資料，直接由廠家/供應商自行送審

Produced by: SOIC

（2） One (1) copy of Classification society approved drawing / plan / data shall be sent toby the maker/supplier.

廠家/供應商必須複製一份驗船協會審核通過之圖面與資料送給船廠

Produced by: SOIC