

2015, 2016 New Commercial & Adaptive Varieties

VARIETY	DISEASE RESISTANCE	DAYS	ATTRIBUTES	USE CATEGORY	2015 AG SEEDS LAB SOLIDS	2015 AG SEEDS LAB JUICE	PTAB SOLIDS
2015 Commercial Standards							
CXD282	VFFFP	125	FFF	Thick	4.87	11.92	5.10
H5608	VFFNP _{tsw}	125	TSW	Thick	4.90	12.25	4.97
H8504	VFFNP*	130	EFS	Thick	4.94	12.26	5.09
DRI319	VFFNP _{tsw}	125	TSW	Thin	5.68	15.62	5.80
2015 New Commercial Varieties							
HM3887	VFFN _{tsw}	122	TSW	Intermediate	5.44	14.56	5.29
HM3888	VFFN _{tsw} *	125	TSW, EFS	Intermediate	5.39	14.29	5.41
H1310	VFFFP _{tsw}	128	FFF, TSW	Thick	4.97	12.21	5.54
H1311 VHL™	VFFN*	128	EFS	Thick	4.69	11.47	5.61
N6415	VFFNP _{tsw} *	125	TSW, EFS	Thick	5.01	11.70	5.07
N6420	VFFNP _{tsw}	125	TSW	Pear	4.92	15.32	4.81
SV8232TM	VFFFP _{tsw}	125	FFF, TSW	Intermediate	5.49	14.32	5.14
SV8516TM	VFFNP _{tsw}	122	TSW	Intermediate	5.34	14.25	5.60
BQ141	VFFFP _{tsw}	120	FFF, TSW	Intermediate	4.96	13.53	4.76
BQ142	VFFFP _{tsw}	120	FFF, TSW	Intermediate	5.36	14.82	5.17
BQ273	VFFNP _{tsw}	110	TSW	Early	5.29	14.08	5.28
BP2	VFFFP _{tsw}	125	FFF, TSW	Thin	5.03	15.86	5.03
2016 New Commercial Varieties							
HMX4884	VFFNP _{tsw}	116	TSW	Early	5.13	15.29	5.24
HMX5900	VFFN _{tsw}	112	TSW	Early	5.44	15.53	5.52
HMX4909	VFFN _{tsw} Fr	122	TSW, Fr	Intermediate	5.68	13.66	5.81
HMX4886	VFFN _{tsw}	122	TSW	Intermediate	5.77	13.80	5.89
HMX4885	VFFNP _{tsw} *	120	TSW, EFS	Thick	4.90	11.80	-
H1422	VFFFP	125	FFF	Thick	5.01	12.28	5.17
H1424	VFFN _{tsw}	125	TSW	Thin	5.39	16.59	5.30
SV2756TM	VFFN _{tsw} *	125	TSW, EFS	Thick	4.95	12.51	-
SV8011TM	VFFN _{tsw}	125	TSW	Thick	5.25	12.74	5.54
SV6133TM	VFFN _{tsw}	125	TSW	Thick	5.22	12.25	-
SV2493TM	VFFFP _{tsw}	122	FFF, TSW	Thick	5.16	13.10	4.91
SV2849TM	VFFNP _{tsw}	125	TSW	Intermediate	4.96	13.98	5.01
BQ323	VFFNP _{tsw}	122	TSW	Intermediate	5.40	14.16	5.55
BP13	VFFFP _{tsw}	115	FFF, TSW	Intermediate	4.84	15.25	4.73
BP16	VFFFP _{tsw}	125	FFF, TSW	Intermediate	5.20	14.84	5.02

Early = Maturity 117 Days or Less

Thin = Juice Bostwick > 15.30

Intermediate = Juice Bostwick 13.60 to 15.30

Thick = Juice Bostwick < 13.60

Pear = Pear Shaped

* = EFS

2015, 2016 New Commercial & Adaptive Varieties

VARIETY	DISEASE RESISTANCE	DAYS	ATTRIBUTES	USE CATEGORY	2015 AG SEEDS LAB SOLIDS	2015 AG SEEDS LAB JUICE	PTAB SOLIDS
---------	-----------------------	------	------------	-----------------	--------------------------------	-------------------------------	----------------

2016 Adaptives Varieties							
HMX4890	VFFNPtsw	120	TSW	Pear	5.16	14.28	-
HMX5899	VFFNtsw	126	TSW	Thin	6.42	13.52	-
HMX58801	VFFFNtsw*	125	FFF, TSW, EFS	Thick	5.42	13.11	-
HMX58811	VFFNtsw*	125	TSW, EFS	Thick	4.95	12.46	-
HMX58841	VFFNtsw*	125	TSW, EFS	Thick	5.42	12.70	-
HMX58861	VFFNPtsw	125	TSW	Thin	6.00	14.80	-
HMX58871	VFFNtsw	120	TSW	Thin	5.42	13.20	-
HMX58881	VFFNtsw	112	TSW	Early	4.89	15.41	-
H1538	VFFNtsw	126	TSW	Pear	4.98	14.90	-
H1539	VFFFNtsw	125	FFF, TSW	Thick	5.03	12.83	-
N6426	VFFNtswLv*	125	TSW, Lv, EFS	Thick	5.00	11.98	-
N6428	VFFFNtsw*	125	FFF, TSW, EFS	Thick	4.96	13.49	-
N6429	VFFFNtswLv*	125	FFF, TSW, Lv, EFS	Intermediate	5.06	15.09	-
N6431	VFFNtswLv	125	TSW, Lv	Intermediate	5.46	13.71	-
SVTM2303	VFFNtsw	125	TSW	Thick	4.96	12.29	-
SVTM5655	VFFNtsw	125	TSW	Thick	5.34	12.46	-
BQ324	VFFNPtsw	122	TSW	Thin	5.52	17.26	-
BQ380	VFFNPtsw	110	TSW	Early	4.78	18.90	-
BQ386	VFFNPtsw	115	TSW	Thin	5.16	16.08	-
BQ399	VFFNPtsw	110	TSW	Early	-	-	-
BQ400	VFFNPtsw	105	TSW	Early	4.97	15.20	-
BQ401	VFFNPtsw	110	TSW	Early	5.35	14.42	-
BQ402	VFFNPtsw	110	TSW	Early	5.35	17.03	-
BQ403	VFFNPtsw	102	TSW	Early	4.79	17.82	-
BQ405	VFFFNPtsw	107	TSW	Early	4.62	13.79	-
BQ406	VFFFNPtsw	125	FFF, TSW	Thick	5.19	12.25	-
BP19	VFFFNPtsw	125	FFF, TSW	Thin	4.98	16.38	-
BP20	VFFFNPtswXv	125	FFF, TSW, Xv	Thin	4.88	16.16	-
BP22	VFFFNPtsw	110	FFF, TSW	Early	4.88	15.53	-
BP23	VFFFNPtswXv	110	FFF, TSW, Xv	Early	4.86	16.45	-
BP24	VFFFNtswXv	115	FFF, TSW, Xv	Early	5.27	14.93	-
BP25	VFFFNPtswXv	115	FFF, TSW, Xv	Early	4.87	12.59	-
BP28	VFFFNtsw	120	FFF, TSW	Intermediate	5.09	14.06	-
BP32	VFFFNtswXv*	120	FFF, TSW, Xv, EFS	Thin	5.10	15.58	-

Early = Maturity 117 Days or Less

Thin = Juice Bostwick > 15.30

Intermediate = Juice Bostwick 13.60 to 15.30

Thick = Juice Bostwick < 13.60

Pear = Pear Shaped

* = EFS

2015, 2016 F3 Commercial & Adaptive Varieties

VARIETY	DISEASE RESISTANCE	DAYS	ATTRIBUTES	USE CATEGORY	2015 AG SEEDS LAB SOLIDS	2015 AG SEEDS LAB JUICE BOSTWICK	PTAB SOLIDS
2015 Commercial Varieties							
CXD282	VFFFPNP	125	FFF	Thick	4.87	11.92	5.10
H1310	VFFFPNPtsw	128	FFF, TSW	Thick	4.97	12.21	5.54
SV8232TM	VFFFPNPtsw	125	FFF, TSW	Intermediate	5.49	14.32	5.14
N6412	VFFFPNPLv	116	FFF, Lv	Thin	5.14	16.11	4.99
BQ141	VFFFPNPtsw	120	FFF, TSW	Intermediate	4.96	13.53	4.76
BQ142	VFFFPNPtsw	120	FFF, TSW	Intermediate	5.36	14.82	5.17
BP2	VFFFPNPtsw	125	FFF, TSW	Thin	5.03	15.86	5.03
2016 New Commercial Varieties							
H1422	VFFFPNP	125	FFF	Thick	5.01	12.28	5.17
SV2493TM	VFFFPNPtsw	122	FFF, TSW	Thick	5.16	13.10	4.91
BP13	VFFFPNPtsw	115	FFF, TSW	Intermediate	4.84	15.25	4.73
BP16	VFFFPNPtsw	125	FFF, TSW	Intermediate	5.20	14.84	5.02
2016 Adaptive Trial Varieties							
HMX58801	VFFFPNtsw*	125	FFF, TSW, EFS	Thick	5.42	13.11	-
H1539	VFFFPNtsw	125	FFF, TSW	Thick	5.03	12.83	-
N6428	VFFFPNtsw*	125	FFF, TSW, EFS	Thick	4.96	13.49	-
N6429	VFFFPNtswLv*	125	FFF, TSW, Lv, EFS	Intermediate	5.06	15.09	-
BQ406	VFFFPNPtsw	125	FFF, TSW	Thick	5.19	12.25	-
BP19	VFFFPNPtsw	125	FFF, TSW	Thin	4.98	16.38	-
BP20	VFFFPNPtswXv	125	FFF, TSW, Xv	Thin	4.88	16.16	-
BP22	VFFFPNPtsw	110	FFF, TSW	Early	4.88	15.53	-
BP23	VFFFPNPtswXv	110	FFF, TSW, Xv	Early	4.86	16.45	-
BP24	VFFFPNtswXv	115	FFF, TSW, Xv	Early	5.27	14.93	-
BP25	VFFFPNPtswXv	115	FFF, TSW, Xv	Early	4.87	12.59	-
BP28	VFFFPNtsw	120	FFF, TSW	Intermediate	5.09	14.06	-
BP32	VFFFPNtswXv*	120	FFF, TSW, Xv, EFS	Thin	5.10	15.58	-

Early = Maturity 117 Days or Less
Thin = Juice Bostwick > 15.30

Intermediate = Juice Bostwick 13.60 to 15.30
Thick = Juice Bostwick < 13.60

Pear = Pear Shaped
* = EFS

