



Web Application Development - Assignment0

(Total 10 points) In this assignment, we will publish your web pages to **Github**.

1. Install Visual Studio Code (if you haven't already done so): <https://code.visualstudio.com/>
2. Install GIT (if you haven't already done so): <https://git-scm.com/>
3. Create an account on Github (if you haven't already done so): <https://github.com/join>
4. Add your name to your Github account (profile) so I know who you are: <https://github.com/settings/profile>




5. Let's create a new folder (e.g., **yourGithubID.github.io** Mine is **seikyung.github.io**) Create an **index.html** (or move/copy what you created in class)



This is what my file folder looks like.
You only need **index.html** for now.

6. Open **yourGithubID.github.io** (e.g., VSCode → File → Open Folder)
Open VSCode terminal (VSCode → Terminal → New terminal)
Alternatively, you can open **git bash** (Windows) or **Terminal** (Mac)



7. Generate SSH Key (if you haven't already done so):

Type:
ssh-keygen -t rsa
This will generate SSH Key

```
Problems Output Debug Console Terminal Ports
jung@SCICPSC2222-MAC seikyung.github.io % ssh-keygen -t rsa
Generating public/private rsa key pair.
Enter file in which to save the key (/Users/jung/.ssh/id_rsa):
Enter passphrase for "/Users/jung/.ssh/id_rsa" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /Users/jung/.ssh/id_rsa
Your public key has been saved in /Users/jung/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:7uQCR30f1DVIIdf272UGM7uz2Y7ToYUxREVCoGxqmuwA jung@SCICPSC2222-MAC
The key's randomart image is:
+--[RSA 3072]--+
|      .++0+      |
|      .00 +      |
|      . . . 0 .  |
|      . 0 . 0 . 0 .  |
|      E . S . 0 . + .  |
|      0 . 0 . . + . +  |
|      + + 0 + 0 *      |
|      0 = . = * .      |
|      0 + 0 0 . .      |
+-----[SHA256]-----+
jung@SCICPSC2222-MAC seikyung.github.io % cat ~/.ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQCeGgiOGZSEXuCWsb273IJqtruYjs50q9fid
/5PV0n/P/0sQ6N/UrsxzgLRPn5PgydRQkqvCYti105xkvUEUihQaYIc/ERltIV8JP27G00gPm
E0j5MngTXDKdHZ4bY1uNn/+yzMgcrA218ttl6f6NrET91d+vcTXr8pb40m/r1/g9cdYukcsVL
KS1MBuzMntheEkF3xLWBopDsyzyGAUnMJxIr/yaltDwPIxflSChd+FTNw2CLSJ5cWuSP205dk
D9fa0nBu0s1d1xErdJ0w90nAcKvG33ac0V/y+XNWguIwLB1xbNsvX42yIZZidgIyF+nk38mi2
jung@SCICPSC2222-MAC seikyung.github.io %
```

Type:
cat ~/.ssh/id_rsa.pub

This will show your public key.
We will need this key. So do not close the terminal. Or **copy & paste somewhere else**.

Web Application Development - Assignment0

Miscellaneous things to avoid errors:

We will need to run 3 commands:


```
ssh-keyscan -t rsa github.com >> ~/.ssh/known_hosts  
git config --global user.name "Your name here. Do not put my name"  
git config --global user.email "Your email here. Do not put my email"
```

To confirm your name and email address:


```
git config user.name  
git config user.email
```

```
jung@SCICPSC2222-MAC seikyung.github.io % ssh-keyscan -t rsa github.com >> ~/.ssh/known_hosts  
jung@SCICPSC2222-MAC seikyung.github.io % git config --global user.name "Seikyung Jung"  
jung@SCICPSC2222-MAC seikyung.github.io % git config --global user.email "sjung@bridgew.edu"  
jung@SCICPSC2222-MAC seikyung.github.io % git config user.name  
Seikyung Jung  
jung@SCICPSC2222-MAC seikyung.github.io % git config user.email  
sjung@bridgew.edu  
jung@SCICPSC2222-MAC seikyung.github.io %
```

8. Setup SSH key from Github (if you haven't already done so):



<https://github.com/settings/keys>



Web Application Development - Assignment0

Documentation for Visual Studio x Git - Downloading Package x Add new SSH keys x +

GitHub, Inc. [US] | github.com/settings/ssh/new

Personal settings

SSH keys / Add new

Type your own title!

Title


Windows laptop

Copy & Paste your SSH Key that you generated from git bash or terminal

Key

Add SSH key

9. Create a new repository.



Create a New Repository

https://github.com/new

Create a new repository

A repository contains all project files, including the revisions you've made elsewhere? [Import a repository.](#)

Owner

seikyung / seikyung.github.io

You must have your own githubID. DO NOT type mine YourID.github.io

Great repository names are short and memorable. Need inspiration? How about [symmetrical-potato](#)?

Description (optional)

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

Web Application Development - Assignment0

seikyung/seikyung.github.io

GitHub, Inc. [US] | github.com/seikyung/seikyung.github.io

seikyung / seikyung.github.io

Code Issues Pull requests Project

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH `git@github.com:seikyung/seikyung.github.io.git`

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

SSH, not HTTPS. If you copy&paste HTTPS link, it will keep asking authentication when you use git push command

10. Open Visual Studio Code → terminal

We will use 6 git commands:

```
git init
git status
git add .
git commit -m "message"
git remote add origin "github Repository SSH link"
git push origin master
```

index.html - seikyung.github.io - Visual Studio Code

SOURCE CONTROL

The folder currently open doesn't have a git repository. You can initialize a repository which will enable source control features powered by git.

Initialize Repository

To learn more about how to use git and source control in VS Code [read our docs](#).

You can also directly publish this folder to a GitHub repository. Once published, you'll have access to source control features powered by git and GitHub.

Publish to GitHub

index.html

index.html > Html > body > h1

```
1 <!DOCTYPE HTML>
2 <html>
```

TERMINAL

```
PS C:\Users\sjung\Documents\seikyung.github.io> git init
Initialized empty Git repository in C:/Users/sjung/Documents/seikyung.github.io/.git/
PS C:\Users\sjung\Documents\seikyung.github.io> git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    index.html

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\sjung\Documents\seikyung.github.io>
```

IMPORTANT!!!
Must be under **yourGithubID.github.io** directory.
Otherwise, you will send entire your computer files to github (NEVER do that!)

index.html - seikyung.github.io - Visual Studio Code

SOURCE CONTROL

Message (Ctrl+Enter to commit on '...')

Publish Branch

index.html


index.html > Html > body > h1

```
1 <!DOCTYPE HTML>
2 <html>
```

TERMINAL

```
PS C:\Users\sjung\Documents\seikyung.github.io> git add .
PS C:\Users\sjung\Documents\seikyung.github.io> git commit -m "initial commit"
[master (root-commit) 2254acd] initial commit
1 file changed, 10 insertions(+)
create mode 100644 index.html
PS C:\Users\sjung\Documents\seikyung.github.io>
```

Web Application Development - Assignment0



```
PS C:\Users\sjung\Documents\seikyung.github.io> git add .
PS C:\Users\sjung\Documents\seikyung.github.io> git commit -m "initial commit"
[master (root-commit) 2254acd] initial commit
1 file changed, 10 insertions(+)
create mode 100644 index.html
PS C:\Users\sjung\Documents\seikyung.github.io> git remote add origin git@github.com:seikyung/seikyung.github.io
PS C:\Users\sjung\Documents\seikyung.github.io> git push origin master
```

“origin” can be different word.
“master” can be different word. Nowadays people use “main” instead of “master”

Copy & paste this from YOUR github repository SSH link (not HTTPS link).

If you copy&paste HTTPS link, it will keep asking authentication when you use git push command.


You should have your own text. DO NOT copy&paste mine.

11. Whenever you modify code, you will need to run these 4 git commands:

```
git status
git add
git commit
git push
```

git init and git remote are just one-time commands.

git pull and git clone commands are also useful, but we will not use it for now.



```
PS C:\Users\sjung\Documents\seikyung.github.io> git status
On branch master
Your branch is up to date with 'origin/master'.


Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   index.html

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\sjung\Documents\seikyung.github.io> git add .
PS C:\Users\sjung\Documents\seikyung.github.io> git commit -m "just kidding"
[master e6b4eb3] just kidding
1 file changed, 1 insertion(+), 1 deletion(-)
PS C:\Users\sjung\Documents\seikyung.github.io> git push origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 291 bytes | 291.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:seikyung/seikyung.github.io
   c99e3ab..e6b4eb3  master -> master
PS C:\Users\sjung\Documents\seikyung.github.io>
```

Web Application Development - Assignment0


12. Back to Github

Go to your Github repository and refresh the browser. You should see `index.html` file.



Visit <https://YourGithubID.github.io/>

Can you see your web site? Hooray! You have your first web site, publicly available!



How to Submit assignment0?

Enter your link to <https://forms.gle/tLtbFCbYMs3S9GE88>

A screenshot of a Google Form titled 'COMP335'. The form includes a link to 'Sign in to Google to save your progress. Learn more'. It has two text input fields: 'Your full name' with the value 'Seikyung Jung' and 'yourGithubID.github.io' with the value 'https://seikyung.github.io/'. There is a 'Submit' button at the bottom.

Grading criteria

	Points
https://yourGithubID.github.io/index.html is publicly accessible (No Page not found)	7
Submit URL to GoogleDoc (Do NOT submit it to BlackBoard).	1
Your page (index.html) must have your name visible (See above example).	1
Your page (index.html) must have description about you.	1
1 Bonus point for the best 6 submissions from instructor's perspective (out of 60 students)	