

Módulo 2 - R Markdown documento 1

Eric Armijo

2022-10-06

Este es un encabezado nivel 1

R Markdown

Este es un encabezado nivel 3

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

Aquí un enlace a GOOGLE

Aquí una palabra en **negrita** y otra palabra en **negrita**.

Aquí una palabra en *cursiva* y otra palabra en *cursiva*.

Cuando compilamos nuestro documento, estamos usando el paquete **rmarkdown**.

Aquí algunos comandos ejemplo R:

```
2+2
```

```
mean(c(1,2,3,4,5))
```

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```


```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.    :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.



Insertar Tablas

```
knitr::kable(head(cars))
```

speed	dist
4	2
4	10
7	4
7	22
8	16
9	10