
$\begin{array}{c} P_{R}DN\\ under the weak mutations\\ effects approximation \end{array}$ $P_{rescue} \mathop{\approx}_{\lambda \, \ll \, r_{max}} 1 - exp(-N_0 \, U \, e^{-\alpha} \, \alpha^{-3/2}) \quad \text{with} \quad {\color{blue}\alpha \approx \frac{r_D^2 \, r_{max}}{4\lambda}}$

The effective stress level

 P_RDN under the weak mutations effects approximation

 $P_{rescue} \approx 1 - exp(-N_0\,U\,e^{-\alpha}\,\alpha^{-3/2}) \quad \text{with} \quad {\color{blue}\alpha} \approx \frac{r_D^2\,r_{max}}{4\lambda}$

The effective stress level






n = 6

 $P_R DN$

P_RDN under the weak mutations effects approximation

 $P_{rescue} \approx 1 - exp(-N_0\,U\,e^{-\alpha}\,\alpha^{-3/2}) \quad \text{with} \quad \alpha \approx \frac{r_D^2\,r_{max}}{4\lambda}$

The effective stress level






n = 6

P_R DN

 $\begin{array}{c} P_{R}DN\\ under the weak mutations\\ effects approximation \end{array}$

$$P_{rescue} \mathop{\approx}_{\lambda \, \ll \, r_{max}} 1 - exp(-N_0 \, U \, e^{-\alpha} \, \alpha^{-3/2}) \quad \text{with} \quad \underset{\alpha}{\alpha} \mathop{\approx} \, \frac{r_D^2 \, r_{max}}{4\lambda}$$

The effective stress level






n = 6

 $\begin{array}{c} P_{R}DN\\ \text{under the weak mutations} \end{array}$ effects approximation











n = 6


P_R DN

 $\begin{array}{c} P_{\text{R}}DN\\ \text{under the weak mutations}\\ \text{effects approximation} \end{array}$














a summarizes the effect on the ER probability of all the different scenarios of stressing environmental change