Script n° 3

Procédure de test

Référence : 1		
Formats ciblés	s : Commander, Modern	
Récapitulatif	Cartes concernées par le script	6
	Cartes modifiées à la hausse	1
	Cartes modifiées à la baisse	2
	Cartes bloquées par le PriceShield	3
	Cartes exclues par le script	0

17-11-2020

SUMMARY OF THE RULES USED

Regular cards

From	То	Action	Value Set	MKM Action	Based on
0	1	setValue	1		
1	2	basedO nMKM		roundUp10percents	AvgSellPrice
2	6	setValue	7		
6	10	basedO nMKM		roundUp15percents	AvgSellPrice
10	20	exclude			
20	25	setValue	25		

Foil cards

From	То	Action	Value Set	MKM Action	Based on
0	1	setValue	2		
1	2	setValue	2		
2	3	setValue	2		
3	5	setValue	5		
5	7	setValue	8		
7	10	setValue	12		

PARAMETERS

Percent Per Condition Regular

Mint	100 %
Near Mint	100 %
Excellent	90 %
Good	80 %
Light-Played	70 %
Played	60 %
Poor	50 %

Percent Per Condition Foil

Mint	100 %
Near Mint	100 %
Excellent	90 %
Good	80 %
Light-Played	70 %
Played	60 %
Poor	60 %

Percent Per Language

German	98 %
Spanish	95 %
French	97 %
Italian	101 %
Japanese	102 %
Portuguese	75 %
Russian	55 %
Simplified Chinese	77 %
English	88 %
Korean	99 %
Traditional Chinese	33 %

CARTES MODIFEES A LA HAUSSE

Card Name	Foil	Condition	Language	OldPrice	Ne Pri
hausse	hausse	hausse	hausse	hausse	hai
Both: rowSpan and colSpan can be defined at the same time					

CARTES MODIFEES A LA BAISSE

Card Name	Foil	Condition	Language	OldPrice	Nev Pric
baisse	baisse	baisse	baisse	baisse	bais
Both: rowSpan and colSpan can be defined at the same time					
baisse	baisse	baisse	baisse	baisse	bais
Both: rowSpan and colSpan can be defined at the same time					