

Rapport technique Harvest Media API pour Parigo

Extraction publique Postman du 26 mai 2026. Meme format de livrable que le dossier AIMS: Markdown, HTML, PDF et endpoint inventory CSV.

Sources

Source	Valeur
Documentation publique	https://developer.harvestmedia.net/
Collection Postman	1fdb3d4-864c-498a-ae3e-ae52d2c5b256
Published ID	SVYouLCf
Version tag	latest
Version Documenter	8.11.2
Publication indiquée par Postman	2020-06-29T04:04:49.000Z
Extraction	26 mai 2026

La cle Postman fournie dans la conversation n a pas ete stockee ni utilisee: la collection publique expose deja la documentation necessaire.

Synthese

Harvest Media API couvre Public API, Export API, Import API et Agent API / Integration API. Pour Parigo, la Public API est le socle naturel d un front custom: catalogue, recherche, autocomplete, membres, playlists, downloads, assets, partage, historiques, tags, commentaires et e-commerce.

Metrique	Valeur
Entrees documentees	277
Endpoints HTTP	255
Pages INFO / guides	22
Routes HTTP methode + chemin uniques	222
GET / POST / DELETE	112 / 140 / 3

APIs couvertes

API	Role	Entrees
Public API	Recherche front/catalogue, metadata, assets, membres, playlists, downloads, sharing, history, tagging, comments, saved searches, e-commerce et quelques fonctions admin.	196
Export API	Livraison de contenu vers clients, reseaux et tiers; acces workspace, metadata, audio/downloads, tags et categories.	22
Import API	Ingestion de contenu: labels/libraries, albums, tracks, stems, assets, publication/unpublication dans un workspace.	38
Agent API / Integration API	Flux workspace/agent pour recuperer bibliotheques, albums, tracks, downloads management user et tags.	17
Additional Information	Glossaire, codes fonctionnels, rate limits et health endpoint.	4

Flux d authentication

Etape	Endpoint	Ce que Parigo doit faire
1. Access token	<code>{HM_ServiceAPI_AuthUrl}</code>	Envoyer grant_type, client_id et client_secret; conserver la reponse cote serveur.
2. Service token	<code>{HM_ServiceAPI_URL}/getservicetoken</code>	Appeler avec Authorization et AccessKey; cache serveur avec expiration.
3. Service info	<code>/getserviceinfo/{serviceToken}</code>	Lire les URLs asset/download/stream et les formats disponibles.
4. Region	<code>/getregionbyip</code> ou <code>/getregions</code>	Determiner la region catalogue ou proposer un choix.
5. Guest/member token	<code>/getguestmembertoken</code> ou <code>/getmembertoken</code>	Obtenir le token utilise par la recherche et les actions front.

Etape	Endpoint	Ce que Parigo doit faire
6. Appels metier	/cloudsearch, /autocomplete, /gettracks, playlists, downloads	Toutes les operations front passent par un token membre ou guest selon le contexte.

Capacites principales pour Parigo

Recherche et barre IA

Besoin	Capacite Harvest
Recherche catalogue	POST /cloudsearch/{memberToken} interroge tracks, albums, libraries, styles, categories, rightholders, duration, BPM et recherche dans les resultats.
Autocomplete	POST /autocomplete/{memberToken} suggere des termes sur tracks, albums, labels/libraries, styles, categories, rightholders, lyrics, keywords et featured playlists.
Similarite par piste	AIMS, Cyanite et Harmix documentent une recherche par TrackID via cloudsearch.
Similarite par upload audio	Flux presigned upload: getpresigneduploadurl, PUT vers URL signee, confirmpresignedupload, puis cloudsearch.
Similarite par URL	AIMS et Harmix utilisent getexternalaudiobyurl puis cloudsearch; Cyanite ajoute getexternalaudiostatus.
Prompt / free text	AIMS et Harmix documentent Prompt; Cyanite documente Free Text. Activation contractuelle a confirmer.
Options IA	Evoke_IncludeSeed, Evoke_PrioritizeBPM, Evoke_SuppressVocals, Start, Duration, Skip, Limit.

Catalogue, assets, membres et ecommerce

Bloc	Possibilites
Service info	Asset URLs, formats, stream, artwork, waveform, thumbnails, download URL, direct download selon configuration.
Metadata	Libraries, styles, albums, album tracks, top tracks, categories, rightholders, playlists edito, shared playlist, cuesheets.
Membres	Register, verification, login, persistent login, SSO, profil, reset password, subscribe et member groups.
Activite	Playlists, categories, tracks, shares, schedules, Disco, downloads, favourites, sharing, histories, tags, comments, saved searches.
E-commerce	Rates, special rates, invoices, payment et document invoice.

Architecture recommandee

Couche	Regle
Navigateur Parigo	Ne jamais exposer client_secret, AccessKey, access token, service token ou management token.
Next.js serveur	Centraliser auth Harvest, cache token, region, guest/member token, retries et normalisation.
Recherche	Frontend -> route Parigo -> cloudsearch / autocomplete; garder le mapping de resultats cote Parigo.
Assets	Relayer ou signer selon les Asset URLs renvoyees par Harvest; tester TTL/cache et tracking.
Downloads	Toujours valider les droits via Harvest avant d'exposer un lien/ticket de download.
IA/similarite	Feature flag par provider, monitoring latence/couts, fallback recherche metadata si provider indisponible.

Endpoints majeurs

Endpoint	Methode	Route	Usage
Get Authorised	POST	{HM_ServiceAPI_AuthUrl}	OAuth client_credentials vers access_token.
Get Service Token	GET	{HM_ServiceAPI_URL}/getservicetoken	Service token Harvest, a conserver cote serveur.
Get Service Info	GET	{HM_ServiceAPI_URL}/getserviceinfo/{serviceToken}	URLs assets, formats, endpoints download/stream et infos search similar.
Get Region By IP	GET	{HM_ServiceAPI_URL}/getregionbyip/{serviceToken}	Regionalisation catalogue par IP.
Authenticate Guest Member	GET	{HM_ServiceAPI_URL}/getguestmembertoken/{serviceToken}/{RegionID}	Member token visiteur pour recherche/front.
Cloud Search	POST	{HM_ServiceAPI_URL}/cloudsearch/{memberToken}	Recherche principale metadata, filtres, resultats et similarite IA.
Predictive Search	POST	{HM_ServiceAPI_URL}/autocomplete/{memberToken}	Suggestions de recherche.
Get Tracks	POST	{HM_ServiceAPI_URL}/gettracks/{memberToken}	Recuperation metadata pistes et enrichissements.
Get Music Download	POST	{HM_ServiceAPI_URL}/getmusicdownload/{memberToken}	Demande de download et tokens/liens de telechargement.
Register Member	POST	{HM_ServiceAPI_URL}/registermember/{serviceToken}	Creation de compte membre.
Authenticate Member	POST	{HM_ServiceAPI_URL}/getmembertoken/{serviceToken}	Login membre et persistent login optionnel.

Endpoint	Methode	Route	Usage
Export Get Access Token	GET	{HM_ExportAPI_URL}/getaccesstoken/{key}	Ouverture d un flux Export API.
Import Create Track	POST	{HM_ImportAPI_URL}/track/{sessionToken}/insert	Ingestion track dans le workspace.
Agent Get Management User Download	POST	{HM_IntegrationAPI_URL}/getmanagementuserdownload/{token}	Download workspace via management user.

Public API - Auth, service, regions, contenu, e-commerce, admin

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Getting Started	Get Authorised	POST	{HM_ServiceAPI_AuthUrl}	grant_type, client_id, client_secret
Public API > Getting Started	Get Service Token	GET	{HM_ServiceAPI_URL}/getservicetoken	
Public API > Getting Started	Validate Service Token	GET	{HM_ServiceAPI_URL}/getservicetokeninfo/{HM_ServiceAPI_Token}	
Public API > Getting Started	Expire Service Token	GET	{HM_ServiceAPI_URL}/expiretoken/{HM_ServiceAPI_Token}	
Public API > Service Information	Get Service Info (Service Asset URLs and File Formats)	GET	{HM_ServiceAPI_URL}/getserviceinfo/{HM_ServiceAPI_Token}	
Public API > Service Information	Get Service Attributes	GET	{HM_ServiceAPI_URL}/getserviceattribute/{HM_ServiceAPI_Token}/{attributeTypeCode}	
Public API > Service Information	Get Short URL	POST	{HM_ServiceAPI_URL}/getshorturl/{HM_ServiceAPI_Token}	
Public API > Regions & Countries	Get Regions	GET	{HM_ServiceAPI_URL}/getregions/{HM_ServiceAPI_Token}	
Public API > Regions & Countries	Get Region	GET	{HM_ServiceAPI_URL}/getregion/{HM_ServiceAPI_Token}/{RegionID}	
Public API > Regions & Countries	Get Regions By IP	GET	{HM_ServiceAPI_URL}/getregionbyip/{HM_ServiceAPI_Token}?ip={IP}	
Public API > Regions & Countries	Get Countries	GET	{HM_ServiceAPI_URL}/getcountries/{HM_ServiceAPI_Token}	
Public API > Guest Management	Authenticate Guest Member	GET	{HM_ServiceAPI_URL}/getguestmembertoken/{HM_ServiceAPI_Token}/{RegionID}	
Public API > Content Management	Get Web Content	GET	{HM_ServiceAPI_URL}/getwebcontent/{HM_ServiceAPI_Token}/{Code}/{RegionID}	
Public API > Content Management	Get Web Content Children	GET	{HM_ServiceAPI_URL}/getchildwebcontent/{HM_ServiceAPI_Token}/{ParentCode}/{RegionID}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Ecommerce > Rates	Get Rates	GET	{HM_ServiceAPI_URL}/getrates/{HM_ServiceAPI_Token}/{Style}/{CurrencyCode}	
Public API > Ecommerce > Rates	Get Special Rate	GET	{HM_ServiceAPI_URL}/getspecialratebycode/{HM_ServiceAPI_Token}/{SpecialRateCode}/{CurrencyCode}	
Public API > Ecommerce > Invoices	Create Invoice	POST	{HM_ServiceAPI_URL}/addinvoice/{HM_ServiceAPI_MemberToken}	invoice, invoice.invoicelineitems, invoice.invoicelineitems[].quantity, invoice.invoicelineitems[].amount, invoice.invoicelineitems[].amounttax, invoice.invoicelineitems[].description, invoice.invoicelineitems[].discountid, invoice.invoicelineitems[].discount, invoice.invoicelineitems[].invoiceitemreferences, invoice.invoicelineitems[].invoiceitemreferences[].referenceid, ... (+19)
Public API > Ecommerce > Invoices	Get Invoice	POST	{HM_ServiceAPI_URL}/getinvoice/{HM_ServiceAPI_MemberToken}	invoiceid, returntracks, returnrates, returndiscounts
Public API > Ecommerce > Invoices	Void Invoice	POST	{HM_ServiceAPI_URL}/voidinvoice/{HM_ServiceAPI_MemberToken}	invoiceid, reason
Public API > Ecommerce > Invoices	Search Invoice	POST	{HM_ServiceAPI_URL}/searchinvoices/{HM_ServiceAPI_MemberToken}	fromamount, fromdate, toamount, todate, limit, skip
Public API > Ecommerce > Invoices	Pay Invoice	POST	{HM_ServiceAPI_URL}/payinvoice/{HM_ServiceAPI_MemberToken}	invoicepayment, invoicepayment.invoiceid, invoicepayment.amount, invoicepayment.contactname, invoicepayment.date, invoicepayment.paymenttype, invoicepayment.paymentreferencenumber, invoicepayment.paymentstatus, sendemail, bccemail
Public API > Ecommerce > Invoices	Get Invoice Document	GET	{HM_ServiceAPI_URL}/getinvoicedownloadurl/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_InvoiceID}	
Public API > Admin Management > Authentication	Authenticate Management Token	POST	{HM_ServiceAPI_URL}/getmanagementtoken/{HM_ServiceAPI_Token}	
Public API > Admin Management > Member Groups	Update Member Group Details	POST	{HM_ServiceAPI_URL}/updatemembergroup/{HM_ServiceAPI_ManagementToken}/{MemberGroupID}	

Public API - Catalogue et metadata

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Accessing Metadata > Libraries	Get Labels/Libraries	GET	{HM_ServiceAPI_URL}/getlibraries/{HM_ServiceAPI_MemberToken}	
Public API > Accessing Metadata > Libraries	Get Labels/Libraries (Include Inactive)	GET	{HM_ServiceAPI_URL}/getlibraries/{HM_ServiceAPI_MemberToken}/includeinactive	
Public API > Accessing Metadata > Libraries	Get Label/Library	GET	{HM_ServiceAPI_URL}/getlibrary/{HM_ServiceAPI_MemberToken}/{LibraryID}?returnCodes={returnCodes}	
Public API > Accessing Metadata > Styles	Get Style Groups	GET	{HM_ServiceAPI_URL}/getstylegroups/{HM_ServiceAPI_MemberToken}	
Public API > Accessing Metadata > Styles	Get Styles	GET	{HM_ServiceAPI_URL}/getstyles/{HM_ServiceAPI_MemberToken}?groupID={GroupID}&allowEmptyStyle=false	
Public API > Accessing Metadata > Styles	Get Styles By Language Code	GET	{HM_ServiceAPI_URL}/getstyles/{HM_ServiceAPI_MemberToken}/{LanguageCode}?groupID={GroupID}	
Public API > Accessing Metadata > Albums	Get Albums By Label/Library	GET	{HM_ServiceAPI_URL}/getalbums/{HM_ServiceAPI_MemberToken}/{LibraryID}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Accessing Metadata > Albums	Get Albums By Label/Library (Include Inactive)	GET	{HM_ServiceAPI_URL}/getalbums/{HM_ServiceAPI_MemberToken}/{LibraryID}/includeinactive	
Public API > Accessing Metadata > Albums	Get Albums By Style	POST	{HM_ServiceAPI_URL}/getalbumsbystyles/{HM_ServiceAPI_MemberToken}	
Public API > Accessing Metadata > Albums	Get Albums By Album	POST	{HM_ServiceAPI_URL}/getalbumsbyids/{HM_ServiceAPI_MemberToken}	
Public API > Accessing Metadata > Albums	Get Featured Albums	GET	{HM_ServiceAPI_URL}/getfeaturedalbums/{HM_ServiceAPI_MemberToken}/{Top}?returntrackcount={returnTrackCount}&mainonly={mainOnly}&sort={sortorder}	
Public API > Accessing Metadata > Albums	Get Latest Albums	GET	{HM_ServiceAPI_URL}/getlatestalbums/{HM_ServiceAPI_MemberToken}/{Top}	
Public API > Accessing Metadata > Albums	Get Album	GET	{HM_ServiceAPI_URL}/getalbum/{HM_ServiceAPI_MemberToken}/{AlbumID}?returnLibraryCodes={returnLibraryCodes}	
Public API > Accessing Metadata > Albums	Get Album Tracks	GET	{HM_ServiceAPI_URL}/getalbumtracks/{HM_ServiceAPI_MemberToken}/{AlbumID}/mainonly?skip={skip}&limit={limit}	
Public API > Accessing Metadata > Albums	Get Album Tracks (Include Inactive)	GET	{HM_ServiceAPI_URL}/getalbumtracks/{HM_ServiceAPI_MemberToken}/{AlbumID}/includeinactive?skip={skip}&limit={limit}	
Public API > Accessing Metadata > Tracks	Get Tracks	POST	{HM_ServiceAPI_URL}/gettracks/{HM_ServiceAPI_MemberToken}	
Public API > Accessing Metadata > Tracks	Get Top Tracks	POST	{HM_ServiceAPI_URL}/gettoptracks/{HM_ServiceAPI_MemberToken}	
Public API > Accessing Metadata > Categories	Get Categories	GET	{HM_ServiceAPI_URL}/getcategories/{HM_ServiceAPI_MemberToken}/hasactivetrackonly?languagecode={LanguageCode}	
Public API > Accessing Metadata > Right Holders	Get Rightholders By Track	GET	{HM_ServiceAPI_URL}/getrightholders/{HM_ServiceAPI_MemberToken}/{TrackID}	
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlist Categories	Get Featured Playlist Categories	GET	{HM_ServiceAPI_URL}/getfeaturedplaylistcategories/{HM_ServiceAPI_MemberToken}?returnplaylistcount={HM_ServiceAPI_ShowCounts}&skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}&sort={HM_ServiceAPI_PlaylistSortOrder}	
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlist Categories	Get Featured Playlist Categories & Playlists	GET	{HM_ServiceAPI_URL}/getfeaturedplaylistcategoriesandplaylists/{HM_ServiceAPI_MemberToken}?returnplaylistcount={HM_ServiceAPI_ShowCounts}&returntrackcount={HM_ServiceAPI_ShowCounts}&returnrootobjectsonly={HM_ServiceAPI_ShowCounts}&playlistcategoryid={HM_ServiceAPI_NewMemberPlaylistCategoryID}&skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}&sort={HM_ServiceAPI_PlaylistSortOrder}	
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlists	Get Featured Playlists	GET	{HM_ServiceAPI_URL}/getfeaturedplaylistsplaylistonly/{HM_ServiceAPI_MemberToken}?showtrackcount={ShowTrackCount}&skip={Skip}&limit={Limit}&languagecode={LanguageCode}&style={StyleID}	
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlists	Get Featured Playlist	POST	{HM_ServiceAPI_URL}/getfeaturedplaylistandtracks/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlists	Search Featured Playlist Tracks	POST	{HM_ServiceAPI_URL}/searchfeaturedplaylisttracks/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_FeaturedPlaylistID}	Keyword, Fields, ReturnTrackCount, Skip, Limit, OrderBy
Public API > Accessing Metadata > Shared Playlists	Get Shared Playlist	GET	{HM_ServiceAPI_URL}/getsharedplaylistwithmembertoken/{HM_ServiceAPI_MemberToken}/{PlaylistID}?Skip={Skip}&Limit={Limit}	
Public API > Accessing Metadata > Cuesheets	Get Generated Cuesheet	POST	{HM_ServiceAPI_URL}/getcuesheet/{HM_ServiceAPI_MemberToken}?filename={Filename}	

Public API - Recherche et similarite

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Searching Metadata > Search	Search	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Searching Metadata > Search	Predictive Search	POST	{HM_ServiceAPI_URL}/autocomplete/{HM_ServiceAPI_MemberToken}	
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By TrackID)	Search Similar Tracks (By TrackID)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].TrackID, SearchFilters.SearchTermBundle.St_Audio.Start, SearchFilters.SearchTermBundle.St_Audio.Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, ... (+3)
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Audio File Upload)	Get Audio File Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	AssetType, FileName, ContentType, ExpiresInSeconds, Objectid
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Audio File Upload)	Confirm Audio File Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	AssetType, FileName, ReturnWaveformDatapoints, ReturnWaveformDatapointsUrl, Objectid
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Audio File Upload)	Search Similar Tracks (By Audio File Upload)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, ... (+4)
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By URL)	Get External Audio File	POST	{HM_ServiceAPI_URL}/getexternalaudiobyurl/{HM_ServiceAPI_MemberToken}	Url, Type, ReturnWaveformDataPoints, ReturnWaveformDataPointsUrl
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By URL)	Search Similar Tracks (By URL)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, ... (+4)
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Prompt)	Search Similar Tracks (By Prompt)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By TrackID)	Search Similar Tracks (By TrackID)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Get Audio File Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Confirm Audio File Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Get External Audio File Ingestion Status	POST	{HM_ServiceAPI_URL}/getexternalaudiostatus/{HM_ServiceAPI_MemberToken}	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Search Similar Tracks (By Audio File Upload)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By URL)	Get External Audio File Ingestion Status	POST	<code>{HM_ServiceAPI_URL}/getexternalaudiostatus/{HM_ServiceAPI_MemberToken}</code>	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By URL)	Search Similar Tracks (By URL)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Free Text)	Search Similar Tracks (By Free Text)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Track ID)	Search Similar Tracks (By TrackID)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].TrackID, SearchFilters.SearchTermBundle.St_Audio.Start, SearchFilters.SearchTermBundle.St_Audio.Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, ... (+4)
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Audio File Upload)	Get Audio File Upload URL	POST	<code>{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}</code>	AssetType, FileName, ContentType, ExpiresInSeconds, Objectid
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Audio File Upload)	Confirm Audio File Upload Complete	POST	<code>{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}</code>	AssetType, FileName, ReturnWaveformDatapoints, ReturnWaveformDatapointsUrl, Objectid
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Audio File Upload)	Search Similar Tracks (By Audio File Upload)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, ... (+5)
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By URL)	Get External Audio File	POST	<code>{HM_ServiceAPI_URL}/getexternalaudiobyurl/{HM_ServiceAPI_MemberToken}</code>	Url, Type, ReturnWaveformDataPoints, ReturnWaveformDataPointsUrl
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By URL)	Search Similar Tracks (By URL)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, ... (+4)
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Prompt)	Search Similar Tracks (By Prompt)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Prompt, SearchFilters.SearchTermBundle.St_Audio.Start, SearchFilters.SearchTermBundle.St_Audio.Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, ... (+4)

Public API - Member management

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Management > Registration	Register Member	POST	<code>{HM_ServiceAPI_URL}/registermember/{HM_ServiceAPI_Token}</code>	
Public API > Member Management > Registration	Validate Username	POST	<code>{HM_ServiceAPI_URL}/validateusername/{HM_ServiceAPI_Token}</code>	
Public API > Member Management > Registration	Validate Email	POST	<code>{HM_ServiceAPI_URL}/validatememberemail/{HM_ServiceAPI_Token}</code>	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Management > Verification	Send Verify Member Link Email	POST	{HM_ServiceAPI_URL}/sendmemberverifylinkemail/{HM_ServiceAPI_Token}	
Public API > Member Management > Verification	Validate Verify Member Token	GET	{HM_ServiceAPI_URL}/validateverifymembertoken/{HM_ServiceAPI_Token}/{VerifyMemberToken}	
Public API > Member Management > Verification	Verify Member	POST	{HM_ServiceAPI_URL}/verifymember/{HM_ServiceAPI_Token}	
Public API > Member Management > Authentication	Authenticate Member & Generate Persistent Member Token	POST	{HM_ServiceAPI_URL}/getmembertoken/{HM_ServiceAPI_Token}	UserName, Password, PersistentLogin, ReturnMemberDetails
Public API > Member Management > Authentication	Validate Member Token	GET	{HM_ServiceAPI_URL}/getservicetokeninfo/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Authentication	Expire Member Token	GET	{HM_ServiceAPI_URL}/expiretoken/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Authentication	Validate Persistent Member Token	POST	{HM_ServiceAPI_URL}/validatepersistentlogintoken/{HM_ServiceAPI_Token}	
Public API > Member Management > Authentication	Expire Persistent Member Token	POST	{HM_ServiceAPI_URL}/expirepersistentlogintoken/{HM_ServiceAPI_Token}	
Public API > Member Management > Single Sign-on	Get Single Sign-on Token	GET	{HM_ServiceAPI_URL}/getssotoken/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Single Sign-on	Validate Single Sign-on Token	POST	{HM_ServiceAPI_URL}/validatessotoken/{HM_ServiceAPI_Token}	Token, GenerateMemberToken, ReturnMemberDetails
Public API > Member Management > Profile	Get Member Details	GET	{HM_ServiceAPI_URL}/getmember/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Profile	Get Member Details (Invited)	POST	{HM_ServiceAPI_URL}/getinvitedmembertoken/{HM_ServiceAPI_Token}	
Public API > Member Management > Profile	Update Member Details	POST	{HM_ServiceAPI_URL}/updatemember/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Profile	Get Member Image Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Profile	Confirm Member Image Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Profile	Remove Member Image	POST	{HM_ServiceAPI_URL}/removeassignedupload/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Profile	Remove Member	GET	{HM_ServiceAPI_URL}/removemember/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Reset Password	Send Reset Password Email	POST	{HM_ServiceAPI_URL}/sendpasswordresetemail/{HM_ServiceAPI_Token}	
Public API > Member Management > Reset Password	Validate Reset Password Token	GET	{HM_ServiceAPI_URL}/validatepasswordresettoken/{HM_ServiceAPI_Token}/{ResetToken}	
Public API > Member Management > Reset Password	Update Member Password (Reset)	POST	{HM_ServiceAPI_URL}/updatepasswordusings token/{HM_ServiceAPI_Token}	
Public API > Member Management > Subscribe	Subscribe Member	POST	{HM_ServiceAPI_URL}/membersubscribe/{HM_ServiceAPI_MemberToken}	
Public API > Member Management > Member Groups	Validate Verify Member Group Approval Token	GET	{HM_ServiceAPI_URL}/validatemembergroupmemberapprovaltoken/{HM_ServiceAPI_Token}/{VerifyMemberGroupApprovalToken}	
Public API > Member Management > Member Groups	Verify Member Group Approval	POST	{HM_ServiceAPI_URL}/verifymembergroupmemberapproval/{HM_ServiceAPI_Token}	Token
Public API > Member Management > Member Groups	Get Member Group Regions	GET	{HM_ServiceAPI_URL}/getmembergroupregions/{HM_ServiceAPI_MemberToken}/{MemberGroupID}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Management > Member Groups	Update Member Group Region	POST	{HM_ServiceAPI_URL}/updatemembergroupreigion/{HM_ServiceAPI_MemberToken}/{MemberGroupID}	
Public API > Member Management > Member Groups	Get Member Group Productions	GET	{HM_ServiceAPI_URL}/getmembergroupproductions/{HM_ServiceAPI_MemberToken}/{MemberGroupID}?sort={Sort}	
Public API > Member Management > Member Groups	Get Member Group Production Categories	GET	{HM_ServiceAPI_URL}/getmembergroupproductioncategories/{HM_ServiceAPI_MemberToken}/{MemberGroupID}/{MemberGroupProductionID}?returnplaylistcount={ReturnPlaylistCount}&skip={Skip}&limit={Limit}&sort={Sort}	
Public API > Member Management > Member Groups	Get Member Group Production Categories & Playlists	GET	{HM_ServiceAPI_URL}/getmembergroupproductioncategoriesandplaylists/{HM_ServiceAPI_MemberToken}/{MemberGroupID}/{MemberGroupProductionID}?returnplaylistcount={ReturnPlaylistCount}&returntrackcount={ReturnTrackCount}&returnrootobjectonly={ReturnRootObjectsOnly}&productioncategoryid={ProductionCategoryID}&skip={Skip}&limit={Limit}&sort={Sort}	
Public API > Member Management > Member Groups	Get Member Group Production Playlist & Tracks	GET	{HM_ServiceAPI_URL}/getmembergroupproductionplaylistandtracks/{HM_ServiceAPI_MemberToken}/{MemberGroupID}/{MemberGroupProductionID}/{FeaturedPlaylistID}?returntracks={ReturnTracks}&includeinactive={IncludeInactive}&languagecode={LanguageCode}&skip={Skip}&limit={Limit}&sort={Sort}	
Public API > Member Management > Member Groups	Search Member Group Production Playlist Tracks	POST	{HM_ServiceAPI_URL}/searchmembergroupproductionplaylisttracks/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_MemberGroupID}/{HM_ServiceAPI_MemberGroupProductionID}/{HM_ServiceAPI_FeaturedPlaylistID}	

Public API - Member activity

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Create Member Playlist Category	POST	{HM_ServiceAPI_URL}/addmemberplaylistcategory/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Update Member Playlist Category	POST	{HM_ServiceAPI_URL}/updatememberplaylistcategory/{HM_ServiceAPI_MemberToken}/{PlaylistCategoryID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Get Member Playlist Categories	GET	{HM_ServiceAPI_URL}/getmemberplaylistcategories/{HM_ServiceAPI_MemberToken}?returnplaylistcount={ReturnPlaylistCount}&skip={Skip}&limit={Limit}&sort={Sort}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Get Member Playlist Categories & Playlists	GET	{HM_ServiceAPI_URL}/getmemberplaylistcategoriesandplaylists/{HM_ServiceAPI_MemberToken}?returnplaylistcount={ReturnPlaylistCount}&returntrackcount={ReturnTrackCount}&returnrootobjectonly={RootObjectsOnly}&returnautosaveonly={AutoSaveOnly}&returnfirstautosave={FirstAutoSaveOnly}&returnhighlightonly={ReturnHighlightOnly}&playlistcategoryid={PlaylistCategoryID}&skip={Skip}&limit={Limit}&sort={Sort}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Search Member Playlist Categories & Playlists	POST	{HM_ServiceAPI_URL}/searchmemberplaylistcategoriesandplaylists/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Reorder Member Playlist Category	GET	{HM_ServiceAPI_URL}/reordermemberplaylistcategory/{HM_ServiceAPI_MemberToken}/{PlaylistCategoryID}?orderID={OrderID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Remove Member Playlist Category	GET	{HM_ServiceAPI_URL}/removememberplaylistcategory/{HM_ServiceAPI_MemberToken}/{PlaylistCategoryID}?keepChildren={keepChildren}&giveShareCopy={giveShareCopy}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Create Member Playlist	POST	{HM_ServiceAPI_URL}/addmemberplaylist/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Update Member Playlist	POST	{HM_ServiceAPI_URL}/updateplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Highlight Member Playlists	POST	{HM_ServiceAPI_URL}/highlightplaylists/{HM_ServiceAPI_MemberToken}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Activity > Playlist Categories & Playlists > Playlists	AutoSave Member Playlists	POST	{HM_ServiceAPI_URL}/autosaveplaylists/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlist Image Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Confirm Member Playlist Image Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Remove Member Playlist Image	POST	{HM_ServiceAPI_URL}/removeassignedupload/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlists	GET	{HM_ServiceAPI_URL}/getmemberplaylistsnotracks/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlists (Include Tracks)	GET	{HM_ServiceAPI_URL}/getmemberplaylists/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlist	GET	{HM_ServiceAPI_URL}/getmemberplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}?returntracks=true&returnpublishlocations=false	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Reorder Member Playlist	GET	{HM_ServiceAPI_URL}/reordermemberplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}?movetoplistcategoryid={PlaylistCategoryID}&orderid={OrderID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Reorder Multiple Member Playlists	POST	{HM_ServiceAPI_URL}/reorderplaylists/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Remove Member Playlist	GET	{HM_ServiceAPI_URL}/removeplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Archive Member Playlist	GET	{HM_ServiceAPI_URL}/archiveplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Restore Archived Member Playlist	GET	{HM_ServiceAPI_URL}/restorearchiveplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Duplicate Member Playlist	POST	{HM_ServiceAPI_URL}/duplicatememberplaylist/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Copy Featured Playlist to Member Playlist	POST	{HM_ServiceAPI_URL}/copytomemberplaylist/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Publish Member Playlist	POST	{HM_ServiceAPI_URL}/publishmemberplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Search Member Playlist Tracks	POST	{HM_ServiceAPI_URL}/searchmemberplaylisttracks/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Compare Member Playlist Tracks	POST	{HM_ServiceAPI_URL}/filtermemberplaylisttracks/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Add to Member Playlists	POST	{HM_ServiceAPI_URL}/addtomemberplaylists/{HM_ServiceAPI_MemberToken}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Add Multiple Tracks to AutoSave Member Playlists	POST	{HM_ServiceAPI_URL}/addtrackstoautosaveplaylists/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Reorder Multiple Tracks in Member Playlist	POST	{HM_ServiceAPI_URL}/reordermemberplaylisttracks/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Remove Multiple Tracks from Member Playlist	POST	{HM_ServiceAPI_URL}/removeplaylisttracks/{HM_ServiceAPI_MemberToken}/{PlaylistID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Suggest Member Playlist Tracks	POST	{HM_ServiceAPI_URL}/suggestmemberplaylisttracks/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_NewMemberPlaylistID}	Skip, Limit, MainOnly, SeedDetermination, SeedLimit, SeedMin
Public API > Member Activity > Playlist Categories & Playlists > Playlist Shares	Get Member Playlist Shares	GET	{HM_ServiceAPI_URL}/getmemberplaylistshares/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_NewMemberPlaylistID}?skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}&sort={HM_ServiceAPI_PlaylistSortOrder}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Shares	Update Member Playlist Share	POST	{HM_ServiceAPI_URL}/updatememberplaylistshare/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_MemberPlaylistShareID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Shares	Remove Member Playlist Share	GET	{HM_ServiceAPI_URL}/removememberplaylistshare/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_MemberPlaylistShareID}?giveShareCopy={giveShareCopy}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Search History	Get Member Playlist Search History	GET	{HM_ServiceAPI_URL}/getmemberplaylistsearches/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_NewMemberPlaylistID}?skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}&sort={HM_ServiceAPI_PlaylistSortOrder}	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Get Member Playlist Schedule	GET	{HM_ServiceAPI_URL}/getmemberplaylistschedule/{HM_ServiceAPI_MemberToken}/33da591b784f4330	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Update Member Playlist Schedule	POST	{HM_ServiceAPI_URL}/updatememberplaylistschedule/{HM_ServiceAPI_MemberToken}/699cd3bbe22ff336	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Remove Member Playlist Schedule	GET	{HM_ServiceAPI_URL}/deletememberplaylistschedule/{HM_ServiceAPI_MemberToken}/33da591b784f4330	
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Get Member Playlist Schedule Runs	GET	{HM_ServiceAPI_URL}/getmemberplaylistschedulerun/{HM_ServiceAPI_MemberToken}/{PlaylistID}?skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Send Member Playlist To Disco	GET	{HM_ServiceAPI_URL}/sendtodisco/{HM_ServiceAPI_MemberToken}/{PlaylistID}?fileformatid={FileFormatID}	
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Share Member Playlist to Disco	POST	{HM_IntegrationAPI_URL}/sharetodisco/{HM_ServiceAPI_MemberToken}	PlaylistID, FileFormatID, RecipientInboxURL, Note
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Get Member Playlist Disco Send History	POST	{HM_ServiceAPI_URL}/getexternalsharestatushistory/{HM_ServiceAPI_MemberToken}	RelationType, RelationID, Skip, Limit, Sort
Public API > Member Activity > Downloads	Validate Music Download	POST	{HM_ServiceAPI_URL}/validatemusicdownloadrequest/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Downloads	Get Music Download	POST	{HM_ServiceAPI_URL}/getmusicdownload/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Downloads	Get Music Download Info	POST	{HM_ServiceAPI_URL}/getmusicdownloadinfo/{HM_ServiceAPI_Token}	
Public API > Member Activity > Favourites	Add Track/Album to Member Favourites	GET	{HM_ServiceAPI_URL}/addtofavourites/{HM_ServiceAPI_MemberToken}/{Type}/{ID}	
Public API > Member Activity > Favourites	Get Member Favourites	GET	{HM_ServiceAPI_URL}/getfavourites/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}&Sort=Created_Desc	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Activity > Favourites	Remove Track from Member Favourites	GET	{HM_ServiceAPI_URL}/removefavouritetrack/{HM_ServiceAPI_MemberToken}/{TrackID}	
Public API > Member Activity > Favourites	Remove All Tracks from Member Favourites	GET	{HM_ServiceAPI_URL}/removeallfavouritetracks/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Sharing	Authenticate Temporary Member	POST	{HM_ServiceAPI_URL}/getinvitedmembertoken/{HM_ServiceAPI_Token}	
Public API > Member Activity > Sharing	Get Playlist Category Share URL	POST	{HM_ServiceAPI_URL}/getsharemusicurl/{HM_ServiceAPI_Token}	
Public API > Member Activity > Sharing	Get Playlist Share URL	POST	{HM_ServiceAPI_URL}/getsharemusicurl/{HM_ServiceAPI_Token}	
Public API > Member Activity > Sharing	Send Share Music Email	POST	{HM_ServiceAPI_URL}/sendsharemusiclinkemail/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Sharing	Deliver Share Music	POST	{HM_ServiceAPI_URL}/deliversharemusic/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Sharing	Get Playlist Folder & Playlist Share	GET	{HM_ServiceAPI_URL}/getsharemusic/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_EnageAccessToken}	
Public API > Member Activity > Sharing	Accept Shared Music	GET	{HM_ServiceAPI_URL}/acceptsharemusic/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_EnageAccessToken}?acceptType={acceptType}	
Public API > Member Activity > History	Get Member Audition History	GET	{HM_ServiceAPI_URL}/gethistorybymembertoken/{HM_ServiceAPI_MemberToken}?startdate={startDate}&enddate={endDate}&skip={Skip}&limit={Limit}	
Public API > Member Activity > History	Get Member Download History	GET	{HM_ServiceAPI_URL}/getdownloadhistorybymembertoken/{HM_ServiceAPI_MemberToken}?startdate={startDate}&enddate={endDate}&skip={Skip}&limit={Limit}	
Public API > Member Activity > History	Get Member Communication History	POST	{HM_ServiceAPI_URL}/gethistorybycommunications/{HM_ServiceAPI_MemberToken}	Skip, Limit, Sort, StartDate, EndDate
Public API > Member Activity > Tagging	Create Member Tag	POST	{HM_ServiceAPI_URL}/addmembertag/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Tagging	Update Member Tag	POST	{HM_ServiceAPI_URL}/updatemembertag/{HM_ServiceAPI_MemberToken}/12340397b5f68cf0	
Public API > Member Activity > Tagging	Add to Member Tags	POST	{HM_ServiceAPI_URL}/addtomembertags/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Tagging	Get Member Tags	GET	{HM_ServiceAPI_URL}/getmembertags/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}&Sort={Sort}	
Public API > Member Activity > Tagging	Get Member Tag Tracks	GET	{HM_ServiceAPI_URL}/getmembertagtracks/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_NewMemberTagID}?Skip={Skip}&Limit={Limit}&Sort={Sort}	
Public API > Member Activity > Tagging	Get Member Tags By Track	GET	{HM_ServiceAPI_URL}/getmembertagsbytrack/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_TrackID}	
Public API > Member Activity > Tagging	Remove Track Tag	GET	{HM_ServiceAPI_URL}/removetrackmembertag/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_NewMemberTagID}/{HM_ServiceAPI_TrackID}	
Public API > Member Activity > Tagging	Remove Tag	GET	{HM_ServiceAPI_URL}/removemembertag/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_NewMemberTagID}	
Public API > Member Activity > Tagging	Remove All Tags	GET	{HM_ServiceAPI_URL}/removemembertags/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Comments	Create & Assign Member Comment to Track	POST	{HM_ServiceAPI_URL}/addtrackmembercomment/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Comments	Update Member Comment	POST	{HM_ServiceAPI_URL}/updatetrackmembercomment/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Comments	Get Member Comments By Track	GET	{HM_ServiceAPI_URL}/gettrackmembercomments/{HM_ServiceAPI_MemberToken}/{TrackID}?includeadmin={IncludeAdmin}	
Public API > Member Activity > Comments	Remove Comment	GET	{HM_ServiceAPI_URL}/removetrackmembercomment/{HM_ServiceAPI_MemberToken}/{TagID}	
Public API > Member Activity > Searches	Create Member Saved Search	POST	{HM_ServiceAPI_URL}/addmembersavesearch/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Searches	Update Member Saved Search	POST	{HM_ServiceAPI_URL}/updatemembersavesearch/{HM_ServiceAPI_MemberToken}/{SearchHistoryID}	
Public API > Member Activity > Searches	Search Member Saved Searches	POST	{HM_ServiceAPI_URL}/searchmembersavesearches/{HM_ServiceAPI_MemberToken}	
Public API > Member Activity > Searches	Remove Member Saved Search Term	GET	{HM_ServiceAPI_URL}/removemembersavedsearchterm/{HM_ServiceAPI_MemberToken}/{SearchHistoryID}/{SearchTermID}	

Section	Endpoint	Methode	Route	Inputs principaux
Public API > Member Activity > Searches	Remove Member Saved Search	GET	{HM_ServiceAPI_URL}/removemembersavedsearch/{HM_ServiceAPI_MemberToken}/{SearchHistoryID}	
Public API > Member Activity > Searches	Remove All Member Saved Searches	GET	{HM_ServiceAPI_URL}/removeallmembersavedsearch/{HM_ServiceAPI_MemberToken}	

Export API

Section	Endpoint	Methode	Route	Inputs principaux
Export API > Getting Started	Get Access Token	GET	{HM_ExportAPI_URL}/getaccesstoken/{HM_ExportAPI_Key}	
Export API > Getting Started	Get Access Info (Download formats & URL)	GET	{HM_ExportAPI_URL}/getaccessinfo/{HM_ExportAPI_AccessToken}	
Export API > Getting Started	Get Access Accounts	GET	{HM_ExportAPI_URL}/getaccessaccounts/{HM_ExportAPI_AccessToken}	
Export API > Getting Started	Get Session Token	GET	{HM_ExportAPI_URL}/getsessiontoken/{HM_ExportAPI_AccessToken}/{Username}/{Password}?accessaccountid=430f25d8e56cfadf	
Export API > Getting Started	Expire Session Token	GET	{HM_ExportAPI_URL}/expiretoken/{HM_ExportAPI_SessionToken}	
Export API > Getting Started	Validate Access Token	GET	{HM_ExportAPI_URL}/validateaccesstoken/{HM_ExportAPI_AccessToken}	
Export API > Getting Started	Validate Session Token	GET	{HM_ExportAPI_URL}/validatesessiontoken/{HM_ExportAPI_AccessToken}	
Export API > Getting Started	Expire Access Token	GET	{HM_ExportAPI_URL}/expireaccesstoken/{HM_ExportAPI_AccessToken}	
Export API > Working within the Workspace	Get Labels/Libraries	GET	{HM_ExportAPI_URL}/getlibraries/{HM_ExportAPI_SessionToken}	
Export API > Working within the Workspace	Get Labels/Libraries All States	GET	{HM_ExportAPI_URL}/getlibrariesallstates/{HM_ExportAPI_SessionToken}	
Export API > Working within the Workspace	Get Albums By Workspace Status	POST	{HM_ExportAPI_URL}/getalbumsbyworkspacestatus/{HM_ExportAPI_SessionToken}	
Export API > Working within the Workspace	Get Workspace Items By Album	GET	{HM_ExportAPI_URL}/getworkspacealbumitems/{HM_ExportAPI_SessionToken}/{AlbumID}/{Format}	
Export API > Working within the Workspace	Get Workspace Items By Track	GET	{HM_ExportAPI_URL}/getworkspacetrackitems/{HM_ExportAPI_SessionToken}/{TrackID}/{Format}	
Export API > Working within the Workspace	Get Workspace Download	POST	{HM_ExportAPI_URL}/getmusicdownload/{HM_ExportAPI_SessionToken}	
Export API > Working within the Workspace	Set Album Tag	POST	{HM_ExportAPI_URL}/setalbumtag/{HM_ExportAPI_SessionToken}	
Export API > Working within the Workspace	Remove Album Tag	POST	{HM_ExportAPI_URL}/removealbumtag/{HM_ExportAPI_SessionToken}	
Export API > Working within the Workspace	Upsert Track Categories	POST	{HM_ExportAPI_URL}/bulkupserttrackcategories/{HM_ExportAPI_SessionToken}	

Import API

Section	Endpoint	Methode	Route	Inputs principaux
Import API > Getting Started	Get Access Token	GET	{HM_ImportAPI_URL}/getaccesstoken	
Import API > Getting Started	Get Session Token	GET	{HM_ImportAPI_URL}/getsessiontoken/{HM_ImportAPI_AccessToken}/{Username}/{Password}	
Import API > Getting Started	Expire Session Token	GET	{HM_ImportAPI_URL}/expiretoken/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Labels/Libraries	Get Labels/Libraries	GET	{HM_ImportAPI_URL}/getlibraries/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Labels/Libraries	Create Label/Library	POST	{HM_ImportAPI_URL}/library/{HM_ImportAPI_SessionToken}/insert	
Import API > Working within the Workspace > Labels/Libraries	Update Label/Library	POST	{HM_ImportAPI_URL}/library/{HM_ImportAPI_SessionToken}/update	
Import API > Working within the Workspace > Albums	Get Albums By Workspace State	POST	{HM_ImportAPI_URL}/getalbumsbyworkspacestate/{HM_ImportAPI_SessionToken}	

Section	Endpoint	Methode	Route	Inputs principaux
Import API > Working within the Workspace > Albums	Create Album	POST	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/insert	
Import API > Working within the Workspace > Albums	Update Album	POST	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/update	
Import API > Working within the Workspace > Albums	Remove Album	DELETE	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/{AlbumIdentity}	
Import API > Working within the Workspace > Albums	Get Album Asset Upload URL	POST	{HM_ImportAPI_URL}/getpresigneduploadurl/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Albums	Confirm Album Asset Upload Complete	POST	{HM_ImportAPI_URL}/confirmpresignedupload/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Albums	Set External Album Asset (URL)	POST	{HM_ImportAPI_URL}/setasseturl/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Albums	Set External Album Asset (Amazon S3)	POST	{HM_ImportAPI_URL}/setexternals3asset/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Tracks	Get Attribute Types	GET	{HM_ImportAPI_URL}/getattributetypes/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Tracks	Get Tracks By Workspace Album & State	POST	{HM_ImportAPI_URL}/getalbumtracksbyworkspace/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Tracks	Create Track	POST	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/insert	
Import API > Working within the Workspace > Tracks	Update Track	POST	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/update	
Import API > Working within the Workspace > Tracks	Remove Track	DELETE	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/{TrackIdentity}	
Import API > Working within the Workspace > Tracks	Move Tracks On Import Album	POST	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/move	
Import API > Working within the Workspace > Tracks	Get Track Asset Upload URL	POST	{HM_ImportAPI_URL}/getpresigneduploadurl/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Tracks	Confirm Track Asset Upload Complete	POST	{HM_ImportAPI_URL}/confirmpresignedupload/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Tracks	Set External Track Asset (URL)	POST	{HM_ImportAPI_URL}/setasseturl/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Tracks	Set External Track Asset (Amazon S3)	POST	{HM_ImportAPI_URL}/setexternals3asset/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Stems	Get Stems By Workspace Track & State	POST	{HM_ImportAPI_URL}/gettrackstemsbyworkspace/{HM_ImportAPI_SessionToken}	TrackIdentity
Import API > Working within the Workspace > Stems	Create Stem	POST	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/insert	Stems, Stems[].TrackIdentity, Stems[].Version
Import API > Working within the Workspace > Stems	Update Stem	POST	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/update	Stems, Stems[].TrackIdentity, Stems[].StemIdentity, Stems[].Version
Import API > Working within the Workspace > Stems	Remove Stem	DELETE	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/{HM_ImportAPI_TempID}	
Import API > Working within the Workspace > Stems	Get Stem Asset Upload URL	POST	{HM_ImportAPI_URL}/getpresigneduploadurl/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Stems	Confirm Stem Asset Upload Complete	POST	{HM_ImportAPI_URL}/confirmpresignedupload/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Stems	Set External Stem Asset (URL)	POST	{HM_ImportAPI_URL}/setasseturl/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Stems	Set External Stem Asset (Amazon S3)	POST	{HM_ImportAPI_URL}/setexternals3asset/{HM_ImportAPI_SessionToken}	
Import API > Working within the Workspace > Publishing	Publish Album & Tracks	GET	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/{AlbumIdentity}/publish	
Import API > Working within the Workspace > Publishing	Publish Track On Imported Album	GET	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/{TrackIdentity}/publish	
Import API > Working within the Workspace > Publishing	Unpublish Track On Imported Album	GET	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/{HM_ImportAPI_TrackID}/unpublish	
Import API > Working within the Workspace > Publishing	Publish Stem On Imported Track	GET	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/{HM_ImportAPI_StemID}/publish	

Agent API / Integration API

Section	Endpoint	Methode	Route	Inputs principaux
Agent API > Getting Started	Get Authorised	POST	{HM_IntegrationAPI_AuthUrl}	grant_type, client_id, client_secret
Agent API > Getting Started	Get Service Token	GET	{HM_IntegrationAPI_URL}/getservicetoken	
Agent API > Getting Started	Get Service Token Info	GET	{HM_IntegrationAPI_URL}/getservicetokeninfo/{HM_IntegrationAPI_Token}	
Agent API > Getting Started	Get Service Info (Download formats & URL)	GET	{HM_IntegrationAPI_URL}/getserviceinfo/{HM_IntegrationAPI_Token}	
Agent API > Getting Started	Expire Service Token	GET	{HM_IntegrationAPI_URL}/expiretoken/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Get Labels/Libraries	GET	{HM_IntegrationAPI_URL}/getlibraries/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Get Labels/Libraries By Tag	POST	{HM_IntegrationAPI_URL}/getlibrariesbytag/{HM_IntegrationAPI_Token}	ContainsTags, NotContainsTags
Agent API > Working within the Workspace	Get Albums by Workspace Status	POST	{HM_IntegrationAPI_URL}/getalbumsbyworkspacestatus/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Get Tracks By Workspace Album	GET	{HM_IntegrationAPI_URL}/getworkspacealbumtracks/{HM_IntegrationAPI_Token}/{AlbumID}/{Format}	
Agent API > Working within the Workspace	Get Tracks	POST	{HM_IntegrationAPI_URL}/gettracks/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Get Management User Token	GET	{HM_IntegrationAPI_URL}/getmanagementusertoken/{HM_IntegrationAPI_Token}/{username}/{password}	
Agent API > Working within the Workspace	Get Management User Download	POST	{HM_IntegrationAPI_URL}/getmanagementuserdownload/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Set Album Tag	POST	{HM_IntegrationAPI_URL}/setalbumtag/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Remove Album Tag	POST	{HM_IntegrationAPI_URL}/removealbumtag/{HM_IntegrationAPI_Token}	
Agent API > Working within the Workspace	Set Library Tag	POST	{HM_IntegrationAPI_URL}/setlibrarytag/{HM_IntegrationAPI_Token}	libraryid, tag
Agent API > Working within the Workspace	Remove Library Tag	POST	{HM_IntegrationAPI_URL}/removelibrarytag/{HM_IntegrationAPI_Token}	

Pages guides / INFO parcourues

Section	Page guide
Public API > Getting Started	Implementation Guide - Getting Started
Public API > Service Information	Implementation Guide - Waveform
Public API > Service Information	Implementation Guide - Tracking Usage & Asset URLs
Public API > Searching Metadata > Search	Implementation Guide Search
Public API > Searching Metadata > Search Similar > Overview	Implementation Guide
Public API > Member Management > Registration	Implementation Guide Members
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Implementation Guide
Public API > Member Activity > Downloads	Implementation Guide Download Formats
Public API > Member Activity > Downloads	Implementation Guide - Stems
Public API > Ecommerce > Invoices	Implementation Guide - Ecommerce
Export API > Getting Started	Implementation Guide - Getting Started
Export API > Process Steps	Album Workflows
Export API > Process Steps	Track Workflows
Export API > Process Steps	Download INFO
Export API > Process Steps	Metadata INFO
Import API > Getting Started	Implementation Guide - Getting Started

Section	Page guide
Import API > Process Steps	Primary Workflows
Agent API > Process Steps	Primary Workflows
Additional Information	Glossary
Additional Information	API Response Codes
Additional Information	API Rate Limiting
Additional Information	API Health Status

Rate limits et health

API	Rate limit
Public API	3600 requests per 5 minutes per IP address
Export API	300 requests per 5 minutes per IP address
Import API	200 requests per 5 minutes per IP address
Integration/Agent API	300 requests per 5 minutes per IP address

Health endpoint documente: <https://service.harvest.music/health> . Les metriques couvrent notamment Search, GeoIP, Data, Cache, Asset et Download avec un score Apex.

Codes de reponse Harvest

Code	Sens
1	Donnees envoyees incompletes ou corrompues.
2	Donnees envoyees incorrectes.
3	Acces refuse pour l operation demandee.
4	Erreur interne Harvest.
5	Service token absent, inconnu ou expire.
6	Identifiants de connexion invalides.
7	Membre introuvable.
8	Playlist inexistante.
9	Track introuvable.
10	Album introuvable.
11	Playlist introuvable.
12	Downloads desactives pour le membre.
13	Downloads non autorises pour le membre.
14	Limite de download atteinte.
15	Download accepte et ajoute a la file.
16	Fichier ou ressource introuvable.
17	Record deja existant.
18	Membre ou fonctionnalite non active.
19	Cloud Search non disponible ou mal configure.
20	Download accepte mais partiellement ajoute a la file.
21	Access token expire.
22	Categorie de playlist inexistante.

Couverture par famille

Famille	Nombre d entrees
Public API > Getting Started	5

Famille	Nombre d entrees
Public API > Service Information	5
Public API > Regions & Countries	4
Public API > Guest Management	1
Public API > Accessing Metadata > Libraries	3
Public API > Accessing Metadata > Styles	3
Public API > Accessing Metadata > Albums	9
Public API > Accessing Metadata > Tracks	2
Public API > Accessing Metadata > Categories	1
Public API > Accessing Metadata > Right Holders	1
Public API > Accessing Metadata > Featured Playlist Categories & Playlists	5
Public API > Accessing Metadata > Shared Playlists	1
Public API > Accessing Metadata > Cuesheets	1
Public API > Searching Metadata > Search	3
Public API > Searching Metadata > Search Similar	23
Public API > Member Management > Registration	4
Public API > Member Management > Verification	3
Public API > Member Management > Authentication	5
Public API > Member Management > Single Sign-on	2
Public API > Member Management > Profile	7
Public API > Member Management > Reset Password	3
Public API > Member Management > Subscribe	1
Public API > Member Management > Member Groups	9
Public API > Member Activity > Playlist Categories & Playlists	44
Public API > Member Activity > Downloads	5
Public API > Member Activity > Favourites	4
Public API > Member Activity > Sharing	7
Public API > Member Activity > History	3
Public API > Member Activity > Tagging	9
Public API > Member Activity > Comments	4
Public API > Member Activity > Searches	6
Public API > Content Management	2
Public API > Ecommerce > Rates	2
Public API > Ecommerce > Invoices	7
Public API > Admin Management > Authentication	1
Public API > Admin Management > Member Groups	1
Export API > Getting Started	9
Export API > Process Steps	4
Export API > Working within the Workspace	9
Import API > Getting Started	4
Import API > Process Steps	1
Import API > Working within the Workspace > Labels/Libraries	3
Import API > Working within the Workspace > Albums	8
Import API > Working within the Workspace > Tracks	10
Import API > Working within the Workspace > Stems	8
Import API > Working within the Workspace > Publishing	4
Agent API > Getting Started	5

Famille	Nombre d entrees
Agent API > Process Steps	1
Agent API > Working within the Workspace	11
Additional Information	4

Inventaire complet des endpoints

Cette table est la version HTML du fichier endpoint-inventory.csv.

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Getting Started	Implementation Guide - Getting Started	INFO		-	-	-
Public API > Getting Started	Get Authorised	POST	{HM_Servi ceAPI _Auth Url}	urlencoded	grant_type, client_id, client_secret	access_token, expires_in, token_type
Public API > Getting Started	Get Service Token	GET	{HM_Servi ceAPI _URL} /gets ervic etoke n	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok Token.IsOfSingleUse
Public API > Getting Started	Validate Service Token	GET	{HM_Servi ceAPI _URL} /gets ervic etoke ninfo /{HM_Servi ceAPI _Toke n}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok Token.IsOfSingleUse, Token.TokenUsageState
Public API > Getting Started	Expire Service Token	GET	{HM_Servi ceAPI _URL} /expi retok en/{H M_Ser viceA PI_To ken}	-	-	Code
Public API > Service Information	Implementation Guide - Waveform	INFO		-	-	-
Public API > Service Information	Implementation Guide - Tracking Usage & Asset URLs	INFO		-	-	-
Public API > Service Information	Get Service Info (Service Asset URLs and File Formats)	GET	{HM_Servi ceAPI _URL} /gets ervic einfo /{HM_Servi ceAPI _Toke n}	-	-	responseserviceinfo, asseturl, searchsimilarinfo, similarit similarbytrackid, allow, maximumduration, maximumsize allowignorevocals, allowhighlights, allowsegmentselectic maximumsegmentselectionduration, similarbyupload, ty allowmultiseedsearching, allowpaging, allowfiltersearchii trackformat, accountglobalsettingsandregions, account, subscribedefault, filedownloadnameconvention, licensin

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Service Information	Get Service Attributes	GET	{HM_Servi ceAPI _URL} /gets ervic eattrib ibute /{HM_ Servi ceAPI _Toke n}/{a ttrib uteTy peCod e}	-	-	Attributes, Attributes[].ID, Attributes[].Value, Attributes[] Attributes[].AttributeTypeCode, Attributes[].AttributeTyp
Public API > Service Information	Get Short URL	POST	{HM_ Servi ceAPI _URL} /gets hortu rl/{H M_Ser viceA PI_To ken}	-	-	Url
Public API > Regions & Countries	Get Regions	GET	{HM_ Servi ceAPI _URL} /getr egion s/{HM _Serv iceAP I_Tok en}	-	-	Regions, Regions[].ID, Regions[].Name, Regions[].Count Regions[].Countries[].TLD, Regions[].Countries[].Name, Regions[].Countries[].IsTaxed, Regions[].Countries[].TaxI Regions[].SubscribeDefault, Regions[].LicensingModel, f Regions[].Currency.Name, Regions[].Currency.Code, Regions[].Currency.Symbol, Regions[].Blocked
Public API > Regions & Countries	Get Region	GET	{HM_ Servi ceAPI _URL} /getr egion /{HM_ Servi ceAPI _Toke n}/{R egion ID}	-	-	Region, Region.ID, Region.Name, Region.Countries, Regi Region.Countries[].Name, Region.Countries[].IsTaxed, Region.Countries[].TaxRate, Region.LanguageCode, Regi Region.LicensingModel, Region.Currency, Region.Curren Region.Currency.Code, Region.Currency.Symbol, Region.
Public API > Regions & Countries	Get Regions By IP	GET	{HM_ Servi ceAPI _URL} /getr egion byip/ {HM_ S ervic eAPI_ Token }?ip= {IP}	-	-	Region, Region.ID, Region.Name, Region.Countries, Regi Region.Countries[].Name, Region.Countries[].IsTaxed, Region.Countries[].TaxRate, Region.LanguageCode, Regi Region.LicensingModel, Region.Currency, Region.Curren Region.Currency.Code, Region.Currency.Symbol, Region. Country.TLD, Country.Name
Public API > Regions & Countries	Get Countries	GET	{HM_ Servi ceAPI _URL} /getc ountr ies/{ HM_ Se rvice API_ T oken }	-	-	Countries, Countries[].TLD, Countries[].Name, Countries Countries[].RegionName, Countries[].IsTaxed, Countries

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Guest Management	Authenticate Guest Member	GET	{HM_ServiceAPI_URL}/getguestmembertoken/{HM_ServiceAPI_Token}/{Region_ID}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Token.IsOfSingleUse
Public API > Accessing Metadata > Libraries	Get Labels/Libraries	GET	{HM_ServiceAPI_URL}/getlibraries/{HM_ServiceAPI_MemberToken}	-	-	Libraries, Libraries[].Featured, Libraries[].Detail, Libraries[].ID, Libraries[].Location, Libraries[].Website, Libraries[].LibraryLogoUrl, Libraries[].Status, Libraries[].
Public API > Accessing Metadata > Libraries	Get Labels/Libraries (Include Inactive)	GET	{HM_ServiceAPI_URL}/getlibraries/{HM_ServiceAPI_MemberToken}/includeinactive	-	-	Libraries, Libraries[].Featured, Libraries[].Detail, Libraries[].ID, Libraries[].Location, Libraries[].Website, Libraries[].LibraryLogoUrl, Libraries[].Status, Libraries[].
Public API > Accessing Metadata > Libraries	Get Label/Library	GET	{HM_ServiceAPI_URL}/getlibrary/{HM_ServiceAPI_MemberToken}/{LibraryID}?returnCodes={returnCodes}	-	-	Library, Library.Featured, Library.Detail, Library.Profile, Library.ID, Library.Location, Library.Website, Library.LibraryLogoUrl, Library.LastUpdated, Library.Language, Library.Status, Library.LibraryLogoUrl, Libraries[].
Public API > Accessing Metadata > Styles	Get Style Groups	GET	{HM_ServiceAPI_URL}/getstylegroups/{HM_ServiceAPI_MemberToken}	-	-	Groups, Groups[].Name, Groups[].ID

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Styles	Get Styles	GET	{HM_ServiceAPI_URL}/getstyles/{HM_ServiceAPI_MemberToken}?groupID={GroupID}&allowEmptyStyle=false	-	-	Styles, Styles[].ID, Styles[].Name, Styles[].Language, Styles[].HasArtwork
Public API > Accessing Metadata > Styles	Get Styles By Language Code	GET	{HM_ServiceAPI_URL}/getstyles/{HM_ServiceAPI_MemberToken}/{LanguageCode}?groupID={GroupID}	-	-	Styles, Styles[].ID, Styles[].Name, Styles[].Language, Styles[].HasArtwork
Public API > Accessing Metadata > Albums	Get Albums By Label/Library	GET	{HM_ServiceAPI_URL}/getalbums/{HM_ServiceAPI_MemberToken}/{LibraryID}	-	-	Albums, Albums[].LibraryID, Albums[].LibraryName, Albums[].Featured, Albums[].ReleaseDate, Albums[].Coc, Albums[].Name, Albums[].DisplayTitle, Albums[].Keywords, Albums[].Status, Albums[].LastUpdated
Public API > Accessing Metadata > Albums	Get Albums By Label/Library (Include Inactive)	GET	{HM_ServiceAPI_URL}/getalbums/{HM_ServiceAPI_MemberToken}/{LibraryID}/includeinactive	-	-	Albums, Albums[].LibraryID, Albums[].LibraryName, Albums[].Featured, Albums[].ReleaseDate, Albums[].Coc, Albums[].Name, Albums[].DisplayTitle, Albums[].Keywords, Albums[].Status, Albums[].LastUpdated

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Albums	Get Albums By Style	POST	{HM_ServiceAPI_URL}/getalbumsbystyles/{HM_ServiceAPI_MemberToken}	-	-	Albums, Albums[].LibraryID, Albums[].LibraryName, Albums[].Featured, Albums[].ReleaseDate, Albums[].Cover, Albums[].Name, Albums[].DisplayTitle, Albums[].Keywords, Albums[].TrackCount, Albums[].LastUpdated
Public API > Accessing Metadata > Albums	Get Albums By Album	POST	{HM_ServiceAPI_URL}/getalbumsbyids/{HM_ServiceAPI_MemberToken}	-	-	Albums, Albums[].LibraryID, Albums[].LibraryName, Albums[].Featured, Albums[].ReleaseDate, Albums[].Cover, Albums[].Name, Albums[].DisplayTitle, Albums[].Keywords, Albums[].LastUpdated, Albums[].Styles, Albums[].Styles[].Name
Public API > Accessing Metadata > Albums	Get Featured Albums	GET	{HM_ServiceAPI_URL}/getfeaturedalbums/{HM_ServiceAPI_MemberToken}/{Token}?returntrackcount={returnTrackCount}&mainonly={mainOnly}&sort={sortorder}	-	-	Albums, Albums[].LibraryID, Albums[].LibraryFeatured, Albums[].ReleaseDate, Albums[].Code, Albums[].Detail, Albums[].DisplayTitle, Albums[].Keywords, Albums[].ID, Albums[].LastUpdated, Albums[].Tags
Public API > Accessing Metadata > Albums	Get Latest Albums	GET	{HM_ServiceAPI_URL}/getlatestalbums/{HM_ServiceAPI_MemberToken}/{Token}	-	-	Albums, Albums[].LibraryID, Albums[].LibraryFeatured, Albums[].ReleaseDate, Albums[].Code, Albums[].Detail, Albums[].DisplayTitle, Albums[].Keywords, Albums[].ID, Albums[].LastUpdated, Albums[].Tags

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Albums	Get Album	GET	<code>{HM_ServiceAPI_URL}/getalbum/{HM_ServiceAPI_MemberToken}/{AlbumID}?returnLibraryCodes={returnLibraryCodes}</code>	-	-	Album, Album.LibraryID, Album.LibraryName, Album.LibraryFeatured, Album.ReleaseDate, Album.Code, Album.DisplayTitle, Album.Keywords, Album.ID, Album.Tracks, Album.LastUpdated, Album.Tags, Album.AlbumAttribute,
Public API > Accessing Metadata > Albums	Get Album Tracks	GET	<code>{HM_ServiceAPI_URL}/getalbumtracks/{HM_ServiceAPI_MemberToken}/{AlbumID}/mainonly?skip={skip}&limit={limit}</code>	-	-	Tracks, Tracks[].TrackNumber, Tracks[].Time, Tracks[].Lyrics, Tracks[].Comment, Tracks[].Composer, Tracks[].Publisher, Tracks[].AlbumID, Tracks[].ID, Tracks[].Keywords, Tracks[].DisplayTitle, Tracks[].Genre, Tracks[].Tempo, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Mixout, Tracks[].DateIngested, Tracks[].Version, Tracks[].CdCode, Tracks[].AlbumName, Tracks[].LibraryName, Tracks[].Like, Tracks[].Status, Tracks[].LastUpdated, Tracks[].IsAlternate, Tracks[].AlternateCount, Tracks[].Highlighted
Public API > Accessing Metadata > Albums	Get Album Tracks (Include Inactive)	GET	<code>{HM_ServiceAPI_URL}/getalbumtracks/{HM_ServiceAPI_MemberToken}/{AlbumID}/includeinactive?skip={skip}&limit={limit}</code>	-	-	Tracks, Tracks[].TrackNumber, Tracks[].Time, Tracks[].Lyrics, Tracks[].Comment, Tracks[].Composer, Tracks[].Publisher, Tracks[].AlbumID, Tracks[].LibraryID, Tracks[].ID, Tracks[].Keywords, Tracks[].DisplayTitle, Tracks[].Genre, Tracks[].Tempo, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Mixout, Tracks[].DateIngested, Tracks[].Version, Tracks[].CdCode, Tracks[].AlbumName, Tracks[].LibraryName, Tracks[].Like, Tracks[].Status, Tracks[].LastUpdated, Tracks[].IsAlternate, Tracks[].AlternateCount, Tracks[].Highlighted
Public API > Accessing Metadata > Tracks	Get Tracks	POST	<code>{HM_ServiceAPI_URL}/gettracks/{HM_ServiceAPI_MemberToken}</code>	raw	-	Tracks, Tracks[].TrackNumber, Tracks[].Time, Tracks[].Lyrics, Tracks[].Comment, Tracks[].Composer, Tracks[].Publisher, Tracks[].AlbumID, Tracks[].LibraryID, Tracks[].ID, Tracks[].Keywords, Tracks[].Lyrics, Tracks[].DisplayTitle, Tracks[].AlternateTitle, Tracks[].Tempo, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Frequency, Tracks[].Bitrate, Tracks[].DateIngested, Tracks[].AlternateTracks, Tracks[].AlternateTracks[].TrackNumber, Tracks[].AlternateTracks[].Time, Tracks[].AlternateTracks[].Lyrics, Tracks[].AlternateTracks[].Comment, Tracks[].AlternateTracks[].

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Tracks	Get Top Tracks	POST	<pre>{HM_ServiceAPI_URL}/gettoptracks/{HM_ServiceAPI_MemberToken}</pre>	-	-	Tracks, Tracks[].TrackNumber, Tracks[].Time, Tracks[].Length, Tracks[].Comment, Tracks[].Composer, Tracks[].Publisher, Tracks[].Name, Tracks[].AlbumID, Tracks[].LibraryID, Tracks[].Keywords, Tracks[].DisplayTitle, Tracks[].AlternateTracks[].Genre, Tracks[].Tempo, Tracks[].Instrumentation, Tracks[].Mixout, Tracks[].Filesize, Tracks[].Frequency, Tracks[].DateIngested, Tracks[].Version, Tracks[].AlternateTracks[], AlternateTracks, Tracks[].RelatedTracks, Tracks[].Status
Public API > Accessing Metadata > Categories	Get Categories	GET	<pre>{HM_ServiceAPI_URL}/getcategories/{HM_ServiceAPI_MemberToken}/hasactivevetrackonly?languagecode={LanguageCode}</pre>	-	-	Categories, Categories[].Name, Categories[].ID, Categories[].Attributes[].Name, Categories[].Attributes[].Attributes, Categories[].Attributes[].Attributes[].Name, Categories[].Attributes[].Attributes[].ID
Public API > Accessing Metadata > Right Holders	Get Rightholders By Track	GET	<pre>{HM_ServiceAPI_URL}/getrightholders/{HM_ServiceAPI_MemberToken}/{TrackID}</pre>	-	-	RightHolders, RightHolders[].ID, RightHolders[].FirstName, RightHolders[].MiddleName, RightHolders[].LastName, RightHolders[].CollectingSociety, RightHolders[].Share, RightHolders[].ShareType, RightHolders[].IPI, RightHolders[].CapacityGroup

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlist Categories	Get Featured Playlist Categories	GET	{HM_ServiceAPI_URL}/getfeaturedplaylistcategories/{HM_ServiceAPI_MemberToken}?returnplaylistcount={HM_ServiceAPI_ShowCounts}&skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}&sort={HM_ServiceAPI_PlaylistSortOrder}	-	-	PlaylistCategories, PlaylistCategories[].ID, PlaylistCategories[].Description, PlaylistCategories[].PlaylistCount

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlist Categories	Get Featured Playlist Categories & Playlists	GET	{HM_Servi ceAPI_ _URL} /getfeatur edplaylist categories andplaylist lists/{HM_S erviceAPI_ ShowCounts &returntrack count={HM_S erviceAPI_ ShowCounts &returnro tobjectsonly ={HM_S erviceAPI_ ShowCounts &playlist categories oryid= ={HM_S erviceAPI_ NewMemberP laylistCate goryID}&skip= {HM_S erviceAPI_ Skip}&limit= {HM_S erviceAPI_ Limit}&sort= {HM_S erviceAPI_ PlaylistSort order}	-	-	PlaylistObjects, PlaylistObjects[].ID, PlaylistObjects[].Name, PlaylistObjects[].Description, PlaylistObjects[].ObjectType, PlaylistObjects[].HasImage, PlaylistObjects[].AutoSave, PlaylistObjects[].CreateDate, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].Name, PlaylistObjects[].Playlists[].ID, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].CreateDate, PlaylistObjects[].Playlists[].TrackCount, PlaylistObjects[].Playlists[].RelatedPlaylists, PlaylistObjects[].Playlists[].HasImage, PlaylistObjects[].Playlists[].LanguageItems, PlaylistObjects[].Playlists[].AutoSave, PlaylistObjects[].Featured, PlaylistObjects[].ObjectType, PlaylistObjects[].TotalPlaylistsCount, TotalPlaylistCategoriesCount, TotalC

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlists	Get Featured Playlists	GET	{HM_ServiceAPI_URL}/getfeaturedplaylistlistonly/{HM_ServiceAPI_MemberToken}?showtrackcount={ShowTrackCount}&skip={Skip}&limit={Limit}&languagecode={LanguageCode}&style={StyleID}	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].Tags, Playlists[].CreatedDate, Playlists[].Track, Playlists[].RelatedPlaylists, Playlists[].HasImage, Playlist
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlists	Get Featured Playlist	POST	{HM_ServiceAPI_URL}/getfeaturedplaylistandtracks/{HM_ServiceAPI_MemberToken}/{PlaylistID}	raw	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].Tags, Playlists[].CreatedDate, Playlists[].Track, Playlists[].Tracks[].TrackNumber, Playlists[].Tracks[].Time, Playlists[].Tracks[].LengthSeconds, Playlists[].Tracks[].LengthSecondsTrimStart, Playlists[].Tracks[].LengthSecondsTrimEnd, Playlists[].Tracks[].Composer, Playlists[].Tracks[].Publisher, Playlists[].Tracks[].Name, Playlists[].Tracks[].AlbumID, Playlists[].Tracks[].LibraryID, Playlists[].Tracks[].ID, Playlists[].Tracks[].Keywords, Playlists[].Tracks[].Lyrics, Playlists[].Tracks[].DisplayTitle, Playlists[].Tracks[].Genre, Playlists[].Tracks[].Tempo, Playlists[].Tracks[].Instrumental, Playlists[].Tracks[].Bpm, Playlists[].Tracks[].Mixout, Playlists[].Tracks[].Frequency, Playlists[].Tracks[].Bitrate, Playlists[].Tracks[].Version
Public API > Accessing Metadata > Featured Playlist Categories & Playlists > Playlists	Search Featured Playlist Tracks	POST	{HM_ServiceAPI_URL}/searchfeaturedplaylisttracks/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_FeaturedPlaylistID}	raw	Keyword, Fields, ReturnTrackCount, Skip, Limit, OrderBy	Tracks, Tracks[].TrackNumber, Tracks[].Time, Tracks[].LengthSecondsTrimStart, Tracks[].LengthSecondsTrimEnd, Tracks[].Comment, Tracks[].Composer, Tracks[].Publisher, Tracks[].AlbumID, Tracks[].LibraryID, Tracks[].ID, Tracks[].Lyrics, Tracks[].DisplayTitle, Tracks[].Genre, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Mixout, Tracks[].Frequency, Tracks[].Bitrate, Tracks[].DateIngested, Tracks[].AlternateTracks, Tracks[].RelatedTracks, Tracks[].ISRC

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Accessing Metadata > Shared Playlists	Get Shared Playlist	GET	{HM_ServiceAPI_URL}/getsharedplaylistwithmemberbertoken/{HM_ServiceAPI_MemberToken}/{PlaylistID}?Skip={Skip}&Limit={Limit}	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Description, Playlists[].CreateDate, Playlists[].TrackCount, Playlists[].Tracks[].TrackNumber, Playlists[].Tracks[].Timestamp, Playlists[].Tracks[].LengthSeconds, Playlists[].Tracks[].LengthSecondsTrimStart, Playlists[].Tracks[].LengthSecondsTrimEnd, Playlists[].Tracks[].Composer, Playlists[].Tracks[].Publisher, Playlists[].Tracks[].Name, Playlists[].Tracks[].AlbumID, Playlists[].Tracks[].Keywords, Playlists[].Tracks[].Lyrics, Playlists[].Tracks[].DisplayTitle, Playlists[].Tracks[].Genre, Playlists[].Tracks[].Tempo, Playlists[].Tracks[].Instrument, Playlists[].Tracks[].Bpm, Playlists[].Tracks[].Mixout, Playlists[].Tracks[].Frequency, Playlists[].Tracks[].Bitrate, Playlists[].Tracks[].Version, Playlists[].Tracks[].CdCode
Public API > Accessing Metadata > Cuesheets	Get Generated Cuesheet	POST	{HM_ServiceAPI_URL}/getcuesheet/{HM_ServiceAPI_MemberToken}?filename={Filename}	-	-	FullUrl
Public API > Searching Metadata > Search	Implementation Guide Search	INFO		-	-	-
Public API > Searching Metadata > Search	Search	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	-	-	TotalTracks, TotalAlbums, TotalLibraries, TotalStyles, SearchParameters.searchtype, SearchParameters.included, SearchParameters.mainonly, SearchParameters.alternative, SearchParameters.featuredlibrariesonly, SearchParameters.haslyrics, SearchParameters.explicit, SearchParameters.nearestduration, SearchParameters.nearestalternate, SearchParameters.generateplaylist, SearchParameters.resultview.view, SearchParameters.resultview.sort_predefined, SearchParameters.resultview.rankexpression, SearchParameters.resultview.skip, SearchParameters.resultview.saved, SearchParameters.resultview.returntrackcategoryid, SearchParameters.resultview.facet_librarygroup, SearchParameters.resultview.facet_librarygroupskip, SearchParameters.resultview.facet_librarygrouplimit
Public API > Searching Metadata > Search	Predictive Search	POST	{HM_ServiceAPI_URL}/autocomplete/{HM_ServiceAPI_MemberToken}	raw	-	AlbumsFound, Albums, Albums[].AlbumID, Albums[].CDCode, Albums[].DisplayTitle, Albums[].TrackCount, TracksFound, Tracks[], Tracks[].TrackID, Tracks[].CDCode, Tracks[].TrackNumber, Tracks[].DisplayTitle, Tracks[].AlternateTitle, Tracks[].Version, Tracks[].AlbumID, StylesFound, Styles, Styles[].StyleID, Styles[].AlbumCount, TagsFound, CategoryAttributesFound, Libraries[], Libraries[].LibraryID, Libraries[].Name, CompoundRightHolderFound, rightHolders, rightHolders[].RightHolder
Public API > Searching Metadata > Search Similar > Overview	Implementation Guide	INFO		-	-	-

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By TrackID)	Search Similar Tracks (By TrackID)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].TrackID, SearchFilters.SearchTermBundle.St_Audio.Start, SearchFilters.SearchTermBundle.St_Audio.Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Limit	responsecloudsearch, trackcount, albumcount, librarycount, searchtype, memberaccount, region, mainonly, parentsearchresultview, view, capacity, sort_predefined, evoke_includeexpression, limit, returntrackcategoryid, searchtermsearchtermbundle, st_audio, tracks, track, rightholders, evokesegments, evokesegment, facets, usedatabase
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Audio File Upload)	Get Audio File Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	raw	AssetType, FileName, ContentType, ExpiresInSeconds, Objectid	PresignedUploadUrl, ResourceUrl
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Audio File Upload)	Confirm Audio File Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	raw	AssetType, FileName, ReturnWaveformDatapoints, ReturnWaveformDatapointsUrl, Objectid	Code
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Audio File Upload)	Search Similar Tracks (By Audio File Upload)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Limit	TotalTracks, TotalAlbums, TotalLibraries, SearchParameters, SearchParameters.searchtype, SearchParameters.memberaccount, SearchParameters.region, SearchParameters.includeinactive, SearchParameters.mainonly, SearchParameters.alternative, SearchParameters.parentsearchhistoryid, SearchParameters.resultview.view, SearchParameters.resultview.sort_predefined, SearchParameters.resultview.skip, SearchParameters.resultview.saved, SearchParameters.resultview.returntrackcategoryid, SearchParameters.resultview.facet_album, SearchParameters.resultview.facet_albumskip, SearchParameters.resultview.facet_albumlimit, SearchParameters.resultview.facet_library, SearchParameters.resultview.facet_libraryskip, SearchParameters.resultview.facet_librarylimit, SearchParameters.resultview.facet_style, SearchParameters.resultview.facet_styleskip, SearchParameters.resultview.facet_stylelimit, SearchParameters.resultview.facet_category, SearchParameters.resultview.facet_categoryskip
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By URL)	Get External Audio File	POST	{HM_ServiceAPI_URL}/getexternalaudiobyurl/{HM_ServiceAPI_MemberToken}	raw	Url, Type, ReturnWaveformDataPoints, ReturnWaveformDataPointsUrl	ResourceUrl, Asset, Asset.MaxDuration, Asset.Waveform

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By URL)	Search Similar Tracks (By URL)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Limit	responsecloudsearch, trackcount, albumcount, libraryco searchtype, memberaccount, region, mainonly, parentse resultview, view, capacity, sort_predefined, limit, returnti facet_bpm, facet_duration, searchtermbundlehistory, se st_audio, audio, tracks, track, rightholders, rightholder, t evokesegment, facets
Public API > Searching Metadata > Search Similar > AIMS > Similarity (By Prompt)	Search Similar Tracks (By Prompt)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	-	-	responsecloudsearch, trackcount, albumcount, libraryco searchtype, memberaccount, region, mainonly, parentse resultview, view, capacity, sort_predefined, evoke_includ rankexpression, limit, returntrackcategoryid, searchterm searchtermbundle, st_audio, tracks, track, rightholders, evokesegments, evokesegment, facets, usedatabase
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By TrackID)	Search Similar Tracks (By TrackID)	POST	<code>{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}</code>	-	-	responsecloudsearch, trackcount, albumcount, libraryco searchtype, memberaccount, region, mainonly, parentse resultview, view, capacity, sort_predefined, evoke_includ rankexpression, limit, returntrackcategoryid, searchterm searchtermbundle, st_audio, tracks, track, rightholders, evokesegments, evokesegment, facets, usedatabase
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Get Audio File Upload URL	POST	<code>{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}</code>	-	-	PresignedUploadUrl, ResourceUrl
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Confirm Audio File Upload Complete	POST	<code>{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}</code>	-	-	Code, Asset, Asset.MaxDuration, Asset.WaveformDatapc Asset.WaveformDatapointsUrl, Asset.ExternalID

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Get External Audio File Ingestion Status	POST	{HM_ServiceAPI_URL}/getexternalaudiostatus/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Uploaded Audio File)	Search Similar Tracks (By Audio File Upload)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	-	-	TotalTracks, TotalAlbums, TotalLibraries, SearchParameters.searchtype, SearchParameters.memberaccount, SearchParameters.region, SearchParameters.includeinac, SearchParameters.mainonly, SearchParameters.alternative, SearchParameters.parentsearchhistoryid, SearchParameters.resultview.view, SearchParameters.resultview.sort_predefined, SearchParameters.resultview.skip, SearchParameters.resultview.saved, SearchParameters.resultview.returntrackcategoryid, SearchParameters.resultview.facet_album, SearchParameters.resultview.facet_albumskip, SearchParameters.resultview.facet_albumlimit, SearchParameters.resultview.facet_library, SearchParameters.resultview.facet_libraryskip, SearchParameters.resultview.facet_librarylimit, SearchParameters.resultview.facet_style, SearchParameters.resultview.facet_styleskip, SearchParameters.resultview.facet_stylelimit, SearchParameters.resultview.facet_category, SearchParameters.resultview.facet_categoryskip
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By URL)	Get External Audio File Ingestion Status	POST	{HM_ServiceAPI_URL}/getexternalaudiostatus/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By URL)	Search Similar Tracks (By URL)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	-	-	responsecloudsearch, trackcount, albumcount, librarycount, searchtype, memberaccount, region, mainonly, parentsearchhistoryid, resultview, view, capacity, sort_predefined, limit, returntrackcategoryid, facet_bpm, facet_duration, searchtermbundlehistory, set_audio, audio, tracks, track, rightholders, rightholder, evokesegment, facets
Public API > Searching Metadata > Search Similar > CYANITE > Similarity (By Free Text)	Search Similar Tracks (By Free Text)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	-	-	responsecloudsearch, trackcount, albumcount, librarycount, searchtype, memberaccount, region, mainonly, parentsearchhistoryid, resultview, view, capacity, sort_predefined, evokesegment, evokesegment, facets, usedatabase

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Track ID)	Search Similar Tracks (By TrackID)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].TrackID, SearchFilters.SearchTermBundle.St_Audio.Start, SearchFilters.SearchTermBundle.St_Audio.Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Skip, SearchFilters.ResultView.Limit	responsecloudsearch, trackcount, albumcount, librarycount, searchtype, memberaccount, region, mainonly, parentsearchresultview, view, capacity, sort_predefined, evoke_includeexpression, limit, returntrackcategoryid, searchtermsearchtermbundle, st_audio, tracks, track, rightholders, evokesegments, evokesegment, facets, usedatabase
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Audio File Upload)	Get Audio File Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	raw	AssetType, FileName, ContentType, ExpiresInSeconds, Objectid	PresignedUploadUrl, ResourceUrl
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Audio File Upload)	Confirm Audio File Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	raw	AssetType, FileName, ReturnWaveformDatapoints, ReturnWaveformDatapointsUrl, Objectid	Code
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Audio File Upload)	Search Similar Tracks (By Audio File Upload)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Skip, SearchFilters.ResultView.Limit	TotalTracks, TotalAlbums, TotalLibraries, SearchParameters, SearchParameters.searchtype, SearchParameters.memberaccount, SearchParameters.region, SearchParameters.includeinactive, SearchParameters.mainonly, SearchParameters.alternative, SearchParameters.parentsearchhistoryid, SearchParameters.resultview.view, SearchParameters.resultview.sort_predefined, SearchParameters.resultview.skip, SearchParameters.resultview.saved, SearchParameters.resultview.returntrackcategoryid, SearchParameters.resultview.facet_album, SearchParameters.resultview.facet_albumskip, SearchParameters.resultview.facet_albumlimit, SearchParameters.resultview.facet_library, SearchParameters.resultview.facet_libraryskip, SearchParameters.resultview.facet_librarylimit, SearchParameters.resultview.facet_style, SearchParameters.resultview.facet_styleskip, SearchParameters.resultview.facet_stylelimit, SearchParameters.resultview.facet_category, SearchParameters.resultview.facet_categoryskip
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By URL)	Get External Audio File	POST	{HM_ServiceAPI_URL}/getexternalaudiobyurl/{HM_ServiceAPI_MemberToken}	raw	Url, Type, ReturnWaveformDataPoints, ReturnWaveformDataPointsUrl	ResourceUrl, Asset, Asset.MaxDuration, Asset.Waveform

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By URL)	Search Similar Tracks (By URL)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Url, SearchFilters.SearchTermBundle.St_Audio.Audio[].Type, SearchFilters.SearchTermBundle.St_Audio.Audio[].Start, SearchFilters.SearchTermBundle.St_Audio.Audio[].Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Limit	responsecloudsearch, trackcount, albumcount, libraryco searchtype, memberaccount, region, mainonly, parentse resultview, view, capacity, sort_predefined, limit, returnti facet_bpm, facet_duration, searchtermbundlehistory, se st_audio, audio, tracks, track, rightholders, rightholder, t evokesegment, facets
Public API > Searching Metadata > Search Similar > HARMIX > Similarity (By Prompt)	Search Similar Tracks (By Prompt)	POST	{HM_ServiceAPI_URL}/cloudsearch/{HM_ServiceAPI_MemberToken}	raw	SearchFilters, SearchFilters.SearchTermBundle, SearchFilters.SearchTermBundle.St_Audio, SearchFilters.SearchTermBundle.St_Audio.Audio, SearchFilters.SearchTermBundle.St_Audio.Audio[].Prompt, SearchFilters.SearchTermBundle.St_Audio.Start, SearchFilters.SearchTermBundle.St_Audio.Duration, SearchFilters.ResultView, SearchFilters.ResultView.Sort_Predefined, SearchFilters.ResultView.Evoke_IncludeSeed, SearchFilters.ResultView.Evoke_PrioritizeBPM, SearchFilters.ResultView.Evoke_SuppressVocals, SearchFilters.ResultView.Skip, SearchFilters.ResultView.Limit	responsecloudsearch, trackcount, albumcount, libraryco searchtype, memberaccount, region, mainonly, parentse resultview, view, capacity, sort_predefined, evoke_includ rankexpression, limit, returtrackcategoryid, searchterm searchtermbundle, st_audio, tracks, track, rightholders, evokesegments, evokesegment, facets, usedatabase
Public API > Member Management > Registration	Implementation Guide Members	INFO		-	-	-
Public API > Member Management > Registration	Register Member	POST	{HM_ServiceAPI_URL}/registermember/{HM_ServiceAPI_Token}	raw	-	MemberAccount, MemberAccount.ID, MemberAccount.Fi MemberAccount.LastName, MemberAccount.Email, Merr MemberAccount.Production, MemberAccount.SubProdu MemberAccount.Position, MemberAccount.Address1, MemberAccount.Address2, MemberAccount.Suburb, Me MemberAccount.Postcode, MemberAccount.Country, Me MemberAccount.Username, MemberAccount.TermsAcce MemberAccount.Subscribe, MemberAccount.FileFormat, MemberAccount.SearchFormat, MemberAccount.Search MemberAccount.SampleEnabled, MemberAccount.Statu: MemberAccount.RegionID, MemberAccount.ServiceInfol MemberAccount.ServiceInfoURLs.DirectDownloadURL, MemberAccount.ServiceInfoURLs.TrackStreamURL, MemberAccount.ServiceInfoURLs.ProfileImageURL, MemberAccount.ServiceInfoURLs.AlbumMontageSample
Public API > Member Management > Registration	Validate Username	POST	{HM_ServiceAPI_URL}/validateusername/{HM_ServiceAPI_Token}	-	-	Code
Public API > Member Management > Registration	Validate Email	POST	{HM_ServiceAPI_URL}/validatememberemail/{HM_ServiceAPI_Token}	raw	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Verification	Send Verify Member Link Email	POST	{HM_Servi ceAPI _URL} /send membe rveri fylin kemail/{HM _Serv iceAP I_Tok en}	-	-	Code
Public API > Member Management > Verification	Validate Verify Member Token	GET	{HM_Servi ceAPI _URL} /vali datev erify membe rtoke n/{HM _Serv iceAP I_Tok en}/{ Verif yMemb erTok en}	raw	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok
Public API > Member Management > Verification	Verify Member	POST	{HM_Servi ceAPI _URL} /veri fymem ber/{ HM_Se rvice API_T oken }	raw	-	Code
Public API > Member Management > Authentication	Authenticate Member & Generate Persistent Member Token	POST	{HM_Servi ceAPI _URL} /getm ember token /{HM_Servi ceAPI _Toke n}	raw	UserName, Password, PersistentLogin, ReturnMemberDetails	responseservicetoken, token, persistentlogintoken
Public API > Member Management > Authentication	Validate Member Token	GET	{HM_Servi ceAPI _URL} /gets ervic etoke ninfo /{HM_Servi ceAPI _Memb erTok en}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok Token.IsOfSingleUse, Token.TokenUsageState

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Authentication	Expire Member Token	GET	{HM_ServiceAPI_URL}/expiretoken/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Member Management > Authentication	Validate Persistent Member Token	POST	{HM_ServiceAPI_URL}/validatepersistentlogin/{HM_ServiceAPI_Token}	raw	-	MemberToken, MemberToken.Value, MemberToken.Expiry, MemberToken.UTCOffset, MemberToken.Type, MemberToken.PersistentLoginToken, PersistentLoginToken.Token, PersistentLoginToken.Expiry, PersistentLoginToken.UTCO
Public API > Member Management > Authentication	Expire Persistent Member Token	POST	{HM_ServiceAPI_URL}/expirepersistentlogin/{HM_ServiceAPI_Token}	raw	-	Code
Public API > Member Management > Single Sign-on	Get Single Sign-on Token	GET	{HM_ServiceAPI_URL}/getssotoken/{HM_ServiceAPI_MemberToken}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Token.IsOfSingleUse, Token.ForcePasswordReset
Public API > Member Management > Single Sign-on	Validate Single Sign-on Token	POST	{HM_ServiceAPI_URL}/validatessotoken/{HM_ServiceAPI_Token}	raw	Token, GenerateMemberToken, ReturnMemberDetails	MemberToken, MemberToken.Value, MemberToken.Expiry, MemberToken.UTCOffset, MemberToken.Type, MemberToken.MemberToken.ForcePasswordReset, SSOToken, SSOToken.Expiry, SSOToken.UTCOffset, MemberAccount, MemberAccount.HasProfileImage, MemberAccount.Down
Public API > Member Management > Profile	Get Member Details	GET	{HM_ServiceAPI_URL}/getmember/{HM_ServiceAPI_MemberToken}	-	-	Member, Member.ID, Member.AccessID, Member.FirstName, Member.LastName, Member.Email, Member.Company, Member.SubProduction, Member.Position, Member.Address, Member.Address2, Member.Suburb, Member.State, Member.Country, Member.Phone, Member.Username, Member.PrivacyAccept, Member.Subscribe, Member.FileMember.SearchFormat, Member.SearchSort, Member.SaMember.DownloadEnabled, Member.DownloadEnabledType, Member.DownloadLimit, Member.DownloadsUsed, Member.DownloadsRemaining

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Profile	Get Member Details (Invited)	POST	{HM_ServiceAPI_URL}/getinvite/membertoken/{HM_ServiceAPI_Tooken}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Token.IsOfSingleUse
Public API > Member Management > Profile	Update Member Details	POST	{HM_ServiceAPI_URL}/update/member/{HM_ServiceAPI_MemberToken}	raw	-	MemberAccount, MemberAccount.ID, MemberAccount.FirstName, MemberAccount.LastName, MemberAccount.Email, MemberAccount.Production, MemberAccount.SubProduction, MemberAccount.Position, MemberAccount.Address1, MemberAccount.Address2, MemberAccount.Suburb, MemberAccount.Postcode, MemberAccount.Country, MemberAccount.Username, MemberAccount.TermsAccepted, MemberAccount.PrivacyAccept, MemberAccount.Subscription, MemberAccount.FileFormat, MemberAccount.SearchForMemberAccount, MemberAccount.SearchSort, MemberAccount.SampleEnabled, MemberAccount.DownloadEnabled, MemberAccount.DownloadLimit, MemberAccount.DownloadsRemaining, MemberAccount.
Public API > Member Management > Profile	Get Member Image Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	-	-	PresignedUploadUrl, ResourceUrl
Public API > Member Management > Profile	Confirm Member Image Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Member Management > Profile	Remove Member Image	POST	{HM_ServiceAPI_URL}/removeassignedupload/{HM_ServiceAPI_MemberToken}	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Profile	Remove Member	GET	{HM_ServiceAPI_URL}/remove/member/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Member Management > Reset Password	Send Reset Password Email	POST	{HM_ServiceAPI_URL}/sendpassword/order/setemail/{HM_ServiceAPI_Token}	raw	-	Code
Public API > Member Management > Reset Password	Validate Reset Password Token	GET	{HM_ServiceAPI_URL}/validatepassword/resettoken/{HM_ServiceAPI_Token}/{ResetToken}	raw	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok
Public API > Member Management > Reset Password	Update Member Password (Reset)	POST	{HM_ServiceAPI_URL}/updatepassword/usingtoken/{HM_ServiceAPI_Token}	-	-	Code
Public API > Member Management > Subscribe	Subscribe Member	POST	{HM_ServiceAPI_URL}/membersubscribe/{HM_ServiceAPI_MemberToken}	raw	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Member Groups	Validate Verify Member Group Approval Token	GET	{HM_ServiceAPI_URL}/validatemembergroupmemberapprovaltoken/{HM_ServiceAPI_Token}/{VerifyMemberGroupApprovalToken}	raw	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Token.Email, Action
Public API > Member Management > Member Groups	Verify Member Group Approval	POST	{HM_ServiceAPI_URL}/verifymembergroupapproval/{HM_ServiceAPI_Token}	raw	Token	Code, Action, Status
Public API > Member Management > Member Groups	Get Member Group Regions	GET	{HM_ServiceAPI_URL}/getmembergroupregions/{HM_ServiceAPI_MemberToken}/{MemberGroupID}	-	-	Regions, Regions[].ID, Regions[].Name, Regions[].SubsRegions[].LicensingModel, Regions[].Blocked
Public API > Member Management > Member Groups	Update Member Group Region	POST	{HM_ServiceAPI_URL}/updatemembergroupregion/{HM_ServiceAPI_MemberToken}/{MemberGroupID}	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Member Groups	Get Member Group Productions	GET	<pre>{HM_Serv iceAPI _URL} /getm ember group produ ction s/{HM _Serv iceAP I_Mem berTo ken}/ {Memb erGro upID} ? sort= {Sort }</pre>	-	-	Productions, Productions[].ID, Productions[].Name, Proc Productions[].CreateDate, Productions[].Featured, Proc TotalProductionsCount
Public API > Member Management > Member Groups	Get Member Group Production Categories	GET	<pre>{HM_Serv iceAPI _URL} /getm ember group produ ction categ ories /{HM_Serv iceAPI _Memb erTok en}/{ Membe rGrou pID}/ {Memb erGro upPro ducti onID} ? retur nplay listc ount= {Retu rnPla ylist Count }&ski p= {Skip }&lim it= {Limi t}&so rt= {Sort }</pre>	-	-	ProductionCategories, ProductionCategories[].ID, ProductionCategories[].Name, ProductionCategories[].C ProductionCategories[].Playlists, ProductionCategories[TotalProductionCategoriesCount

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Member Groups	Get Member Group Production Categories & Playlists	GET	{HM_Servi ceAPI _URL} /getm ember group produ ction categ ories andpl aylists/{H M_Ser viceA PI_Me mberT oken} /{Mem berGr oupID }/{Me mberG roupP roduc tionI D}? retur nplay listc ount= {Retu rnPla ylist Count }&ret urntr ackco unt= {Retu rnTra ckCou nt}&r eturn rooto bject sonly = {Retu rnRoo tObje ctsOn ly}&p roduc tionc atego ryid= {Prod uctio nCate goryID}&sk ip= {Skip }&lim it= {Limi t}&so rt= {Sort }	-	-	ProductionCategories, ProductionCategories[].ID, ProductionCategories[].Name, ProductionCategories[].C ProductionCategories[].Playlists, ProductionCategories[ProductionCategories[].Playlists[].ID, ProductionCategories[].Playlists[].Description, ProductionCategories[].Playlists[].CreateDate, ProductionCategories[].Playlists[].Tracks, ProductionCategories[].Playlists[].RelatedPlaylists, ProductionCategories[].Playlists[].HasImage, ProductionCategories[].Playlists[].Tags, ProductionCategories[].Playlists[].LanguageItems, ProductionCategories[].Playlists[].AutoSave, ProductionCategories[].Playlists[].Type, ProductionCategories[].Playlists[].ObjectType, ProductionCategories[].Playlists[].OrderBy, ProductionCategories[].Playlists[].HighlightTracks, ProductionCategories[].PlaylistCount, TotalProductionCæ

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Member Groups	Get Member Group Production Playlist & Tracks	GET	{HM_Servi ceAPI _URL} /getm ember group produ ction playl istan dtrac ks/{H M_Ser viceA PI_Me mberT oken} /{Mem berGr oupID }/{Me mberG roupP roduc tionI D}/{F eatur edPla ylist ID}? retur ntrac ks= {Retu rnTra cks}& inclu deina ctive = {Incl udeIn activ e}&la nguag ecode = {Lang uageC ode}& skip= {Skip &lim it= {Limi t}&so rt= {Sort }	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc Playlists[].CreateDate, Playlists[].TrackCount, Playlists[Playlists[].Tracks[].LibraryFeatured, Playlists[].Tracks[].T Playlists[].Tracks[].Time, Playlists[].Tracks[].LengthSeco Playlists[].Tracks[].Comment, Playlists[].Tracks[].Compo Playlists[].Tracks[].Publisher, Playlists[].Tracks[].Name, Playlists[].Tracks[].AlbumID, Playlists[].Tracks[].LibraryID Playlists[].Tracks[].ID, Playlists[].Tracks[].Keywords, Play Playlists[].Tracks[].DisplayTitle, Playlists[].Tracks[].Genre Playlists[].Tracks[].Tempo, Playlists[].Tracks[].Instrument Playlists[].Tracks[].Bpm, Playlists[].Tracks[].Mixout, Playlists[].Tracks[].Frequency, Playlists[].Tracks[].Bitrate Playlists[].Tracks[].Version, Playlists[].Tracks[].Album

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Management > Member Groups	Search Member Group Production Playlist Tracks	POST	<pre>{HM_ServiceAPI_URL}/searchmembergroupproductionplaylisttracks/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_MemberGroupID}/{HM_ServiceAPI_MemberGroupProductionID}/{HM_ServiceAPI_FeaturedPlaylistID}</pre>	-	-	Tracks, Tracks[].TrackNumber, Tracks[].Time, Tracks[].LengthSecondsTrimStart, Tracks[].LengthSecondsTrimEnd, Tracks[].Comment, Tracks[].Composer, Tracks[].Publisher, Tracks[].AlbumID, Tracks[].LibraryID, Tracks[].ID, Tracks[].Lyrics, Tracks[].DisplayTitle, Tracks[].Genre, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Mixout, Tracks[].Frequency, Tracks[].Bitrate, Tracks[].DateIngested, Tracks[].AlternateTracks, Tracks[].RelatedTracks, Tracks[].ISRC
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Create Member Playlist Category	POST	<pre>{HM_ServiceAPI_URL}/addmemberplaylistcategory/{HM_ServiceAPI_MemberToken}</pre>	raw	-	PlaylistCategories, PlaylistCategories[].ID, PlaylistCategories[].Description, PlaylistCategories[].ColorHex, PlaylistCategories[].PlaylistID
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Update Member Playlist Category	POST	<pre>{HM_ServiceAPI_URL}/updatememberplaylistcategory/{HM_ServiceAPI_MemberToken}/{PlaylistCategoryID}</pre>	-	-	PlaylistCategories, PlaylistCategories[].ID, PlaylistCategories[].Description, PlaylistCategories[].ColorHex, PlaylistCategories[].PlaylistID

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Get Member Playlist Categories	GET	{HM_Servi ceAPI _URL} /getm ember playl istca tegor ies/{ HM_Se rvice API_M ember Token }? retur nplay listc ount= {Retu rnPla ylist Count }&ski p= {Skip }&lim it= {Limi t}&so rt= {Sort }	-	-	PlaylistCategories, PlaylistCategories[].ID, PlaylistCatego PlaylistCategories[].Description, PlaylistCategories[].Cre PlaylistCategories[].ColorHex, PlaylistCategories[].Playli: PlaylistCategories[].PlaylistCount, TotalPlaylistsCount, TotalPlaylistCategoriesCount

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Get Member Playlist Categories & Playlists	GET	{HM_Servi ceAPI _URL} /getm ember playl istca tegor iesan dplay lists / {HM_Servi ceAPI _Memb erTok en}?<div>returnplaylistcount={ReturnPlaylistCount}&returntrackcount={ReturnTrackCount}&returnrootobjectsonly={RootObjectsonly}&returnautosaveonly}&returnhighlightonly={ReturnHighlightonly}&playlistcategoryid={PlaylistCategoryID}&skip={Skip}&limit={Limit}&sort={Sort}	-	-	PlaylistObjects, PlaylistObjects[].ID, PlaylistObjects[].Name, PlaylistObjects[].Description, PlaylistObjects[].ObjectType, PlaylistObjects[].CreateDate, PlaylistObjects[].Playlists, PlaylistObjects[].ColorHex, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].Name, PlaylistObjects[].Playlists[].Description, PlaylistObjects[].Playlists[].CreateDate, PlaylistObjects[].Playlists[].TrackCount, PlaylistObjects[].Playlists[].RelatedPlaylists, PlaylistObjects[].Playlists[].HasImage, PlaylistObjects[].Playlists[].LanguageItems, PlaylistObjects[].Playlists[].AutoSave, PlaylistObjects[].Playlists[].ObjectType, PlaylistObjects[].Playlists[].ExternalPlaylistImageUrl, PlaylistObjects[].Playlists[].OrderBy, PlaylistObjects[].Playlists[].HighlightTracks, PlaylistObjects[].Playlists[].MaxOrderID, TotalPlaylistsCount, TotalPlaylistCategoriesCount, TotalCount

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Search Member Playlist Categories & Playlists	POST	<pre>{HM_Serv ceAPI _URL} /sear chmem berpl aylis tcate gorie sandp layli sts/{ HM_Se rvice API_M ember Token }</pre>	raw	-	PlaylistObjects, PlaylistObjects[].ID, PlaylistObjects[].Name, PlaylistObjects[].Description, PlaylistObjects[].ObjectType, PlaylistObjects[].CreateDate, PlaylistObjects[].Playlists, PlaylistObjects[].ColorHex, PlaylistObjects[].MatchedFields, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].Name, PlaylistObjects[].Playlists[].ID, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].Tags, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].TrackCount, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].RelatedPlaylists, PlaylistObjects[].Playlists[].HasImage, PlaylistObjects[].Playlists[].LanguageItems, PlaylistObjects[].Playlists[].AutoSave, PlaylistObjects[].Playlists, PlaylistObjects[].Playlists[].ObjectType, PlaylistObjects[].Playlists[].ExternalPlaylistImageUrl, PlaylistObjects[].Playlists[].OrderBy, PlaylistObjects[].Playlists[].HighlightTracks, PlaylistObjects[].Playlists[].MaxOrderID, PlaylistObjects[].Playlists[].MatchedFields, TotalPlaylists, TotalPlaylistCategoriesCount
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Reorder Member Playlist Category	GET	<pre>{HM_Serv ceAPI _URL} /reor derme mberp layli stcat egory /{HM_S Serv ceAPI _Memb erTok en}/{ Playl istCa tegor yID}? Order ID= {orde rID}</pre>	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlist Categories	Remove Member Playlist Category	GET	<pre>{HM_Serv ceAPI _URL} /remo vemem berpl aylis tcate gory/ {HM_S ervic eAPI_ Memb rToke n}/{P layli stCat egory ID}? keepC hldr en= {keep Child ren}& giveS hareC opy= {give Share Copy }</pre>	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Create Member Playlist	POST	{HM_ServiceAPI_URL}/addmemberplaylist/{HM_ServiceAPI_MemberToken}	raw	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].Tags, Playlists[].CreatedDate, Playlists[].RelatedPlaylists, Playlists[].HasImage, Playlists[].LanguageItems, Playlists[].Type, Playlists[].ExternalPlaylistImageUrl, Playlists[].HighlightTracks, Playlists[].IsEditable, Playlists[].HasCollaborator, Playlists[].CollaboratingDate, Playlists[].IsPublishable, Playlists[].HasPublishMember, Playlists[].LastPublishDate, Playlists[].HasSchedule, Playlists[].IsActiveSchedule, Playlists[].EnableSchedule
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Update Member Playlist	POST	{HM_ServiceAPI_URL}/updateplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	raw	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].Tags, Playlists[].CreatedDate, Playlists[].LastUpdate, Playlists[].RelatedPlaylists, Playlists[].HasImage, Playlist Playlists[].AutoSave, Playlists[].Type, Playlists[].External Playlists[].OrderBy, Playlists[].HighlightTracks, Playlists[].IsCollaboration, Playlists[].HasCollaborator, Playlists[].CollaboratingDate, Playlists[].IsOwner, Playlist Playlists[].HasPublishMember, Playlists[].LastPublishDate, Playlists[].HasSchedule, Playlists[].IsActiveSchedule, Playlists[].EnableSchedule
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Highlight Member Playlists	POST	{HM_ServiceAPI_URL}/highlightplaylist/{HM_ServiceAPI_MemberToken}	raw	-	Code, Playlists
Public API > Member Activity > Playlist Categories & Playlists > Playlists	AutoSave Member Playlists	POST	{HM_ServiceAPI_URL}/autosaveplaylists/{HM_ServiceAPI_MemberToken}	-	-	Code, Playlists
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlist Image Upload URL	POST	{HM_ServiceAPI_URL}/getpresigneduploadurl/{HM_ServiceAPI_MemberToken}	-	-	PresignedUploadUrl, ResourceUrl

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Confirm Member Playlist Image Upload Complete	POST	{HM_ServiceAPI_URL}/confirmpresignedupload/{HM_ServiceAPI_MemberToken}	raw	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Remove Member Playlist Image	POST	{HM_ServiceAPI_URL}/removeassignedupload/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlists	GET	{HM_ServiceAPI_URL}/getmemberplaylistsntracks/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].Tags, Playlists[].CreateDate, Playlists[].LastUpdate, Playlists[].TrackCount, Playlists[].Tracks, Playlists[].RelatedPlaylists[], Playlists[].HasImage, Playlists[].LanguageItems, Playlists[].Type, Playlists[].ExternalPlaylistImageUrl, Playlists[].HighlightTracks, Playlists[].Featured, Playlists[].IsCollaboration, Playlists[].HasCollaborator, Playlists[].CollaboratingDate, Playlists[].IsOwner, Playlists[].HasPublishMember, Playlists[].LastPublishDate, Playlists[].HasSchedule, Playlists[].IsActiveSchedule, Playlists[].EnableSchedule, Total
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlists (Include Tracks)	GET	{HM_ServiceAPI_URL}/getmemberplaylists/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].Tags, Playlists[].CreateDate, Playlists[].LastUpdate, Playlists[].TrackCount, Playlists[].Tracks, Playlists[].RelatedPlaylists[], Playlists[].HasImage, Playlists[].LanguageItems, Playlists[].Type, Playlists[].ExternalPlaylistImageUrl, Playlists[].HighlightTracks, Playlists[].Featured, Playlists[].IsCollaboration, Playlists[].HasCollaborator, Playlists[].CollaboratingDate, Playlists[].IsOwner, Playlists[].HasPublishMember, Playlists[].LastPublishDate, Playlists[].HasSchedule, Playlists[].IsActiveSchedule, Playlists[].EnableSchedule, Total

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Get Member Playlist	GET	{HM_Servi ceAPI _URL} /getm ember playl ist/{ HM_Se rvice API_M ember Token }/{Pl aylis tID}? retur ntrac ks=tr ue&re turnp ublis hloca tions =fals e	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc Playlists[].Tags, Playlists[].CreatedDate, Playlists[].LastU Playlists[].TrackCount, Playlists[].Tracks, Playlists[].Trac Playlists[].Tracks[].TrackNumber, Playlists[].Tracks[].Tim Playlists[].Tracks[].LengthSeconds, Playlists[].Tracks[].LengthSecondsTrimStart, Playlists[].Tracks[].LengthSecondsTrimEnd, Playlists[].Tr Playlists[].Tracks[].Composer, Playlists[].Tracks[].Publis Playlists[].Tracks[].Name, Playlists[].Tracks[].AlbumID, Playlists[].Tracks[].LibraryID, Playlists[].Tracks[].ID, Playlists[].Tracks[].Keywords, Playlists[].Tracks[].Display Playlists[].Tracks[].Genre, Playlists[].Tracks[].Tempo, Playlists[].Tracks[].Instrumentation, Playlists[].Tracks[].B Playlists[].Tracks[].Mixout, Playlists[].Tracks[].Frequency
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Reorder Member Playlist	GET	{HM_Servi ceAPI _URL} /reor derme mberp layli st/{H M_Ser viceA PI_Me mberT oken} /{Pla ylist ID}? movet oplay listc atego ryid= {Play listC atego ryID} &orde rid= {Orde rID}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Reorder Multiple Member Playlists	POST	{HM_Servi ceAPI _URL} /reor derpl aylis ts/{H M_Ser viceA PI_Me mberT oken }	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Remove Member Playlist	GET	{HM_ServiceAPI_URL}/removeplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Archive Member Playlist	GET	{HM_ServiceAPI_URL}/archiveplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Restore Archived Member Playlist	GET	{HM_ServiceAPI_URL}/restorearchiveplaylist/{HM_ServiceAPI_MemberToken}/{PlaylistID}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Duplicate Member Playlist	POST	{HM_ServiceAPI_URL}/duplicatememberplaylist/{HM_ServiceAPI_MemberToken}	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].CreateDate, Playlists[].LastUpdateDate, Playlists[].HasImage, Playlists[].Tags, Playlists[].Language, Playlists[].AutoSave, Playlists[].Type, Playlists[].OrderBy, Playlists[].ExternalPlaylistImageUrl, Playlists[].HighlightTracks, Playlists[].MaxOrderID, Playlists[].Featured, Playlists[].IsCollaboration, Playlists[].HasCollaborator, Playlists[].CollaboratingDate, Playlists[].IsOwner, Playlist Playlists[].HasPublishMember, Playlists[].LastPublishDate, Playlists[].HasSchedule, Playlists[].IsActiveSchedule, Playlists[].EnableSchedule
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Copy Featured Playlist to Member Playlist	POST	{HM_ServiceAPI_URL}/copytomemberplaylist/{HM_ServiceAPI_MemberToken}	-	-	Playlists, Playlists[].Name, Playlists[].ID, Playlists[].Desc, Playlists[].CreateDate, Playlists[].LastUpdateDate, Playlists[].HasImage, Playlists[].Tags, Playlists[].Language, Playlists[].AutoSave, Playlists[].Type, Playlists[].OrderBy, Playlists[].HighlightTracks, Playlists[].MaxOrderID, Playlists[].IsEditable, Playlists[].IsCollaboration, Playlists[].CollaboratingDate, Playlists[].IsOwner, Playlist Playlists[].HasPublishMember, Playlists[].LastPublishDate, Playlists[].HasSchedule, Playlists[].IsActiveSchedule, Playlists[].EnableSchedule

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists	Publish Member Playlist	POST	{HM_Servi ceAPI _URL} /publ ishme mberp layLi st/{H M_Ser viceA PI_Me mberT oken} /{Pla ylist ID}	-	-	Code, Identity
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Search Member Playlist Tracks	POST	{HM_Servi ceAPI _URL} /sear chmem berpl ayli s/ttrac ks/{H M_Ser viceA PI_Me mberT oken} /{Pla ylist ID}	-	-	Tracks, Tracks[].InsertionType, Tracks[].TrackNumber, Tr Tracks[].LengthSeconds, Tracks[].LengthSecondsTrimSt Tracks[].LengthSecondsTrimEnd, Tracks[].Comment, Tra Tracks[].Publisher, Tracks[].Name, Tracks[].AlbumID, Tr Tracks[].ID, Tracks[].Keywords, Tracks[].Lyrics, Tracks[]. Tracks[].Genre, Tracks[].Tempo, Tracks[].Instrumentation Tracks[].Mixout, Tracks[].Filesize, Tracks[].Frequency, Tr Tracks[].DateIngested, Tracks[].Version, Tracks[].Alterne Tracks[].RelatedTracks, Tracks[].Categories
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Compare Member Playlist Tracks	POST	{HM_Servi ceAPI _URL} /filt ermemb erpl ayli s/ttrac ks/{H M_Ser viceA PI_Me mberT oken} /{Pla ylist ID}	-	-	Tracks, Tracks[].InsertionType, Tracks[].LibraryFeatured, Tracks[].EvokeSegments, Tracks[].HighlightedInPlaylists Tracks[].TrackNumber, Tracks[].Time, Tracks[].LengthSe Tracks[].LengthSecondsTrimStart, Tracks[].LengthSecor Tracks[].Comment, Tracks[].Composer, Tracks[].Publish Tracks[].Name, Tracks[].AlbumID, Tracks[].LibraryID, Tra Tracks[].Keywords, Tracks[].Lyrics, Tracks[].DisplayTitle, Tracks[].alternatetitle, Tracks[].Genre, Tracks[].Tempo, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Mixout, Tracks[].Bitrate
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Add to Member Playlists	POST	{HM_Servi ceAPI _URL} /addt omemb erpla ylist s/{HM _Serv iceAP I_Mem berTo ken}	-	-	playlists, playlists[].playlistid, playlists[].playlistname, pl; playlists[].addedtracks[].objectid, playlists[].addedtrack playlists[].addedtracks[].tracks, playlists[].existingtracks

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Add Multiple Tracks to AutoSave Member Playlists	POST	{HM_ServiceAPI_URL}/addtracks toauto saveplaylists/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Reorder Multiple Tracks in Member Playlist	POST	{HM_ServiceAPI_URL}/reordermemberplaylisttracks/{HM_ServiceAPI_MemberToken}	raw	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Remove Multiple Tracks from Member Playlist	POST	{HM_ServiceAPI_URL}/removeplaylisttracks/{HM_ServiceAPI_MemberToken}/{PlaylistID}	-	-	Code
Public API > Member Activity > Playlist Categories & Playlists > Playlist Tracks	Suggest Member Playlist Tracks	POST	{HM_ServiceAPI_URL}/suggestmemberplaylisttracks/{HM_ServiceAPI_NewMemberPlaylistID}	raw	Skip, Limit, MainOnly, SeedDetermination, SeedLimit, SeedMin	Tracks, Tracks[].LibraryFeatured, Tracks[].Highlighted, Tracks[].EvokeSegments, Tracks[].HighlightedInPlaylists, Tracks[].HasLyrics, Tracks[].IsExplicit, Tracks[].LibraryType, Tracks[].TrackNumber, Tracks[].LengthSeconds, Tracks[].Composer, Tracks[].Publisher, Tracks[].Artist, Tracks[].AlbumID, Tracks[].LibraryID, Tracks[].ID, Tracks[].DisplayTitle, Tracks[].alternateTitle, Tracks[].Genre, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Version, Tracks[].CDCode, Tracks[].AlbumName, Tracks[].Library

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Shares	Get Member Playlist Shares	GET	{HM_Servi ceAPI_ _URL} /getm ember playl istsh ares/ {HM_S ervic eAPI_ Membe rToke n}/{H M_Ser viceA PI_Ne wMemb erPla ylist ID}? skip= {HM_S ervic eAPI_ Skip} &limi t= {HM_S ervic eAPI_ Limit }&sor t= {HM_S ervic eAPI_ Playl istSo rtOrd er}	-	-	-
Public API > Member Activity > Playlist Categories & Playlists > Playlist Shares	Update Member Playlist Share	POST	{HM_Servi ceAPI_ _URL} /upda temem berpl aylis tshar e/{HM _Serv iceAP I_Mem berTo ken}/ {HM_S ervic eAPI_ Membe rPlay listS hareI D}	raw	-	-

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Shares	Remove Member Playlist Share	GET	{HM_Servi ceAPI _URL} /remo vemem berpl aylis tshar e/{HM _Serv iceAP I_Mem berTo ken}/ {HM_S ervic eAPI_ Membe rPlay listS hareI D}? giveS hareC opy= {give Share Copy }	-	-	-
Public API > Member Activity > Playlist Categories & Playlists > Playlist Search History	Get Member Playlist Search History	GET	{HM_Servi ceAPI _URL} /getm ember playl istse arche s/{HM _Serv iceAP I_Mem berTo ken}/ {HM_S ervic eAPI_ NewMe mberP layli stID} ? skip= {HM_S ervic eAPI_ Skip} &limi t= {HM_S ervic eAPI_ Limit }&sor t= {HM_S ervic eAPI_ Playl istSo rtOrd er}	-	-	ProjectSearches, ProjectSearches[].ID, ProjectSearches[] ProjectSearches[].SearchParameters, ProjectSearches[].SearchParameters.searchtype, ProjectSearches[].SearchParameters.includeinactive, ProjectSearches[].SearchParameters.mainonly, ProjectSearches[].SearchParameters.alternateonly, ProjectSearches[].SearchParameters.parentsearchhistor ProjectSearches[].SearchParameters.resultview, ProjectSearches[].SearchParameters.resultview.view, ProjectSearches[].SearchParameters.resultview.sort_pre ProjectSearches[].SearchParameters.resultview.skip, ProjectSearches[].SearchParameters.resultview.limit, ProjectSearches[].SearchParameters.resultview.saved, ProjectSearches[].SearchParameters.resultview.mincour ProjectSearches[].SearchParameters.resultview.returntr ProjectSearches[].SearchParameters.resultview.facet_al ProjectSearches[].SearchParameters.resultview.facet_al ProjectSearches[].SearchParameters.resultview.facet_li ProjectSearches[].SearchParameters.resultview.facet_li ProjectSearches[].SearchParameters.resultview.facet_li ProjectSearches[].SearchParameters.resultview.facet_st ProjectSearches[].SearchParameters.resultview.facet_st ProjectSearches[].SearchParameters.resultview.facet_st ProjectSearches[].SearchParameters.resultview.facet_c ProjectSearches[].SearchParameters.resultview.facet_c ProjectSearches[].SearchParameters.resultview.facet_c ProjectSearches[].SearchParameters.resultview.facet_c

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Get Member Playlist Schedule	GET	{HM_Serv iceAPI _URL} /getm ember playl istsc hedul e/{HM _Serv iceAP I_Mem berTo ken}/ 33da5 91b78 4f433 0	-	-	PlaylistSchedule, PlaylistSchedule.ID, PlaylistSchedule.P PlaylistSchedule.SearchHistoryID, PlaylistSchedule.Nam PlaylistSchedule.Description, PlaylistSchedule.Status, PlaylistSchedule.RefreshType, PlaylistSchedule.Generate PlaylistSchedule.GenerateCleanType, PlaylistSchedule.In PlaylistSchedule.IntervalValue, PlaylistSchedule.IntervalS PlaylistSchedule.IntervalEndDate, PlaylistSchedule.Interv PlaylistSchedule.ContentCount, PlaylistSchedule.Attemp
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Update Member Playlist Schedule	POST	{HM_S ervic eAPI_ _URL} /upda temem berpl aylis tsche dule/ {HM_S ervic eAPI_ Membe rToke n}/69 9cd3b be22f f336	raw	-	PlaylistSchedule, PlaylistSchedule.ID, PlaylistSchedule.P PlaylistSchedule.SearchHistoryID, PlaylistSchedule.Nam PlaylistSchedule.Description, PlaylistSchedule.Status, PlaylistSchedule.LastUpdateDate, PlaylistSchedule.Refre PlaylistSchedule.GenerateType, PlaylistSchedule.Genera PlaylistSchedule.IntervalType, PlaylistSchedule.IntervalV PlaylistSchedule.IntervalStartDate, PlaylistSchedule.Inte PlaylistSchedule.IntervalNextDate, PlaylistSchedule.Cont PlaylistSchedule.AttemptCount
Public API > Member Activity > Playlist Categories & Playlists > Playlist Schedule	Remove Member Playlist Schedule	GET	{HM_S ervic eAPI_ _URL} /dele temem berpl aylis tsche dule/ {HM_S ervic eAPI_ Membe rToke n}/33 da591 b784f 4330	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists Schedule	Get Member Playlist Schedule Runs	GET	{HM_ServiceAPI_URL}/getmemberplaylistschedule/{HM_ServiceAPI_MemberToken}/{PlaylistID}?skip={HM_ServiceAPI_Skip}&limit={HM_ServiceAPI_Limit}	-	-	PlaylistScheduleRun, PlaylistScheduleRun[].ID, PlaylistScheduleRun[].ProjectScheduleID, PlaylistScheduleRun[].EndDate, PlaylistScheduleRun[].ResultComment, PlaylistScheduleRun[].RefreshType, PlaylistScheduleRun[].GenerateCleanType, PlaylistScheduleRun[].ContentCount
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Implementation Guide	INFO:		-	-	-
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Send Member Playlist To Disco	GET	{HM_ServiceAPI_URL}/sendtodisco/{HM_ServiceAPI_MemberToken}/{PlaylistID}?fileformatid={FileFormatID}	raw	-	token, url
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Share Member Playlist to Disco	POST	{HM_IntegrationAPI_URL}/sharetodisco/{HM_ServiceAPI_MemberToken}	raw	PlaylistID, FileFormatID, RecipientInboxURL, Note	ActivityID, Status

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Playlist Categories & Playlists > Playlists & Disco	Get Member Playlist Disco Send History	POST	{HM_ServiceAPI_URL}/getexternalsharestushistory/{HM_ServiceAPI_MemberToken}	raw	RelationType, RelationID, Skip, Limit, Sort	AccountServiceActivities, AccountServiceActivities[].ID, AccountServiceActivities[].Type, AccountServiceActivities[].DateAdded, AccountServiceActivities[].RelationType, AccountServiceActivities[].Message, AccountServiceActivities[].MessageDetail, AccountServiceActivities[].LastUpdateDate, AccountServiceActivities[].ErrorMessage
Public API > Member Activity > Downloads	Implementation Guide Download Formats	INFO:		-	-	-
Public API > Member Activity > Downloads	Implementation Guide - Stems	INFO:		-	-	-
Public API > Member Activity > Downloads	Validate Music Download	POST	{HM_ServiceAPI_URL}/validatemusicdownloadrequest/{HM_ServiceAPI_MemberToken}	-	-	ValidateMusicDownloads, ValidateMusicDownloads.ValidateMusicDownloadList, ValidateMusicDownloads.ValidateMusicDownloadList[].IsValidateMusicDownloads.ValidateMusicDownloadList[].IsValidateMusicDownloads.ValidateMusicDownloadList[].DownloadMaxDownloads, BlockedContentIDs
Public API > Member Activity > Downloads	Get Music Download	POST	{HM_ServiceAPI_URL}/getmusicdownload/{HM_ServiceAPI_MemberToken}	raw	-	RequestSent, DownloadTokens, DownloadTokens[].TokenBlockedContentIDs
Public API > Member Activity > Downloads	Get Music Download Info	POST	{HM_ServiceAPI_URL}/getmusicdownloadinfo/{HM_ServiceAPI_Token}	-	-	Downloads, Downloads[].Name, Downloads[].Part, Downloads[].Status, DownloadingObject, DownloadingObject.Name, DownloadingObject.Type, Tot

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Favourites	Add Track/Album to Member Favourites	GET	{HM_ServiceAPI_URL}/addtofavourites/{HM_ServiceAPI_MemberToken}/{TypeID}/{ID}	-	-	Code
Public API > Member Activity > Favourites	Get Member Favourites	GET	{HM_ServiceAPI_URL}/getfavourites/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}&Sort=Created_Desc	-	-	Favourites, Favourites.trackcount, Favourites.Tracks, Favourites.Tracks[].TrackNumber, Favourites.Tracks[].Tin, Favourites.Tracks[].LengthSeconds, Favourites.Tracks[].LengthSecondsTrimStart, Favourites.Tracks[].LengthSecondsTrimEnd, Favourites.Tracks[].LibraryID, Favourites.Tracks[].LibraryFavourites.Tracks[].ID, Favourites.Tracks[].DisplayTitle, Favourites.Tracks[].Composers, Favourites.Tracks[].IsAlt, Favourites.Tracks[].Highlighted, Favourites.Tracks[].High, Favourites.Tracks[].HasLyrics, Favourites.Tracks[].IsExpli, Favourites.Tracks[].Tags, Favourites.Tracks[].MainTrackID
Public API > Member Activity > Favourites	Remove Track from Member Favourites	GET	{HM_ServiceAPI_URL}/removefavourite/track/{HM_ServiceAPI_MemberToken}/{TrackID}	-	-	Code
Public API > Member Activity > Favourites	Remove All Tracks from Member Favourites	GET	{HM_ServiceAPI_URL}/removeallfavourites/track/{HM_ServiceAPI_MemberToken}	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Sharing	Authenticate Temporary Member	POST	{HM_Servi ceAPI _URL} /geti nvite dmemb ertok en/{H M_Ser viceA PI_To ken}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok Token.IsOfSingleUse
Public API > Member Activity > Sharing	Get Playlist Category Share URL	POST	{HM_Servi ceAPI _URL} /gets hare m usicu rl/{H M_Ser viceA PI_To ken}	-	-	Status, Url
Public API > Member Activity > Sharing	Get Playlist Share URL	POST	{HM_Servi ceAPI _URL} /gets hare m usicu rl/{H M_Ser viceA PI_To ken}	raw	-	Status, Url
Public API > Member Activity > Sharing	Send Share Music Email	POST	{HM_Servi ceAPI _URL} /send share music linke mail/ {HM_S ervic eAPI_ Membe rToke n}	raw	-	Code
Public API > Member Activity > Sharing	Deliver Share Music	POST	{HM_Servi ceAPI _URL} /deli versh aremu sic/{ HM_Se rvice API_M ember Token }	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Sharing	Get Playlist Folder & Playlist Share	GET	{HM_Servi ceAPI _URL} /gets harem usic/{HM_S ervic eAPI_Membe rToken}/{HM_M_Ser viceAPI _En ageAccessToken }	-	-	RequestEngageToken, RequestEngageToken.Value, RequestEngageToken.Expiry, RequestEngageToken.UUTC RequestEngageToken.Type, RequestEngageToken.IsOfSir RequestEngageToken.TokenUsageState, ReferredPlaylist ReferredPlaylistObject.ID, ReferredPlaylistObject.Name, ReferredPlaylistObject.Description, ReferredPlaylistObje ReferredPlaylistObject.HasImage, ReferredPlaylistObject ReferredPlaylistObject.CreatedDate, ReferredPlaylistObj ReferredPlaylistObject.PlaylistsCount, ReferredPlaylistOl ReferredPlaylistObject.Playlists[].Name, ReferredPlaylist ReferredPlaylistObject.Playlists[].Description, ReferredPlaylistObject.Playlists[].CreatedDate, ReferredPlaylistObject.Playlists[].TrackCount, ReferredPlaylistObject.Playlists[].Tracks, ReferredPlaylistObject.Playlists[].RelatedPlaylists, ReferredPlaylistObject.Playlists[].HasImage, ReferredPlaylistObject.Playlists[].LanguageItems, ReferredPlaylistObject.Playlists[].AutoSave, ReferredPlaylistObject.Playlists[].Type, ReferredPlaylistObject.Playlists[].ObjectType
Public API > Member Activity > Sharing	Accept Shared Music	GET	{HM_Servi ceAPI _URL} /acce ptshar emusic/{HM_M_Ser viceAPI _Me mberToken} /{HM_Servi ceAPI _Enag eAcceptTok en}? accep tType = {acce ptType }	-	-	Code, Identity
Public API > Member Activity > History	Get Member Audition History	GET	{HM_Servi ceAPI _URL} /geth istor ybyme mbertoken/{HM_S ervic eAPI_Membe rToken}? start date={star tDate }&end date={endD ate}& skip={Skip }&lim it={Limi t}	-	-	History, History.Tracks, History.Tracks[].TrackNumber, Hi History.Tracks[].LengthSeconds, History.Tracks[].Comm History.Tracks[].Composer, History.Tracks[].Publisher, Hi History.Tracks[].AlbumID, History.Tracks[].ID, History.Tra History.Tracks[].Lyrics, History.Tracks[].DisplayTitle, Hist History.Tracks[].Tempo, History.Tracks[].Instrumentation History.Tracks[].Mixout, History.Tracks[].Frequency, History.Tracks[].DateIngested, History.Tracks[].Version, History.Tracks[].CdCode, History.Tracks[].AlbumName, History.Tracks[].LibraryName, History.Tracks[].LibraryFe History.Tracks[].Status, History.Tracks[].LastUpdated, History.Tracks[].IsAlternate, History.Tracks[].AlternateCo

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > History	Get Member Download History	GET	{HM_ServiceAPI_URL}/getdownloadhistorybyymembertoken/{HM_ServiceAPI_MemberToken}?start date={start Date}&end date={end Date}&skip={Skip}&limit={Limit}	-	-	History, History.Tracks, History.Tracks[].TrackNumber, History.Tracks[].LengthSeconds, History.Tracks[].Comments, History.Tracks[].Composer, History.Tracks[].Publisher, History.Tracks[].AlbumID, History.Tracks[].ID, History.Tracks[].Lyrics, History.Tracks[].DisplayTitle, History.Tracks[].Tempo, History.Tracks[].Instrumentation, History.Tracks[].Mixout, History.Tracks[].Frequency, History.Tracks[].DateIngested, History.Tracks[].Version, History.Tracks[].CdCode, History.Tracks[].AlbumName, History.Tracks[].LibraryName, History.Tracks[].LibraryFeature, History.Tracks[].Status, History.Tracks[].LastUpdated, History.Tracks[].IsAlternate, History.Tracks[].AlternateCode
Public API > Member Activity > History	Get Member Communication History	POST	{HM_ServiceAPI_URL}/gethistorybycommunications/{HM_ServiceAPI_MemberToken}	raw	Skip, Limit, Sort, StartDate, EndDate	History, History.HistoryItems, History.HistoryItems[].Type, History.HistoryItems[].From, History.HistoryItems[].To, History.HistoryItems[].Subject, History.HistoryItems[].Description, History.HistoryItems[].Status, History.TotalHistoryItems
Public API > Member Activity > Tagging	Create Member Tag	POST	{HM_ServiceAPI_URL}/addmember tag/{HM_ServiceAPI_MemberToken}	-	-	Tags, Tags[].TagID, Tags[].TagName, Tags[].Type, Tags[].LastUpdateDate
Public API > Member Activity > Tagging	Update Member Tag	POST	{HM_ServiceAPI_URL}/updatemembertag/{HM_ServiceAPI_MemberToken}/12340397b5f68cf0	-	-	Tags, Tags[].TagID, Tags[].TagName, Tags[].Type, Tags[].LastUpdateDate

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Tagging	Add to Member Tags	POST	{HM_ServiceAPI_URL}/addtomembertags/{HM_ServiceAPI_MemberToken}	-	-	Tags, Tags[].TagID, Tags[].TagName, Tags[].Type, Tags[].Tags[].AddedObjects[].ObjectID, Tags[].AddedObjects[].
Public API > Member Activity > Tagging	Get Member Tags	GET	{HM_ServiceAPI_URL}/getmembertags/{HM_ServiceAPI_MemberToken}?Skip={Skip}&Limit={Limit}&Sort={Sort}	-	-	Tags, Tags[].TagID, Tags[].TagName, Tags[].Type, Tags[].Tags[].LastUpdateDate, TotalTagsCount
Public API > Member Activity > Tagging	Get Member Tag Tracks	GET	{HM_ServiceAPI_URL}/getmembertracktags/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_MemberTagID}?Skip={Skip}&Limit={Limit}&Sort={Sort}	-	-	Tags, Tags[].TagID, Tags[].TagName, Tags[].Type, Tags[].Tags[].LastUpdateDate, Tags[].Tracks, Tags[].Tracks[].Tracks[].Time, Tags[].Tracks[].LengthSeconds, Tags[].Tracks[].Comment, Tags[].Tracks[].Composer, Tags[].Tracks[].Name, Tags[].Tracks[].AlbumID, Tags[].Tracks[].ID, Tags[].Tracks[].Keywords, Tags[].Tracks[].DisplayTitle, Tags[].Tracks[].alternatetitle, Tags[].Tracks[].Genre, Tags[].Tracks[].Tempo, Tags[].Tracks[].Bpm, Tags[].Tracks[].Mixout, Tags[].Tracks[].Bitrate, Tags[].Tracks[].DateIngested, Tag
Public API > Member Activity > Tagging	Get Member Tags By Track	GET	{HM_ServiceAPI_URL}/getmembertagsbytrack/{HM_ServiceAPI_MemberToken}/{HM_ServiceAPI_TrackID}	-	-	Tags, Tags[].TagID, Tags[].TagName, Tags[].Type, Tags[].Tags[].LastUpdateDate

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Tagging	Remove Track Tag	GET	{HM_Servi ceAPI _URL} /remo vetra ckmem berta g/{HM _Serv iceAP I_Mem berTo ken}/ {HM_S ervic eAPI_ NewMe mberT agID} /{HM_ Servi ceAPI _Trac kID}	raw	-	Code
Public API > Member Activity > Tagging	Remove Tag	GET	{HM_Servi ceAPI _URL} /remo vemem berta g/{HM _Serv iceAP I_Mem berTo ken}/ {HM_S ervic eAPI_ NewMe mberT agID }	raw	-	Code
Public API > Member Activity > Tagging	Remove All Tags	GET	{HM_Servi ceAPI _URL} /remo vemem berta gs/{H M_Ser viceA PI_Me mberT oken }	raw	-	Code
Public API > Member Activity > Comments	Create & Assign Member Comment to Track	POST	{HM_Servi ceAPI _URL} /addt rackm ember comme nt/{H M_Ser viceA PI_Me mberT oken }	raw	-	Tags, Tags[].type, Tags[].tagid, Tags[].tagname, Tags[].C Tags[].LastUpdateDate

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Comments	Update Member Comment	POST	{HM_ServiceAPI_URL}/updatemembercomment/{HM_ServiceAPI_MemberToken}	raw	-	Tags, Tags[].type, Tags[].tagid, Tags[].tagname, Tags[].C Tags[].LastUpdateDate
Public API > Member Activity > Comments	Get Member Comments By Track	GET	{HM_ServiceAPI_URL}/gettrackmembercomments/{HM_ServiceAPI_MemberToken}/{TrackID}?includeadmin={IncludeAdmin}	-	-	Tags, Tags[].type, Tags[].tagid, Tags[].tagname, Tags[].C Tags[].LastUpdateDate
Public API > Member Activity > Comments	Remove Comment	GET	{HM_ServiceAPI_URL}/removevetrackmembercomment/{HM_ServiceAPI_MemberToken}/{TagID}	raw	-	Code
Public API > Member Activity > Searches	Create Member Saved Search	POST	{HM_ServiceAPI_URL}/addmembersavedsearch/{HM_ServiceAPI_MemberToken}	raw	-	ID, Name, Description, CreatedDate, LastUpdateDate

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Searches	Update Member Saved Search	POST	{HM_ServiceAPI_URL}/updatemembersearch/{HM_ServiceAPI_MemberToken}/{SearchHistoryID}	raw	-	ID, Name, Description, CreatedDate, LastUpdateDate
Public API > Member Activity > Searches	Search Member Saved Searches	POST	{HM_ServiceAPI_URL}/searchmembersearch/{HM_ServiceAPI_MemberToken}	raw	-	SavedSearches, SavedSearches[].ID, SavedSearches[].N SavedSearches[].Description, SavedSearches[].Created(SavedSearches[].LastUpdateDate, SavedSearches[].Sea SavedSearches[].SearchParameters, SavedSearches[].SearchParameters.searchtype, SavedSearches[].SearchParameters.memberaccount, SavedSearches[].SearchParameters.region, SavedSearches[].SearchParameters.includeinactive, SavedSearches[].SearchParameters.mainonly, SavedSearches[].SearchParameters.alternativeonly, SavedSearches[].SearchParameters.parentsearchhistory SavedSearches[].SearchParameters.resultview, SavedSearches[].SearchParameters.resultview.view, SavedSearches[].SearchParameters.resultview.sort_pre SavedSearches[].SearchParameters.resultview.skip, SavedSearches[].SearchParameters.resultview.limit, SavedSearches[].SearchParameters.resultview.saved, SavedSearches[].SearchParameters.resultview.mincount SavedSearches[].SearchParameters.resultview.returntra SavedSearches[].SearchParameters.resultview.facet_alb SavedSearches[].SearchParameters.resultview.facet_alb SavedSearches[].SearchParameters.resultview.facet_libr SavedSearches[].SearchParameters.resultview.facet_libr SavedSearches[].SearchParameters.resultview.facet_libr SavedSearches[].SearchParameters.resultview.facet_sty
Public API > Member Activity > Searches	Remove Member Saved Search Term	GET	{HM_ServiceAPI_URL}/removemembersearchterm/{HM_ServiceAPI_MemberToken}/{SearchHistoryID}/{SearchTermID}	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Member Activity > Searches	Remove Member Saved Search	GET	{HM_ServiceAPI_URL}/removemembersavedsearch/{HM_ServiceAPI_MemberToken}/{SearchHistoryID}	-	-	Code
Public API > Member Activity > Searches	Remove All Member Saved Searches	GET	{HM_ServiceAPI_URL}/removeallmembersavedsearch/{HM_ServiceAPI_MemberToken}	-	-	Code
Public API > Content Management	Get Web Content	GET	{HM_ServiceAPI_URL}/getwebcontent/{HM_ServiceAPI_Token}/{Code}/{RegionID}	-	-	CssUrl, WebContents, WebContents[].Name, WebContents[].Order, WebContents[].PublishDate, WebContents[].Status, WebContents[].HTML, WebContents[].Type, WebContents[].Description, WebContents[].MetaKeywords, WebContents[].MetaDes
Public API > Content Management	Get Web Content Children	GET	{HM_ServiceAPI_URL}/getchildrenwebcontent/{HM_ServiceAPI_Token}/{ParentCode}/{RegionID}	-	-	CssUrl, WebContents, WebContents[].Name, WebContents[].Order, WebContents[].PublishDate, WebContents[].Status, WebContents[].HTML, WebContents[].Type, WebContents[].ImageFilename, WebContents[].Target, WebContents[].Tags, WebContents[].MetaKeywords, WebContents[].MetaDes

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Ecommerce > Rates	Get Rates	GET	{HM_Serv ceAPI _URL} /getr ates/ {HM_S ervic eAPI_ Token }/{St yle}/ {Curr encyC ode}	-	-	Rates, Rates[].ID, Rates[].Style, Rates[].Code, Rates[].De Rates[].RelatedRate, Rates[].RelatedRate.ID, Rates[].Rel Rates[].RelatedRate.Code, Rates[].RelatedRate.Descripti Rates[].RelatedRate.Duration, Rates[].RelatedRate.Fee, R Rates[].RelatedRate.RelatedRateID, Rates[].RelatedRate. Rates[].RelatedRate.OrderID, Rates[].DateTimeStamp, Ra Rates[].CurrencyCode
Public API > Ecommerce > Rates	Get Special Rate	GET	{HM_Serv ceAPI _URL} /gets pecia lrate bycod e/{HM _Serv iceAP I_Tok en}/{ Speci alRat eCode }/{Cu rrenc yCode }	-	-	Rates, Rates[].ID, Rates[].Style, Rates[].Code, Rates[].De Rates[].Duration, Rates[].Fee, Rates[].DateTimeStamp, R Rates[].CurrencyCode, Rates[].ParentRate, Rates[].Pare Rates[].ParentRate.Description, Rates[].ParentRate.Fee, Rates[].ParentRate.OrderID
Public API > Ecommerce > Invoices	Implementation Guide - Ecommerce	INFO		-	-	-
Public API > Ecommerce > Invoices	Create Invoice	POST	{HM_Serv ceAPI _URL} /addi nvoic e/{HM _Serv iceAP I_Mem berTo ken}	raw	invoice, invoice.invoicelineitems, invoice.invoicelineitems[].quantity, invoice.invoicelineitems[].amount, invoice.invoicelineitems[].amounttax, invoice.invoicelineitems[].description, invoice.invoicelineitems[].discountid, invoice.invoicelineitems[].discount, invoice.invoicelineitems[].invoiceitemreferences, invoice.invoicelineitems[].invoiceitemreferences[].referenceid, invoice.invoicelineitems[].invoiceitemreferences[].referencetype, invoice.invoicelineitems[].invoiceitemreferences[].value, invoice.invoiceproduction, invoice.invoiceproduction.client, invoice.invoiceproduction.title, invoice.invoiceproduction.productiondate, invoice.invoiceproduction.producer, invoice.invoiceproduction.length, invoice.invoiceproduction.po, invoice.currencycode, invoice.duedate, invoice.issuedate, invoice.discountid, invoice.discount, invoice.subtotal, invoice.totaltax, invoice.total, invoice.paymenttype, invoice.paymentreferencenumber	invoice, invoice.id, invoice.memberaccountid, invoice.iss invoice.duedate, invoice.totaltax, invoice.subtotal, invoic invoice.invoicenumbr, invoice.status, invoice.currencycode
Public API > Ecommerce > Invoices	Get Invoice	POST	{HM_Serv ceAPI _URL} /geti nvoic e/{HM _Serv iceAP I_Mem berTo ken}	raw	invoiceid, returntracks, returnrates, returndiscounts	invoice, invoice.id, invoice.memberaccountid, invoice.iss invoice.duedate, invoice.totaltax, invoice.subtotal, invoic invoice.invoicelineitems, invoice.invoicelineitems[].amou invoice.invoicelineitems[].description, invoice.invoiceline invoice.invoicelineitems[].amounttax, invoice.invoicelinei invoice.invoicelineitems[].track.trackid, invoice.invoicelineitems[].track.albumid, invoice.invoicelineitems[].track.originalfilename, invoice.invoicelineitems[].track.filename, invoice.invoicel invoice.invoicelineitems[].track.displaytitle, invoice.invoicelineitems[].track.tracknumber, invoice.invoicelineitems[].track.duration, invoice.invoicelineitems[].track.bitrate, invoice.invoicelineitems[].track.frequency, invoice.invoicelineitems[].track.description, invoice.invoi invoice.invoicelineitems[].rate.id, invoice.invoicelineitem: invoice.invoicelineitems[].rate.code, invoice.invoicelineit

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Ecommerce > Invoices	Void Invoice	POST	{HM_Servi ceAPI _URL} /void invoi ce/{H M_Ser viceA PI_Me mberT oken }	raw	invoiceid, reason	Code
Public API > Ecommerce > Invoices	Search Invoice	POST	{HM_Servi ceAPI _URL} /sear chinv oices /{HM_ Servi ceAPI _Memb erTok en}	raw	fromamount, fromdate, toamount, todate, limit, skip	invoices, invoices[].id, invoices[].memberaccountid, inv invoices[].duedate, invoices[].totaltax, invoices[].subtot invoices[].invoicenumbr, invoices[].paidamount, invoice invoices[].membername, invoices[].currencycode
Public API > Ecommerce > Invoices	Pay Invoice	POST	{HM_Servi ceAPI _URL} /payi nvoic e/{HM _Serv iceAP I_Mem berTo ken}	raw	invoicepayment, invoicepayment.invoiceid, invoicepayment.amount, invoicepayment.contactname, invoicepayment.date, invoicepayment.paymenttype, invoicepayment.paymentreferencenumbr, invoicepayment.paymentstatus, sendemail, bccemail	invoice, invoice.id, invoice.memberaccountid, invoice.iss invoice.duedate, invoice.totaltax, invoice.subtotal, invo invoice.invoicenumbr, invoice.status, invoice.currencycode
Public API > Ecommerce > Invoices	Get Invoice Document	GET	{HM_Servi ceAPI _URL} /geti nvoic edown loadu rl/{H M_Ser viceA PI_Me mberT oken} /{HM_ Servi ceAPI _Invo iceID }	-	-	Url
Public API > Admin Management > Authentication	Authenticate Management Token	POST	{HM_Servi ceAPI _URL} /getm anage mentt oken/ {HM_S ervic eAPI_ Token }	raw	-	ManagementToken, ManagementToken.Value, Managem ManagementToken.UTCOffset, ManagementToken.Type, ManagementToken.IsOfSingleUse, ManagementToken.Fc

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Public API > Admin Management > Member Groups	Update Member Group Details	POST	{HM_ServiceAPI_URL}/updatemembergroup/{HM_ServiceAPI_ManagementToken}/{MemberGroupID}	-	-	MemberGroup, MemberGroup.ID, MemberGroup.AssignedRegionChangeEnabled, MemberMemberGroup.ProductionsCount, MemberGroup.DownlcMemberGroup.DownloadStem, MemberGroup.DownloadMemberGroup.DownloadsRemaining, MemberGroup.Dow
Export API > Getting Started	Implementation Guide - Getting Started	INFO		-	-	-
Export API > Getting Started	Get Access Token	GET	{HM_ExportAPI_URL}/getaccessstoken/{HM_ExportAPI_Key}	-	-	responseaccesstoken, token
Export API > Getting Started	Get Access Info (Download formats & URL)	GET	{HM_ExportAPI_URL}/getaccessinfo/{HM_ExportAPI_AccessToken}	-	-	responseassetinfo, asseturl, trackformats, trackformat
Export API > Getting Started	Get Access Accounts	GET	{HM_ExportAPI_URL}/getaccessaccounts/{HM_ExportAPI_AccessToken}	-	-	responseaccessaccounts, accessaccounts, accessacco

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Export API > Getting Started	Get Session Token	GET	{HM_ExportAPI_URL}/getsessiontoken/{HM_ExportAPI_AccessToken}/{Username}/{Password}?accesssacountid=430f25d8e56cfa5df	-	-	responseessiontoken, token
Export API > Getting Started	Expire Session Token	GET	{HM_ExportAPI_URL}/expiretoken/{HM_ExportAPI_SessionToken}	-	-	responsecode, code
Export API > Getting Started	Validate Access Token	GET	{HM_ExportAPI_URL}/validateaccessoken/{HM_ExportAPI_AccessToken}	-	-	responsecode, code
Export API > Getting Started	Validate Session Token	GET	{HM_ExportAPI_URL}/validateessiontoken/{HM_ExportAPI_AccessToken}	-	-	responsecode, code
Export API > Getting Started	Expire Access Token	GET	{HM_ExportAPI_URL}/expireaccesssoken/{HM_ExportAPI_AccessToken}	-	-	responsecode, code
Export API > Process Steps	Album Workflows	INFO		-	-	-

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Export API > Process Steps	Track Workflows	INFO		-	-	-
Export API > Process Steps	Download INFO	INFO		-	-	-
Export API > Process Steps	Metadata INFO	INFO		-	-	-
Export API > Working within the Workspace	Get Labels/Libraries	GET	{HM_ExportAPI_URL}/getlibraries/{HM_ExportAPI_SessionToken}	-	-	responselibraries, libraries, library, codes, code, libraryattribute
Export API > Working within the Workspace	Get Labels/Libraries All States	GET	{HM_ExportAPI_URL}/getlibrariesallstates/{HM_ExportAPI_SessionToken}	-	-	responselibraries, libraries, library, libraryattributes, code
Export API > Working within the Workspace	Get Albums By Workspace Status	POST	{HM_ExportAPI_URL}/getalbumsbyworkspacestatus/{HM_ExportAPI_SessionToken}	-	-	responsealbums, albums, album, styles, style, id, name,
Export API > Working within the Workspace	Get Workspace Items By Album	GET	{HM_ExportAPI_URL}/getworkspacealbumitems/{HM_ExportAPI_SessionToken}/{AlbumID}/{Format}	-	-	responseworkspacealbum, workspacealbums, workspacealbumitems, workspacealbumitem

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Export API > Working within the Workspace	Get Workspace Items By Track	GET	{HM_ExportAPI_URL}/getworkspacetrackitems/{HM_ExportAPI_SessionToken}/{TrackID}/{Format}	-	-	responseworkspacetrack, workspacetracks, workspaceteworkspacetrackitems, workspacetrackitem
Export API > Working within the Workspace	Get Workspace Download	POST	{HM_ExportAPI_URL}/getmusicdownload/{HM_ExportAPI_SessionToken}	raw	-	responsedownload, requestsent, downloadtoken
Export API > Working within the Workspace	Set Album Tag	POST	{HM_ExportAPI_URL}/setalbumtag/{HM_ExportAPI_SessionToken}	raw	-	responsecode, code
Export API > Working within the Workspace	Remove Album Tag	POST	{HM_ExportAPI_URL}/removealbumtag/{HM_ExportAPI_SessionToken}	-	-	responsecode, code
Export API > Working within the Workspace	Upsert Track Categories	POST	{HM_ExportAPI_URL}/bulkupserttrackcategories/{HM_ExportAPI_SessionToken}	-	-	responsecode, code
Import API > Getting Started	Implementation Guide - Getting Started	INFO		-	-	-

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Getting Started	Get Access Token	GET	{HM_ImportAPI_URL}/getaccessstoken	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok
Import API > Getting Started	Get Session Token	GET	{HM_ImportAPI_URL}/getsessiontoken/{HM_ImportAPI_AccessToken}/{Username}/{Password}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok
Import API > Getting Started	Expire Session Token	GET	{HM_ImportAPI_URL}/expiretoken/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Process Steps	Primary Workflows	INFO		-	-	-
Import API > Working within the Workspace > Labels/Libraries	Get Labels/Libraries	GET	{HM_ImportAPI_URL}/getlibraries/{HM_ImportAPI_SessionToken}	-	-	Libraries, Libraries[].LibraryIdentity, Libraries[].Name, Li Libraries[].Codes[].SystemCode, Libraries[].Codes[].Attr Libraries[].Codes[].Value, Libraries[].Codes[].Comments
Import API > Working within the Workspace > Labels/Libraries	Create Label/Library	POST	{HM_ImportAPI_URL}/library/{HM_ImportAPI_SessionToken}/insert	-	-	Code, LibraryIdentity
Import API > Working within the Workspace > Labels/Libraries	Update Label/Library	POST	{HM_ImportAPI_URL}/library/{HM_ImportAPI_SessionToken}/update	-	-	Code, LibraryIdentity

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Working within the Workspace > Albums	Get Albums By Workspace State	POST	{HM_ImportAPI_URL}/getalbumsbyworkspacestate/{HM_ImportAPI_SessionToken}	raw	-	AlbumsWithWorkspaceState, AlbumsWithWorkspaceState[0].Album.ReleaseDate, AlbumsWithWorkspaceState[0].Album.Code, AlbumsWithWorkspaceState[0].Album.Detail, AlbumsWithWorkspaceState[0].Album.Name, AlbumsWithWorkspaceState[0].Album.DisplayTitle, AlbumsWithWorkspaceState[0].Album.Keywords, AlbumsWithWorkspaceState[0].Album.Tags, AlbumsWithWorkspaceState[0].Album.Linebreaks, AlbumsWithWorkspaceState[0].Album.Identity, AlbumsWithWorkspaceState[0].AlbumTracksState
Import API > Working within the Workspace > Albums	Create Album	POST	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/insert	-	-	Code, AlbumIdentity
Import API > Working within the Workspace > Albums	Update Album	POST	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/update	-	-	Code, AlbumIdentity
Import API > Working within the Workspace > Albums	Remove Album	DELETE	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/{AlbumIdentity}	raw	-	Code
Import API > Working within the Workspace > Albums	Get Album Asset Upload URL	POST	{HM_ImportAPI_URL}/getpresigneduploadurl/{HM_ImportAPI_SessionToken}	-	-	PresignedUploadUrl, ResourceUrl

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Working within the Workspace > Albums	Confirm Album Asset Upload Complete	POST	{HM_ImportAPI_URL}/confirmupload/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Albums	Set External Album Asset (URL)	POST	{HM_ImportAPI_URL}/setasseturl/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Albums	Set External Album Asset (Amazon S3)	POST	{HM_ImportAPI_URL}/setexternalasset/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Tracks	Get Attribute Types	GET	{HM_ImportAPI_URL}/getattributes/{HM_ImportAPI_SessionToken}	-	-	AttributeTypes, AttributeTypes[].ID, AttributeTypes[].AccAttributeTypes[], AttributeTypes[].AttributeName, AttributeTypes[].AttributeTypeFormat, AttributeTypes[].AttributeTypes[], AttributeTypes[].OneOnly, AttributeTypes[].SystemCode, AttributeTypes[].ParentID, AttributeTypes[].ParentType, AttributeTypes[].CategoryId, AttributeTypes[].AttributeType, AttributeTypes[].Length, AttributeTypes[].Status, AttributeTypes[].Group, AttributeTypes[].OwnerAccount, AttributeTypes[].FormatRegex
Import API > Working within the Workspace > Tracks	Get Tracks By Workspace Album & State	POST	{HM_ImportAPI_URL}/getalbumtracksbyworkspacestate/{HM_ImportAPI_SessionToken}	-	-	Tracks, Tracks[].TrackNumber, Tracks[].LengthSeconds, Tracks[].Composer, Tracks[].Publisher, Tracks[].Name, Tracks[].Lyrics, Tracks[].DisplayTitle, Tracks[].Genre, Tracks[].Instrumentation, Tracks[].Bpm, Tracks[].Version, Tracks[].AlternateTracks, Tracks[].RelatedTracks, Tracks[].Composers, Tracks[].IsAlternate, Tracks[].Track

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Working within the Workspace > Tracks	Create Track	POST	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/insert	-	-	TrackIdentities
Import API > Working within the Workspace > Tracks	Update Track	POST	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/update	-	-	TrackIdentities
Import API > Working within the Workspace > Tracks	Remove Track	DELETE	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/TrackIdentity}	raw	-	Code
Import API > Working within the Workspace > Tracks	Move Tracks On Import Album	POST	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/move	-	-	Code
Import API > Working within the Workspace > Tracks	Get Track Asset Upload URL	POST	{HM_ImportAPI_URL}/getpresignedupload/{HM_ImportAPI_SessionToken}	-	-	PresignedUploadUrl, ResourceUrl
Import API > Working within the Workspace > Tracks	Confirm Track Asset Upload Complete	POST	{HM_ImportAPI_URL}/confirmpresignedupload/{HM_ImportAPI_SessionToken}	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Working within the Workspace > Tracks	Set External Track Asset (URL)	POST	{HM_ImportAPI_URL}/setasseturl/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Tracks	Set External Track Asset (Amazon S3)	POST	{HM_ImportAPI_URL}/setexternalstorageasset/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Stems	Get Stems By Workspace Track & State	POST	{HM_ImportAPI_URL}/gettrackstemsbyworkspacestate/{HM_ImportAPI_SessionToken}	raw	TrackIdentity	Stems, Stems[].Version, Stems[].WorkspaceState, Stems[].TrackIdentity
Import API > Working within the Workspace > Stems	Create Stem	POST	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/insert	raw	Stems, Stems[].TrackIdentity, Stems[].Version	Code, StemIdentities
Import API > Working within the Workspace > Stems	Update Stem	POST	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/update	raw	Stems, Stems[].TrackIdentity, Stems[].StemIdentity, Stems[].Version	Code, StemIdentities
Import API > Working within the Workspace > Stems	Remove Stem	DELETE	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/{HM_ImportAPI_TempID}	raw	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Working within the Workspace > Stems	Get Stem Asset Upload URL	POST	{HM_ImportAPI_URL}/getpresigneduploadurl/{HM_ImportAPI_SessionToken}	-	-	PresignedUploadUrl, ResourceUrl
Import API > Working within the Workspace > Stems	Confirm Stem Asset Upload Complete	POST	{HM_ImportAPI_URL}/confirmpresignedupload/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Stems	Set External Stem Asset (URL)	POST	{HM_ImportAPI_URL}/setasseturl/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Stems	Set External Stem Asset (Amazon S3)	POST	{HM_ImportAPI_URL}/setexternalamazonaws/{HM_ImportAPI_SessionToken}	-	-	Code
Import API > Working within the Workspace > Publishing	Publish Album & Tracks	GET	{HM_ImportAPI_URL}/album/{HM_ImportAPI_SessionToken}/{AlbumIdentity}/publish	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Import API > Working within the Workspace > Publishing	Publish Track On Imported Album	GET	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/{TrackIdentity}/publish	-	-	Code
Import API > Working within the Workspace > Publishing	Unpublish Track On Imported Album	GET	{HM_ImportAPI_URL}/track/{HM_ImportAPI_SessionToken}/{HM_ImportAPI_TrackID}/unpublish	-	-	Code
Import API > Working within the Workspace > Publishing	Publish Stem On Imported Track	GET	{HM_ImportAPI_URL}/stem/{HM_ImportAPI_SessionToken}/{HM_ImportAPI_StemID}/publish	-	-	Code
Agent API > Getting Started	Get Authorised	POST	{HM_IntegrationAPI_AuthURL}	urlencoded	grant_type, client_id, client_secret	access_token, expires_in, token_type
Agent API > Getting Started	Get Service Token	GET	{HM_IntegrationAPI_URL}/getservice_token	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Token.IsOfSingleUse
Agent API > Getting Started	Get Service Token Info	GET	{HM_IntegrationAPI_URL}/getservice_token_info/{HM_IntegrationAPI_Token}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Token.IsOfSingleUse, Token.TokenUsageState

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Agent API > Getting Started	Get Service Info (Download formats & URL)	GET	{HM_IntegrationAPI_Token}	-	-	ServiceInfoURLs, ServiceInfoURLs.DirectDownloadURL, FileFormats[].ID, FileFormats[].FileExtension, FileFormat FileFormats[].SampleRate, FileFormats[].SampleSize, FileFormats[].Isdefaultdownload, FileFormats[].isdefault
Agent API > Getting Started	Expire Service Token	GET	{HM_IntegrationAPI_Token}	-	-	Code
Agent API > Process Steps	Primary Workflows	INFO		-	-	-
Agent API > Working within the Workspace	Get Labels/Libraries	GET	{HM_IntegrationAPI_Token}	-	-	Libraries, Libraries[].Detail, Libraries[].Name, Libraries[] Libraries[].Location, Libraries[].Website, Libraries[] Libraries[].Status, Libraries[].LastUpdated
Agent API > Working within the Workspace	Get Labels/Libraries By Tag	POST	{HM_IntegrationAPI_Token}	raw	ContainsTags, NotContainsTags	Libraries, Libraries[].Featured, Libraries[].Detail, Libraries[].ID, Libraries[].Location, Libraries[].Website, Libraries[].LibraryLogoUrl, Libraries[].Status, Libraries[] Libraries[].Codes, Libraries[].Type, Libraries[].Tags
Agent API > Working within the Workspace	Get Albums by Workspace Status	POST	{HM_IntegrationAPI_Token}	-	-	Albums, Albums[].Featured, Albums[].ReleaseDate, Albums[].Detail, Albums[].Name, Albums[].DisplayTitle, Albums[].Status, Albums[].Tags, Albums[].Linebreaks

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Agent API > Working within the Workspace	Get Tracks By Workspace Album	GET	{HM_IntegrationAPI_ToKen}/{AlbumID}/{Format}	-	-	workspaceAlbums, workspaceAlbums[].Code, workspaceAlbums[].FormatName, workspaceAlbums[].N, workspaceAlbums[].DisplayTitle, workspaceAlbums[].Lib, workspaceAlbums[].Tags, workspaceAlbums[].Status, workspaceAlbums[].WorkspaceAlbumItems, workspaceAlbums[].WorkspaceAlbumItems[].ItemType, workspaceAlbums[].WorkspaceAlbumItems[].TrackNum, workspaceAlbums[].WorkspaceAlbumItems[].Name, workspaceAlbums[].WorkspaceAlbumItems[].FileName, workspaceAlbums[].WorkspaceAlbumItems[].FileSize, workspaceAlbums[].WorkspaceAlbumItems[].Bucket, workspaceAlbums[].WorkspaceAlbumItems[].Key, workspaceAlbums[].WorkspaceAlbumItems[].DownloadT, workspaceAlbums[].WorkspaceAlbumItems[].TrackID
Agent API > Working within the Workspace	Get Tracks	POST	{HM_IntegrationAPI_Token}	-	-	responsetracks, tracks, track, alternatetracks, tags, trackattribute, codes, code, rightholder
Agent API > Working within the Workspace	Get Management User Token	GET	{HM_IntegrationAPI_Token}/{username}/{password}	-	-	Token, Token.Value, Token.Expiry, Token.UTCOffset, Tok
Agent API > Working within the Workspace	Get Management User Download	POST	{HM_IntegrationAPI_Token}	-	-	RequestSent
Agent API > Working within the Workspace	Set Album Tag	POST	{HM_IntegrationAPI_Token}	-	-	Code

Section	Endpoint	Methode	Route	Body mode	Inputs	Response fields
Agent API > Working within the Workspace	Remove Album Tag	POST	{HM_IntegrationAPI_Token}	-	-	Code
Agent API > Working within the Workspace	Set Library Tag	POST	{HM_IntegrationAPI_ToKen}	raw	libraryid, tag	Code
Agent API > Working within the Workspace	Remove Library Tag	POST	{HM_IntegrationAPI_Token}	raw	-	Code
Additional Information	Glossary	INFO:		-	-	-
Additional Information	API Response Codes	INFO:		-	-	-
Additional Information	API Rate Limiting	INFO		-	-	-
Additional Information	API Health Status	INFO		-	-	-

Points a clarifier

Sujet	Question / risque
Credentials et environnements	Demander Auth URL, Service API URL, Integration/Export/Import URLs si utiles, Client ID, Client Secret, AccessKey, regions et comptes test/staging.
Scope Parigo	Confirmer si Parigo consomme uniquement Public API, ou aussi Export/Import/Agent pour ingestion/synchronisation.
FLEX	FLEX reste une source externe utile pour comparer des scenarios d ecran; ce rapport couvre la collection Harvest API publique.
Search similar	Confirmer provider actif, champs exacts, couts, latence, indexation, prompt/free-text et upload file.
Assets	Verifier duree de vie des URLs, cache autorise, formats stream/download et tracking usage.
Webhooks	Aucun webhook general visible pour Public API; prevoir polling/cache/revalidation sauf confirmation Harvest.
Rate limits	Public API 3600/5 min/IP; Export 300/5 min/IP; Import 200/5 min/IP; Agent 300/5 min/IP.