

Rapport technique AIMS API pour Parigo

Compte-rendu d'exploration de la documentation AIMS Similarity Search, avec focus sur une future barre de recherche IA dans Parigo.

Date d'extraction	20 mai 2026
Source principale	docs.aimsapi.com
Base API	https://api.aimsapi.com/v1/
Collection	e25a9929-95ab-4b8d-a6c9-bd9fa1d120a1 / S17qTprj / tag latest

1. Synthèse

90 sections	182 requetes Postman	110 routes uniques	39/134/9 GET / POST / DELETE
-----------------------	--------------------------------	------------------------------	--

AIMS expose une API de similarite musicale et de recherche augmentee. Pour Parigo, le coeur probable de la future barre IA est `POST /v1/search`, soit en mode Prompt Search, soit en mode Unified Search si cet addon est active. La meme route couvre aussi des seeds URL, pistes internes, prompts et video selon les modules actives.

La documentation distingue un socle de recherche similaire et gestion de catalogue, puis un bloc `Paid addons` qui contient les fonctions les plus interessantes pour une barre IA: Prompt Search, Unified Search, autocomplete, highlights, selection de segment, ignore vocals, priorisation BPM, video search, projects/playlists/spaces.

AIMS indique explicitement de les contacter avant d'integrer les Paid addons: le contrat peut ne pas tout inclure et certaines fonctions peuvent encore evoluer.

Source	Valeur
Documentation publique	https://docs.aimsapi.com/
Collection Postman	e25a9929-95ab-4b8d-a6c9-bd9fa1d120a1
Published ID	S17qTprj
Version tag	latest
Publication indiquee par Postman	2021-03-11T12:00:16.000Z
Extraction	20 mai 2026
Base API	https://api.aimsapi.com/v1/
Couverture extraite	90 sections, 182 requetes documentees, 110 routes methode+chemin uniques

2. Capacites principales pour Parigo

2.1 Barre de recherche IA

Besoin Parigo	Capacite AIMS
Recherche texte naturelle	<code>Prompt Search</code> ou <code>Unified Search</code> via <code>/v1/search</code> .
Barre unique texte + URL + ID	<code>Unified Search</code> avec <code>query</code> couvre prompt, URL, full-text, tags, keywords, album code, numeric/range et ID interne.
Suggestions pendant la saisie	<code>/v1/autocomplete</code> pour metadata, <code>/v1/prompt-suggestions</code> pour prompts.
Resultats exploitables UI	Retourne <code>query_id</code> , <code>did_you_mean</code> , <code>totals</code> , <code>tracks</code> et, en <code>detailed</code> , beaucoup de metadata catalogue.
Amelioration par usage	<code>/v1/feedback/conversion</code> consomme le <code>query_id</code> et les actions utilisateur.
Controle editorial	Filtres imbriques AND/OR sur metadata; valeurs de facettes possibles via <code>/v1/tracks/values/[metadata_field]</code> .

2.2 Socle de recherche similaire

Fonction	Details
Similarite par ID	<code>POST /v1/search</code> avec <code>seeds[].type="track"</code> et <code>value=id_client</code> . Options: segment, pagination, <code>detailed</code> , filtres, highlights, ignore same album/versions, BPM.
Similarite multi-IDs	<code>POST /v1/query/by-ids</code> avec <code>track_ids</code> et <code>input_id_type=client system</code> ; jusqu'a 100 IDs selon la doc.
Similarite par upload audio	<code>POST /v1/query/by-file</code> en multipart; MP3, WAV, AIF/AIFF; limite 120 MB; retourne un <code>query_id</code> et un hash reutilisable via header <code>X-Hash</code> .
Requete par hash audio	<code>POST /v1/query/by-file-hash</code> evite de reteleverser un fichier deja utilise.
Similarite par URL tierce	<code>POST /v1/search</code> avec <code>seeds[].type="url"</code> ; YouTube, Vimeo, SoundCloud, Spotify, Apple Music, TikTok.
Audio de ressource liee	<code>POST /v1/download/by-url</code> retourne un MP3 pour pre-ecoute/selection de segment; ressource max 15 minutes.
Similarite par URL de fichier	<code>POST /v1/search</code> avec <code>seeds[].type="file-url"</code> ; URL publique accessible en GET, MP3/WAV, extension presente, limite 120 MB.

2.3 Addons utiles

Addon	Ce que cela permet
Highlights	Ajoute <code>highlights=true</code> et retourne des segments de similarite a mettre en evidence dans les resultats.

Addon	Ce que cela permet
Segment Tool	Ajoute <code>offset/limit</code> ou <code>time_offset/time_limit</code> ; segment maximum 60 secondes, idealement pilote par waveform.
Ignore vocals	Ajoute <code>suppress_vocals=true</code> pour chercher selon l'instrumental plutot que la voix.
Prioritise BPM	Ajoute <code>prioritise_bpm=true</code> et parfois <code>bpm_range</code> pour rapprocher le BPM du seed.
Search by tag	Liste tags, recherche de pistes par tag, recherche de collections par tag: albums, artists, projects, playlists.
Playlist Generator	Genere playlists single-seed, multi-seed ou transition; seeds de type client, system, url ou file; longueur max documentee 1000.
Video Search	Upload video MOV/MPEG/MP4/AVI vers <code>/v1/upload</code> , puis recherche par hash video ou lien YouTube via <code>/v1/search</code> .
Similar Albums / Artists	Recupere albums/artists par ID/key, recherche des collections similaires, avec filtres.
Smart Projects	CRUD projets, ajout/retrait de pistes, recuperation des pistes, recommandations dans un projet.
Playlists	CRUD playlists, ajout/retrait de pistes, suggestions, playlists similaires, playlist plugging.
Custom Tags	CRUD tags custom, ajout/retrait de pistes definissant un tag, suggestions basees sur ce tag.
Spaces	Workspaces generes par prompt: creation, update, detail, listing, suggestions de collections, refinement de collection.
Grouping	Expose des groupes depuis listings/details projets/playlists et permet des recommandations par <code>group_id</code> .

3. Authentification et securite

Sujet	Implication
Authentification serveur	<code>Authorization: apiSecret</code> sur les requetes qui exigent une authentification.
Token temporaire front	<code>GET /v1/token/generate</code> retourne un token one-shot valable 1 heure UTC, a passer en <code>X-Token</code> et non en <code>Authorization</code> .
Perimetre token temporaire	Uniquement les endpoints de requetes AIMS et Feedback selon la documentation; pas les endpoints de gestion catalogue.
Headers frequents	<code>Content-Type</code> , <code>X-Requested-With: XMLHttpRequest</code> , <code>Authorization</code> ; certains endpoints Unified/Autocomplete utilisent aussi <code>X-User-Id</code> .
Regle Parigo	Ne jamais exposer <code>apiSecret</code> dans le navigateur; preferer un proxy Next.js serveur, sauf choix explicite de flux direct avec token temporaire.

Le flux recommande pour Parigo est un proxy serveur Next.js: le navigateur appelle Parigo, Parigo appelle AIMS avec le secret, puis renvoie un modele de resultat normalise. Le token temporaire one-shot peut etre utile si l'on veut laisser le navigateur appeler directement certains endpoints de recherche/feedback, mais il ne remplace pas la protection du secret pour les operations catalogue.

4. Modele de requete et resultats

Les recherches modernes convergent vers `/v1/search` . Le corps peut etre base sur `seeds` ou `query` selon le module. Les seeds documentes incluent `track` , `url` , `file-url` , `prompt` et `video` .

Parametre	Usage
page / page_size	Pagination. Les schemas indiquent souvent page min 1 et page_size max 1000; certaines anciennes sections multi-ID/fichier indiquent 10000, a confirmer.
detailed	Retourne plus de metadata de piste ou collection.
filter	Filtre imbrique avec <code>logic</code> et <code>conditions</code> .
highlights	Demande les segments de similarite dans les resultats si l'addon est active.
offset / limit	Selection de segment pour seeds JSON; segment max 60 s.
time_offset / time_limit	Equivalent multipart/hash pour fichiers; segment max 60 s.
query_id	Identifiant de recherche retourne par AIMS et requis pour feedback.

La FAQ precise que les resultats sont tries par similarite decroissante, mais qu'aucun score de similarite numerique n'est fourni.

5. Filtrage

Le filtrage est disponible sur les recherches principales et beaucoup d'addons: ID, multi-IDs, fichier, URL, file URL, prompt, tag, playlist generator, projects, playlists, albums, artists, video, custom tags. La structure accepte des conditions imbriquees avec logique `and` ou `or` .

Champ filtrable	Type
id	integer
track_name	string
id_client	string
duration	integer
tags	text
processed_at	string
release_year	integer
filepath	string
track_number	string
track_code	string
track_description	string
version	boolean
version_tag	string
version_name	string
master_track_number	string
master_track_id	string
isrc	string
label_name	string
label_code	string
label_lc_name	string
album_number	string
album_code	string
album_name	string
album_description	string
tempo	string
bpm	integer
music_key	string
music_meter	string
lyrics	text
lyrics_language	string
artists	text
composers	text
publisher	text
genres	text
subgenres	text
instruments	text
moods	text
music_for	text
decades	text
vocals	text
album_keywords	text
cuesheet_info	text
active	boolean
licensable	boolean
restricted	boolean
explicit	boolean
profane	boolean
commercial	boolean
territories	text
categories	text

Champ filtrable	Type
looped	boolean
pro_affiliated	boolean
content_id_registered	boolean
released_at	string
visibility	text
artist_ids	text

Operateur	Sens	Types supportes	Note
eq	is equal to	integer, string, text, boolean	
neq	is not equal to	integer, string, text, boolean	
gt	is greater than	integer	
gte	is greater than or equal	integer	
gten	is greater than or equal or NULL	integer	
lt	is lower than	integer	
lte	is lower than or equal	integer	
begins	begins with	string, text	
contains	contains	string, text	
not-contains	does not contain	string, text	
ends	ends with	string, text	
null	is null	integer, string, text, boolean	use null as value
not-null	is not null	integer, string, text, boolean	use null as value
empty	is empty	string, text	use null as value
not-empty	is not empty	string, text	use null as value
in	is contained in	string, text	separate more values by , (comma) and use them as an array ["foo", "bar"]

Les valeurs de facettes peuvent etre recuperees via `GET /v1/tracks/values/[metadata_field]` pour `tags`, `artists`, `composers`, `genres`, `instruments`, `moods`, `music_for` et `album_keywords`. La liste est rafraichie quotidiennement selon la documentation.

6. Gestion catalogue et synchronisation

AIMS doit etre synchronise avec le catalogue Parigo pour que les pistes soient cherchables. Le champ cle cote client est `id_client` : il sert a faire le lien entre les resultats AIMS et la base Parigo.

Operation	Endpoint / point d attention
Ajouter une piste	<code>POST /v1/tracks</code> multipart avec audio et metadata; MP3, WAV, AIF/AIFF, limite 120 MB. La piste est traitee de facon asynchrone.
Ajouter par URL publique	La doc indique qu'une URL publique peut etre envoyee en JSON au lieu d'un multipart pour le champ <code>track</code> ; a tester avec le compte Parigo.
Webhook de traitement	<code>hook_url</code> optionnel; pas d'auth, timeout 5 s, payload JSON succes/echec, reponse ignoree par AIMS.
Status polling	Lire <code>processed_at</code> et <code>process_input_error</code> via les endpoints get track.
Mettre a jour metadata	<code>POST /v1/tracks/system/{id}</code> ou <code>/client/{id_client}</code> ; seuls les champs envoyes sont modifies.
Changer audio	La doc demande de supprimer puis recreer la piste avec le meme ID si le fichier audio change.
Supprimer	<code>DELETE /v1/tracks/system/{id}</code> ou <code>/client/{id_client}</code> ; necessaire pour eviter que des pistes supprimees reapparaissent en resultats.
Lister / compter	<code>GET /v1/tracks</code> avec <code>page/page_size</code> , <code>GET /v1/tracks/length</code> ; <code>page_size</code> max documente 1000 pour listing.

7. Feedback et apprentissage d'usage

Chaque recherche AIMS renvoie un `query_id`. L'endpoint `POST /v1/feedback/conversion` permet d'envoyer les conversions associees a une piste resultat. Les types documentes couvrent notamment download, relance de similarite, ajout projet/cart, like/dislike, play, download album, jugement explicite similaire/non similaire.

Pour Parigo, il faut conserver `query_id` au niveau de la session de resultats et l'envoyer avec l'ID client de la piste lorsque l'utilisateur lit, sauvegarde, telecharge ou affine une recherche.

8. Collections, projets, playlists, tags, spaces

Au-delà de la barre de recherche, AIMS documente une couche de collections utiles pour des workflows editoriaux:

- `Similar Albums` et `Similar Artists` : detail par key/ID, recherche similaire, filtres.
- `Smart Projects` : CRUD projets, ajout de pistes internes/URL/file URL/fichier, suggestions dans projet, filtres.
- `Playlists` : CRUD, ajout/retrait de pistes, suggestions, playlists similaires, playlist plugging pour trouver les playlists ou placer une piste.
- `Custom tags` : tags propres au compte AIMS, pistes definissant le tag, recommandations basees sur le tag.
- `Spaces` : generation de workspaces par prompt, collections suggerees, refinement de collections, creation de collections dans un space.
- `Grouping` : recupere des groupes dans projets/playlists et permet des recommandations par groupe.

9. Roadmap d'integration Parigo proposee

Etape	Travail recommande
MVP barre IA	Verifier que <code>Unified Search</code> ou <code>Prompt Search</code> est active dans le contrat. Pour une barre unique texte/URL, <code>Unified Search</code> est le meilleur candidat.
Proxy serveur	Creer une route serveur Parigo qui recoit la saisie, ajoute <code>Authorization</code> , appelle AIMS, normalise les pistes vers le modele Parigo et conserve <code>query_id</code> .
Detection input	Si Unified Search est actif, envoyer le texte tel quel dans <code>query</code> . Sinon router: URL supportee vers seed <code>url</code> , prompt vers seed <code>prompt</code> , ID Parigo/AIMS vers seed <code>track</code> .
Autocomplete	Brancher <code>/v1/autocomplete</code> et/ou <code>/v1/prompt-suggestions</code> derriere un debounce, avec feature flag.
Feedback	Journaliser les actions resultats avec <code>POST /v1/feedback/conversion</code> et le <code>query_id</code> : play, download, like/dislike, add_to_project, relance similarite.
Synchronisation catalogue	Mapper chaque piste Parigo vers <code>id_client</code> . Ajouter/mettre a jour/supprimer les pistes AIMS lors des changements catalogue; audio modifie = delete puis add.
Uploads utilisateur	Pour recherche par fichier, prevoir upload multipart, barre de progression, limite 120 MB, formats acceptes, reuse hash pour requetes subsequentes.
Filtres	Reutiliser les facettes Parigo compatibles avec les champs AIMS: genres, instruments, moods, music_for, duration, BPM, label, album, territories, etc.

10. Points a clarifier avec AIMS

Sujet	Question / risque
Addons et contrat	Confirmer explicitement Unified Search, Prompt Search, Autocomplete, Highlights, Segment Tool, Ignore vocals, Prioritise BPM, Video Search, Spaces, Playlists/Projects.
Credentials	Demander apiSecret, compte Playground/staging, compte production, eventuel X-User-Id, politique de rotation, IP/CORS si necessaire.
Metadata template	Valider les champs requis pour le compte Parigo: la doc donne des defaults, mais AIMS indique qu'ils peuvent etre ajustes par compte.
IDs et mapping	Choisir l'ID stable Parigo a envoyer comme <code>id_client</code> ; il doit rester unique et court.
Volumetrie	La doc publique ne donne pas de rate limit global; demander limites, SLA, latence attendue, batch/import initial.
Incoherences d'exemples	Quelques exemples Postman varient entre <code>value</code> , <code>link</code> , <code>track</code> ou <code>track_id</code> pour des seeds similaires; tester les schemas contractuels avant dev final.
URLs tierces	Spotify et Apple Music ne fournissent que des previews limitees; YouTube/TikTok/Vimeo peuvent echouer selon droits, geoblocage ou ressources privees.
Segments	Ne pas envoyer offset/limit sans connaitre la duree; les segments hors bornes retournent des erreurs 4xx.

11. Pieges documentes

- Avec certains frameworks front, ne pas forcer manuellement `Content-Type: multipart/form-data` lors d'un upload: laisser le client poser la boundary.
- Comparer les resultats Parigo avec les memes appels dans Postman/Insomnia en fin d'integration.
- Ne pas fournir de segment hors duree piste; sans segment explicite AIMS utilise un comportement par default autour de 30-60 secondes selon le media.

Annexe A - Inventaire complet des endpoints documentes

Inventaire genere depuis la collection Postman publique. Les champs d'entree sont les champs presents dans les exemples de requete; les champs de reponse sont limites aux cles top-level pour garder l'annexe lisible.

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Concepts / Authentication	Generate one-off temporary token	GET	/v1/token/generate	-	-	token, expires
Concepts / Feedback	Conversion	POST	/v1/feedback/conversion	raw	id_client, type, query_id	message
Endpoints / AIMS queries / Search similar tracks by ID	Search by ID	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size	did_you_mean, included, type, value, id, id_client, query_id, totals, tracks, relation, duration, tags, processed_at, date, timezone_type, timezone, process_input_error, store_secret
Endpoints / AIMS queries / Search similar tracks by multiple IDs	Search by Multiple IDs	POST	/v1/query/by-ids	raw	track_ids, input_id_type, page, page_size	query_id, tracks
Endpoints / AIMS queries / Search similar tracks by audio file	Search by audio file	POST	/v1/query/by-file	formdata	track, page, page_size	query_id, tracks
Endpoints / AIMS queries / Search similar tracks by audio file	Search by audio file hash	POST	/v1/query/by-file-hash	raw	hash, page, page_size	query_id, tracks
Endpoints / AIMS queries / Search similar tracks by URL	Search by URL (YouTube, Vimeo, Soundcloud, Spotify, Apple Music, TikTok)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / AIMS queries / Search similar tracks by URL	Get linked resource audio	POST	/v1/download/by-url	raw	link	-
Endpoints / AIMS queries / Search similar tracks by file URL	Search by file URL	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / AIMS queries / Filtering	Search by ID	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size, detailed, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	did_you_mean, included, type, value, id, id_client, query_id, totals, tracks, relation, duration, tags, processed_at, date, timezone_type, timezone, process_input_error, store_secret
Endpoints / AIMS queries / Filtering	Search by Multiple IDs (JSON example)	POST	/v1/query/by-ids	raw	track_ids, input_id_type, page, page_size, detailed, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / AIMS queries / Filtering	Search by audio file (multipart example)	POST	/v1/query/by-file	formdata	track, page, page_size, detailed, filter[logic], filter[conditions][0][field], filter[conditions][0][operator], filter[conditions][0][value], filter[conditions][1][logic], filter[conditions][1][conditions][0][field], filter[conditions][1][conditions][0][operator], filter[conditions][1][conditions][0][value][0], filter[conditions][1][conditions][0][value][1], filter[conditions][1][conditions][0][value][2], filter[conditions][1][field], filter[conditions][1][operator], filter[conditions][1][value]	query_id, tracks
Endpoints / AIMS queries / Filtering	Search by URL (YouTube, Vimeo, Soundcloud, Spotify, Apple Music, TikTok)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	did_you_mean, query_id, totals, tracks
Endpoints / AIMS queries / Filtering	Search by file URL	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	did_you_mean, query_id, totals, tracks
Endpoints / AIMS queries / Filtering	Get Possible Values for Filtering	GET	/v1/tracks/values/[metadata_field]	-	-	length, values, value, tracks
Endpoints / Get track metadata / Get track by system ID.	Get track by sytem ID Copy	GET	/v1/tracks/system/1	-	-	track
Endpoints / Get track metadata / Get track by client ID.	Get track by client ID	GET	/v1/tracks/client/605268	-	-	track
Endpoints / Managing tracks / Add new track	Add new track	POST	/v1/tracks	formdata	id_client, track, track_name, release_year, track_number, track_code, track_description, version, version_tag, version_name, master_track_number, isrc, label_name, label_code, label_lc_name, album_number, album_code, album_name, album_description, tempo, bpm, music_key, music_meter, lyrics, lyrics_language, artists[], composers[], publisher, genres[], instruments[], moods[], music_for[], hook_url, image	track
Endpoints / Managing tracks / Update track metadata / Update track by system ID.	Update track by sytem ID	POST	/v1/tracks/system/1	raw	label_name, label_code, track_name, instruments, image	track

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Managing tracks / Update track metadata / Update track by client ID.	Update track by client ID	POST	/v1/tracks/client/605268	raw	label_name, label_code, track_name, instruments, image	track
Endpoints / Managing tracks / Delete track by system ID	Delete track by system ID	DELETE	/v1/tracks/system/1	raw	-	message
Endpoints / Managing tracks / Delete track by client ID	Delete track by client ID	DELETE	/v1/tracks/client/1	raw	-	message
Endpoints / Managing tracks / List tracks	List tracks	GET	/v1/tracks?page=3&page_size=10	-	-	tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret, pagination, item_count, page, page_size, page_count
Endpoints / Managing tracks / List tracks	Get count of tracks	GET	/v1/tracks/length	-	-	length
Endpoints / Paid addons / Prompt Search	Prompt Search	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Unified Search / Unified Search queries	Tag Search	POST	/v1/search	raw	query, page, page_size	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	Full-text Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	Keyword Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	Album code Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	Numeric Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	Internal Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Unified Search / Unified Search queries	Internal+Prompt Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	Prompt Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Unified Search queries	URL Search	POST	/v1/search	raw	query, detailed	action, aggregations, did_you_mean, query_id, totals, tracks, type
Endpoints / Paid addons / Unified Search / Autocomplete	Metadata Suggestions	POST	/v1/autocomplete	raw	query	suggestions, totals
Endpoints / Paid addons / Unified Search / Autocomplete	Prompt Suggestions	POST	/v1/prompt-suggestions	raw	query	suggestions, totals

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Video Search / Upload & Search by file	Upload a video file	POST	/v1/upload	formdata	file	status, message, hash
Endpoints / Paid addons / Video Search / Upload & Search by file	Search by video hash	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, detailed	action, type, aggregations, did_you_mean, value, included, query_id, totals, tracks, relation, active, album_code, album_description, album_keywords, album_name, album_number, artist_canonical, artists
Endpoints / Paid addons / Video Search / Search by a Youtube link	Search by a Youtube link	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, detailed, ignore_cache	action, type, aggregations, did_you_mean, value, included, query_id, totals, tracks, relation, active, album_code, album_description, album_keywords, album_name, album_number, artist_canonical, artists
Endpoints / Paid addons / Video Search / Filtering	Search by video hash (with filters)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, detailed, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value, page, page_size	action, type, aggregations, did_you_mean, value, included, query_id, totals, tracks, relation, instruments, genres, auto_tagging_output
Endpoints / Paid addons / Spaces	Create a Workspace	POST	/v1/spaces	raw	prompt, collections, tracks_per_collection, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value, detailed, show_filter, show_tracks	active, collections, id, key, processed_at, title, filter, conditions, field, operator, value, logic, tracks, created_at, prompt, tracks_per_collection, updated_at
Endpoints / Paid addons / Spaces	Update Workspace	POST	/v1/spaces?detailed=true	raw	title, active, collection_order	active, collections, created_at, id, prompt, title, tracks_per_collection, updated_at
Endpoints / Paid addons / Spaces	Get Workspace detail	GET	/v1/spaces/?detailed=true&show_filter=true&show_tracks=true	-	-	active, collections, id, key, processed_at, title, filter, conditions, field, operator, value, logic, tracks, created_at, prompt, tracks_per_collection, updated_at
Endpoints / Paid addons / Spaces	List Workspaces	GET	/v1/spaces?page=1&page_size=999&detailed=true&show_hidden=true	-	-	pagination, item_count, page, page_count, page_size, spaces, active, created_at, id, prompt, title, tracks_per_collection, updated_at
Endpoints / Paid addons / Spaces	Get Tracks in a Workspace Project by ID	GET	/v1/project/get-tracks/by-id/projectId?detailed=true	-	-	pagination, item_count, page, page_count, page_size, tracks, id, id_client
Endpoints / Paid addons / Spaces	Get Tracks in a Workspace Project by Key	GET	/v1/project/get-tracks/by-key/projectKey?detailed=true	-	-	pagination, item_count, page, page_count, page_size, tracks, id, id_client

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Spaces	Suggest Tracks into a Workspace Project by Key	POST	/v1/project/suggest/by-key?detailed=true	raw	key, page, page_size, ignore_cache	query_id, totals, tracks, relation, value, id, id_client
Endpoints / Paid addons / Spaces	Suggest Tracks into a Workspace Project by ID	POST	/v1/project/suggest/by-id?detailed=true	raw	key, page, page_size, ignore_cache	query_id, totals, tracks, relation, value, id, id_client
Endpoints / Paid addons / Spaces	Get multiple Projects by IDs	POST	/v1/project/get/by-id	raw	collection_ids, detailed, show_tracks	collections, contact, description, featuring, space, id, key, tracks, id_client, updated_at, pagination, item_count
Endpoints / Paid addons / Spaces	Get multiple Projects by Keys	POST	/v1/project/get/by-key	raw	collection_keys, detailed, show_tracks	collections, contact, description, featuring, space, id, key, tracks, id_client, updated_at, pagination, item_count
Endpoints / Paid addons / Spaces	Refine Project within a Space	POST	/v1/spaces//refine/projectId?detailed=true&show_filter=true&show_tracks=true	raw	refinement, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	collection, contact, description, featuring, filter, conditions, field, operator, value, logic, first_release_year, followers, id, is_exported, key, keywords, last_release_year, listener_territories
Endpoints / Paid addons / Spaces	Suggest new collections for a Space	POST	/v1/spaces//suggest?detailed=true	raw	mode	-
Endpoints / Paid addons / Spaces	Add new Collection to Space (based on Suggestions)	POST	/v1/spaces//create-collection?detailed=true&show_tracks=true&show_filter=true	raw	title, description, keywords, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	collection
Endpoints / Paid addons / Spaces	Add new Collection to Space (based on a prompt)	POST	/v1/spaces//create-collection?detailed=true&show_tracks=true&show_filter=true	raw	prompt, filter	collection, contact, description, featuring, filter, first_release_year, followers, id, is_exported, key, keywords, last_release_year, listener_territories, monthly_listeners, number_of_tracks, on_tour, owner, popularity
Endpoints / Paid addons / Spaces	Delete Workspace	DELETE	/v1/spaces/	-	-	message
Endpoints / Paid addons / Search by tag / List tags	List tags	GET	/v1/tags	-	-	tags, genre, id, title
Endpoints / Paid addons / Search by tag / List tags	Get count of tags	GET	/v1/tags/length	-	-	length
Endpoints / Paid addons / Search by tag / Search similar tracks by tag	Search by tag	POST	/v1/query/by-tag	raw	tag_id, page, page_size	query_id, tracks
Endpoints / Paid addons / Search by tag / Search similar Collections by Tag	Search Albums by Tag	POST	/v1/albums/search/by-tag?detailed=true&groups=true	raw	tag_id, page, page_size	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Search by tag / Search similar Collections by Tag	Search Artists by Tag	POST	/v1/artists/search/by-tag?detailed=true&groups=true	raw	tag_id, page, page_size	query_id, collections, id, key, processed_at, title

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Search by tag / Search similar Collections by Tag	Search Projects by Tag	POST	/v1/project/search/by-tag?detailed=true&groups=true	raw	tag_id, page, page_size	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Search by tag / Search similar Collections by Tag	Search Playlists by Tag	POST	/v1/playlist/search/by-tag?detailed=true&groups=true	raw	tag_id, page, page_size	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Search by tag / Filtering	Search Tracks by tag (with filters)	POST	/v1/query/by-tag	raw	tag_id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks
Endpoints / Paid addons / Search by tag / Filtering	Search collections by Tag (with filters)	POST	/v1/[collectionType]/search/by-tag?detailed=true&groups=true	raw	tag_id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Playlist Generator / Playlist Generator	Single-seed playlist	POST	/v1/playlist/single-seed	formdata	playlist_length, track[type], track[value]	query_id, tracks, playlist
Endpoints / Paid addons / Playlist Generator / Playlist Generator	Multiple-seed playlist	POST	/v1/playlist/multiple-seeds	formdata	playlist_length, tracks[0][type], tracks[0][value], tracks[1][type], tracks[1][value], track[1][time_offset], track[1][time_limit], tracks[2][type], tracks[2][value]	query_id, tracks, playlist
Endpoints / Paid addons / Playlist Generator / Playlist Generator	Transition playlist	POST	/v1/playlist/transition	formdata	playlist_length, from_track[type], from_track[value], to_track[type], to_track[value], to_track[time_offset], to_track[time_limit]	query_id, tracks, playlist
Endpoints / Paid addons / Playlist Generator / Filtering	Single-seed playlist	POST	/v1/playlist/single-seed	formdata	playlist_length, track[type], track[value], filter[logic], filter[conditions][0][field], filter[conditions][0][operator], filter[conditions][0][value], filter[conditions][1][logic], filter[conditions][1][conditions][0][field], filter[conditions][1][conditions][0][operator], filter[conditions][1][conditions][0][value][0], filter[conditions][1][conditions][0][value][1], filter[conditions][1][conditions][0][value][2], filter[conditions][1][field], filter[conditions][1][operator], filter[conditions][1][value]	query_id, tracks, id, id_client, duration, tags, processed_at, date, timezone_type, timezone, process_input_error, store_secret, playlist, length

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Playlist Generator / Filtering	Multiple-seed playlist	POST	/v1/playlist/multiple-seeds	formdata	playlist_length, tracks[0][type], tracks[0][value], tracks[1][type], tracks[1][value], tracks[2][type], tracks[2][value], filter[logic], filter[conditions][0][field], filter[conditions][0][operator], filter[conditions][0][value], filter[conditions][1][logic], filter[conditions][1][conditions][0][field], filter[conditions][1][conditions][0][operator], filter[conditions][1][conditions][0][value][0], filter[conditions][1][conditions][0][value][1], filter[conditions][1][conditions][0][value][2], filter[conditions][1][conditions][1][field], filter[conditions][1][conditions][1][operator], filter[conditions][1][conditions][1][value]	query_id, tracks, playlist
Endpoints / Paid addons / Playlist Generator / Filtering	Transition playlist	POST	/v1/playlist/transition	formdata	playlist_length, from_track[type], from_track[value], to_track[type], to_track[value], filter[logic], filter[conditions][0][field], filter[conditions][0][operator], filter[conditions][0][value], filter[conditions][1][logic], filter[conditions][1][conditions][0][field], filter[conditions][1][conditions][0][operator], filter[conditions][1][conditions][0][value][0], filter[conditions][1][conditions][0][value][1], filter[conditions][1][conditions][0][value][2], filter[conditions][1][conditions][1][field], filter[conditions][1][conditions][1][operator], filter[conditions][1][conditions][1][value]	query_id, tracks, playlist
Endpoints / Paid addons / Highlights	Search by ID (with highlights)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, seeds[].offset, seeds[].limit, page, page_size, highlights	did_you_mean, included, type, value, id, id_client, query_id, totals, tracks, relation, duration, tags, processed_at, date, timezone_type, timezone, process_input_error, store_secret
Endpoints / Paid addons / Highlights	Search by audio file (with highlights)	POST	/v1/query/by-file	formdata	track, time_offset, time_limit, page, page_size, highlights	query_id, tracks
Endpoints / Paid addons / Highlights	Search by URL (with highlights)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, seeds[].offset, seeds[].limit, page, page_size, highlights	did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Highlights	Prompt Search (with Highlights)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, page, page_size, highlights	action, aggregations, did_you_mean, query_id, totals, tracks, type

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Highlights	Search by video hash (with Highlights)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, detailed, highlights	action, type, aggregations, did_you_mean, value, included, query_id, totals, tracks, relation, active, album_code, album_description, album_keywords, album_name, album_number, artist_canonical, artists
Endpoints / Paid addons / Segment Tool	Search by ID	POST	/v1/search	raw	seeds, seeds[].type, seeds[].value, seeds[].offset, seeds[].limit, page, page_size	did_you_mean, included, type, value, id, id_client, query_id, totals, tracks, relation, duration, tags, processed_at, date, timezone_type, timezone, process_input_error, store_secret
Endpoints / Paid addons / Segment Tool	Search by audio file	POST	/v1/query/by-file	formdata	track, time_offset, time_limit, page, page_size	query_id, tracks
Endpoints / Paid addons / Segment Tool	Search by audio file hash	POST	/v1/query/by-file-hash	raw	hash, time_offset, time_limit, page, page_size	query_id, tracks
Endpoints / Paid addons / Segment Tool	Search by URL (YouTube, Vimeo, Soundcloud, Spotify, Apple Music, TikTok)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].link, seeds[].offset, seeds[].limit, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Segment Tool	Search by file URL	POST	/v1/search	raw	seeds, seeds[].type, seeds[].track, seeds[].offset, seeds[].limit, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Ignore vocals	Search by audio file (ignore vocals)	POST	/v1/query/by-file	formdata	track, time_offset, time_limit, page, page_size, suppress_vocals	query_id, tracks
Endpoints / Paid addons / Ignore vocals	Search by URL (ignore vocals)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].link, seeds[].offset, seeds[].limit, seeds[].suppress_vocals, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Prioritise BPM	Search by ID (prioritise BPM)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].track_id, seeds[].prioritise_bpm, seeds[].bpm_range, page, page_size	did_you_mean, included, type, value, id, id_client, query_id, totals, tracks, relation, duration, tags, processed_at, date, timezone_type, timezone, process_input_error, store_secret
Endpoints / Paid addons / Prioritise BPM	Search by audio file (prioritise BPM)	POST	/v1/query/by-file	formdata	track, time_offset, time_limit, page, page_size, prioritise_bpm, bpm_range	query_id, tracks
Endpoints / Paid addons / Prioritise BPM	Search by URL (prioritise BPM)	POST	/v1/search	raw	seeds, seeds[].type, seeds[].link, seeds[].offset, seeds[].limit, seeds[].prioritise_bpm, seeds[].bpm_range, page, page_size	did_you_mean, query_id, totals, tracks
Endpoints / Paid addons / Similar Albums / Album Information	Get Album by Key	GET	/v1/albums/get/by-key/albumKey	-	-	collection

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Similar Albums / Album Information	Get Album by ID	GET	/v1/albums/get/by-id/albumId	-	-	collection
Endpoints / Paid addons / Similar Albums / Similarity Search	Search Similar Albums by Key	POST	/v1/albums/similar/by-key?page=1&page_size=10	raw	key	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Albums / Similarity Search	Search Similar Albums by ID	POST	/v1/albums/similar/by-id?page=1&page_size=10	raw	id	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Albums / Filtering	Search Similar Albums by Key	POST	/v1/albums/similar/by-key?page=1&page_size=10	raw	key, filter, filter.logic, filter.conditions[], field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Albums / Filtering	Search Similar Albums by ID	POST	/v1/albums/similar/by-id?page=1&page_size=10	raw	id, filter, filter.logic, filter.conditions[], field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Artists / Artist Information	Search for an Artist	GET	/v1/artists/search?page=1&page_size=10&title=Damon Albarn	-	-	collections, id, key, processed_at, title, pagination, item_count, page, page_size, page_count
Endpoints / Paid addons / Similar Artists / Artist Information	Get Artist by Key	GET	/v1/artists/get/by-key/artistKey	-	-	collection
Endpoints / Paid addons / Similar Artists / Artist Information	Get Artist by ID	GET	/v1/artists/get/by-id/artistId	-	-	collection
Endpoints / Paid addons / Similar Artists / Similarity Search	Search Similar Artists by Key	POST	/v1/artists/similar/by-key?page=1&page_size=10	raw	key	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Artists / Similarity Search	Search Similar Artists by ID	POST	/v1/artists/similar/by-id?page=1&page_size=10	raw	id	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Artists / Filtering	Search Similar Artists by Key	POST	/v1/artists/similar/by-key?page=1&page_size=10	raw	key, filter, filter.logic, filter.conditions[], field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Similar Artists / Filtering	Search Similar Artists by ID	POST	/v1/artists/similar/by-id?page=1&page_size=10	raw	id, filter, filter.logic, filter.conditions[], field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Smart Projects / Project management	Create Project	POST	/v1/project	raw	title, key, track_ids	collection
Endpoints / Paid addons / Smart Projects / Project management	List Projects	GET	/v1/project?page=1&page_size=10	-	-	collections, pagination
Endpoints / Paid addons / Smart Projects / Project management	Get number of Projects	GET	/v1/project/length	-	-	length
Endpoints / Paid addons / Smart Projects / Project management	Get Project by Key	GET	/v1/project/get/by-key/projectKey	-	-	collection
Endpoints / Paid addons / Smart Projects / Project management	Get Project by ID	GET	/v1/project/get/by-id/projectId	-	-	collection

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Smart Projects / Project management	Get multiple Projects by ID	POST	/v1/project/get/by-id	raw	collection_ids, groups, detailed, show_tracks	collections, pagination
Endpoints / Paid addons / Smart Projects / Project management	Update Project by Key	POST	/v1/project/update/by-key/projectKey	raw	title	collection
Endpoints / Paid addons / Smart Projects / Project management	Update Project by ID	POST	/v1/project/update/by-id/projectId	raw	title	collection
Endpoints / Paid addons / Smart Projects / Project management	Delete Project by Key	DELETE	/v1/project/delete/by-key/projectKey	-	-	message
Endpoints / Paid addons / Smart Projects / Project management	Delete Project by ID	DELETE	/v1/project/delete/by-id/projectId	-	-	message
Endpoints / Paid addons / Smart Projects / Track management	Add Track to Project by ID	POST	/v1/project/add-track/by-id	raw	track_id, collection_key, track_ids	message
Endpoints / Paid addons / Smart Projects / Track management	Add Track to Project by URL	POST	/v1/project/add-track/by-url	raw	link, collection_key	message
Endpoints / Paid addons / Smart Projects / Track management	Add Track to Project by file URL	POST	/v1/project/add-track/by-file-url	raw	track, collection_key	message
Endpoints / Paid addons / Smart Projects / Track management	Add Track to Project by file	POST	/v1/project/add-track/by-file	formdata	collection_key, track	message
Endpoints / Paid addons / Smart Projects / Track management	Get Tracks in Project by Key	GET	/v1/project/get-tracks/by-key/projectKey	-	-	tracks, pagination
Endpoints / Paid addons / Smart Projects / Track management	Get Tracks in Project by ID	GET	/v1/project/get-tracks/by-id/projectId	-	-	tracks, pagination
Endpoints / Paid addons / Smart Projects / Track management	Remove Track from Project	POST	/v1/project/remove-track/by-id	raw	track_id, collection_key	message
Endpoints / Paid addons / Smart Projects / Recommendations	Suggest Tracks into Project by Key	POST	/v1/project/suggest/by-key	raw	key, page, page_size	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Smart Projects / Recommendations	Suggest Tracks into Project by ID	POST	/v1/project/suggest/by-id	raw	id, page, page_size	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Smart Projects / Filtering	Suggest Tracks into Project by Key	POST	/v1/project/suggest/by-key	raw	key, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Smart Projects / Filtering	Suggest Tracks into Project by ID	POST	/v1/project/suggest/by-id	raw	id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Playlists / Playlist management	Create Playlist	POST	/v1/playlist	raw	title, key, track_ids	collection
Endpoints / Paid addons / Playlists / Playlist management	List Playlists	GET	/v1/playlist?page=1&page_size=10	-	-	collections, pagination
Endpoints / Paid addons / Playlists / Playlist management	Get number of Playlists	GET	/v1/playlist/length	-	-	length
Endpoints / Paid addons / Playlists / Playlist management	Get Playlist by Key	GET	/v1/playlist/get/by-key/playlistKey	-	-	collection
Endpoints / Paid addons / Playlists / Playlist management	Get Playlist by ID	GET	/v1/playlist/get/by-id/playlistId	-	-	collection
Endpoints / Paid addons / Playlists / Playlist management	Update Playlist by Key	POST	/v1/playlist/update/by-key/playlistKey	raw	title	collection
Endpoints / Paid addons / Playlists / Playlist management	Update Playlist by ID	POST	/v1/playlist/update/by-id/playlistId	raw	title	collection
Endpoints / Paid addons / Playlists / Playlist management	Delete Playlist by Key	DELETE	/v1/playlist/delete/by-key/playlistKey	-	-	message
Endpoints / Paid addons / Playlists / Playlist management	Delete Playlist by ID	DELETE	/v1/playlist/delete/by-id/playlistId	-	-	message
Endpoints / Paid addons / Playlists / Track management	Add Track to Playlist by ID	POST	/v1/playlist/add-track/by-id	raw	track_id, collection_key, track_ids	message
Endpoints / Paid addons / Playlists / Track management	Add Track to Playlist by URL	POST	/v1/playlist/add-track/by-url	raw	link, collection_key	message
Endpoints / Paid addons / Playlists / Track management	Add Track to Playlist by file URL	POST	/v1/playlist/add-track/by-file-url	raw	track, collection_key	message
Endpoints / Paid addons / Playlists / Track management	Add Track to Playlist by file	POST	/v1/playlist/add-track/by-file	formdata	collection_key, track	message
Endpoints / Paid addons / Playlists / Track management	Get Tracks in Playlist by Key	GET	/v1/playlist/get-tracks/by-key/playlistKey	-	-	tracks, pagination
Endpoints / Paid addons / Playlists / Track management	Get Tracks in Playlist by ID	GET	/v1/playlist/get-tracks/by-id/playlistId	-	-	tracks, pagination
Endpoints / Paid addons / Playlists / Track management	Remove Track from Playlist	POST	/v1/playlist/remove-track/by-id	raw	track_id, collection_key	message
Endpoints / Paid addons / Playlists / Recommendations	Suggest Tracks into Playlist by Key	POST	/v1/playlist/suggest/by-key	raw	key, page, page_size	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Playlists / Recommendations	Suggest Tracks into Playlist by ID	POST	/v1/playlist/suggest/by-id	raw	id, page, page_size	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Playlists / Similarity Search	Search Similar Playlists by Key	POST	/v1/playlist/similar/by-key?page=1&page_size=10	raw	key	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Playlists / Similarity Search	Search Similar Playlists by ID	POST	/v1/playlist/similar/by-id?page=1&page_size=10	raw	id	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Playlists / Playlist Plugging	Search for Playlists to Plug a Track into by ID	POST	/v1/playlist/plugin/by-id	raw	track_id, page, page_size	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Playlist Plugging	Search for Playlists to Plug a Track into by URL	POST	/v1/playlist/plugin/by-url	raw	link, page, page_size	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Playlist Plugging	Search for Playlists to Plug a Track into by File URL	POST	/v1/playlist/plugin/by-file-url	raw	track, page, page_size	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Playlist Plugging	Search for Playlists to Plug a Track into by File	POST	/v1/playlist/plugin/by-file	formdata	track	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Playlist Plugging	Search for Playlists to Plug a Track into by File Hash	POST	/v1/playlist/plugin/by-file-hash	formdata	hash, page, page_size	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Filtering / Recommendations	Suggest Tracks into Playlist by Key	POST	/v1/playlist/suggest/by-key	raw	key, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Playlists / Filtering / Recommendations	Suggest Tracks into Playlist by ID	POST	/v1/playlist/suggest/by-id	raw	id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Playlists / Filtering / Similar Playlists	Search Similar Playlists by Key	POST	/v1/playlist/similar/by-key?page=1&page_size=10	raw	key, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Playlists / Filtering / Similar Playlists	Search Similar Playlists by ID	POST	/v1/playlist/similar/by-id?page=1&page_size=10	raw	id, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Playlists / Filtering / Playlist Plugging	Search for Playlists to Plug a Track into by ID	POST	/v1/playlist/plugin/by-id	raw	track_id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Filtering / Playlist Plugging	Search for Playlists to Plug a Track into by URL	POST	/v1/playlist/plugin/by-url	raw	link, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Playlists / Filtering / Playlist Plugging	Search for Playlists to Plug a Track into by File URL	POST	/v1/playlist/plugin/by-file-url	raw	track, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, updated_at, title

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Playlists / Filtering / Playlist Plugging	Search for Playlists to Plug a Track into by File	POST	/v1/playlist/plugin/by-file	formdata	track, page, page_size, filter[logic], filter[conditions][0][field], filter[conditions][0][operator], filter[conditions][0][value]	query_id, collections, id, key, processed_at, updated_at, title
Endpoints / Paid addons / Custom tags / Custom tag management	Create Custom Tag	POST	/v1/custom-tag	raw	title, key, track_ids	collection
Endpoints / Paid addons / Custom tags / Custom tag management	List Custom Tags	GET	/v1/custom-tag?page=1&page_size=10	-	-	collections, pagination
Endpoints / Paid addons / Custom tags / Custom tag management	Get number of Custom Tags	GET	/v1/custom-tag/length	-	-	length
Endpoints / Paid addons / Custom tags / Custom tag management	Get Custom Tag by Key	GET	/v1/custom-tag/get/by-key/{{customTag.key}}	-	-	collection
Endpoints / Paid addons / Custom tags / Custom tag management	Get Custom Tag by ID	GET	/v1/custom-tag/get/by-id/{{customTag.id}}	-	-	collection
Endpoints / Paid addons / Custom tags / Custom tag management	Update Custom Tag by Key	POST	/v1/custom-tag/update/by-key/{{customTag.key}}	raw	title	collection
Endpoints / Paid addons / Custom tags / Custom tag management	Update Custom Tag by ID	POST	/v1/custom-tag/update/by-id/{{customTag.id}}	raw	title	collection
Endpoints / Paid addons / Custom tags / Custom tag management	Delete Custom Tag by Key	DELETE	/v1/custom-tag/delete/by-key/{{customTag.key}}	-	-	message
Endpoints / Paid addons / Custom tags / Custom tag management	Delete Custom Tag by ID	DELETE	/v1/custom-tag/delete/by-id/{{customTag.id}}	-	-	message
Endpoints / Paid addons / Custom tags / Track management	Add Track to Custom Tag by ID	POST	/v1/custom-tag/add-track/by-id	raw	track_id, collection_key, track_ids	message
Endpoints / Paid addons / Custom tags / Track management	Add Track to Custom Tag by URL	POST	/v1/custom-tag/add-track/by-url	raw	link, collection_key	message
Endpoints / Paid addons / Custom tags / Track management	Add Track to Custom Tag by file URL	POST	/v1/custom-tag/add-track/by-file-url	raw	track, collection_key	message
Endpoints / Paid addons / Custom tags / Track management	Add Track to Custom Tag by file	POST	/v1/custom-tag/add-track/by-file	formdata	collection_key, track	message
Endpoints / Paid addons / Custom tags / Track management	Get Tracks defining the Custom Tag by Key	GET	/v1/custom-tag/get-tracks/by-key/{{customTag.key}}	-	-	tracks, pagination
Endpoints / Paid addons / Custom tags / Track management	Get Tracks defining the Custom Tag by ID	GET	/v1/custom-tag/get-tracks/by-id/{{customTag.id}}	-	-	tracks, pagination
Endpoints / Paid addons / Custom tags / Track management	Remove Track from Custom Tag	POST	/v1/custom-tag/remove-track/by-id	raw	track_id, collection_key	message
Endpoints / Paid addons / Custom tags / Recommendations	Suggest Tracks based on the Custom Tag by Key	POST	/v1/custom-tag/suggest/by-key	raw	key, page, page_size	query_id, tracks

Section	Nom	Methode	URL	Body	Champs entree	Champs reponse
Endpoints / Paid addons / Custom tags / Recommendations	Suggest Tracks based on the Custom Tag by ID	POST	/v1/custom-tag/suggest/by-id	raw	id, page, page_size	query_id, tracks
Endpoints / Paid addons / Custom tags / Filtering	Filter suggested Tracks by Key	POST	/v1/custom-tag/suggest/by-key	raw	key, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks
Endpoints / Paid addons / Custom tags / Filtering	Filter suggested Tracks by ID	POST	/v1/custom-tag/suggest/by-id	raw	id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks
Endpoints / Paid addons / Grouping / Getting groups / Projects	Get Groups from Project Listing	GET	/v1/project?page=1&page_size=10&groups=true	-	-	collections, id, key, processed_at, updated_at, title, grouping_data, tracks, pagination, item_count
Endpoints / Paid addons / Grouping / Getting groups / Projects	Get Groups from Project Detail	GET	/v1/project/get/by-key/projectKey?groups=true	-	-	collection
Endpoints / Paid addons / Grouping / Getting groups / Playlists	Get Groups from Playlists Listing	GET	/v1/playlist?page=1&page_size=10&groups=true	-	-	collections, id, key, processed_at, updated_at, title, grouping_data, tracks, pagination, item_count
Endpoints / Paid addons / Grouping / Getting groups / Playlists	Get Groups from Playlist Detail	GET	/v1/playlist/get/by-key/playlistKey?groups=true	-	-	collection
Endpoints / Paid addons / Grouping / Getting Recommendations / Suggest Tracks into Project	Suggest Tracks into Project by Group	POST	/v1/project/suggest/by-key	raw	key, group_id, page, page_size	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Grouping / Getting Recommendations / Suggest Tracks into Playlist	Suggest Tracks into Playlist by Group	POST	/v1/playlist/suggest/by-key	raw	key, group_id, page, page_size	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Grouping / Getting Recommendations / Search similar Artists by Group	Search similar Artists by Group	POST	/v1/artists/similar/by-key	raw	key, group_id, page, page_size	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Grouping / Getting Recommendations / Search similar Albums by Group	Search similar Albums by Group	POST	/v1/albums/similar/by-key	raw	key, group_id, page, page_size	query_id, collections, id, key, processed_at, title
Endpoints / Paid addons / Grouping / Filtering / Suggest Tracks into Project/Playlist by Group (with filters)	Suggest Tracks into Project/Playlist by Group	POST	/v1/project/suggest/by-key	raw	key, group_id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, tracks, id, id_client, duration, release_year, track_name, tags, processed_at, process_input_error, store_secret
Endpoints / Paid addons / Grouping / Filtering / Search similar Artists/Albums by Group (with filters)	Search similar Artists/Albums by Group (with filters)	POST	/v1/artists/similar/by-key	raw	key, group_id, page, page_size, filter, filter.logic, filter.conditions, filter.conditions[].field, filter.conditions[].operator, filter.conditions[].value	query_id, collections, id, key, processed_at, title

Annexe B - Champs metadata documentes

La table ci-dessous reprend les noms de champs, obligation par défaut et types. AIMS indique que les champs requis peuvent etre ajustes par compte.

Champ	Requis par défaut	Type
track	yes	file
id_client	yes	string
track_name	yes	string
release_year	yes	int
track_number	yes	string
track_code	no	string
track_description	no	string
filepath	yes	string
version	no	bool
version_tag	yes	string
version_name	no	string
master_track_number	no	string
isrc	no	string
label_name	yes	string
label_code	yes	string
label_lc_name	no	string
album_number	yes	string
album_code	no	string
album_name	yes	string
album_description	no	string
album_keywords	no	array
tempo	no	string
bpm	no	int
music_key	no	string
music_meter	no	string
lyrics	no	string
lyrics_language	no	string
artists	no	array
composers	no	array
publisher	no	string
genres	yes	array
instruments	yes	array
moods	yes	array
music_for	yes	array
album_keywords	no	array
active	no	bool
licensable	no	bool
restricted	no	bool
commercial	no	bool
hook_url	no	string
territories	no	array
decades	no	array
vocals	no	array
sync_history	no	bool
recognisable	no	bool
jam_sync	no	bool

Champ	Requis par défaut	Type
hit	no	bool
top	no	bool
publishing_partner_us	no	array
publishing_partner	no	array
share	no	float
owner	no	array
external_id	no	string
categories	no	array
looped	no	bool
pro_affiliated	no	bool
content_id_registered	no	bool
released_at	no	string
visibility	no	array
custom_data	no	array
artist_ids	no	array
image	no	file, string
master_track_id	no	string
cuesheet_info	no	string
explicit	no	bool
profane	no	bool
subgenres	no	array
filenames	no	array
title	no	string
key	no	string
contact	no	string
description	no	string
keywords	no	array
track_ids	no	array
featuring	no	array
socials	no	array
listener_territories	no	array
monthly_listeners	no	int
first_release_year	no	int
last_release_year	no	int
followers	no	int
popularity	no	int
on_tour	no	bool

Annexe C - Codes d'erreur documentes

AIMS renvoie les exceptions dans un objet JSON avec `code`, `message` et parfois `payload`. Les 4xx sont generalement corrigeables cote client; les 5xx demandent une resolution cote AIMS ou dependance externe.

Code	HTTP	Message	Description
1001	503	This functionality is currently not available. Please try again later!	Signals an internal error that resulted in a denial of service.
2001	422	The track is already in the index!	Returned when a duplicate track is added to the index.
2101	500	Source audio file not found!	Returned when a source audio file is missing (corrupted upload).
2102	500	Source audio file failed to upload!	Returned when a source audio file doesn't exist (empty upload).
3001	422	No resource identifier can be found in the url!	Returned when there is no identificator in the link (e.g. https://www.youtube.com/).
3002	422	The requested media is too long!	Returned when the requested resource media is longer than 15 minutes.
3003	422	The link is not a valid url!	The string value supplied as an URL is not a valid URL.
3004	422	The linked resource is not a track but a playlist, album, or similar!	The URL doesn't point to a track but to a playlist, set, album, user or other resource.
3005	422	The server hosting the linked resource returned 404: Not Found!	The requested resource can not found on the source platform (e.g. YouTube).
3006	422	The server hosting the linked resource reported the resource is unavailable!	The requested resource is not available on the source platform.
3007	422	This resource is blocked in your country on copyright grounds!	The requested resource has been blocked by the source platform on copyright grounds.
3008	422	This video has been removed by the uploader!	The requested resource has been removed from the source platform.
3009	422	The uploader has not made this video available in your country!	The requested resource is blocked from downloading by the uploader.
3010	422	This video is private or protected by a password!	The requested resource can not be retrieved because it is protected by a password/private.
3011	422	There is no audio data for the linked resource! Please check that time_offset and time_limit parameters are within the length of the linked resource.	The requested resource is probably shorter than the requested offset and limit.
3012	422	The identifier for this video is invalid!	The identifier of YouTube video is not valid (e.g. a part is missing).
3013	422	This live stream recording is not available!	YouTube reports the requested video belongs to a live stream that has ended and is no longer available.
3014	422	There's no preview URL for the requested track.	Spotify doesn't guarantee there will be a preview for all tracks.
3015	422	This video has not been rated!	Vimeo doesn't allow public access to unrated videos.
3101	502	The resource can not be downloaded at the moment!	Returned when a requested linked media can't be downloaded (possible encoding issue, 3rd party server hosting the media is down, ...).
3501	422	Resource type can not be determined! Host is not supported.	Returned when the hosting service for linked media is not recognized or supported (e.g. https://metube.id).
3601	502	Requested resource is unavailable.	Returned when a requested linked media is not available (location-blocked or not allowed to download by the uploader).
3801	502	Downloader service is unavailable!	Signals an error in downloader service that resulted in a denial of service.
4102	422	Time offset must be lesser than the duration!	Returned when the offset parameter is set to a value higher than the duration of the media.
4103	422	Time limit must be equal or lesser than the duration!	Returned when the limit parameter is set to a value higher than the duration of the media.
4104	422	The uploaded file is corrupted!	The file is not a valid readable audio file (e.g. corrupted streams, invalid headers).
5001	404	Track has not been found!	Returned when a non-existent track has been requested.
5101	422	Track has not been processed yet!	Returned when a non yet processed track has been requested.
5201	404	Tag has not been found!	Returned when a non-existent tag has been requested.
5401	422	Invalid combination of operator and field type!	Returned when a filtering operator is not supported for requested field.
5402	422	Invalid filtering field requested!	Returned when a non-existent or not supported field has been requested for filtering.
5403	422	Filter structure is not valid! Please check that your request contains valid JSON/FormData.	Returned when a syntactically invalid filtering request has been submitted.
5501	404	Collection has not been found!	Returned when you request a non-existing album, artist, custom tag, project or playlist.
5502	404	Collection is not yet processed! Please try again later.	Returned if you attempt search or suggest with an album, custom tag, playlist or project that is not yet processed.
5601	404	No track with specified hash found!	Returned if you attempt to use a non-existing hash for a previously performed file search.
5701	501	This type of search is not supported on your account!	Your account doesn't have the functionality enabled. Please contact us.
6001	422	Invalid request received!	Returned when a request is not valid (e.g. no audio file supplied for search by audio file; more information is to be found in the payload).

Code	HTTP	Message	Description
6002	422	No file supplied in the request! Please include the contents of the file.	The request doesn't contain a file.
6003	422	Request is malformed. This is usually caused by missing multipart boundary. If you're using Angular or Ember, make sure to leave the http client to set correct content-type header.	Request is malformed. Probably due to a binary file being sent as a string due to missing multipart boundary.
6004	422	The BPM-prioritising functionality is not enabled on your account!	BPM-prioritisation needs to be enabled before it can be used. Please contact us.
6005	422	Internal search only supports time_offset and time_limit parameters on accounts with highlights functionality enabled!	If you don't use highlights, internal search with offset is not supported. Please contact us.
6006	422	Failed to ignore tracks from the same album, because the original track does not have an album code!	Ignoring search results from the same album is only supported for tracks that have album codes.
6007	422	Failed to ignore other versions of the original track, because it does not have an album code!	Ignoring other versions of the seed track in the search results is only supported if the seed track has an album code, and track number (version) or master track number (main track).
6008	422	Failed to ignore other versions of the original track, because it does not have a master track number!	Ignoring other versions of the seed track in the search results is only supported if the seed track has an album code, and track number (version) or master track number (main track).
6009	422	Failed to ignore other versions of the original track, because it does not have a track number!	Ignoring other versions of the seed track in the search results is only supported if the seed track has an album code, and track number (version) or master track number (main track).
6101	429	Too many requests!	Returned when more than 300 requests are made within a minute.
6102	429	FUP limit reached!	Returned when more than the reserved amount of requests is made.
6201	405	Method not allowed!	Returned if you attempt to call an endpoint using an unsupported HTTP method.

Annexe D - Couverture par famille

Famille	Nombre de requetes documentees
Authentication	1
Feedback	1
AIMS queries	13
Get track metadata	2
Managing tracks	7
Paid addons > Prompt Search	1
Paid addons > Unified Search	11
Paid addons > Video Search	4
Paid addons > Spaces	15
Paid addons > Search by tag	9
Paid addons > Playlist Generator	6
Paid addons > Highlights	5
Paid addons > Segment Tool	5
Paid addons > Ignore vocals	2
Paid addons > Prioritise BPM	3
Paid addons > Similar Albums	6
Paid addons > Similar Artists	7
Paid addons > Smart Projects	21
Paid addons > Playlists	33
Paid addons > Custom tags	20
Paid addons > Grouping	10

Rapport genere localement pour Parigo a partir de la documentation publique AIMS. Les explications sont des syntheses techniques; les endpoints, champs et codes sont extraits de la collection Postman publiee.