

Eurofins GMP

Creation Date: 28 Dec
2016 12:58 PM
Modified Date: March
29, 2022

Audit Score	86
----------------	----

General Information	
Site Name	Taizhou Beno Biotech Co., Ltd.
Site Address	Li Kong Group 3, Donglin Village, Yaowang Street, Taixing, Jiangsu, 225400, China
Site Contact (Name:Title)	Mr. Li Wang/GM
Date of Audit:	2026-06-12 - 2026-06-14
People present at the “Opening Meeting” (include name and role)	Mr. Li Wang/GM, Mr. Zhou Guangwu/Technical Manager, Mr. Zhou Shenyong/Production Manager, Ms. Ji Xinglan/QC Manager, Mr. Rui Xiangou/Sales Manager, Gan Lili/Purchasing Manager, Kevin Zhu/Eurofins auditor
People present at the “Closing Meeting” (include name and role)	Mr. Li Wang/GM, Mr. Zhou Guangwu/Technical Manager, Mr. Zhou Shenyong/Production Manager, Ms. Ji Xinglan/QC Manager, Mr. Rui Xiangou/Sales Manager, Gan Lili/Purchasing Manager, Kevin Zhu/Eurofins auditor
Declaration of no Conflict of Interest with this facility or any related parent organization.	No conflict
Facility Description:	Taizhou Beno Biotech Co., Ltd established in 2016. The factory has total area of 3000m2, in which 2000m2 for production and storage. There are 3 production lines in the factory and main products processed in the factory are solid pet additive premixed feed, semi-solid pet additive premixed feed & liquid pet additive premixed feed. The annual output of Y2025 is 30 million CYN. Currently all products are sold in domestic market. The factory has 30 employees working in single production shift (8:00-17:00) and 6 days per week. The factory's Business Operation License 91321283MA1MR5HB8P, updated on 2019-06-04, Production Approval license (2026)12006, valid from 2031-04-25.

1.0 HACCP/Food Safety		
	Rating	Comment
1.1 MANDATORY The facility must develop a documented food safety management program (HACCP or Food Safety Plan). HACCP or Food Safety Plan(s) must be developed by HACCP trained, cross functional team from across the facility's departments. HACCP/Food Safety Team Lead must have a formal certified HACCP training. For facilities under FSMA - Food Safety Plans must have a formally trained PCQI. Food Safety Team must receive refresher HACCP training minimum annually. THIS WOULD BE CONSIDERED A CRITICAL, IF NO PROGRAM IS IN PLACE.	Minor	HACCP plan incorporating HACCP Principles of the Codex Alimentarius. Ref: BN-HACCP 01, A/0, updated on 2026-01-15, detailed with products for solid pet additive premixed feed, semi-solid pet additive premixed feed & liquid pet additive premixed feed, fully implemented on site. The HACCP team include GM Manager, QC Manager, Technical Manager, Sales Manager, Purchasing Manager, Supervisors and Operational staff. QC Manager Ms. Ji as HACCP team leader, who has more than 10 years' experience in food related industry, and received training on food safety knowledge. The site was not under FSMA currently. NC: The HACCP team leader Ms. Ji did not received formal HACCP training.

1.2	The facility must follow all of the preliminary steps in formulating the food safety management plan(s). The preliminary steps must include the formulation of a cross functional food safety team; a description of covered products, intended uses/users and suitability for vulnerable groups must be considered (e.g. Infants, elderly, and allergy sufferers) of covered products; and construction of a flow diagram by the food safety team.	Compliant	There is a product data sheet for each product, specifying composition, physical, organoleptic, chemical and microbiological parameters, legal requirements, methods of treatment, packaging, durability (shelf life), conditions for storage, method of transport and distribution, EXAMPLE: main raw material including chicken hydrolyzed paste, fish hydrolyzed paste, chicken hydrolyzed powder, fish hydrolyzed powder, additives; Significant product characteristic including the residues of pesticides and veterinary drugs, the content of heavy metals, the types and contents of additives, etc. should comply with the requirements of the state and the importing country, no infectious diseases, free of impurities, salmonella shall not be detected; Packaging including plastic bag, plastic bottle, glass bottle, aluminum tube; Ambient storage for 24 months; The intended use of the product is pet food for dogs and cats. Flow diagrams of products and processes are in place. The accuracy of the flow diagrams has been on site verified on 2026-02-28 by HACCP team.
1.3	The facility must complete a documented hazard analysis, complete with identifications of hazards and control measures at each step of the process.	Compliant	Hazard analysis has been completed from raw material, processing to final products, including of biological hazards, chemical hazards, physical hazards, radiological contamination, fraud, malicious contamination and allergen hazards. Likely occurrence of hazard and severity of the effects were considered during the hazard analysis. Significant hazard was defined and then decision tree was used to decide CCPs. The potential hazards were listed in the form of hazard analysis sheet of the HACCP plan.
1.4	Critical Control Points/Preventive Controls must be identified for those hazards that were found to be significant and reasonably likely to occur. The Critical Control Points (CCPs)/ Preventive Controls (PCs) must adequately control food safety within the described process.	Compliant	Significant hazard was defined and then decision tree was used to decide CCPs. The potential hazards were listed in the form of hazard analysis sheet of the HACCP plan. The significant food hazards are controlled through CCPs. A decision tree has been used to assess the hazard controls at each process step and the results were documented, and critical Limits for CCP were defined in HACCP plan. CCPs and other control measures (CPs) are identified. Details of CCPs: CCP1: batching, critical limit: food additives comply with national standard, monitor frequency: double check every batch; CCP2: sterilization, critical limit: 121°C for 20-30 mins, monitor frequency: every batch.
1.5	At least one (1) Critical Limit must be established for each CCP/PC which has been identified. Each Critical Limit must be validated to ensure it will control the identified hazard. Validations of Critical Limits must be documented.	Compliant	HACCP plan had been validated annually or before any change which can affect food safety, last annual validation on 2026-02-01.
1.6	A documented procedure that defines monitoring for each CCP/PC's critical limits. The procedure must describe what will be monitored, who will perform the monitoring, how the monitoring will be completed, what equipment is needed for the monitoring, and the frequency which the monitoring will take place.	Compliant	A documented procedure that defines monitoring for each CCP/PC's critical limits in place.

1.7	Corrective actions have been documented and defined for each CCP/PC when monitoring shows that critical limits were not achieved.	Compliant	Corrective actions defined in the HACCP plan.
1.8	Verification procedures must be documented and defined for each CCP/PC that ensures that the HACCP Program and/or Food Safety Plan is being followed as written. Verification procedures, for Food Safety Plans, must be completed by PCQI or appropriate trained designee within 7 working days from creation.	Compliant	HACCP verification procedure was established and implemented and was addressed in the HACCP study. The latest verification record of 2026-03-10 was viewed on site audit.
1.9	Records must be maintained that show that the HACCP and/or Food Safety Plan(s) are being followed as written.	Compliant	Records in place, such as pet nutrition tablets with lot no. 20260520.
1.10	HACCP/Food Safety Program must be reviewed, by HACCP/Food Safety Team, at least annually or when changes to the process, raw materials, equipment, formulation, etc. to verify the plan is still valid. In addition, for Food Safety Plans, the PCQI must review the Food Safety Plan when a deviation of a PC's critical limit occurs. All HACCP/Food Safety Program reviews, changes, and recommendations must be documented. Food Safety Plans must be signed off by PCQI and the most senior manager onsite.	Compliant	HACCP reviewed annually, last review dated 2026-03-10.
1.11	Site personnel who are responsible for CCP/PC monitoring and/or corrective actions must be trained and are aware of their responsibilities, including CCPs/PCs & critical limits which have been established, the frequency for monitoring, and corrective actions that are to be implemented in the event of a deviation. Employees with these responsibilities must be interviewed, training and monitoring/corrective actions records reviewed to determine understanding. These personnel must receive refresher training when needed, when there have been changes made to (e.g. CCPs/PCs, critical limits, or corrective actions), and/or annually at a minimum.	Compliant	CCP training dated 2026-03-07.
1.0 HACCP/Food Safety- Section Summary			

2.0 Allergen Control

2.0 MANDATORY	The facility must have a documented allergen control program. The facility must identify the ingredients that are considered allergens by local and country of destination regulation. A documented risk assessment must be conducted to show where controls must be implemented to prevent cross contact. THIS WOULD BE CONSIDERED A CRITICAL, IF NO PROGRAM IN PLACE.	Compliant	Allergen control procedure (BN-PD-019, A/0, 2026-01-15) is available. Allergens listed refer to the regulations of China. Allergen risk from raw materials, ingredient and processing had been conducted. Last evaluation time was 2025-01-15. Allergens were identified in production and warehouse area including wheat flour, fish, peanut, soybean product. Risk assessment was carried out to identify routes of contamination and documented policies and procedures for handling raw materials, intermediate and finished products were established to ensure cross contamination was avoided. The different products with different allergens were not produced in same time and a complete and thorough cleaning were conducted when shift exchange. Product labeling has no allergen warning as there is no requirement according to China regulation for pet food.
2.1	The facility must develop a documented identification program that includes bulk ingredient storage, formulation rework, work-in-progress, and finished products. All allergenic materials must be observed properly identified in the facility. Utensils used for allergens shall be dedicated or be thoroughly cleaned between uses. Food grade lubricants and chemicals used for sanitation, including, but not limited to, hand soaps, shall be allergen free.	Compliant	Product identification and traceability control procedure (BN-PD-040, A/0, 2026-01-15) was in place
2.2	The facility must develop a documented allergen control program to prevent cross-contact the includes segregation during storage, segregation of ingredients during formulation, controls during rework and re-processing.	Compliant	Allergen control procedure BN-PD-019, A/0, 2026-01-15
2.3	Sanitation process controls must be established to prevent cross-contact by allergens. Allergen cleaning SSOPs to remove allergenic residues from equipment must be documented, verified, and validated to ensure these are effective. Validation of cleaning SOPs must be conducted using allergen (protein) specific (when available) test methods, with the most currently sensitive testing method. Verification, of the validated cleaning procedures, shall be documented with re-cleaning conducted when equipment does not pass. Allergen spills shall be cleaned up immediately to prevent cross-contact from allergenic materials.	Minor	NC: Allergen cleaning SSOP in place bu the validation of the cleaning SOP was not provided.
2.4	The facility must have a documented label reconciliation program to verify that all products that contain allergens clearly state those allergens on the label with common names to meet legal and customer requirements. All production batch sheets and recipes shall identify allergens when present. A documented packaging and labeling line clearance procedure must be implemented and line clearances at product changeovers shall be documented to ensure previous product packaging and labeling are removed prior to the next run. Labels and packaging were observed during the audit to be accurate.	Compliant	Allergen control procedure (BN-PD-019, A/0, 2026-01-15) is available. A documented packaging and labeling line clearance procedure established: BN-PD-039, A/0, 2026-01-15. Product labeling has no allergen warning as there is no requirement according to China regulation for pet food.
2.5	All personnel must receive general allergen training and those who have responsibilities for the allergen control program must be trained and aware of their responsibilities. Employees must be observed properly performing the allergen control program as it is written.	Compliant	Allergen control training dated 2026-05-18
2.0 Allergen Control- Section Summary			

3.0 Foreign Material Control

3.1	The facility must develop a documented foreign material control program. Controls must be identified and established for foreign material hazards.	Compliant	Foreign material control procedure: BN-PD-025, A/0, 2026-01-15
3.2	The facility must develop a documented glass and brittle plastic policy/procedure and be implemented to ensure that necessary precautions are taken. Procedures shall include: 1. What is to be done in the event of a glass or brittle plastic item breaks in the processing or storage areas. 2. Monitoring the condition of glass and brittle plastic items within the processing and storage areas based frequency which is based on the risk to the product.	Compliant	Glass and brittle plastic policy/procedure: BN-PD-021, A/0, 2026-01-15
3.3	Metal detection equipment (e.g. x-ray or metal detector) must be used unless a documented risk assessment demonstrates that this does not improve the protection of the final product from metal contamination. If metal detection equipment is utilized by the facility, documented procedures must be developed and implemented for the verification of the equipment, including validation of the: Test pieces sizes, test pieces location with regards to the product when passed through the equipment, method used for monitoring, monitoring frequency, records of monitoring activities, and outlined corrective actions to be taken when a deviation occurs. Metal detection equipment must include a rejection mechanism or belt stoppage when metal is detected and the functionality must be verified during monitoring activities. Records must be maintained to show that the program is being followed as written.	N/A	No metal detector used after a documented risk assessment.
3.4	If other foreign material detection devices (e.g. Filters, sieves, magnets, etc.) are utilized by the facility, specific documented procedures must be developed for the verification of these devices, including position, method used for monitoring, frequency of monitoring, required records of monitoring activities, and corrective actions to be taken when a deviation occurs. Records must be maintained to show that the program is being followed as written. A documented risk assessment must demonstrate that not using other foreign material detection devices does not improve the protection of the final product from foreign materials contamination.	Compliant	The company determined that foreign body detection or removal equipment is needed through risk assessment, sieves (80 meshes) used for power product and filter (30 meshes) used for liquid and semi-solid product. Regular inspections of sieves and filters are undertaken before and after shift, record sighted 2026-06-02. The damages are documented and potential for contamination of products is investigated.
3.5	Foreign material prevention equipment (e.g. sieves, filters, screens, optical sorter, etc.) procedures. All foreign material prevention equipment must be found to be operational and properly functioning during the audit. If not functioning properly than correct corrective actions need to be implemented.	Compliant	No deviation found during audit
3.6	A documented procedure must be implemented for the control of knives, blades, scissors, and needles and includes: The control, proper design (e.g. snap off blades shall not be used), cleaning, routine inspected for damage with their condition recorded, corrective actions to be taken if items are lost or found damaged.	Minor	A documented policy BN-PD-025, A/0, 2026-01-15, for sharp metal implements, and for the control of knives, blades and scissors, check record sighted 2026-06-02. An inventory detailing all metal sharp items is in place. NC: A snap off knives were found using in the packaging room, although it was kept intact.
3.7	Wood items must not be used in open product areas except when required for the process. When wood must be used it must be maintained in a clean & good condition, and inspected at a set frequency based on risk.	Compliant	Wood is not used in the workshop
3.0 Foreign Material Control- Section Summary			

4.0 Regulatory Compliance

4.1	The facility must be in good standings with their regulators. E.g. Proper regulatory registrations, no outstanding regulatory actions. Records must be maintained for all regulatory visits, notifications, & actions including corrective actions when required.	Compliant	The factory's Business Operation License 91321283MA1MR5HB8P, updated on 2019-06-04, Production Approval license (2026)12006, valid from 2031-04-25.
-----	---	-----------	---

4.2	The facility must have a process for the identification of regulations that are applicable to their specific process/products. This process must include knowledge of regulations for products in countries which the facility's products are exported to.	Compliant	Regulation control procedure: BN-PD-004. Law and regulation collection list updated 2026-01-15.
-----	--	-----------	---

4.0 Regulatory Compliance- Section Summary

5.0 Good Laboratory Practices

5.1	The facility must develop a documented Good Laboratory Practice (GLP) program. The program shall include all written Standard Operating Procedures (SOPs) for methods conducted by the laboratory personnel. The procedures must have been confirmed as being effective. The program must include proper disposal of laboratory waste. (Applicable for onsite labs only)	Compliant	Documented GLP in place
5.2	There must be a documented calibration program for all laboratory equipment, including: Schedule of calibration activities, process for calibration, step to be taken if equipment is found to be out of calibration, and records of calibration activities.	Compliant	Calibration control procedure: BN-PD-029, calibration report sampled: Scale, TCS-300, equipment no. 20231213031, calibration report no. HB202672900997, calibrated on 2026-06-08; Hygrothermograph, TH101B, calibration report no. HB202672901015, calibrated on 2026-06-08; Sterilizer, equipment no. 1000, calibration report no. HB202672900998, calibrated on 2026-06-08; Moisture meter, XF-103MB, calibration report no. HB202672901013, calibrated on 2026-06-08.
5.3	If pathogen testing is conducted by onsite laboratory, the laboratory must be physically segregated from production areas and controls must be established to ensure that no contamination from the laboratory shall enter the production areas.	N/A	No pathogen testing is conducted by onsite laboratory
5.4	If pathogen testing is completed on finished product, there must be a system in place to ensure the product lot being tested remains within the facility's control until the results of the testing are completed and found to be in specification.	N/A	No pathogen testing is conducted by onsite laboratory
5.5	If the facility conducts pathogen testing at the onsite laboratory, the laboratory must be ISO 17025 certified or personnel conducting testing must be part of a documented proficiency test program. If the facility uses an outside laboratory for testing, the laboratory must be ISO 17025 certified and certification scope must cover testing the laboratory is conducting for the facility.	N/A	No pathogen testing is conducted by onsite laboratory

5.6	Documented product sampling and testing plans must be developed and implemented including methods for testing which must be validated. Product testing must be completed per testing plans to ensure compliance with internal product specifications, customers specifications, and regulatory requirements for microbiological, chemical, physical, organoleptic, and other required requirements. Corrective actions for out of specification results must be outlined and documented. Records for all testing and corrective actions must be maintained.	Compliant	FP inspection procedure BN-PD-031, A/0, updated on 2026-01-15 and FP release procedure BN-PD-032, A/0, updated on 2026-01-15. The company undertakes the analysis of parameters defined in the product specifications, including physical, chemical and microbiological parameters. The analyses performed internally and/or subcontracted. A test plan has been drawn up for raw materials and finished products. External test report for RM sampled: Chicken hydrolyzed powder test report 2026041511, issued 2026-04-18, result meet Q/WING004-2020. Maltodextrin test report A2250636687101003ER1, issued 2025-09-10, result qualified. PET bottle test report 2613402589, issued 2026-04-25, result meet Q/NJA 001-2025. Glass bottle test report 20260604, issued 2026-06-05, result meet YB/QESC(02)042-2025. External FP test report sighted: Semi-solid pet additive premixed feed test report number NNAR66TK86338509, issued 2026-03-28, test items including moisture, Pb, As, Vitamin, folic acid, result OK. Lecithin Hair Care Granules test report issued 2026-03-28, test items including moisture, Pb, As, Vitamin, folic acid, result OK. Blood-Boosting Nutrient Solution test report issued 2026-03-21, test items including moisture, Pb, As, Vitamin, folic acid, result OK. The analysis frequency and method are defined in the test plan.
-----	---	-----------	--

5.0 Good Laboratory Practices- Section Summary

6.0 Maintenance

6.1	The facility must ensure that maintenance activities are conducted in a way that prevents potential contamination of equipment and products.	Compliant	Maintenance activities were conducted as per maintenance plan
6.2	Maintenance program must include a schedule of preventative maintenance on all food equipment and food processing equipment. Emergency work orders must be built into the preventative maintenance schedule. Maintenance work must be prioritized. There must be a system to track overdue work orders.	Compliant	A maintenance plan for equipment and facilities is implemented: QP-25-R02-1/AO, 2026-0-16. It is a manual system. The programme includes all equipment present in the site, example: vacuum emulsifying machine, rotary tablet press, trough type mixer, blender, sterilizer. Maintenance operations are performed internally / by contractors. Temporary repairs were not carried out during the audit. For temporary repairs, specific measures are implemented to prevent product contamination: demarcation of the appropriate area, regular inspection, specific controls on the product. Maintenance work is followed by a documented hygiene clearance procedure by an authorized member.
6.3	Tools and parts must be removed and accounted for upon the completion of maintenance tasks. The facility must ensure that areas are properly cleaned and sanitized prior to the release after maintenance work is complete.	Compliant	Maintenance work is followed by a documented hygiene clearance procedure by an authorized member
6.4	Records for maintenance activities must be maintained.	Compliant	The records of the preventive maintenance works are available: 2026-06-08 for sterilizer checked before using. The records of the corrective maintenance works have been provided: record refers to: blender maintenance on 2026-03-16.
6.5	The facility must have a documented policy against the use of temporary repairs being used within production and storage areas. There must be no evidence of temporary repairs such as cardboard, plastic, tape, or wire, observed during the audit. Temporary repairs must not cause a risk of contamination to the product.	Compliant	For temporary repairs, specific measures are implemented to prevent product contamination: demarcation of the appropriate area, regular inspection, specific controls on the product. No temporary repairs observed during audit.
6.6	The facility must only use food grade lubricants on food processing equipment and in areas where possible contact could occur. There must be a system in place for the segregation of non-food and food grade lubricants including grease guns and the process must be effective.	Compliant	Food-grade lubricant used, Category Code: H1. No paint used in a food handling or processing area.

6.0 Maintenance- Section Summary

7.0 Product Recall/Crisis Management

7.1 MANDATORY	The facility must have a documented Recall Program for the managing of product recalls, incidents, and withdrawals. The program must include: Recall Team members with responsibilities; provision for tracking product one customer forward from one supplier backward; procedures for documenting, investigating, evaluation, corrective actions, and preventive actions for the incident; and assessing/dispositioning of the products or materials involved. THIS WOULD BE COSIDERED A CRITICAL IF NO SYSTEM IS IN PLACE.	Compliant	A documented product withdrawal/recall procedure has provided, Ref: BN-PD-041, A/0, 2026-01-15. It includes: recall management team, responsibilities, guidelines for deciding the need for product withdrawal/recall, guidelines for actions to be taken, emergency and customer contact data, communication plan, external agencies.
7.2	The documented recovery program must include a contact list for: All appropriate contacts within the facility, all appropriate customer & material supplier contacts, and regulatory agencies.	Minor	The contact list including local authority, key suppliers, customers, etc. NC: The contact information of the certification body was not included in the current list of key contacts.
7.3	The Recall Program must include a provision for testing of the program including a traceability challenge for a raw material ingredient, primary packaging, and finished product at least once every 12 months. Targets of 100% +/- 2% with 4 hours for acceptable performance on the traceability challenge must be documented. Target must include variances for waste and normal loss due to the process at this facility. A documented summary of the results on the mock recall test with action items for improvement identified as necessary.	Compliant	Recall or withdraw is required to review and test annually, latest mock recall carried out 2026-06-01, record sighted, traceability challenge included.
7.4	The facility must have a documented program in place to ensure that lot codes are properly documented for all raw materials, work-in-progress, rework, and packaging materials that are used in finished goods,	Minor	Product identification and traceability control procedure (BN-PD-040, A/0, 2026-01-15) was in place. NC: A bag of vitamin B6 stored in the raw material warehouse has no production date or batch information label.
7.5	The facility must have a documented program for the lot coding of finished product including what the facility considers what a lot is. All products must be properly coded as outlined in the program. Employees must be aware of the lot coding program.	Compliant	Product identification and traceability control procedure (BN-PD-040, A/0, 2026-01-15) was in place
7.6	The facility must be able to successfully complete a traceability challenge with a mass balance requested by the auditor at the time of the audit.	Compliant	A traceability test initiated by the auditor on the day of the audit involved the following: Finished product pet nutrition tablets with lot no. 20260520, quantity 4000 bottles (500mg*120 tablets, 40 bottles per case), traced from finished products to raw material, which was completed within 1.5 hours and mass balance was calculated, related raw material such as Chicken hydrolyzed powder lot no. JS20260310, Chicken liver powder lot no. JG20260315, Dextrin lot no. HJ20260402, Whey protein powder lot no. RQ20260411, Mixed vitamin lot no. WS20260513, plastic bottle lot no. 20260420, etc. The mass balance was calculated and conformity with the specification requirement. The raw materials, packaging materials were tracked with receiving, used and stock quantity were matched. All related record including CCP records, raw material receiving records, product inspection records and hygiene records were attached and reviewed. An effective system for the identification of all products has been demonstrated.

7.7	Documented procedures must be in place to manage all incidents and potential emerging issues that could affect the food safety, legality, and/or the quality of the product, equipment, materials, and the facility. Including (Not an exhaustive list): Disruptions (e.g. water, energy supplies, labor, or communications); pandemics; fire, floods, and other natural disasters; and food safety, legality, and quality issues.	Compliant	The company have procedures for the management of incidents and emergency situations, Ref: BN-PD-016, A/0, 2026-01-15. The following incidents: disruption to key services, disasters and sabotage, product contamination and digital cyber security have been taken into account. Actions plans are established. There is a crisis management team led by GM and a key contact list established. The crisis plan has been tested at least annually, last test for the emergency of Power outage dated 2026-03-27.
7.8	The documented Incident Management procedure must include the requirement of assessment by the Food Safety or Quality Team of any ingredients, packaging, equipment, and finished product, that could have been affected by an incident, prior to use. Records must be maintained for assessment activities. It shall also include a contingency plan for when disruption in supply chain occurs.	Compliant	The company have procedures for the management of incidents and emergency situations, Ref: BN-PD-016, A/0, 2026-01-15
7.9	A mock recall or mock incident must be undertaken to test the effectiveness of, and the incident Recall/Incident Management Teams understand, the Recall Program and Incident Management procedures (minimum annually). The results of the test must be investigated and where corrective action is required this must be implemented. In addition the recall program must be tested outside normal office hours, every two years.	Compliant	Recall or withdraw is required to review and test annually, latest mock recall carried out 2026-06-01, record sighted. The crisis plan has been tested at least annually, last test for the emergency of Power outage dated 2026-03-27.
7.0 Product Recall/Crisis Management- Section Summary			

8.0 Quality / QC Program & Management Systems

8.1	A documented organizational chart must be in place showing management responsibilities and authority. There must be a system for absentee coverage for key roles.	Compliant	Organizational chart included in the quality manual dated 2026-01-15, the management responsibilities and authority detailed clearly, an backup plan for the key position was in place.
8.2	The facility must have a documented procedure for the storage and retention of all documentation and records. The procedure must outline the duration of document and record retention as a minimum of the shelf life of product plus one year and longer if customers or scheme certifications (e.g. organic) requires longer.	Compliant	Document control procedure: BN-PD-010, A/0, 2026-01-15. Record control procedure BN-PD-011, A/0, updated on 2026-01-15. The records are maintained and retained for 2 years at least, if the product shelf life longer than 2 years, the records are kept at least shelf life plus 1 year.
8.3	All documented records must be legible, accurate, genuine, and fully complete.	Compliant	They are readable and recoverable. Example of records checked during the traceability audit.
8.4	The facility must have a documented quality management system program established containing all policies, procedures, and documents for food safety, legality, and quality. It must be reviewed minimum annually by management. Senior Management must have clear objectives defined, monitored, and reviewed to improve food safety, legality, and quality of the products produced at this facility. Records of the reviews must be maintained to show that programs are effectively implemented.	Compliant	Quality manual dated 2026-01-15, signed by GM, including the food safety and quality policy and objectives.

8.5	All documents, policies, procedures, & forms must be adequately controlled, authorized, and be of the correct/current version. All documents, policies, procedures, and forms must be reviewed annually to ensure these are current and no changes have been made. Changes must be communicated to those individuals needing to know.	Compliant	Reviewed annually, last review on 2026-01-15.
8.6	The facility must have a documented and implemented internal audit program that evaluates the food safety program. All programs must be evaluated at least annually or when changes to the systems are made. Records for internal audits must be maintained.	Compliant	The internal audit procedure (BN-PD-013, A/0, 2026-01-15) was established covering audit planning, audit team qualification. The facility scheduled SQF internal audit once a year. The last internal audit plan was done on 2026-03-01/02 by 2 internal auditors. Internal audit team members are appointed and got training on GMP standard. All the auditors were independent and not audit their own work. Internal audit plan and Checklist showed that cross audit conducted. The internal audit records as following, internal audit plan, internal audit checklist, non-conformity corrective action report, internal audit report, signature record of the internal audit meeting. Total 2 minor NCs were raised in the internal audit. The responsible person and deadline for corrective action were defined, the performance of the corrective actions was monitored by internal audit team. Briefing checklist to each department, area or functions is available, and evidence on conformity was included and seen.
8.7	The facility must have an inspection program that evaluates the effectiveness of the implementation of the pre-requisite programs, condition of the facility, and employee practices. Inspections must be conducted at a minimum frequency of monthly and records must be maintained.	Compliant	In addition, monthly GMP inspection was scheduled, the inspection record on 2026-04-02, 2026-05-06, 2026-06-08 sighted.
8.8	The facility must have a system for managing corrective actions from audits and inspections findings, as well as from complaints and other documented deviations from established protocols. Records of corrective actions must be maintained.	Compliant	Corrective and preventive actions procedure is established and implemented: BN-PD-035, A/0, 2026-01-15, corrective action records were signed, such as the corrective action report for the NCs from the internal audit on 2026-03-01/02.
8.9	There must be a documented program for placing product on Hold. The "Hold" program must include: Identification of the item (e.g. Raw material, finished good, equipment, packaging, etc.) being placed on hold, reason for the hold, who has authority to make disposition/release of the item, and the disposition of the item. All products which are listed on the hold log must be observed by the auditor as being "On Hold".	Minor	Non-conformity product handling procedure (BN-PD-033, A/0, 2026-01-15) is established, according to the procedure, all out-of-specification raw material and products shall be on hold and clearly identified, labelled and quarantined. QC manager is the decision maker of non-conforming products. Quality departments is responsible for handling it. NC: A box of unopened food additive potassium sorbate stored in the raw material warehouse has expired (production date: April 20, 2019, shelf life: 18 months). This batch of additives was not placed in the designated area and there was no clear label to prevent misuse.
8.10	There must be a documented program for capturing and processing of customer complaints. The process must include categorizing of the complaints and an investigation process for complaints. The site must trend complaints.	Compliant	Customer complaint procedure BN-PD-037, A/0, updated 2026-01-15 in place. Sales collected the complaint from customer and communicated with QC for root cause analysis and corrective actions. Trends analysis would carry out annually by QC department, interviewed the sales manager and QC manager, no customer complaint received in recent 12 months.

8.11	There must be a documented equipment calibration program for all equipment used to measure, monitor, weigh or control food safety or quality attributes. The program must include: A list of equipment which needs to be calibrated, calibration schedule, methods for calibration against recognized standards, actions taken when equipment is found out of calibration, and records of calibration activities. Records must show that calibration activities are being conducted at the frequency outlined in the program.	Compliant	Calibration procedure is established to control the monitoring and measuring equipment including the calibration activities. Measuring equipment related to CCPs monitoring, critical to quality attribute concerning with process control are identified in calibration list and calibration plan which can be traceable to international standard. The calibration control rule was in place and followed. Thermometers and scale used in process and the instrument in lab were calibrated to traceable standards. All the measuring equipment were calibrated by regulatory agency once a year. Calibration records of some measuring equipment are verified as below: Scale, TCS-300, equipment no. 20231213031, calibration report no. HB202672900997, calibrated on 2026-06-08; Scale in packing room, ACS-D21, equipment no. D212110188, calibration report no. HZ052604101634, calibrated on 2026-04-10; Hygrothermograph, TH101B, calibration report no. HB202672901015, calibrated on 2026-06-08; Sterilizer, equipment no. 1000, calibration report no. HB202672900998, calibrated on 2026-06-08; Moisture meter, XF-103MB, calibration report no. HB202672901013, calibrated on 2026-06-08.
8.12	The facility must have documented finish product specifications as a result of the process. These specifications must contain specific information regarding the physical, chemical, and biological properties of the finished product.	Compliant	The specifications of all finished products are available, EXAMPLE: Pet nutrition granules Q/321283 BNSW 9006-2026, dated 2026-05-28, Pet nutrition cream Q/321283 BNSW 016-2025, dated 2025-12-30, Pet nutrient solution Q/321283 BNSW 1001-2026, dated 2026-03-26. The specifications sampled meet all technical requirements needed. There are specifications agreed with customers through contracts. There is evidence available demonstrating that the specifications sampled have been agreed. The specifications have been reviewed every 3 years or in case of changes.
8.0 Quality / QC Program & Management Systems-Section Summary			

9.0 Supplier Management

9.1	The facility must have a documented "Approved Supplier" program which is "specific" to the facility. The program must cover all new suppliers for raw materials, ingredients, and packaging materials. There must be a documented emergency vendor program in the event these are used.	Compliant	Purchasing control procedure BN-PD-015, A/0, updated on 2026-01-15, defined the supplier approval method and purchase management. Emergency purchase requirement was defined in the purchasing control procedure, no emergency purchase occurred in last 12 months.
9.2	The approve supplier program must include: Requirement for the assessment of the supplier facility in terms of a survey, questionnaire or audit during the approval process. These assessments must be reviewed and updated on a regular basis.	Compliant	The supplier approved by the supplier audit or questionnaire based on the risk assessment. The supplier risk assessment record dated 2026-02-27, currently all suppliers were identified as low risk, and approved by supplier questionnaire and reviewed annually.

9.3	Records of all approvals and reviews of suppliers must be maintained.	Compliant	E.g. Sugar supplier Guangxi SS Sugar Industry Co., LTD, questionnaire approved on 2026-01-20, collagen supplier TP Hebei Biotechnology Co., LTD, questionnaire approved on 2026-01-21, fish oil supplier Sichuan XMJ Biomedical Co., LTD, questionnaire approved on 2026-01-25, Chicken hydrolyzed paste and fish hydrolyzed paste supplier Jiangsu TY Biotechnology Co., LTD, questionnaire approved on 2026-01-25, vitamin supplier ZMLTS Yangzhou Animal Health Care and Nutrition Co., LTD, questionnaire approved on 2026-01-25, maltose supplier SQ Guangzhou Co., LTD, questionnaire approved on 2026-01-26.
9.4	The facility must have completed specifications for all raw materials, ingredients, processing aids, and packaging used in the process. These specifications must contain actions specific information regarding the physical, chemical and biological properties of the products.	Compliant	The specifications of raw materials sampled are technically appropriate, complete and accurate, e.g. BN-ZL-001, A/0, 2026-01-15, including the specification for Chicken hydrolyzed powder, Fish hydrolyzed powder, fish oil, maltodextrin, glycerinum, pectin, vitamin, etc., and the specification for packaging material also included in BN-ZL-001, such as plastic bag, plastic bottle, aluminum tube, glass bottle. All specifications are available and up-to-date.
9.0 Supplier Management- Section Summary			

10.0 Training / Competency

10.1	A documented training program for employees covering all required training for food safety based on position and responsibility must be developed. Training program must include an outline schedule for all training and the requirements for new hire and refresher training. Training materials must be delivered so it is in an understandable format for staff, irrespective of their national origin, primary language, or literacy,	Compliant	The company has a training plan in place (with respect to the product and the process) for all employees, REF: training program 2026. This plan includes training contents, frequency, tasks by the employee to be trained, language, trainer and evaluation methodology.
10.2	The documented training program must include the requirements for new hire and refresher training. Specialized training must be provided to those employees based on their job responsibility. Training materials must be delivered so it is in an understandable format for staff, irrespective of employees' national origin, primary language, or literacy.	Compliant	Training plan of Y2026 in place
10.3	Specialized training must be provided to employees who are responsible for sanitation tasks that are completed a the facility. Training must cover the SSOPs that have been implemented and proper handling of chemicals.	Compliant	Personal hygiene training on 2026-03-02, sanitation and cleaning training on 2026-03-12, chemical management training on 2026-04-15
10.4	Employees' understanding and competency must be assessed (e.g. Exam, visual observation, or other method), for all training. Records of all training must be maintained.	Compliant	Assessment showed on the training records.
10.0 Training / Competency- Section Summary			

11.0 Receiving, Storage and Shipping

11.1 Receiving and Shipping

11.11	The facility must have a documented program for the receiving of raw materials, ingredients and packaging. The documented process must include: Inspection on in-bound carriers, conditions of products upon receipt, temperature of perishable and frozen products, and the process by which temperatures of products are to be taken.	Compliant	RM receiving and inspection procedure was documented and implemented, materials sampling method, inspection items, receiving method defined in the procedure. The RM receiving standard BN-ZL-001, A/0, updated 2026-01-15.
11.12	Certificates of Analysis (COAs), if required upon receipt for raw materials or ingredient, must be reconciled and verified prior to the material being released for production. The facility must maintain a list of ingredients that require COAs, if applicable. COAs must be readily available for these items.	Compliant	COA collected
11.13	Products must be maintained at their proper temperature range throughout the receiving process. Product must be protected against temperature abuse during staging. Product must not stored for long periods of time in the receiving area if the dock area is not at the proper temperature.	Compliant	Storage management procedure: BN-PD-042, A/0, 2026-01-15, all raw material and finished product stored under ambient.
11.14	Records must be readily available for all incoming trailer and product inspections.	Compliant	In place
11.15	The facility must have a documented program for the shipping of product to customers/outside warehouses. The must include: An inspection of the carrier prior to loading, a provision for pre-cooling of carrier for perishable and frozen product, the required carrier equipment (reefer) temperature setting for transport and the required temperature condition of transportation.	Compliant	Finished products transport was under ambient environment and subcontracted to logistics companies. The hygiene and other requirement in this part were defined in the contract. Procedure to maintain product safety and quality during loading and transportation developed on the basis of risk assessment and implemented accordingly. The batch number of products was records during dispatching. Documented maintenance and hygiene procedures were maintained for all vehicles and equipment used for loading/unloading. The vehicle inspection before loading and unloading was conducted by storage person. The inspection item: cleanness, foreign bodies, odor, pest, allergen, seal condition and other. Products deliver and vehicle check records was reviewed, no issued found.
11.16	Records must be readily available for all outgoing trailers and product inspections.	Compliant	In place
11.17	All employees with responsibilities in the receiving and shipping program must be aware of their responsibilities. The employees must properly outline the program as it is written.	Compliant	The employees for receiving and shipping program was interviewed during audit, they all qualified.
11.1 Receiving and Shipping- Section Summary			

11.2 Storage

11.21	The facility must have a documented program for product rotation that includes raw materials, ingredients, packaging materials and finished products. All items were observed properly rotated in the facility.	Compliant	Storage management procedure: BN-PD-042, A/0, 2026-01-15, FIFO or FEFO were followed.
-------	---	-----------	---

11.22	Storage facilities must be designed and maintained in a manner that allows for effective pest control and sanitation.	Compliant	Pest control facility equipped in the warehouse.
11.23	All products stored must be in acceptable condition. Damaged goods must be segregated from acceptable products to prevent possible inadvertent use or cross contamination.	Compliant	Generally in good condition
11.24	All products must be stored in a manner to prevent cross-contamination. All products must be properly covered in permanent storage to prevent possible contamination. Stored products must be stored away from wet processing areas to prevent product contamination. Restricted ingredients must be properly segregated and secured to prevent unauthorized access.	Compliant	No cross-contamination observed
11.25	The facility must have an effective temperature monitoring program for the temperature controlled storage areas. Temperature monitoring equipment must be placed in the warmest location of the dock and storage areas. Dock and storage areas must maintained at appropriate temperatures and records maintained.	Compliant	All raw material and finished product stored under ambient.
11.2 Storage- Section Summary			

12.0 Processing and Ingredients

12.1	The facility must develop a documented process for the thawing of raw materials to be used in the process which must be validated. The thawing process must be monitored and records maintained. Thawing conducted during the audit, must be following the documented program.	N/A	No raw material thawing in the site.
12.2	All in-process ingredients and packaging materials must be properly protected from possible contamination. All items must be kept off the floor.	Compliant	No cross-contamination observed.
12.0 Processing and Ingredients- Section Summary			

13.0 Product Safety

13.1	The facility must have documented controls for the use of re-work, work-in-progress, and re-packaged product within the process. The facility must adhere to their rework program.	Compliant	Documented procedure in place, no rework in the site.
13.2	There must be no evidence of potential or actual contamination of product in the processing areas found during the audit.	Compliant	No contamination observed.
13.3	The facility's and process flows must designed and implemented to minimize cross-contamination between: 1. Raw and finished product. 2. Low and high risk/high care areas. Employees must be easily identified in High Risk/High Care areas. Employees must be observed following the designated flow patterns, uniform changing, and hand washing requirements.	Compliant	The workshop plan in place indicated the flow of material and products and employees. No high risk or high care area in the site.
13.4	The facility must use footbaths or floor foamers at entrances to high risk processing areas. The facility must have a documented program that outlines the sanitizer used and its concentration. This must be monitored at a set frequency.	N/A	No high risk or high care area in the site.

13.5	Perishable product processing rooms equipped with temperature monitoring equipment must be found within acceptable limits and be monitored. Were temperatures are found to be above acceptable limits proper corrective actions must be taken.	N/A	No perishable product processing rooms.
13.6	Positive air-pressure system must exist between high risk areas to low risk areas prevent airborne contamination. High risk areas air must be filtered with filter changes and specification based of risk to prevent contamination of the product and processing areas.	N/A	No high risk or high care area in the site.
13.7	All chemicals and liquids must properly labeled in food handling areas. Chemicals observed in processing and storage areas must be appropriately stored to prevent possible contamination.	Compliant	All chemicals properly labeled and stored in chemical cabinet.
13.8	If appropriate or required per regulation, the facility must develop an environmental monitoring program. The program must include: A sampling plan, as well as criteria for pass/fail of the samples, follow-up actions in the event of failures, and records kept of all monitoring and corrective actions.	Compliant	Product and environment risk assessment and testing plan implemented 2026-01-15, food contact surface and staff hands monitored every half a year by 3rd party lab, TPC and coliforms tested, air test every half a year by 3rd party lab. Sighted swab test report issued by 3rd party lab on 2026-04-14, all results OK. EMP result reviewed annually, latest record 2026-01-15 shows 2025 EMP effective and satisfied.
13.0 Product Safety- Section Summary			

14.0 Plant Grounds

14.1	The facility's exterior (roads, yards, grounds and parking lots) maintained in good condition. Exteriors areas must be free of trash and litter in order to minimize pest harborage areas.	Compliant	In good condition
14.2	Litter and waste must be properly stored in enclosed containers. The area around the trash container must be clean and free of trash. There must be an adequate schedule for servicing the trash containers to prevent trash buildup. Waste containers must be easily to identify.	Compliant	The company implemented a system for waste disposal. No accumulation of waste in production areas during the audit. Waste removed daily from workshop. A separated waste storage facility on site prior to disposal, suitably and insect proofed, present no hazards to products. Waste containers are clearly identified and clean, with adequate design, emptied at suitable frequency and kept closed as appropriate.
14.3	All equipment on the exterior of the facility must be stored so that it prevents attracting and harboring pests.	Compliant	In good condition
14.0 Plant Grounds- Section Summary			

15.0 Facility

15.1	There must be no observed roof leaks during the audit. The building must be maintained in a manner to prevent exterior issues from posing a threat to products or the interior of the building.	Compliant	Generally in good condition
15.2	Ceilings, walls, windows, and doors must be in good repair and made of appropriate materials which can be adequately cleaned.	Compliant	In good repair
15.3	Floors must be in good repair and properly sloped to drains to prevent water pooling. Platforms, mezzanines, ladders, walkways, and catwalks must be in good repair. Those over exposed product lines must be protected to prevent potential product contamination.	Compliant	Floors in good repair and drainage system equiped in the workshop. No walways over the product lines.

15.4	Lights in exposed product handling areas must be protected from breakage. All lights must be installed in a way that will allow for easy access to ensure cleaning can be conducted and these can be serviced easily. Lighting must be suitable and adequate to ensure tasks, inspection of product, and sanitation can be easily completed.	Compliant	Lights protected with plastic film from breakage and inspected regularly.
15.5	Ventilation in the facility must prevent condensation from forming in cooking areas. All other areas must be free from condensation, formed due to vapor leaks or poorly sealed openings.	Compliant	Ventilation and air conditioning system equiped in the workshop.
15.6	The facility must have locker rooms/ lockers/areas present for the storage of the employees' personal effects, away from storage and food handling areas. These areas must be maintained in good condition, allow for easy cleaning, and prevent pest harborage.	Compliant	Lockers provided for employees at the entrance of workshop.
15.7	Proper number of restrooms must be provided and maintained in good repair. Restrooms must be equipped with self-closing doors, hand washing signs and women's restrooms have a covered waste receptacle. Hand sinks must have warm water, soap, and sanitary towels or suitable hand drying device. Hand wash signs must be posted in appropriate facility languages. Restrooms must be adequately separated from exposed food handling areas and storage areas.	Compliant	Restroom located far from processing and storage area with hand sinks.
15.8	The facility must have an appropriate number of hand wash stations located within the processing areas which are easily accessible upon entry. These must not pose a risk to products. Hand wash stations in High Risk processing areas must be equipped with hands free taps, soap dispensers, single use towels, and covered waste bins.	Major	NC: No hand washing and disinfection facilities were provided at the entrance of the workshop.
15.9	Water lines and hoses are protected against backflow. There are no cross-connections between potable and non-potable water systems.	Compliant	Water lines and hoses are protected against backflow
15.10	Floor drains must be adequate, easily cleanable, and maintained to enable proper drainage causing no additional hazard.	Compliant	Floor drains in place, no hazard observed.
15.11	Battery charging areas must be located away from food and packaging storage areas. These areas must be appropriately equipped.	N/A	Battery charging areas in the site.
15.0 Facility- Section Summary			

16.0 Equipment

16.1	All processing equipment, conveyors, racking, and pallets must be in good repair. It must be installed and used in a manner that does not pose a threat to products at the facility. Equipment must be easily disassembled for cleaning and maintenance. The equipment must be appropriate for its use and designed of appropriate materials.	Compliant	Main equipment including vacuum emulsifying machine, rotary tablet press, trough type mixer, blender, sterilizer etc, in good condition.
16.2	Product containers at the facility must be designed for their intended purpose. All containers must be constructed of food grade materials. Food handling containers must not be a source of a contamination risk.	Compliant	Such as stainless steel or food grade plastic

16.3	All food containers and trash containers must be properly identified and in good condition. Trash containers must be used properly.	Compliant	Clearly labelled and in good condition
16.4	Finished product packaging must only be used for intended purpose. Finished product packaging must not be used to hold items other than finished products (nuts and bolts, rework, etc.).	Compliant	No cross contamination observed
16.0 Equipment- Section Summary			

17.0 Water/Ice/Air

17.1	The facility must show that water which is used for washing, rinsing, conveying food, as an ingredient, or sanitation is potable by an annual water test which the sample is taken from point of use. Ice used as an ingredient or processing aid must be tested at least annually to ensure that it is potable. There must be adequate supplies of hot and cold water.	Minor	NC: Tap water was used for production, but the water was not test once a year as required.
17.2	The facility must have controls to ensure the safety of compressed air, steam, water, and gases that comes in contact with product, packaging and food contact surfaces, does not become a source of contamination.	Compliant	No compressed air, steam, and other gases in contact with product
17.0 Water/Ice/Air- Section Summary			

18.0 Pest Prevention Program

18.1 MANDATORY	The facility must have a documented integrated pest prevention program established. It must include: Designated pest management professional, schedule of service, pesticides utilized or could be utilized within the facility, current pest control operator license, and location (map) of all pest control devices on the facility grounds and within all buildings. Safety Data Sheets and product labels must be properly maintained for all pesticides that have been applied. THIS WOULD RESULT IN A CRITICAL, IF NO SYSTEM IS IN PLACE.	Minor	Pest control procedure: BN-PD-020, A/0, 2026-01-15. The site undertakes its own pest control program and it is managed by internal PCO Mr. Zhou SY who has been trained on integrated pest management knowledge on 2026-03-27/28. The pest control map was in place. Electric Fly killers / Insect Light traps /other devices are used and are necessary. They are operational. They are located in walkways and external accesses. There is no danger of insects being expelled from the control devices and contaminating the product.
18.2	If pesticides are handled at the facility, those handling and applying pesticides must be properly licensed. If a contracted pest control company is used, is it properly licensed, insured, and outline of services.	N/A	No pesticides used in the site, no contracted pest control company used.
18.3	Records must be maintained of all pest control activities that are conducted at the facility. Records must indicate that devices are monitored as outlined in the documented program. In the event a contracted company is used, service reports must be maintained that shows all services conducted, chemicals that were used, and applicable follow-up actions. Records include trend analysis must show that the program is effective.	Compliant	Mouse trap and EFK were inspected weekly and records in Jan-May 2026 were reviewed. No evidence of infestation had recently been reported. The trend analysis for pest control result was conducted quarterly. The record dated 2026-04-01 for Q1 of 2026 was reviewed. No issues highlighted through trending reports. The current in-depth pest assessment was conducted on 2026-03-28 by PCO expert. The frequency was defined as once a year in documented file based on risk. In the assessment report, the follows contents were reviewed as the pest control proofing, trend analysis report, pest control plan, fabric of the building, equipment and machinery. The PCO reviewed the assessment report and necessary measures were taken.

Pest Prevention Program Observation

18.4	All pest control devices observed must be located so these do not pose a threat to contaminate products. Bait must not be used on the interior of the facility. If pesticides are used, these must be applied in a manner so these do not pose a threat to product.	Compliant	No bait used in the site. There is no danger of insects being expelled from the control devices and contaminating the product.
18.5	The type and placement of pest control devices must be adequate for the control of pests on the exterior and interior of the facility.	Compliant	Electric Fly killers / Insect Light traps /other devices are used and are necessary, the mouse trap equipped around the workshop.
18.6	All pest control devices on the interior and the exterior must be observed clean, in good repair, and functioning properly. Exterior bait stations are utilized, the bait is secured and the bait stations secured to prevent unauthorized entry. Trapped rodents are properly disposed of. All devices must be identified on an up-to-date schematic.	Minor	NC:The pest control was the responsibility of the factory's own employees. However, during the on-site audit, it was found that one fly-killing lamps in the batching room was not working, and one mouse trap outside the workshop entrance was missing.
18.7	No pest must be observed pests within the interior of the facility. No burrows or nests were observed next to the building on the exterior. There must be no evidence of dead or decomposed pests within the facility or on the exterior of the facility.	Compliant	No evidence of infestation observed in the site.
18.8	Outer openings must be protected as necessary for protection against pests. Doors and windows must be closed or with screens with no gaps of greater than 1/4 inch.	Compliant	In good condition
18.0 Pest Prevention Program- Section Summary			

19.0 Employee Hygiene Program

19.1	The facility must develop a documented Good Manufacturing Practice (GMP) program, which includes employee hygiene practices for all employees. The GMP program must describe which employees are covered by the employee hygiene practices and where the GMP requirements are in effect within the facility.	Compliant	Sanitation standard operation procedure (SSOP) BN-PD-007, A/0, 2026-01-15, Good manufacturing practice (GMP) BN-PD-008, A/0, 2026-01-15
19.2	The GMP program must have a provision for plant visitors, contractors, and tours. The program must require that visitors and contractors follow the facility's documented employee hygiene practices while in all food handling, processing, and storage locations. If visitors and/or contractors are present during the audit, they must be observed complying with the GMP program.	Compliant	Visitors control procedure included in GMP

Employee Hygiene Program Observation

19.3	All employees observed during the audit, must be following the hygiene requirements of the GMP program that has been implemented at the facility. Employees interviewed during the audit were aware of the hygiene requirements of the GMP program.	Compliant	No deviation found during audit
------	---	-----------	---------------------------------

19.4	No exposed jewelry (except medical alert items and plain rings that cannot be removed), watches, and other objects that might contaminate product (such as artificial nails or fingernail polish) was observed not worn in GMP areas. No loose objects (such as pens, thermometers, etc.), which might fall into food, equipment or containers, must not be carried in above the waist pockets.	Compliant	No deviation found during audit
19.5	Hairnets or other appropriate hair restraints must be properly worn in food processing areas. Employees with facial hair, who work in production and open product areas, must wear beard covers.	Compliant	No deviation found during audit
19.6	Gloves that are worn in the food processing area must be clean, intact and in good repair. Gloves must be used when ready-to-eat products are being directly contacted.	Compliant	Blue gloves are used, no deviation found during audit
19.7	There was no evidence observed of eating, drinking, smoking, or chewing in the food handling area. If permitted, only water that must be stored in a clear container and stored in a way that does not pose a threat to product.	Compliant	No deviation found during audit
19.8	There must be no evidence of any food being stored in lockers or consumed in locker rooms.	Compliant	No deviation found during audit
19.9	Employees were observed washing their hands upon entering into exposed food handling areas, returning from break, after using the restroom, or whenever they become soiled. Employees interviewed during the audit were aware of the hand washing requirements.	Major	No hand washing and disinfection facilities were provided at the entrance of the workshop, it was raised as a Major in clause 15.8.
19.0 Employee Hygiene Program- Section Summary			

20.0 Food Defense Program

20.1	A documented Food Defense plan shall be in place. The Food Defense plan shall include a Threat Assessment, to determine risks, and shall meet regulatory requirements (including corrective action procedure and verification activities) and include the name of the site senior management person responsible for the food defense plan, and shall be reviewed at least annually The plan shall, at a minimum, include the below:	Compliant	The company has a food defense plan (BN-SOP-FST002) with control measures in place to ensure site security, like e.g. 24 hours guide onsite, locked doors, controls at the main gate, CCTV system, etc. The individual understands potential food defence risks at the site. There is not a legal requirement for specific training. The company does have a risk assessment in place in relation to deliberate contamination, including both internal and external threats. This plan has been appropriately reviewed: 2026-02-26. Risky areas have been defined and controlled: production rooms and storages. Training to the employees in site security procedure have been provided, record sighted 2026-02-25. External storage, including external tanks or intake pipes have locked outside.
20.2	Based on the Threat Assessment, if required, a mitigation plan shall be developed.	Compliant	The company does have a risk assessment in place in relation to deliberate contamination, including both internal and external threats. This plan has been appropriately reviewed: 2026-02-26. Risky areas have been defined and controlled: production rooms and storages.

20.3	The site shall have a system in place for preventing food adulteration caused by deliberate acts of sabotage.	Compliant	Systems are in place to minimize the risk of purchasing fraudulent or adulterated food raw materials and to ensure that all product descriptions and claims are legal, accurate and verified. Responsible for fraud management is defined: HACCP team. The responsible person demonstrates sufficient training in fraud. The company has processes in place to access information on historical and developing threats to the supply chain which may present a risk of adulteration or substitution of raw materials. There is a food fraud vulnerability analysis about raw materials and outsourced processes, record dated 2026-04-12 sighted. Food fraud mitigation plan updated 2026-04-12, food fraud mitigation plan is implemented.
20.4	The facility shall have a process in place for the screening of all potential employees.	Compliant	Employee screening in place when they recruitment.
20.5	A process shall be in place for the identification of employees (Uniforms, ID Cards, Name tags, etc.)	Compliant	Uniforms in place
20.6	Where appropriate, the site shall use tamper evident packaging for their products.	N/A	
20.7	Access points shall be protected from unauthorized access. Restricted areas shall be properly secured.	Compliant	Only authorized person can access to workshop and storage area.
20.8	Items received into the facility shall be done so on properly secured carriers, and are protected from deliberate acts of sabotage.	Compliant	Vehicle inspection in place
20.9	Items shipped from the facility shall be on secure carriers to properly protects the items from liberate acts of sabotage.	Compliant	The cargo container was locked during shipping.
20.10	All site personnel need to be train on the Food Defense Plan at induction training and at annual refresher training.	Compliant	Food defense training on 2026-02-25
20.11	Records for all Food Defense must be maintained.	Compliant	In place
20.0 Food Defense Program- Section Summary			

21.0 Sanitation Program

21.1	The facility must have a documented Master Sanitation Program that includes schedule for sanitation tasks. The facility must establish written Sanitation Standard Operating Procedures (SSOPs) for all sanitation activities, which includes: Description of the task, lists any chemicals with concentrations and equipment necessary to complete the task, the methods of completing the task, the frequency in which the activity is to be performed, and who is responsible for completing the task. SSOPs must be found to be effective and completed at the appropriate frequency. CIP systems must be included in the Sanitation Program. CIP systems must be validated (e.g. Time, temperature, flow rate, and conductivity) a minimum of annually or when changes to the system or chemicals have been made. Validation must be documented.	Compliant	A documented cleaning schedule is provided, Ref: BN-PD-007, A/0, 2026-01-15. No CIP used in the site.
21.2	The facility must develop a verification program for sanitation based on the risk and type of process and operation. There must be a provision for a documented pre-operational inspection with established criteria been for pass/fail and corrective actions to be taken when a failure is identified. Records for all pre-operational inspections must be maintained.	Compliant	Specific methods have been defined for the verification of cleaning work, e.g., visual, microbiological swabbing. The records of the verification of cleaning and disinfection procedures are available, e.g., VISUAL CHECK, 2026-06-02. MICRO SWABBING: TPC, COLIFORM, 2026-04-14.
21.3	The facility's Shipping and Receiving areas, including cooling units, must be observed clean.	Compliant	In good condition
21.4	The facility's storage areas must be observed clean. Refrigerated and freezer areas must be free on condensate, aged ice, snow, and water leaks.	Compliant	The storage area was clean, no refrigerated and freezer area.

21.5	The restrooms, locker rooms, break rooms and other supplemental areas of the facility be clean.	Compliant	In good condition
21.6	Processing areas of the facility properly clean.	Compliant	Generally in good condition
21.7	All processing equipment and food handling equipment must be found clean and properly stored to prevent from becoming contaminated.	Compliant	Generally in good condition
21.8	Sanitation chemicals and sanitizers must be stored securely, when not in use.	Compliant	Chemicals stored in dedicated chemical room.
21.9	No unapproved chemicals must be found within the facility. All sanitizers and cleaners must be used at the appropriate concentration. Up-to-date Safety Data Sheets must be on file for all chemicals that are in use or stored at the facility.	Compliant	Chemicals for cleaning were food grade, test report and MSDS in place.
21.0 Sanitation Program- Section Summary			