



SQF Food Safety Audit Edition 9

Taizhou Beno Biotech Co., Ltd. - 105690

Summary

Audit Decision

Certified

Certificate Number

105690

Audit Rating

Good

Decision Date

July 20, 2026

Audit Type

Initial Certification

Recertification Date

June 14, 2027

On-Site Audit Dates

June 12, 2026 - June 14, 2026

Expiration Date

August 28, 2027

ICT Dates

-

Issue Date

July 20, 2026

Facility and Scope

Taizhou Beno Biotech Co., Ltd. - 105690

Li Kong Group 3, Donglin Village, Yaowang Street
Taixing City, 225400 China

Products

Pet Premix food

Food Sector Categories

32. Pet Food Manufacturing

Scope of Certification

The mixing and packing of pet additive premixtures

Certification Body and Audit Team

Eurofins Food Assurance Certification US, LLC

2120 Rittenhouse Street
Suite A
Des Moines, IA 50321-3155 United States

CB#: 42241

Accreditation Body: ANAB

Accreditation Number: 9166

Lead Auditor: Kevin Zhu (C-512573)

Technical Reviewer: SHASHANK SHETH (C-467378)

Hours Spent on Site: 24

Hours of ICT Activities:

Hours Spent Writing Report: 8

Section Responses

Audit Statement - Audit

SQF Practitioner Name - Name the designated SQF Practitioner

Response: Ms. Ji Xinglan, QC Manager

SQF Practitioner Email - Email of the designated SQF Practitioner

Response: tzbeinu@126.com

Opening Meeting - People Present at the Opening Meeting (Please list names and roles in the following format Name: Role separated by commas)

Response: Mr. Li Wang/GM, Mr. Zhou Guangwu/Technical Manager, Mr. Zhou Shenyong/Production Manager, Ms. Ji Xinglan/QC Manager, Mr. Rui Xiangou/Sales Manager, Gan Lili/Purchasing Manager, Kevin Zhu/Eurofins auditor

Facility Description - Auditor Description of Facility (Please provide facility description include # of employees, size, production schedule, general layout, and any additional pertinent details)

Response: Taizhou Beno Biotech Co., Ltd established in 2016. The factory has total area of 3000m2, in which 2000m2 for production and storage. There are 3 production lines in the factory and main products processed in the factory are solid pet additive premixed feed, semi-solid pet additive premixed feed & liquid pet additive premixed feed. The annual output of Y2025 is 30 million CYN. Currently all products are sold in domestic market. The factory has 30 employees working in single production shift (8:00-17:00) and 6 days per week. The factory's Business Operation License 91321283MA1MR5HB8P, updated on 2019-06-04, Production Approval license (2026)12006, valid from 2031-04-25.

Closing Meeting - People Present at the Closing Meeting (Please list names and roles in the following format Name: Role separated by commas)

Response: Mr. Li Wang/GM, Mr. Zhou Guangwu/Technical Manager, Mr. Zhou Shenyong/Production Manager, Ms. Ji Xinglan/QC Manager, Mr. Rui Xiangou/Sales Manager, Gan Lili/Purchasing Manager, Kevin Zhu/Eurofins auditor

Auditor Recommendation - Auditor Recommendation

Response: Recommended to get certificate after NCs closed.

2.1.1 - Management Responsibility (Mandatory)

2.1.1.1 - Senior site management shall be prepared and implement a policy statement that outlines at a minimum the commitment of all site management to: i. Supply safe pet food; ii. Establish and maintain a food safety culture within the site; iii. Establish and continually improve the site's food safety management system; and iv. Comply with customer and regulatory requirements to supply safe pet food. The policy statement shall be: i. Signed by the senior site manager and displayed in prominent positions; and ii. Effectively communicated to all site personnel in language(s) understood by all site personnel.

Response: Compliant

2.1.1.2 - Senior site management shall lead and support a food safety culture within the site that ensures at a minimum: i. The establishment, documentation, and communication to all relevant staff of food safety objectives

and performance measures; ii. Adequate resources are available to meet food safety objectives; iii. Food safety practices and all applicable requirements of the SQF System are adopted and maintained; iv. Staff are informed and held accountable for their food safety and regulatory responsibilities; v. Staff are positively encouraged and required to notify management of actual or potential food safety issues; and vi. Staff are empowered to act to resolve food safety issues within their scope of work.

2.1.1.3 - The reporting structure shall identify and describe site personnel with specific responsibilities for tasks within the food safety management system and identify backup for absence of key personnel. Job descriptions for the key personnel shall be documented. Site management shall ensure departments and operations are appropriately staffed and organizationally aligned to meet food safety objectives.

2.1.1.4 - Senior site management shall designate a primary and substitute SQF practitioner for each site with responsibility and authority to: i. Oversee the development, implementation, review, and maintenance of the SQF System; ii. Take appropriate action to ensure the integrity of the SQF System; and iii. Communicate to relevant personnel all information essential to ensure the effective implementation and maintenance of the SQF System.

2.1.1.5 - The primary and substitute SQF practitioner shall: i. Be employed by the site; ii. Hold a position of responsibility in relation to the management of the site's SQF System; iii. Have completed a HACCP training course; iv. Be competent to implement and maintain HACCP-based food safety plans; and v. Have an understanding of the SQF Food Safety Code: Pet Food Manufacturing and the requirements to implement and maintain an SQF System relevant to the site's scope of certification.

Evidence: • The factory appointed the QC manager as the SQF practitioner and the general manager as a backup, but neither of the two SQF practitioners has received HACCP training.

Root Cause: Both SQF-certified professionals and HACCP team members have undergone internal HACCP training, possess experience in the pet food or food industry, and understand the fundamental principles of HACCP. However, when appointing SQF-certified personnel, the factory focused solely on job competency alignment while neglecting the HACCP certification requirements stipulated by SQF standards.

Corrective Action: Organize the Quality Control Manager and General Manager to attend HACCP system training and obtain the corresponding certification. □□□□□□□□□□HACCP□□□□□□□□□□□□

Closeout Date: July 17, 2026

2.1.1.7 - Senior site management shall ensure the integrity and continued operation of the food safety system in the event of organizational or personnel changes within the company or associated facilities.

Response: Compliant

2.1.1.8 - Senior site management shall designate defined blackout periods that prevent unannounced re-certification audits from occurring out of season or when the site is not operating for legitimate business reasons. The list of blackout dates and their justification shall be submitted to the certification body a minimum of one (1) month before the sixty (60) day re-certification window for the agreed-upon unannounced audit.

Response: Compliant

Summary -

Response: Food safety and quality policy stated in Food safety and Quality Manual BN-SM-001, A/0, signed by GM on 2026-01-15, states: "Comply with regulations, focus on customer requirements, and continuously improve to provide customers with legal, safe, and high-quality products and services. Achieve efficient management and ongoing enhancement, and constantly strengthen the factory's food safety and quality culture." The policy has been communicated to all staff through noticeboard and training. Policy posted on the entrance of the workshop. Food safety culture procedure BN-PD-002, A/0, updated 2026-01-15, an action plan for implementing food safety culture was in place including multiple activities, such as training, a clear feedback mechanism, food safety knowledge contest, clear and open communication on product safety and the "Quality Improvement Proposal" activity every quarter. Related records sighted on site, such as the food safety culture investigation questionnaire dated 2026-05-10. The plan has been reviewed annually. The company assigned Ms. Ji (QC Manager) as SQF practitioner, and Mr. Li (GM) as substitute SQF practitioner, both hired by the company, and they all understood the SQF Food Safety Code by interview. The company's senior management has a process for assessing any concerns raised. Records of the assessment, and where appropriate actions taken, are documented in review records. This is an initial SQF audit the audit date from 2026-06-12 to 2026-06-14. Minor NC: The factory appointed the QC manager as the SQF practitioner and the general manager as a backup, but neither of the two SQF practitioners has received HACCP training.

2.1.2 - Management Review (Mandatory)

2.1.2.1 - The SQF system shall be reviewed by senior site management at least annually and include: i. Changes to food safety management system documentation (policies, procedures, specifications, food safety plan); ii. Food safety culture performance; iii. Food safety objectives and performance measures; iv. Corrective and preventative actions, and trends in findings from internal and external audits, customer complaints, and verification and validation activities; v. Hazard and risk management system; and vi. Follow-up action items from previous management review. Records of all management reviews and updates shall be maintained.

Response: Compliant

2.1.2.2 - The SQF practitioner(s) shall update senior site management on at least a monthly basis on matters impacting the implementation and maintenance of the SQF System. The updates and management responses shall be documented.

Response: Compliant

Summary -

Response: Management review procedure BN-PD-014, A/0, updated 2026-01-15, the management review meeting was required at least annually or when major changes, latest conducted 2026-04-11, hosted by GM Mr. Li, 2 improvement decisions raised in the final report with timescale, all in processing. The review process includes all measures needed for improvement: documents related to previous reviews, results of internal and external audits, objectives implementation, customer satisfaction (indicators, complaints, surveys),

non-conformities / incidents, Corrective actions, effectiveness of the systems for HACCP, food defence and authenticity, resources, control of the processes. Food safety and quality objectives for 2026 established 2026-01-15, general target setup as: Customer satisfaction $\geq$ 90%, The product inspection pass rate $\geq$ 95%, no major food safety incident. Detailed food safety and quality objectives for each department divided and clear communication to relevant staff. Objectives are monitored and results reported monthly, latest record of Jan-May 2026 sighted, all objectives meet. SQF and quality meeting held monthly focused on matters impacting the implementation and maintenance of the SQF System, records sighted 2026-05-30, 2026-04-28, 2026-03-27.

2.1.3 - Complaint Management (Mandatory)

2.1.3.1 - The methods and responsibility for handling, investigating, and resolving food safety complaints from commercial customers, consumers, and authorities, arising from pet food manufactured or handled on-site or co-manufactured, shall be documented and implemented.

Response: Compliant

2.1.3.2 - Adverse trends of customer complaint data shall be investigated and analyzed and the root cause established by personnel knowledgeable about the incidents.

Response: Compliant

2.1.3.3 - Corrective and preventative action shall be implemented based on the seriousness of the incident and the root cause analysis as outlined in 2.5.3. Records of customer complaints, their investigation, and resolution shall be maintained.

Response: Compliant

Summary -

Response: Customer complaint procedure BN-PD-037, A/0, updated 2026-01-15 in place. Sales collected the complaint from customer and communicated with QC for root cause analysis and corrective actions. Trends analysis would carry out annually by QC department, interviewed the sales manager and QC manager, no customer complaint received in recent 12 months.

2.2.1 - Food Safety Management (Mandatory)

2.2.1.1 - The methods and procedures the site uses to meet the requirements of the SQF Food Safety Code: Pet Food Manufacturing shall be maintained in electronic and/or hard copy documentation. It will be made available to relevant staff and include: i. A summary of the organization's food safety policies and the methods it will apply to meet the requirements of this standard; ii. The food safety policy statement and organization chart; iii. The processes and products included in the scope of certification; iv. Food safety regulations that apply to the manufacturing site and to the country of sale (if known); v. Raw material, ingredient, packaging, and finished product specifications; vi. Food safety procedures, pre-requisite programs, food safety plans; vii. Process controls that impact product safety; and viii. Other documentation necessary to support the development and the implementation, maintenance, and control of the SQF System.

Response: Compliant

2.2.1.2 - Food safety plans, Good Manufacturing Practices, and all relevant aspects of the SQF System shall be reviewed, updated, and communicated as needed when any changes implemented have an impact on the site's ability to deliver safe pet food. All changes to food safety plans, Good Manufacturing Practices, and other aspects

of the SQF System shall be validated or justified prior to their implementation. The reasons for the change shall be documented.

Response: Compliant

Summary -

Response: Related documents have been established to maintain the SQF system, e.g. Food safety and quality manual BN-SM-001, A/0, 2026-01-15, HACCP plan BN-HACCP-01, A/0, 2026-01-15, Sanitation standard operation procedure (SSOP) BN-PD-007, A/0, 2026-01-15, Good manufacturing practice (GMP) BN-PD-008, A/0, 2026-01-15, and related procedures. The documents were reviewed regularly and the change log kept on file. Law and regulation collection list updated 2026-01-15.

2.2.2 - Document Control (Mandatory)

2.2.2.1 - The methods and responsibility for maintaining document control and ensuring staff have access to current requirements and instructions shall be documented and implemented. Current SQF System documents and amendments to documents shall be maintained.

Response: Compliant

Summary -

Response: The company established Food safety and quality manual BN-SM-001, A/0, 2026-01-15. The manual contains an outline of working methods and practices. All procedures and work instructions are available to related staff and in the Chinese. There is a procedure for the control of the documents, Ref: BN-PD-010, A/0, 2026-01-15. Documents are stored in electronic form and are stored securely and backed up to prevent loss. There is a list of controlled documents. Modifications are documented in the procedures, record dated 2026-01-15. The procedure for the control of the documents establishes the actions to be taken to rescind obsolete documentation. Documents sampled during the audit complied with the procedure requirements

2.2.3 - Records (Mandatory)

2.2.3.1 - The methods, frequency, and responsibility for verifying, maintaining, and retaining records shall be documented and implemented.

Response: Compliant

2.2.3.2 - All records shall be legible and confirmed by those undertaking monitoring activities that demonstrate inspections, analyses, and other essential activities that have been completed.

Response: Compliant

2.2.3.3 - Records shall be readily accessible, retrievable, and securely stored to prevent unauthorized access, loss, damage, and deterioration. Retention periods shall be in accordance with customer, legal, and regulatory requirements, at minimum the product shelf-life or established by the site if no shelf-life exists.

Response: Compliant

Summary -

Response: Record control procedure BN-PD-011, A/0, updated on 2026-01-15. The records are maintained and retained for 2 years at least, if the product shelf life longer than 2 years, the records are kept at least shelf life plus 1 year. They are readable and recoverable. Example of records checked during the traceability audit.

There are NO electronic records.

2.3.1 - Product Formulation and Realization

2.3.1.1 - The methods and responsibility for designing and developing new product formulations and converting product concepts to commercial realization shall be documented and implemented.

Response: Compliant

2.3.1.2 - New product formulations, manufacturing processes, and the fulfillment of product requirements shall be established, validated, and verified by site trials and product testing as required to ensure product safety. Product formulations shall be developed by authorized persons to ensure that they meet the intended use, including minimum and maximum nutrient and medicinal values (e.g. vitamin D, thiamine, life stages, species, animal size, and or breeds). Where necessary shelf life trials shall be conducted to establish and validate a new product's: i. Preparation, handling, and storage requirements including the establishment of "best before dates"; and ii. Microbiological criteria.

Response: Compliant

2.3.1.3 - A food safety plan shall be validated and verified by the site food safety team for each new product and its associated process through conversion to commercial production and distribution, or where a change to ingredients, process, or packaging occurs that may impact food safety.

Response: Compliant

2.3.1.4 - Product formulations and manufacturing processes for products included in the scope of certification shall be reviewed when there are changes in materials, ingredients, or equipment.

Response: Compliant

2.3.1.5 - The process flows for all new and existing manufacturing processes shall be designed to ensure that product is manufactured to approved product formulations and to prevent cross-contamination.

Response: Compliant

2.3.1.6 - Records of product design, formulations, label compliance, process flows, shelf life trials, and approvals for all new and existing products shall be maintained.

Response: Compliant

Summary -

Response: New product development control procedure (BN-PD-017) in place, currently most of the product are customer brands, no new products developed recent years. Changes to products, packaging systems or manufacturing processes are included. All new products have been previously approved by the HACCP team leader or responsible person, target shelf life 24 months, shelf-life trials are undertaken to confirm the best before date established for all products, such as, Pet hair dissolving tablets, 2025-09-23, target shelf life 24 months, test from 2025-10-30 for sensory, moisture, etc.

2.3.2 - Specifications (Raw Material, Packaging, Finished Product and Services)

2.3.2.1 - The methods and responsibility for developing, managing, and approving raw material, finished product, and packaging specifications shall be documented.

Response: Compliant

2.3.2.2 - Specifications for all raw materials and packaging, including, but not limited to, ingredients, additives, hazardous chemicals, processing aids, and packaging that impact finished product safety shall be documented and kept current.

Response: Compliant

2.3.2.3 - All raw materials, packaging, and ingredients, including those received from other sites under the same corporate ownership, shall comply with specifications and with the relevant legislation in the country of manufacture and country of destination, if known.

Response: Compliant

2.3.2.4 - Raw materials, packaging, and ingredients shall be validated to ensure product safety is not compromised and the material is fit for its intended purpose.

Response: Compliant

2.3.2.5 - Site management shall require approved raw materials suppliers to notify the site of changes in product composition that could have an impact on product formulation (e.g. protein content, moisture, amino acid profiles, contaminant levels, tolerance levels, and/or other parameters that may be variable by crop or by season).

Response: Compliant

2.3.2.6 - Verification of packaging shall include: i. Certification that all packaging that comes into direct contact with pet food meets either regulatory acceptance or approval criteria. Documentation shall either be in the form of a declaration of continued guarantee of compliance, a certificate of conformance, or a certificate from the applicable regulatory agency. ii. In the absence of a certificate of conformance, certificate of analysis, or letter of guarantee, tests and analyses shall be conducted and records maintained to confirm the absence of potential chemical migration from the packaging to the pet food contents.

Response: Compliant

2.3.2.7 - Finished product labels shall be accurate, comply with the relevant legislation, and be approved by qualified company personnel.

Response: Compliant

2.3.2.8 - Description of services for contract service providers that have an impact on product safety shall be documented, current, include a full description of the service to be provided, and detail relevant training requirements of all contract personnel.

Response: Compliant

2.3.2.9 - Finished product specifications shall be documented, current, approved by the site and their customer, accessible to relevant staff, and shall include, where applicable: i. Microbiological, chemical, and physical limits; ii. Composition to meet label claims; iii. Labeling and packaging requirements; and iv. Storage conditions.

Response: Compliant

2.3.2.10 - Specifications for raw materials and packaging, chemicals, processing aids, contract services, and finished products shall be reviewed as changes occur that impact product safety. Records of reviews shall be maintained. A list of all the above specifications shall be maintained and kept current.

Response: Compliant

Summary -

Response: The specifications of raw materials sampled are technically appropriate, complete and accurate, e.g. BN-ZL-001, A/0, 2026-01-15, including the specification for Chicken hydrolyzed powder, Fish hydrolyzed powder, fish oil, maltodextrin, glycerinum, pectin, vitamin, etc., and the specification for packaging material also included in BN-ZL-001, such as plastic bag, plastic bottle, aluminum tube, glass bottle. All specifications are available and up-to-date. The specifications of all finished products are available, EXAMPLE: Pet nutrition granules Q/321283 BNSW 9006-2026, dated 2026-05-28, Pet nutrition cream Q/321283 BNSW 016-2025, dated 2025-12-30, Pet nutrient solution Q/321283 BNSW 1001-2026, dated 2026-03-26. The specifications sampled meet all technical requirements needed. There are specifications agreed with customers through contracts. There is evidence available demonstrating that the specifications sampled have been agreed. The specifications have been reviewed every 3 years or in case of changes.

2.3.3 - Contract Manufacturers

2.3.3.1 - The methods and responsibility for ensuring all agreements relating to pet food safety and customer product requirements, their realization, and delivery are specified and agreed shall be documented and implemented.

Response: NA

Evidence: • No contract manufacturers.

2.3.3.2 - The site shall establish a method to determine the food safety risk level of contract manufactured product and shall document the risk. The site shall ensure that: i. Products and processes of co-manufacturers that are considered high risk have undergone an audit by the site or third-party agency to confirm compliance to the SQF Food Safety Code: Pet Food Manufacturing and regulatory and customer requirements. ii. Products and processes of co-manufacturers that are considered low risk meet the requirements of the SQF Food Safety Code: Pet Food Manufacturing or other GFSI-benchmarked certification program and regulatory and customer requirements; and iii. Changes to contractual agreements are approved by both parties and communicated to relevant personnel.

Response: NA

Evidence: • No contract manufacturers.

2.3.3.3 - Contractual agreements with third-party storage and distribution businesses shall include requirements relating to customer product requirements and compliance with the SQF Food Safety Code: Pet Food Manufacturing. Contractual agreements shall be approved by both parties and communicated to relevant personnel. The site shall verify compliance with the SQF Code and that customer and regulatory requirements are being met at all times.

Response: NA

Evidence: • No contract manufacturers.

2.3.3.4 - Records of audits, contracts, and changes to contractual agreements and their approvals shall be maintained.

Response: NA

Evidence: • No contract manufacturers.

Summary -

Response: NA. No contract manufacturers.

2.3.4 - Approved Supplier Program (Mandatory)

2.3.4.1 - The responsibility and procedure for selecting, evaluating, approving, and monitoring an approved supplier shall be documented and implemented. A current record of approved suppliers, receiving inspections, and supplier audits shall be maintained. Code Amendment #2 Approved supplier registers shall include supplier contact details. All approved and emergency suppliers shall be registered.

Response: Compliant

2.3.4.2 - The approved supplier program shall be based on the prior performance of a supplier and the risk level of the raw materials ingredients, processing aids, packaging, and services supplied, and shall contain at a minimum: i. Agreed specifications (refer to 2.3.2); ii. Reference to the level of risk applied to a raw material, ingredients, packaging, services and the approved supplier; iii. A summary of the food safety controls implemented by the approved supplier; iv. Methods for granting approved supplier status; v. Methods and frequency of monitoring approved suppliers; vi. Details of the certificates of conformance if required; and vii. Methods and frequency of reviewing approved supplier performance and status.

Response: Compliant

2.3.4.3 - Verification of raw materials shall include certificates of conformance, certificate of analysis, or sampling and testing. The verification frequency shall be identified by the site.

Response: Compliant

2.3.4.4 - The receipt of raw materials, ingredients, processing aids, and packaging from non-approved suppliers shall be acceptable only in an emergency situation and provided a receipt inspection or analysis is conducted and recorded before use.

Response: Compliant

2.3.4.5 - Raw materials, ingredients, and packaging received from other sites under the same corporate ownership shall be subject to the same specification requirements (refer to 2.3.2), approved supplier requirements, and receipt inspections as all other material providers.

Response: Compliant

2.3.4.6 - Supplier audits shall be based on risk (as determined in 2.3.4.1) and shall be conducted by individuals knowledgeable of applicable regulatory and food safety requirements and trained in auditing techniques.

Response: Compliant

Summary -

Response: Approved supplier list updated 2026-03-26, including raw material, packaging material and service providers. The specifications of materials sampled: RM receiving standard BN-ZL-001, A/0, 2026-01-15, include all raw material and packaging material. The specifications sampled meet all technical requirements needed. There are specifications agreed with customers through contracts. There is evidence available demonstrating that the specifications sampled have been agreed. The specifications have been reviewed every 3 years or in case of changes. Purchasing control procedure BN-PD-015, A/0, updated on 2026-01-15, defined the supplier approval method and purchase management. The supplier approved by the supplier audit or questionnaire based on the risk assessment. The supplier risk assessment record dated 2026-02-27, currently all suppliers were identified as low risk, and approved by supplier questionnaire. E.g. Sugar supplier Guangxi SS Sugar Industry Co., LTD, questionnaire approved on 2026-01-20, collagen supplier TP Hebei Biotechnology Co., LTD, questionnaire approved on 2026-01-21, fish oil supplier Sichuan XMJ Biomedical Co., LTD, questionnaire

approved on 2026-01-25, Chicken hydrolyzed paste and fish hydrolyzed paste supplier Jiangsu TY Biotechnology Co., LTD, questionnaire approved on 2026-01-25, vitamin supplier ZMLTS Yangzhou Animal Health Care and Nutrition Co., LTD, questionnaire approved on 2026-01-25, maltose supplier SQ Guangzhou Co., LTD, questionnaire approved on 2026-01-26. Emergency purchase requirement was defined in the purchasing control procedure, no emergency purchase occurred in last 12 months.

2.4.1 - Food Legislation (Mandatory)

2.4.1.1 - The site shall ensure that, at the time of delivery to its customer, the pet food supplied shall comply with the legislation that applies to the pet food and its production in the country of manufacturer and the country of use or sale (if known). This includes compliance with legislative requirements applicable to maximum residue limits, food safety, packaging, product description, net weights, labelling, nutritional requirements for the animal species, feeding guidance, the life stage and any other criteria listed under pet food legislation, and to relevant established industry codes of practice.

Response: Compliant

2.4.1.2 - The methods and responsibility for ensuring the site is kept informed of changes to relevant legislation, scientific and technical developments, emerging food safety issues, and relevant industry codes of practice shall be documented and implemented.

Response: Compliant

2.4.1.3 - SQFI and the certification body shall be notified in writing within twenty-four (24) hours as a result of a regulatory warning or event. Notification to SQFI shall be by email to foodsafetycrisis@sqfi.com.

Response: Minor

Evidence: • The current procedures did not stipulate the requirement to report warnings or food safety incidents to SQFI and certification body within 24 hours. The contact information of the certification body and SQFI was not included in the list of key contacts.

[illegible]

Root Cause: The document review process failed to incorporate the requirements of SQFI, and the demands of both SQFI and the certification body were not promptly integrated into the management system documentation.

□□□□□□□□SQFI□□□□□□□□SQFI□□□□□□□□□□□□□□□□□□□□

Corrective Action: Revise the emergency management control procedures by adding reporting requirements to SQFIs and certification bodies. Update the contact list by including contact information for certification bodies and SQFIs. Provide employees with training on the requirements for reporting food safety incidents.

000000000000SOFI00000000000000000000000000SOFI000000000000000000000000

Verification Of Closeout: RCA & CA (Revised procedure & contact list) were found to be meeting the requirements. Evidence submitted for CA is satisfactory. Hence NC closure is approved as closed

Completion Date: July 6, 2026

Closeout Date: July 17, 2026

Summary -

Response: Food safety law and regulations list updated 2026-01-15, there have total 130 items included, QC responded for collection and renew. Communication procedure is established however, it has not defined SQFI and the certification body shall be notified in writing within twenty-four (24) hours as a result of a regulatory warning or event, and notification to SQFI shall be by email to foodsafetycrisis@sqfi.com if regulatory warning or event occur. Minor NC: The current procedures did not stipulate the requirement to report warnings or food

safety incidents to SQFI and certification body within 24 hours. The contact information of the certification body and SQFI was not included in the list of key contacts.

2.4.2 - Good Manufacturing Practices (Mandatory)

2.4.2.1 - The site shall ensure the applicable Good Manufacturing Practices described in Module 4 of this Food Safety Code are applied or exempted according to a written risk analysis outlining the justification for exemption or evidence of the effectiveness of alternative control measures to ensure that food safety is not compromised.

Response: Compliant

2.4.2.2 - The Good Manufacturing Practices applicable to the scope of certification that outline how food safety is controlled and assured shall be documented and implemented.

Response: Compliant

Summary -

Response: GMP and SSOP in place, defined hygiene and cleaning regulations.

2.4.3 - Food Safety Plan (Mandatory)

2.4.3.1 - A food safety plan shall be prepared in accordance with the twelve steps identified in the Codex Alimentarius Commission HACCP guidelines. The food safety plan shall be effectively implemented and maintained and outline the means by which the site controls and assures food safety of the products or product groups included in the scope of the SQF certification and their associated processes. More than one HACCP food safety plan may be required to cover all products included in the scope of certification.

Response: Compliant

2.4.3.2 - The food safety plan or plans shall be developed and maintained by a multidisciplinary team that includes the SQF practitioner and those site personnel with technical, production, and engineering knowledge of the relevant products and associated processes. Where the relevant expertise is not available on-site, advice may be obtained from other sources to assist the food safety team. In the event external sources are used, the overall responsibility of the HACCP food safety plan shall remain with on-site personnel.

Response: Compliant

2.4.3.3 - The scope of each food safety plan shall be developed and documented including the start and endpoint of the processes under consideration and all relevant inputs and outputs.

Response: Compliant

2.4.3.4 - Product descriptions shall be developed and documented for all products included in the scope of the food safety plans. This shall reference the finished product specifications (refer to 2.3.2.9) plus any additional information relevant to product safety, such as pH, water activity, and/or composition.

Response: Compliant

2.4.3.5 - The intended use and reasonably foreseeable unintended use of each product shall be determined and documented by the food safety team. This shall include target pet groups, life stage, and level of activity, requirements for further processing if applicable, and potential alternative use of the product.

Response: Compliant

2.4.3.6 - The food safety team shall develop and document a flow diagram covering the scope of each food safety plan. The flow diagram shall include every step in the process, all raw material, packaging material, service inputs (e.g. water, steam, gasses as appropriate), scheduled process delays, and all process outputs including waste and rework. Each flow diagram shall be confirmed by the food safety team during all stages and hours of operation.

Response: Compliant

2.4.3.7 - The food safety team shall identify and document all food safety hazards that can reasonably be expected to occur at each step in the processes, including raw materials and other inputs.

Response: Compliant

2.4.3.8 - The food safety team shall conduct a hazard analysis for every identified hazard to identify which hazards are significant, i.e., their elimination or reduction to an acceptable level is necessary to ensure food safety. The methodology for determining hazard significance shall be documented and used consistently to assess all potential hazards.

Response: Compliant

2.4.3.9 - The food safety team shall determine and document the control measures that must be applied to all significant hazards. More than one control measure may be required to control an identified hazard, and more than one significant hazard may be controlled by a specific control measure.

Response: Compliant

2.4.3.10 - Based on the results of the hazard analysis (refer to 2.4.3.8), the food safety team shall identify the steps in the process where control must be applied to eliminate a significant hazard or reduce it to an acceptable level (i.e., a critical control point, or CCP). In instances where a significant hazard has been identified at a step in the process, but no control measure exists, the food safety team shall modify the process to include an appropriate control measure.

Response: Compliant

2.4.3.11 - For each identified CCP, the food safety team shall identify and document the limits that separate safe from unsafe product. The food safety team shall validate the critical limits to ensure the designated level of control of the identified food safety hazard(s) and that all critical limits and control measures individually or in combination effectively provide the level of control required (refer to 2.5.1.1).

Response: Compliant

2.4.3.12 - The food safety team shall develop and document procedures to monitor CCPs to ensure they remain within the established limits (refer to 2.4.3.11). Monitoring procedures shall identify the personnel assigned to conduct testing, the sampling and test methods, and the test frequency.

Response: Compliant

2.4.3.13 - The food safety team shall develop and document deviation procedures that identify the disposition of affected product when monitoring indicates a loss of control at a CCP. The procedures shall also prescribe actions to correct the process step to prevent recurrence of the safety failure.

Response: Compliant

2.4.3.14 - The documented and approved food safety plan(s) shall be implemented in full. The effective implementation shall be monitored by the food safety team, and a full review of the documented and implemented plans shall be conducted at least annually, or when changes to the process, equipment, inputs, or other changes

affecting product safety occur.

Response: Compliant

2.4.3.15 - Procedures shall be in place to verify that critical control points are effectively monitored and appropriate corrective actions are applied. Implemented food safety plans shall be verified as part of SQF System verification (refer to 2.5).

Response: Compliant

2.4.3.16 - Critical control point monitoring, corrective action, and verification records shall be maintained and appropriately used.

Response: Compliant

2.4.3.17 - Where food safety regulations in the country of production and destination (if known) prescribe a food safety control methodology other than the Codex Alimentarius Commission HACCP guidelines, the food safety team shall implement food safety plans that meet both Codex and food regulatory requirements.

Response: Compliant

Summary -

Response: HACCP plan incorporating HACCP Principles of the Codex Alimentarius. Ref: BN-HACCP-01, A/0, updated on 2026-01-15, detailed with products for solid pet additive premixed feed, semi-solid pet additive premixed feed & liquid pet additive premixed feed, fully implemented on site. The scope of the HACCP system includes all products, processes and production site. The processes include raw vegetable reception, batching, mixing, emulsification (for semi-solid pet additive premixed feed), sterilization (semi-solid pet additive premixed feed & liquid pet additive premixed feed), molding (for solid pet additive premixed feed), filtering or sieving, filling, packing, ambient storage and dispatch. The HACCP team include GM Manager, QC Manager, Technical Manager, Sales Manager, Purchasing Manager, Supervisors and Operational staff. QC Manager Ms. Ji as HACCP team leader, who has more than 10 years' experience in food related industry, and received training on food safety knowledge. The HACCP team includes operational staff from different departments. Operational prerequisite programmes necessary to produce safe and legal products have been established, EXAMPLE: cleaning and sanitising, pest management, maintenance programmes for equipment and buildings, personal hygiene, staff training, purchasing, transport, processes to prevent cross-contamination, allergen controls. The control measures and monitoring procedures for the prerequisite programmes are clearly documented. There is a product data sheet for each product, specifying composition, physical, organoleptic, chemical and microbiological parameters, legal requirements, methods of treatment, packaging, durability (shelf life), conditions for storage, method of transport and distribution, EXAMPLE: main raw material including chicken hydrolyzed paste, fish hydrolyzed paste, chicken hydrolyzed powder, fish hydrolyzed powder, additives; Significant product characteristic including the residues of pesticides and veterinary drugs, the content of heavy metals, the types and contents of additives, etc. should comply with the requirements of the state and the importing country, no infectious diseases, free of impurities, salmonella shall not be detected; Packaging including plastic bag, plastic bottle, glass bottle, aluminum tube; Ambient storage for 24 months; The intended use of the product is pet food for dogs and cats. Flow diagrams of products and processes are in place. The accuracy of the flow diagrams has been on site verified on 2026-02-28 by HACCP team. The frequency established is at least annually and whenever there are changes to the process. Hazard analysis has been completed from raw material, processing to final products, including of biological hazards, chemical hazards, physical hazards, radiological contamination, fraud, malicious contamination and allergen hazards. Likely occurrence of hazard and severity of the effects were considered during the hazard analysis. Significant hazard was defined and then decision tree was used to decide CCPs. The potential hazards were listed in the

form of hazard analysis sheet of the HACCP plan. The significant food hazards are controlled through CCPs. A decision tree has been used to assess the hazard controls at each process step and the results were documented, and critical Limits for CCP were defined in HACCP plan. CCPs and other control measures (CPs) are identified. Details of CCPs: CCP1: batching, critical limit: food additives comply with national standard, monitor frequency: double check every batch; CCP2: sterilization, critical limit: 121° for 20-30 mins, monitor frequency: every batch. HACCP plan had been validated annually or before any change which can affect food safety, last annual validation on 2026-02-01. HACCP verification procedure was established and implemented and was addressed in the HACCP study. The latest verification record of 2026-03-10 was viewed on site audit.

2.4.4 - Product Sampling, Inspection, and Analysis

2.4.4.1 - The methods, responsibility, and criteria for sampling, inspecting, and/or analyzing raw materials, work in progress, and finished product shall be documented and implemented. The methods applied shall ensure that inspections and analyses are completed at regular intervals as required and to agreed specification and legal requirements. Sampling and testing shall be representative of the process batch and ensure that process controls are maintained to meet specification and formulation.

Response: Compliant

2.4.4.2 - Product analyses shall be conducted to nationally recognized methods or company requirements or alternative methods that are validated as equivalent to the nationally recognized methods. Where internal laboratories are used to conduct input, environmental, or product analysis, sampling and testing methods shall be in accordance with the applicable requirements of ISO/IEC 17025, including annual proficiency testing for staff conducting analyses. External laboratories shall be accredited to ISO/IEC 17025 or equivalent international standard and included on the site's contract service specifications list (refer to 2.3.2.8).

Response: Compliant

2.4.4.3 - On-site laboratories conducting chemical and microbiological analysis that may pose a risk to product safety shall be located separate from any pet food processing or handling activity and designed to limit access only to authorized personnel. Signage shall be displayed identifying the laboratory area as a restricted area accessible only by authorized personnel.

Response: Compliant

2.4.4.4 - Provisions shall be made to isolate and contain all hazardous laboratory waste held on the premises and manage it separately from pet food waste. Laboratory waste outlets shall at a minimum be down stream of drains that service pet food processing and handling areas.

Response: Compliant

2.4.4.5 - Retention samples, if required by customers or regulations, shall be stored according to the typical storage conditions for the product and maintained for the stated shelf life of the product.

Response: Compliant

2.4.4.6 - Records of all inspections and analyses shall be maintained.

Response: Compliant

Summary -

Response: RM receiving and inspection procedure was documented and implemented, materials sampling method, inspection items, receiving method defined in the procedure. The RM receiving standard BN-ZL-001,

A/0, updated 2026-01-15, FP inspection procedure BN-PD-031, A/0, updated on 2026-01-15 and FP release procedure BN-PD-032, A/0, updated on 2026-01-15. The company undertakes the analysis of parameters defined in the product specifications, including physical, chemical and microbiological parameters. The analyses performed internally and/or subcontracted. A test plan has been drawn up for raw materials and finished products. External test report for RM sampled: Chicken hydrolyzed powder test report 2026041511, issued 2026-04-18, result meet Q/WING004-2020. Maltodextrin test report A2250636687101003ER1, issued 2025-09-10, result qualified. PET bottle test report 2613402589, issued 2026-04-25, result meet Q/NJA 001-2025. Glass bottle test report 20260604, issued 2026-06-05, result meet YB/QESC(02)042-2025. External FP test report sighted: Semi-solid pet additive premixed feed test report number NNAR66TK86338509, issued 2026-03-28, test items including moisture, Pb, As, Vitamin, folic acid, result OK. Lecithin Hair Care Granules test report issued 2026-03-28, test items including moisture, Pb, As, Vitamin, folic acid, result OK. Blood-Boosting Nutrient Solution test report issued 2026-03-21, test items including moisture, Pb, As, Vitamin, folic acid, result OK. The analysis frequency and method are defined in the test plan. The company has provided documented evidence demonstrating that the analytical results have been verified by a responsible person, QC MANAGER. Evidence provided of an assessment of trends from analytical results. On-going shelf-life assessments are in place. Physical-chemical, microbiological and organoleptic criteria are assessed, e.g., Pet hair dissolving tablets shelf life 24 months. All production records are required to kept for 3 years.

2.4.5 - Non-conforming Materials and Product

2.4.5.1 - The responsibility and methods outlining how non-conforming product, raw material, ingredient, work-in-progress, or packaging detected during receipt, storage, processing, handling, or delivery is handled shall be documented and implemented. The methods applied shall ensure: i. Non-conforming product is quarantined, identified, handled, and/or disposed of in a manner that minimizes the risk of inadvertent use, improper use, or risk to the integrity of finished product; and ii. All relevant staff are aware of the organization's quarantine and release requirements applicable to product placed under quarantine status.

Response: Compliant

2.4.5.2 - Quarantine records and records of the handling, corrective action, or disposal of nonconforming materials or product shall be maintained.

Response: Compliant

Summary -

Response: Non-conforming product control procedure in place. The procedure includes information of product non-conformities, persons responsible for decision making, answer to the customers, records of actions taken. Records are maintained sighted 2025-04-07. Position with authority for releasing product: by general manager.

2.4.6 - Product Rework

2.4.6.1 - The responsibility and methods outlining how ingredients, packaging, or products are reworked shall be documented and implemented. The methods applied shall ensure: i. Reworking operations are overseen by qualified personnel; ii. Reworked product is clearly identified and traceable; iii. Reworked product is processed in accordance with the site's food safety plan; iv. Each batch of reworked product is inspected or analyzed as required before release; v. Inspections and analyses conform to the requirements outlined in element 2.4.4.1; vi. Release of reworked product conforms to element 2.4.7; and vii. Reworked product does not affect the safety or integrity of

the finished product. Records of all reworking operations shall be maintained.

Response: Compliant

Summary -

Response: Rework instruction (BN-PD-034) in place. No rework happened stated by production manager.

2.4.7 - Product Release (Mandatory)

2.4.7.1 - The responsibility and methods for releasing products shall be documented and implemented. The methods applied shall ensure the product is released by authorized personnel and only after all inspections and analyses are successfully completed and documented to verify legislative and other established food safety controls have been met. Records of all product release shall be maintained.

Response: Compliant

2.4.7.2 - Product release shall include a procedure to confirm that product labels comply with the food legislation that applies in the country of manufacture and the country of use or sale, if known (refer to 2.4.1.1). If product is packaged and distributed in bulk or unlabeled, product information shall be made available to inform customers and/or consumers of the requirements for its safe use.

Response: Compliant

2.4.7.3 - In the event that the site uses positive release based on product pathogen or chemical testing, a procedure shall be in place to ensure that product is not released until acceptable results have been received. In the event that off-site or contract warehouses are used, these requirements shall be effectively communicated and verified as being followed.

Response: Compliant

Summary -

Response: QC manager responsibility for product release, product released after inspection. Inspection record sighted 2026-01-25 for semi-solid pet additive premixed feed, 2026-05-22 for Solid pet additive premixed feed and 2025-06-02 for liquid pet additive premixed feed.

2.4.8 - Environmental Monitoring

2.4.8.1 - A risk-based environmental monitoring program shall be in place for all food manufacturing processes and immediate surrounding areas, which impact manufacturing processes. The responsibility and methods for the environmental monitoring program shall be documented and implemented.

Response: Compliant

2.4.8.2 - An environmental sampling and testing schedule shall be prepared. It shall at a minimum: i. Detail the applicable pathogens or indicator organisms to test for in that industry; ii. List the number of samples to be taken and the frequency of sampling; iii. Outline the locations in which samples are to be taken and the rotation of locations as needed; and iv. Describe the methods to handle elevated or undesirable results.

Response: Compliant

2.4.8.3 - Environmental testing results shall be monitored, tracked, and trended, and preventative actions (refer to 2.5.3.1) shall be implemented where unsatisfactory results or trends are observed.

Response: Compliant

Summary -

Response: Product and environment risk assessment and testing plan implemented 2026-01-15, water internal test every month, food contact surface and staff hands monitored every half a year by 3rd party lab, TPC and coliforms tested, air test every half a year by 3rd party lab. Sighted swab test report issued by 3rd party lab on 2026-04-14, all results OK. EMP result reviewed annually, latest record 2026-01-15 shows 2025 EMP effective and satisfied.

2.5.1 - Validation and Effectiveness (Mandatory)

2.5.1.1 - The methods, responsibility, and criteria for ensuring the effectiveness of all applicable elements of the SQF Program shall be documented, implemented, and effective. The methods applied shall ensure that: i. Good Manufacturing Practices are confirmed to ensure they achieve the required result; ii. Critical food safety limits are reviewed annually and re-validated or justified by regulatory standards when changes occur; and iii. Changes to the processes or procedures are assessed to ensure controls are still effective. Records of all validation activities shall be maintained.

Response: Compliant

Summary -

Response: Flow diagrams are in place including all products and processes. They are dated 2026-01-15. CCPs are identified, numbered and updated. The accuracy of the flow diagrams has been verified by on-site inspections. HACCP plan had been validated annually or before any change which can affect food safety, last annual validation on 2026-02-01.

2.5.2 - Verification Activities (Mandatory)

2.5.2.1 - The methods, responsibility, and criteria for verifying monitoring of Good Manufacturing Practices, critical control points, and other food safety controls, and the legality of certified products shall be documented and implemented. The methods applied shall ensure that personnel with responsibility for verifying monitoring activities authorize each verified record.

Response: Compliant

2.5.2.2 - A verification schedule outlining the verification activities, their frequency of completion, and the person responsible for each activity shall be prepared and implemented. Records of verification of activities shall be maintained.

Response: Compliant

Summary -

Response: The HACCP verification activities are defined. There is an HACCP verification report during last year, e.g., 2026-03-10. The company defined the food safety plan review to be carried out at least annually and always when changes (to raw materials or suppliers, ingredients, etc.). Example of last review 2026-03-10.

2.5.3 - Corrective and Preventative Action (Mandatory)

2.5.3.1 - The responsibility and methods outlining how corrective and preventative actions are determined, implemented, and verified, including the identification of the root cause and resolution of non-compliance of critical food safety limits and deviations from food safety requirements, shall be documented and implemented.

Deviations from food safety requirements may include customer complaints, nonconformances raised at internal or external audits and inspections, non-conforming product and equipment, withdrawals and recalls, as appropriate.

Response: Compliant

2.5.3.2 - Records of all investigation, root cause analysis, and resolution of non-conformities, their corrections, and the implementation of preventative actions shall be maintained.

Response: Compliant

Summary -

Response: The company has a documented procedure for correction actions, REF: BN-PD-035, A/0, 2026-01-15. A documented record of the non-conformances include description, assessment of consequences by a competent and authorised person, cause, immediate action, corrective action, responsible staff and deadlines for implementation. The corrective actions checked during the audit were adequately verified, the relevant staff were trained about personal hygiene and inspections related to it were performed, the completion of root cause analysis and it is implemented.

2.5.4 - Internal Audits and Inspections (Mandatory)

2.5.4.1 - The methods and responsibility for scheduling and conducting internal audits to verify the effectiveness of the SQF System shall be documented and implemented. Internal audits shall be conducted in full and at least annually. The methods applied shall ensure: i. All applicable requirements of the SQF Food Safety Code: Pet Food Manufacturing are audited as per the SQF audit checklist or similar tool; ii. Objective evidence is recorded to verify compliance and/or non-compliance; iii. Corrective and preventative actions of deficiencies identified during the internal audits are undertaken; and iv. Audit results are communicated to relevant management personnel and staff responsible for implementing and verifying corrective and preventative actions.

Response: Compliant

2.5.4.2 - Staff conducting internal audits shall be trained and competent in internal audit procedures. Where practical, staff conducting internal audits shall be independent of the function being audited.

Response: Compliant

2.5.4.3 - Regular inspections of the site and equipment shall be planned and carried out to verify Good Manufacturing Practices and facility and equipment maintenance is compliant to the SQF Food Safety Code: Pet Food Manufacturing. The site shall: i. Take corrections or corrective and preventative action; and ii. Maintain records of inspections and any corrective actions taken.

Response: Compliant

2.5.4.4 - Records of internal audits and inspections and any corrective and preventative actions taken as a result of internal audits shall be recorded as per 2.5.3. Changes implemented from internal audits that have an impact on the site's ability to deliver safe food shall require a review of applicable aspects of the SQF System (refer to 2.3.1.3).

Response: Compliant

Summary -

Response: The internal audit procedure (BN-PD-013, A/0, 2026-01-15) was established covering audit planning, audit team qualification. The facility scheduled SQF internal audit once a year. The last internal audit plan was done on 2026-03-01/02 by 2 internal auditors in which all SQF requirements covered. Internal audit team

members are appointed and got training on SQF standard. All the auditors were independent and not audit their own work. Internal audit plan and Checklist showed that cross audit conducted. The internal audit records as following, internal audit plan, internal audit checklist, non-conformity corrective action report, internal audit report, signature record of the internal audit meeting. Total 2 minor NCs were raised in the internal audit. The responsible person and deadline for corrective action were defined, the performance of the corrective actions was monitored by internal audit team. Briefing checklist to each department, area or functions is available, and evidence on conformity was included and seen. In addition, monthly GMP inspection was scheduled, the inspection record on 2026-04-02, 2026-05-06, 2026-06-08 sighted.

2.6.1 - Product Identification (Mandatory)

2.6.1.1 - The methods and responsibility for identifying raw materials, ingredients, packaging, work-in-progress, process inputs, and finished products during all stages of production and storage shall be documented and implemented to ensure: i. Raw materials, ingredients, packaging, work-in progress, process inputs, and finished products are clearly identified during all stages of receipt, production, storage, and dispatch; and ii. Finished product is labelled to the customer specification and/or regulatory requirements.

Response: Minor

Evidence: • A bag of vitamin B6 stored in the raw material warehouse has no production date or batch information label. B6

Root Cause: The supplier did not affix labels to the inner bag and failed to re-label it after opening the package.

Corrective Action: Collect information on vitamin B6, re-label products accordingly, and conduct a comprehensive inspection of all inventory materials (particularly small-packaged excipients such as vitamins, minerals, and additives). Provide employees with training on product identification requirements. Require suppliers to also affix labels on the inner bags.

B6

Verification Of Closeout: RCA & CA (Photo of labelled identification) were found to be meeting the requirements. Evidence submitted for CA is satisfactory. Hence NC closure is approved as closed

Completion Date: July 6, 2026

Closeout Date: July 17, 2026

2.6.1.2 - Product start up, product changeover, and packaging changeover (including label changes) procedures during packing shall be documented and implemented to ensure that the correct product is in the correct package and with the correct label and that the changeover is inspected and approved by an authorized person. Procedures shall be implemented to ensure that label use is reconciled, and any inconsistencies investigated and resolved. Product changeover and label reconciliation records shall be maintained.

Response: Compliant

Summary -

Response: Product identification and traceability control procedure (BN-PD-040, A/0, 2026-01-15) was in place to ensure the complete traceability for tracing materials from raw material to finished product and vice versa. The traceability was conducted once per year. The manufacturing lot number has been linked to the production records. Example of records verified: reception, intake, processing, packaging and labelling, storage and dispatch record. An effective system for the identification of all products has been demonstrated. No production changeover carried out when auditing. Production line changeover record sighted 2026-05-22, with all materials and packaging cleared. Minor NC: A bag of vitamin B6 stored in the raw material warehouse

has no production date or batch information label.

2.6.2 - Product Trace (Mandatory)

2.6.2.1 - The responsibility and methods used to trace product shall be documented and implemented to ensure: i. Finished product is traceable at least one step forward to the customer and provides traceability at least one step back from the process to the manufacturing supplier; ii. Includes date of receipt of raw materials, pet food contact packaging and materials, and other inputs; iii. Traceability is maintained where product is reworked (refer to 2.4.6); and iv. The effectiveness of the product trace system is reviewed at least annually as part of the product recall and withdrawal review (refer to 2.6.3.2). Records of raw and packaging material receipt and use and finished product dispatch and destination shall be maintained.

Response: Compliant

Summary -

Response: Product identification and traceability control procedure (BN-PD-040, A/0, 2026-01-15) was in place to ensure the complete traceability for tracing materials from raw material to finished product and vice versa. The traceability was conducted once per year. Such as last test was conducted on 2026-03-10 for Pet nutrition cream with lot no. 20260122, the product produced on 2026-01-22, total quantity was 2000 tubes. The traceability test completed within 90 mins. Another test from raw material to finished product completed on 2026-06-05. A traceability test initiated by the auditor on the day of the audit involved the following: Finished product pet nutrition tablets with lot no. 20260520, quantity 4000 bottles (500mg*120 tablets, 40 bottles per case), traced from finished products to raw material, which was completed within 1.5 hours and mass balance was calculated, related raw material such as Chicken hydrolyzed powder lot no. JS20260310, Chicken liver powder lot no. JG20260315, Dextrin lot no. HJ20260402, Whey protein powder lot no. RQ20260411, Mixed vitamin lot no. WS20260513, plastic bottle lot no. 20260420, etc. The mass balance was calculated and conformity with the specification requirement. The raw materials, packaging materials were tracked with receiving, used and stock quantity were matched. All related record including CCP records, raw material receiving records, product inspection records and hygiene records were attached and reviewed. An effective system for the identification of all products has been demonstrated.

2.6.3 - Product Withdrawal and Recall (Mandatory)

2.6.3.1 - The responsibility and methods used to withdraw or recall product shall be documented and implemented. The procedure shall: i. Identify those responsible for initiating, managing, and investigating a product withdrawal or recall; ii. Describe the management procedures to be implemented including sources of legal, regulatory, and expert advice and essential traceability information; iii. Outline a communication plan to inform site personnel, customers, consumers, authorities, and other essential bodies in a timely manner appropriate about the nature of the incident; and iv. Ensure that SQFI, the certification body, and the appropriate regulatory authority are listed as essential organizations and notified in instances of a food safety incident of a public nature or product recall for any reason.

Response: Compliant

2.6.3.2 - The product withdrawal and recall system shall be reviewed, tested, and verified as effective at least annually. Testing shall include incoming materials (minimum one step back) and finished product (minimum one step forward). Testing shall be carried out on products from different shifts and for materials (including bulk materials) that are used across a range of products and/or products that are shipped to a wide range of

customers.

Response: Compliant

2.6.3.3 - Records shall be maintained of withdrawal and recall tests, root cause investigations into actual withdrawals and recalls, and corrective and preventative actions applied.

Response: Compliant

2.6.3.4 - SQFI and the certification body shall be notified in writing within twenty-four (24) hours upon identification of a pet food safety event that requires public notification. SQFI shall be notified at foodsafetycrisis@sqfi.com

Response: Compliant

Summary -

Response: Product withdrawals or recalls have NOT occurred in last year. A documented product withdrawal/recall procedure has provided, Ref: BN-PD-041, A/0, 2026-01-15. It includes: recall management team, responsibilities, guidelines for deciding the need for product withdrawal/recall, guidelines for actions to be taken, emergency and customer contact data, communication plan, external agencies. Recall or withdraw is required to review and test annually, latest mock recall carried out 2026-06-01, record sighted. Procedure has not defined that SQFI and CB should be notified in writing within twenty-four (24) hours if any emergency or food safety issues happen, this was a Minor NC raised in clause 2.4.1.

2.6.4 - Crisis Management Planning

2.6.4.1 - A crisis management plan based on the understanding of known potential dangers (e.g., flood, drought, fire, tsunami, or other severe weather events, warfare or civil unrest, computer outage, pandemic, loss of electricity or refrigeration, ammonia leak, labor strike) that can impact the site's ability to deliver safe pet food shall be documented by senior management, outlining the methods and responsibility the site shall implement to cope with such a business crisis. The crisis management plan shall include at a minimum: i. A senior manager responsible for decision making, oversight, and initiating actions arising from a crisis management incident; ii. The nomination and training of a crisis management team; iii. The controls implemented to ensure a response does not compromise product safety; iv. The measures to isolate and identify product affected by a response to a crisis; v. The measures taken to verify the acceptability of food prior to release; vi. The preparation and maintenance of a current crisis alert contact list, including supply chain customers; vii. Sources of legal and expert advice; and viii. The responsibility for internal communications and communicating with authorities, external organizations, and media.

Response: Compliant

2.6.4.2 - The crisis management plan shall be reviewed, tested, and verified at least annually with gaps and appropriate corrective actions documented. Records of reviews of the crisis management plan shall be maintained.

Response: Compliant

Summary -

Response: The company have procedures for the management of incidents and emergency situations, Ref: BN-PD-016, A/0, 2026-01-15. The following incidents: disruption to key services, disasters and sabotage, product contamination and digital cyber security have been taken into account. Actions plans are established. There is a crisis management team led by GM and a key contact list established. The crisis plan has been tested at least annually, last test for the emergency of Power outage dated 2026-03-27.

2.7.1 - Food Defense Plan (Mandatory)

2.7.1.1 - A food defense threat assessment shall be conducted to identify potential threats that can be caused by a deliberate act of sabotage or terrorist-like incident.

Response: Compliant

2.7.1.2 - A food defense plan shall be documented, implemented, and maintained based on the threat assessment (refer to 2.7.1.1). The food defense plan shall meet legislative requirements as applicable and shall include at a minimum: i. The methods, responsibility, and criteria for preventing food adulteration caused by a deliberate act of sabotage or terrorist-like incident; ii. The name of the senior site management person responsible for food defense; iii. The methods implemented to ensure only authorized personnel have access to production equipment and vehicles, manufacturing, and storage areas through designated access points; iv. The methods implemented to protect sensitive processing points from intentional adulteration; v. The measures taken to ensure the secure receipt and storage of raw materials, ingredients, packaging, equipment, and hazardous chemicals to protect them from deliberate acts of sabotage or terrorist-like incidents; vi. The measures implemented to ensure raw materials, ingredients, packaging (including labels), work-in-progress, process inputs, and finished products are held under secure storage and transportation conditions; and vii. The methods implemented to record and control access to the premises by site personnel, contractors, and visitors.

Response: Compliant

2.7.1.3 - Instruction shall be provided to all relevant staff on the effective implementation of the food defense plan (refer to 2.9.2.1).

Response: Compliant

2.7.1.4 - The food defense threat assessment and prevention plan shall be reviewed and tested at least annually, or when the threat level, as defined in the threat assessment, changes. Records of reviews and tests of the food defense plan shall be maintained.

Response: Compliant

Summary -

Response: The company has a food defense plan (BN-SOP-FST002) with control measures in place to ensure site security, like e.g. 24 hours guard onsite, locked doors, controls at the main gate, CCTV system, etc. The individual understands potential food defence risks at the site. There is not a legal requirement for specific training. The company does have a risk assessment in place in relation to deliberate contamination, including both internal and external threats. This plan has been appropriately reviewed: 2026-02-26. Risky areas have been defined and controlled: production rooms and storages. Training to the employees in site security procedure have been provided, record sighted 2026-02-25. External storage, including external tanks or intake pipes have locked outside.

2.7.2 - Food Fraud (Mandatory)

2.7.2.1 - The methods, responsibility, and criteria for identifying the site's vulnerability to food fraud including susceptibility to raw material or ingredient substitution, finished product mislabeling, dilution, or counterfeiting, shall be documented, implemented, and maintained.

Response: Compliant

2.7.2.2 - A food fraud mitigation plan shall be developed and implemented that specifies the methods by which the

identified food fraud vulnerabilities shall be controlled, including identified food safety vulnerabilities of ingredients and materials.

Response: Compliant

2.7.2.3 - Instruction shall be provided to all relevant staff on the effective implementation of the food fraud mitigation plan (refer to 2.9.2.1).

Response: Compliant

2.7.2.4 - The food fraud vulnerability assessment and mitigation plan shall be reviewed and verified at least annually with gaps and corrective actions documented. Records of reviews shall be maintained.

Response: Compliant

Summary -

Response: Systems are in place to minimize the risk of purchasing fraudulent or adulterated food raw materials and to ensure that all product descriptions and claims are legal, accurate and verified. Responsible for fraud management is defined: HACCP team. The responsible person demonstrates sufficient training in fraud. The company has processes in place to access information on historical and developing threats to the supply chain which may present a risk of adulteration or substitution of raw materials. There is a food fraud vulnerability analysis about raw materials and outsourced processes, record dated 2026-04-12 sighted. Criteria used for vulnerability assessment: historical of adulteration, economic factors, ease of access to raw materials, sophistication of routine testing to identify adulterants, the nature of the raw material. Fraud-susceptible products have not been identified. The assessment is adequate. It is established to review the plan: every year or change in raw materials or a supplier of raw materials or emergence of a new risk or a significant product safety incident. Preventive measures have been defined to mitigate food fraud risk, e.g.: supplier evaluation, control on reception, etc. Food fraud mitigation plan updated 2026-04-12, food fraud mitigation plan is implemented.

2.8.1 - Allergen Management

2.8.1.1 - The responsibility and methods used to control human allergens (per country regulation) and to prevent sources of allergens from contaminating product shall be documented and implemented. The allergen management program shall include: i. A risk analysis of those inputs and processing aids, including food grade lubricants, that contain food allergens, and ii. The hazards associated with allergens and their controls.

Response: Compliant

2.8.1.2 - Product labeling, in accordance with regulatory requirements, shall include allergens where risks from cross-contact have been identified.

Response: Compliant

Summary -

Response: Allergen control procedure (BN-PD-019, A/0, 2026-01-15) is available. Allergens listed refer to the regulations of China. Allergen risk from raw materials, ingredient and processing had been conducted. Last evaluation time was 2025-01-15. Allergens were identified in production and warehouse area including wheat flour, fish, peanut, soybean product. Risk assessment was carried out to identify routes of contamination and documented policies and procedures for handling raw materials, intermediate and finished products were established to ensure cross contamination was avoided. The different products with different allergens were not produced in same time and a complete and thorough cleaning were conducted when shift exchange.

Product labeling has no allergen warning as there is no requirement according to China regulation for pet food.

2.8.2 - Label Claims

2.8.2.1 - For products that are marketed as having limited ingredients (e.g., grain free, poultry free, etc.) the site shall ensure that: i. Raw materials, ingredients, and packaging are validated to make such claims; ii. Product changeovers are validated and verified to ensure that the status of such claims is not compromised, and iii. The system is effectively communicated to all applicable staff.

Response: NA

Evidence: • NA, no such label claims

Summary -

Response: NA, no such label claims

2.9.1 - Training Requirements

2.9.1.1 - The responsibility for establishing and implementing the training needs of the organization's personnel to ensure they have the required competencies to carry out those functions affecting products, legality, and safety shall be defined and documented (refer to 2.1.1.6).

Response: Compliant

2.9.1.2 - Appropriate training shall be provided for personnel carrying out the tasks essential to the effective implementation of the SQF System and the maintenance of food safety and regulatory requirements.

Response: Compliant

Summary -

Response: QC department is response for the training plan and implementation.

2.9.2 - Training Program (Mandatory)

2.9.2.1 - A training program shall be documented and implemented that outlines, at a minimum, the necessary competencies for specific duties and the training methods to be applied for personnel carrying out tasks associated with: i. Implementing HACCP for staff involved in developing and maintaining food safety plans; ii. Monitoring and corrective action procedures for all staff engaged in monitoring critical control points (CCPs); iii. Personal hygiene for all staff involved in handling of pet food products and pet food contact surfaces; iv. Good Manufacturing Practices and work instructions for all staff engaged in pet food processes and equipment; v. Sampling and test methods for all staff involved in sampling and testing of raw materials, packaging, work-in-progress, and finished products; vi. Environmental monitoring for relevant staff; vii. Food defense and food fraud for all on-site staff; and viii. Tasks identified as critical to meeting effective implementation and maintenance of the SQF Code. The training program shall include provision for identifying and implementing the refresher training needs of the organization.

Response: Compliant

2.9.2.2 - Training materials, the delivery of training, and procedures on all tasks critical to meeting regulatory compliance and the maintenance of food safety shall be provided in languages understood by staff.

Response: Compliant

2.9.2.3 - Training records shall be maintained and include: i. Participant name; ii. Skills description; iii. Description of the training provided; iv. Date training completed; v. Trainer or training provider; and vi. Verification that the trainee is competent to complete the required tasks.

Response: Compliant

Summary -

Response: The company demonstrated that the employees are competent and that they are adequately trained and supervised. During the audit, the following positions have been interviewed: lab analyst, CCP operator, warehouse storekeeper. Documented training has been delivered to personnel in charge of CCPs. E.g.: sterilization training date 2026-03-07. During the appropriate interview, personnel in charge of CCPs have demonstrated their adequate knowledge. The company has a training plan in place (with respect to the product and the process) for all employees, REF: training program 2026. This plan includes training contents, frequency, tasks by the employee to be trained, language, trainer and evaluation methodology. The training records have been provided. The training records include: signatures of the participants, contents, date, duration, trainer. E.g. HACCP/CCP training on 2026-03-07, personal hygiene training on 2026-03-02, food defense training on 2026-02-25, food fraud training on 2026-06-01, allergen control training on 2026-05-18, sampling and testing procedure training on 2026-04-01.

4.1.1 - Premises Location and Approval

4.1.1.1 - The site shall assess local activities and the site environment to identify any risks that may have an adverse impact on product safety and implement controls for any identified risks. The assessment shall be reviewed in response to any changes in the local environment or activities. The construction and ongoing operation of the premises on the site shall be approved by the relevant authority.

Response: Compliant

Summary -

Response: The condition of the site allows the production of safe and legal products. LOCATION OF THE SITE: rural area. There are NO external activities that may have adverse impact on products or processes: emissions from nearby factories, sewage plants, etc. The access to the facilities by employees, visitors and contractors is adequately controlled. Training records from training to the employees in site security procedures have been provided 2026-02-25. The site has got pet feed production license (2026)12006 on 2026-03-31.

4.1.2 - Building Materials

4.1.2.1 - Floors shall be constructed of smooth, dense, impact-resistant material that can be effectively graded, drained, impervious to liquid, and easily cleaned. Floors shall be sloped to floor drains at gradients suitable to allow the effective removal of all overflow or wastewater under normal working conditions. Where floor drainage is not available, plumbed options to handle overflow or wastewater shall be in place.

Response: Compliant

4.1.2.2 - Drains shall be constructed and located so they can be easily cleaned and not present a hazard.

Response: Compliant

4.1.2.3 - Waste trap system shall be located away from any pet food handling area or entrance to the premises.

Response: Compliant

4.1.2.4 - Walls, partitions, ceilings, and doors shall be of durable construction. Internal surfaces shall have an even and regular surface and be impervious with a light-colored finish and shall be kept clean (refer to 4.2.5). Wall-to-wall and wall-to-floor junctions shall be designed to be easily cleaned and sealed to prevent the accumulation of pet food debris.

Response: Compliant

4.1.2.5 - Ducting, conduit, and pipes that convey services such as steam, water, or air shall be designed and constructed to prevent the contamination of pet food, ingredients, and pet food contact surfaces and allow ease of cleaning.

Response: Compliant

4.1.2.6 - Pipes carrying sanitary waste or wastewater that are located directly over product lines or storage areas shall be designed and constructed to prevent the contamination of pet food, materials, ingredients, and pet food contact surfaces, and shall allow ease of cleaning.

Response: Compliant

4.1.2.7 - Doors, hatches, and windows and their frames in pet food processing, handling, or storage areas shall be of a material and construction that meets the same functional requirements as for internal walls and partitions. Doors and hatches shall be of solid construction and windows shall be made of shatterproof glass or similar material.

Response: Compliant

4.1.2.8 - Product shall be processed and handled in areas that are fitted with a ceiling or other acceptable structure that is constructed and maintained to prevent the contamination of products. Drop ceilings, where present, shall be constructed to enable monitoring for pest activity, facilitate cleaning, and provide access to utilities.

Response: Compliant

4.1.2.9 - Stairs, catwalks, and platforms in pet food processing and handling areas shall be designed and constructed so as not to present a product contamination risk, and with no open grates directly above exposed pet food contact surfaces. They shall be free from debris and maintained.

Response: Compliant

Summary -

Response: The facilities adapt to the production process without generating food safety problems. Suitable areas are provided for the appropriate processes. Description of these areas: There is one workshop designed for process the product. The working area is zoned into different work rooms with physical segregation at different risk levels to prevent contamination. The product flow is logical and no cross contamination is observed during the audit. The walls are maintained in good order and are adequate for the process. Wall materials used: rock wool clean panel. The floors are maintained in good order and are adequate for the process. Floor materials used: concrete. Ceilings and overhead structures are maintained in good order and are adequate for the process. Ceiling materials used: hygienic cladding. The doors are maintained in good condition. The external doors are designed to prevent pest ingress: hermetic, resistant materials.

4.1.3 - Lighting and Light Fittings

4.1.3.1 - Lighting in pet food processing and handling areas and at inspection stations shall be of appropriate intensity to enable the staff to carry out their tasks efficiently and effectively.

Response: Compliant

4.1.3.2 - Light fixtures in processing areas, inspection stations, ingredient and packaging storage areas, and all areas where the product is exposed shall be shatterproof, manufactured with a shatterproof covering, or fitted with protective covers and recessed into or fitted flush with the ceiling. Where fixtures cannot be recessed, structures must be protected from accidental breakage, manufactured from cleanable materials, and addressed in the cleaning and sanitation program.

Response: Compliant

4.1.3.3 - Light fixtures in the warehouse or other areas where product is covered or otherwise protected shall be designed such as to prevent breakage and product contamination.

Response: Compliant

Summary -

Response: Lighting for processing area and inspection stations are appropriate, all glass lighting covered to prevent breakage. Glass control monthly inspection conducted, record sighted 2026-06-08, 2026-05-06, 2026-04-07.

4.1.4 - Inspection / Quality Control Area

4.1.4.1 - If online inspection is required, a suitable area close to the processing line shall be provided for the inspection of product (refer to 2.4.4). The inspection/quality control area shall be provided with facilities that are suitable for examination and testing of the type of product being handled/processed. The inspection area shall: i. Have easy access to handwashing facilities; ii. Have appropriate waste handling and removal; and iii. Be kept clean to prevent product contamination.

Response: N/A

Evidence: • No online inspection/quality control area in the workshop, all the inspections are carried out by the inhouse lab out of workshop.

Summary -

Response: NA. No online inspection/quality control area in the workshop, all the inspections are carried out by the inhouse lab out of workshop.

4.1.5 - Dust, Insect, and Pest Proofing

4.1.5.1 - All external windows, ventilation openings, doors, and other openings shall be effectively sealed when closed and proofed against dust, vermin, and other pests. External personnel access doors shall be effectively insect-proofed and fitted with a self-closing device and proper seals to protect against entry of dust, vermin, and other pests.

Response: Compliant

4.1.5.2 - External doors, including overhead dock doors in pet food handling areas used for product, pedestrian, or truck access, shall be designed and maintained to prevent pest ingress by at least one or a combination of the following methods: i. A self-closing device; ii. An effective air curtain or air-flow device; iii. A pest-proof screen; iv. A

pest-proof annex; and v. Adequate sealing around trucks in docking areas.

Response: Compliant

4.1.5.3 - Electric insect control devices, pheromone, or other traps and baits shall be located and operate so as not to present a contamination risk to the product, packaging, containers, or processing equipment. Poison rodenticide bait shall not be used inside ingredient of product storage areas or processing areas where ingredients, packaging, and product are handled, processed, or exposed.

Response: Compliant

Summary -

Response: The doors are equipped sealed effectively when closed, the external windows and ventilation openings are equipped with screens. Mouse-proof boards are installed at the entrances of the workshop and the warehouse, and fly-killing lamps have been installed inside. No poison rodenticide bait used in the processing and storage area.

4.1.6 - Ventilation

4.1.6.1 - Adequate ventilation shall be provided in enclosed processing and pet food handling areas.

Response: Compliant

4.1.6.2 - All ventilation equipment and devices in product storage and handling areas shall be adequately cleaned as per 4.2.5 to prevent unsanitary conditions.

Response: Compliant

4.1.6.3 - Extractor fans and canopies shall be provided in areas where open cooking operations are carried out or a large amount of steam is generated. Capture velocities shall be sufficient to prevent condensation build-up and to evacuate all heat, fumes, and other aerosols to the exterior via an exhaust hood positioned over the cooker(s).

Response: Compliant

4.1.6.4 - Fans and exhaust vents shall be insect-proofed and located so as not to pose a contamination risk and be kept clean.

Response: Compliant

Summary -

Response: Exhaust vents equipped in the workshop, insect proofed screened, no contamination risk posed, cleaned adequately. Fans and exhaust vent have installed insect-proofed film.

4.1.7 - Equipment and Utensils

4.1.7.1 - Specifications for equipment and utensils and procedures for purchasing equipment shall be documented and implemented.

Response: Compliant

4.1.7.2 - Equipment and utensils shall be designed, constructed, installed, operated, and maintained to meet any applicable regulatory requirements and so as not to pose a contamination threat to products.

Response: Compliant

4.1.7.3 - Equipment storage rooms shall be designed and constructed to allow for the hygienic and efficient storage of equipment and containers. Where possible pet food contact equipment shall be segregated from non-pet food contact equipment.

Response: Compliant

4.1.7.4 - Product contact surfaces and those surfaces not in direct contact with pet food in pet food handling areas, raw material storage, packaging storage, and cold storage areas shall be constructed of materials that will not contribute to a food safety risk.

Response: Compliant

4.1.7.5 - Benches, tables, conveyors, mixers, mincers, graders, and other mechanical processing equipment shall be hygienically designed and located for appropriate cleaning. Equipment surfaces shall be smooth, impervious, and free from cracks or crevices.

Response: Compliant

4.1.7.6 - Product containers, tubs, and bins used for edible and inedible material shall be constructed of materials that are non-toxic, smooth, impervious, and readily cleaned as per 4.2.5.1. Bins used for inedible material shall be clearly identified.

Response: Compliant

4.1.7.7 - All equipment and utensils shall be cleaned after use (refer to 4.2.5.1) or at a set and validated frequency to control contamination and stored in a clean and serviceable condition to prevent microbiological or cross-contact allergen contamination.

Response: Compliant

4.1.7.8 - Vehicles used in pet food contact, handling, or processing zones or in cold storage rooms shall be designed and operated so as not to present a food safety hazard.

Response: Compliant

4.1.7.9 - Non-conforming equipment shall be identified, tagged, and/or segregated for repair or disposal in a manner that minimizes the risk of inadvertent use, improper use, or risk to the integrity of finished product. Records of the handling, corrective action, and/or disposal of non-conforming equipment shall be maintained.

Response: Compliant

Summary -

Response: Equipment design is suitable for the intended use, e.g. vacuum emulsifying machine, rotary tablet press, trough type mixer, blender, sterilizer etc. Documented purchase specification detailing the site requirements for the equipment. The design and construction of equipment is adequate, most of the equipment and tools are stainless or food grade plastic which meet legal requirement. There is commissioning procedure to ensure that food safety and integrity is maintained during the installation of new equipment to site: BN-PD-001, A/0, 2026-01-15. Installation work is followed by a documented hygiene clearance procedure. During the audit it was verified that the equipment (that was not used in that moment), were cleaned and stored in a manner that did not pose a risk to the product.

4.1.8 - Grounds and Roadways

4.1.8.1 - A suitable external environment shall be established, and the effectiveness of the measures shall be

monitored and periodically reviewed. The premises, its surrounding areas, storage facilities, machinery, and equipment shall be kept free of waste or accumulated debris and vegetation controlled so as not to attract pests and vermin or present a food safety hazard to the sanitary operation of the site.

Response: Compliant

4.1.8.2 - Paths, roadways, and loading and unloading areas shall be maintained so as not to present a hazard to the food safety operation of the premises. They shall be adequately drained to prevent pooling of water. Drains shall be separate from the site drainage system and regularly cleared of debris.

Response: Compliant

4.1.8.3 - Paths from amenities leading to site entrances shall be effectively sealed.

Response: Compliant

Summary -

Response: The building fabric was well maintained to reduce potential contamination risk to the product. All external areas are equipped and maintained to an appropriate standard and are minimally planted. Traffic routes, drainage and building fabric are well maintained and no evidence of opportunity for pest ingress was identified during the site tour. The internal audit process includes assessment of the external condition of the site.

4.2.1 - Repairs and Maintenance

4.2.1.1 - The methods and responsibility for the maintenance and repair of plant, equipment, and buildings shall be documented, planned, and implemented in a manner that minimizes the risk of product, packaging, or equipment contamination.

Response: Compliant

4.2.1.2 - Routine maintenance of plant and equipment in any pet food processing, handling, or storage area shall be performed according to a maintenance control schedule and recorded. The maintenance schedule shall be prepared to cover building, equipment, and other areas of the premises critical to the maintenance of product safety and quality.

Response: Compliant

4.2.1.3 - Failures of plant and equipment in any pet food processing, handling, or storage area shall be documented, reviewed and their repair incorporated into the maintenance control schedule.

Response: Compliant

4.2.1.4 - Site supervisors shall be notified when maintenance or repairs are to be undertaken in any processing, handling, or storage area.

Response: Compliant

4.2.1.5 - The maintenance supervisor and the site supervisor shall be informed if any repairs or maintenance activities pose a potential threat to product safety (i.e., pieces of electrical wire, damaged light fittings, and loose overhead fittings). When possible, maintenance is to be conducted outside operating times.

Response: Compliant

4.2.1.6 - Temporary repairs, where required, shall not pose a food safety risk and shall be included in the cleaning

program. There shall be a plan in place to address temporary repairs to ensure they do not become permanent solutions.

Response: Compliant

4.2.1.7 - Pet food contact equipment and equipment located over pet food contact equipment shall be lubricated with food grade lubricants, and its use shall be controlled to minimize the contamination of the product.

Response: Compliant

4.2.1.8 - Paint used in a pet food handling or contact zone shall be suitable for use, in good condition, and not used on any product contact surface.

Response: Compliant

Summary -

Response: A maintenance plan for equipment and facilities is implemented: QP-25-R02-1/AO, 2026-0-16. It is a manual system. The programme includes all equipment present in the site, example: vacuum emulsifying machine, rotary tablet press, trough type mixer, blender, sterilizer. Maintenance operations are performed internally / by contractors. The records of the preventive maintenance works are available: 2026-06-08 for sterilizer checked before using. The records of the corrective maintenance works have been provided: record refers to: blender maintenance on 2026-03-16. Temporary repairs were not carried out during the audit. For temporary repairs, specific measures are implemented to prevent product contamination: demarcation of the appropriate area, regular inspection, specific controls on the product. Maintenance work is followed by a documented hygiene clearance procedure by an authorized member. Food-grade lubricant used, Category Code: H1. No paint used in a food handling or processing area.

4.2.2 - Maintenance Staff and Contractors

4.2.2.1 - Maintenance staff and contractors shall comply with the site's personnel and process hygiene requirements (refer to 4.3).

Response: Compliant

4.2.2.2 - All maintenance and other engineering contractors required to work on-site shall be trained in the site's food safety and hygiene procedures or shall be escorted at all times until their work is completed.

Response: Compliant

4.2.2.3 - Maintenance staff and contractors shall remove all tools and debris from any maintenance activity once it has been completed and inform the area supervisor and maintenance supervisor so appropriate hygiene and sanitation can be completed and a pre-operational inspection conducted prior to restarting site operations.

Response: Compliant

Summary -

Response: Maintenance staff and contractors follow staff hygiene requirement, all maintenance staff received food safety and hygiene training, record sighted 2026-03-02, site clearance record kept after maintenance activity, sighted 2026-03-16.

4.2.3 - Calibration

4.2.3.1 - The methods and responsibility for calibration and re-calibration of measuring, testing, and inspection

equipment used for monitoring activities outlined in pre-requisite programs, food safety plans and other process controls, or to demonstrate compliance with customer specifications, shall be documented and implemented. Software used for such activities shall be validated as appropriate.

Response: Compliant

4.2.3.2 - Equipment shall be calibrated against national or international reference standards and methods or to an accuracy appropriate to its use. In cases where standards are not available, the site shall provide evidence to support the calibration reference method applied.

Response: Compliant

4.2.3.3 - Calibration shall be performed according to regulatory requirements and/or to the equipment manufacturer's recommended schedule.

Response: Compliant

4.2.3.4 - Procedures shall be documented and implemented to address the resolution of potentially affected products should measuring, testing, and inspection equipment be found to be out of calibration state.

Response: Compliant

4.2.3.5 - Calibrated measuring, testing, and inspection equipment shall be protected from damage and unauthorized adjustment.

Response: Compliant

4.2.3.6 - A directory of measuring, testing, and inspection equipment requiring calibration and records of calibration tests shall be maintained.

Response: Compliant

Summary -

Response: Calibration procedure is established to control the monitoring and measuring equipment including the calibration activities. Measuring equipment related to CCPs monitoring, critical to quality attribute concerning with process control are identified in calibration list and calibration plan which can be traceable to international standard. The calibration control rule was in place and followed. Thermometers and scale used in process and the instrument in lab were calibrated to traceable standards. All the measuring equipment were calibrated by regulatory agency once a year. Calibration records of some measuring equipment are verified as below: Scale, TCS-300, equipment no. 20231213031, calibration report no. HB202672900997, calibrated on 2026-06-08; Scale in packing room, ACS-D21, equipment no. D212110188, calibration report no. HZ052604101634, calibrated on 2026-04-10; Hygrothermograph, TH101B, calibration report no. HB202672901015, calibrated on 2026-06-08; Sterilizer, equipment no. 1000, calibration report no. HB202672900998, calibrated on 2026-06-08; Moisture meter, XF-103MB, calibration report no. HB202672901013, calibrated on 2026-06-08. The external calibration result of reference equipment can traceable to a recognized national and international standard by China IST. The internal calibration frequency is once a shift and the records were in place. Documented procedures for control of out of specification equipment. Corrective action will be taken with product and equipment by repairing, adjust, equipment changes and considered product which produced from that equipment since last satisfactory result.

4.2.4 - Pest Prevention

4.2.4.1 - A documented pest prevention program shall be effectively implemented. It shall: i. Describe the methods

and responsibility for the development, implementation, and maintenance of the pest prevention program; ii. Record pest sightings and trend the frequency of pest activity to target pesticide applications; iii. Outline the methods used to prevent pest problems; iv. Outline the pest elimination methods and the appropriate documentation for each inspection; v. Outline the frequency with which pest status is to be checked; vi. Include on a site map the identification, location, number, and type of applied pest control/monitoring devices; vii. List the chemicals used. They are required to be approved by the relevant authority and their Safety Data Sheets (SDS) made available; viii. Outline the methods used to make staff aware of the bait control program and the measures to take when they come into contact with a bait station; ix. Outline the requirements for staff awareness and training in the use of pest and vermin control chemicals and baits; and x. Measure the effectiveness of the program to verify the elimination of applicable pests and identify trends

Response: Compliant

4.2.4.5 - Pesticides shall be clearly labeled and stored per 4.6.4 if kept on-site.

Response: Compliant

4.2.4.6 - No animals shall be permitted on-site in pet food handling or storage areas.

Response: Compliant

Summary -

Response: The site undertakes its own pest control program and it is managed by internal PCO Mr. Zhou SY who has been trained on integrated pest management knowledge on 2026-03-27/28. The pest control map was in place. Electric Fly killers / Insect Light traps /other devices are used and are necessary. They are located in walkways and external accesses. There is no danger of insects being expelled from the control devices and contaminating the product. No pesticides used in the site. Mouse trap and EFK were inspected weekly and records in Jan-May 2026 were reviewed. No evidence of infestation had recently been reported. The trend analysis for pest control result was conducted quarterly. The record dated 2026-04-01 for Q1 of 2026 was reviewed. No issues highlighted through trending reports. The current in-depth pest assessment was conducted on 2026-03-28 by PCO expert. The frequency was defined as once a year in documented file based on risk. In the assessment report, the follows contents were reviewed as the pest control proofing, trend analysis report, pest control plan, fabric of the building, equipment and machinery. The PCO reviewed the assessment report and necessary measures were taken. Minor NC: The pest control was the responsibility of the factory's own employees. However, during the on-site audit, it was found that one fly-killing lamps in the batching room was not working and one mouse trap outside the workshop entrance was missing.

4.2.5 - Cleaning and Sanitation

4.2.5.1 - The methods and responsibility for the effective cleaning of the pet food handling and processing equipment, environment, and storage areas shall be documented and implemented. Consideration shall be given to: i. What is to be cleaned; ii. How it is to be cleaned; iii. When it is to be cleaned; iv. Who is responsible for the cleaning; v. Validation of cleaning procedures for pet food contact surfaces (including CIP); vi. Methods used to confirm the correct concentrations of detergents and sanitizers; and vii. The responsibility and methods used to verify the effectiveness of the cleaning and sanitation program.

Response: Compliant

4.2.5.2 - Detergents and sanitizers shall be suitable for use in a pet food manufacturing environment, labeled according to regulatory requirements, and purchased in accordance with applicable legislation. The organization shall ensure that detergents and sanitizers are stored as outlined in element 4.6.4 and are handled only by trained staff.

Response: Compliant

4.2.5.3 - Detergents and sanitizers that have been mixed for use shall be correctly mixed according to manufacturers' instructions, stored in containers that are suitable for use, and clearly identified. Mix concentrations shall be verified and records maintained.

Response: Compliant

4.2.5.4 - Cleaning in place (CIP) systems where used shall not pose a chemical contamination risk to raw materials, ingredients, or product. CIP parameters critical to assuring effective cleaning shall be defined, monitored, and recorded (e.g., chemical and concentration used, contact time, and temperature). CIP equipment including spray balls shall be maintained and modifications to CIP equipment shall be validated. Personnel engaged in CIP

activities shall be effectively trained.

Response: Compliant

4.2.5.5 - Cleaning equipment, tools, racks, and other items used in support of the cleaning and sanitizing program shall be clearly identified, stored, and maintained in a manner that prevents contamination of processing, product handling equipment, and storage areas as well as the tools themselves.

Response: Compliant

4.2.5.6 - Suitably equipped areas shall be designated for cleaning product containers, knives, cutting boards, and other utensils used by staff. These cleaning operations shall be controlled so as not to interfere with manufacturing operations, equipment, or product. Racks and containers for storing cleaned utensils shall be provided as required.

Response: Compliant

4.2.5.7 - Pre-operational inspections shall be conducted following cleaning and sanitation operations to ensure pet food processing areas, product contact surfaces, equipment, staff amenities, sanitary facilities, and other essential areas are clean before the commencement of production. Pre-operational inspections shall be conducted by qualified personnel.

Response: Compliant

4.2.5.8 - Staff amenities, sanitary facilities, and other essential areas shall be inspected by qualified personnel at a defined frequency to ensure the areas are clean.

Response: Compliant

4.2.5.9 - The responsibility and methods used to verify the effectiveness of the cleaning procedures shall be documented and implemented. A verification schedule shall be prepared. A record of pre-operational hygiene inspections, cleaning and sanitation activities, and verification activities shall be maintained.

Response: Compliant

Summary -

Response: The company has implemented adequate cleaning and housekeeping systems to minimise the risk of product contamination. The premises and equipment are maintained in a clean and hygienic condition. A documented cleaning schedule is provided, Ref: BN-PD-007, A/0, 2026-01-15. It includes the appropriate information. Cleaning is conducted internally. Cleaning record sighted 2026-06-02. The cleaning of the equipment blender, mixer, vacuum emulsifying machine checked and it is appropriate. Specific methods have been defined for the verification of cleaning work, e.g., visual, microbiological swabbing. The records of the verification of cleaning and disinfection procedures are available, e.g., VISUAL CHECK, 2026-06-02. MICRO SWABBING: TPC, COLIFORM, 2026-04-14.

4.3.1 - Personnel Welfare

4.3.1.1 - Personnel who are known to be carriers of infectious diseases that present a health risk to others through the packing or storage processes shall not engage in the processing or packing of pet food or enter storage areas where pet food is exposed. Code Amendment #1 A medical screening procedure shall be in place for all employees, visitors and contractors who handle exposed product or food contact surfaces.

Response: Compliant

the requirements. Evidence submitted for CA is satisfactory. Hence NC closure is approved as closed

Completion Date: July 6, 2026

Closeout Date: July 17, 2026

4.3.2.3 - Handwash stations shall be constructed of stainless steel or similar non-corrosive material and at a minimum supplied with: i. A potable water supply at an appropriate temperature; ii. Liquid soap contained within a fixed dispenser; iii. Paper towels in a hands-free cleanable dispenser; and iv. A means of containing used paper towels.

Response: Compliant

4.3.2.4 - The following additional facilities shall be provided in high-risk areas: i. Hands-free operated taps; and ii. Hand sanitizers.

Response: N/A

Evidence: • No high-risk area in the site.

4.3.2.5 - Signage in appropriate languages instructing people to wash their hands before entering the pet food processing areas shall be provided in a prominent position in break rooms, at break rooms exits, toilet rooms, and in outside eating areas as applicable.

Response: Compliant

4.3.2.6 - When gloves are used, personnel shall maintain the handwashing practices outlined above.

Response: Compliant

Summary -

Response: Handwashing is required before coming into workshop or before handling food products, however, no handwashing facility equipped in the workshop. Major NC: No hand washing and disinfection facilities were provided at the entrance of the workshop.

4.3.3 - Clothing and Personal Effects

4.3.3.1 - The site shall undertake a risk analysis to ensure that the clothing and hair policy protects materials, pet food, and pet food contact surfaces from unintentional microbiological or physical contamination.

Response: Compliant

4.3.3.2 - Clothing worn by staff engaged in handling pet food shall be maintained, stored, laundered, and worn so as not to present a contamination risk to products.

Response: Compliant

4.3.3.3 - Clothing, including shoes, shall be clean at the commencement of each shift and maintained in a serviceable condition.

Response: Compliant

4.3.3.4 - Excessively soiled uniforms shall be changed or replaced where they present a product contamination risk.

Response: Compliant

4.3.3.5 - Disposable gloves and aprons shall be changed after each break, upon re-entry into the processing area, and when damaged. Non-disposable aprons and gloves shall be cleaned and sanitized as required and when not in use stored on racks provided in the processing area or designated sealed containers in personnel lockers and not

on packaging, ingredients, product, or equipment.

Response: Compliant

4.3.3.6 - Protective clothing shall be manufactured from material that will not contaminate pet food and is easily cleaned. All protective clothing shall be cleaned after use or at a frequency to control contamination and stored in a clean and serviceable condition to prevent microbiological or cross-contact allergen contamination.

Response: Compliant

4.3.3.7 - Racks shall be provided for the temporary storage of protective clothing when staff leave the processing area and shall be provided nearby or adjacent to the personnel access doorways and handwashing facilities.

Response: Compliant

4.3.3.8 - Jewelry and other loose objects shall not be worn or taken into a pet food handling or processing operation or any area where pet food is exposed. The wearing of plain bands with no stones, prescribed medical alert bracelets, or jewelry accepted for religious or cultural reasons can be permitted, provided they are properly covered and do not pose a food safety risk. All exceptions shall meet regulatory and customer requirements and shall be subject to a risk assessment and evidence of ongoing risk management.

Response: Compliant

Summary -

Response: All employees, visitors and contractors entering into production areas wear adequate protective clothing. Protective clothes are designed adequate. Jewelry and other loose objects not allowed to worn or taken into workshop. The company has documented and communicated to all employees, contractors or visitors the rules regarding the wearing of protective clothing. Laundering of protective clothing is undertaken by the site. Laundering in the site: laundering procedure is validated and the protective clothing is used for employee benefit. Laundering verification is made by the company: visual inspection and micro swab every half a year, sighted record 2026-04-14.

4.3.4 - Visitors

4.3.4.1 - All visitors shall be trained in the site's food safety and hygiene procedures before entering any pet food processing or handling areas or shall be escorted at all times in pet food processing, handling, and storage areas.

Response: Compliant

4.3.4.2 - All visitors, including management staff, shall be required to remove jewelry and other loose objects in accordance with the facilities Good Manufacturing Practices and 4.3.3.8. All visitors shall wear suitable clothing and footwear when entering any pet food processing or handling area.

Response: Compliant

4.3.4.3 - Visitors exhibiting visible signs of illness shall be prevented from entering areas in which pet food is handled or processed.

Response: Compliant

4.3.4.4 - Visitors shall enter and exit pet food handling areas through the proper staff entrance points and comply with all handwashing and personnel practice requirements.

Response: Compliant

Summary -

Response: Visitors are informed hygiene requirements and all the jewelry and other loose objects are required to remove before entering workshop. Health questionnaire will be signed and stated by visitors.

4.3.5 - Staff Amenities (change rooms, toilets, break rooms)

4.3.5.1 - Staff amenities shall have documented cleaning procedures, be supplied with appropriate lighting and ventilation, and shall be made available for the use of all persons engaged in the handling and processing of product.

Response: Compliant

4.3.5.2 - Change rooms shall be provided to enable staff and visitors to change into and out of protective clothing as required. Change rooms shall be kept clean.

Response: Compliant

4.3.5.3 - High-risk change areas shall be provided for staff engaged in the processing of high-risk pet foods or processing operations in which clothing can be soiled.

Response: Compliant

4.3.5.4 - Provision shall be made for staff to store their street clothing and personal items separate from clean uniforms, pet food contact zones, and pet food and packaging storage areas.

Response: Compliant

4.3.5.5 - Where required, a sufficient number of showers shall be provided for use by staff.

Response: Compliant

4.3.5.6 - Toilet rooms shall be: i. Designed and constructed so that they are accessible to staff and separate from any processing and pet food handling operations; ii. Accessed from the processing area via an airlock vented to the exterior or through an adjoining room; iii. Sufficient in number for the maximum number of staff; iv. Constructed so that they can be easily cleaned and maintained; v. Include an area inside or nearby for storing protective clothing, outer garments, and other items while using the facilities; and vi. Kept clean and tidy. Tools/equipment used for cleaning toilet rooms shall not be used to clean processing areas.

Response: Compliant

4.3.5.7 - Sanitary drainage shall not be connected to any other drains within the premises and shall be directed to a septic tank or a sewerage system in accordance with regulations.

Response: Compliant

4.3.5.8 - Handwashing basins shall be provided immediately outside or inside the toilet room and designed as outlined in 4.3.2.3.

Response: Compliant

4.3.5.9 - Separate break rooms shall be provided away from pet food contact/handling zone. Break rooms shall be: i. Ventilated and well lit; ii. Provided with adequate tables and seating to cater for the maximum number of staff at one sitting; iii. Equipped with a sink serviced with hot and cold potable water for washing utensils; iv. Equipped with refrigeration and heating facilities enabling them to store or heat food and to prepare non-alcoholic beverages if required; and v. Kept clean and free from waste materials and pests.

Response: Compliant

4.3.5.10 - Where outside eating areas are provided, they should be kept clean and free from waste materials and maintained in a manner that minimizes the potential for introduction of contamination, including pests to the site.

Response: Compliant

Summary -

Response: Change room located before workshop entrance, cloth cabinet provided for personal clothes. Toilet located at the plant far from workshop and warehouse. Handwashing facility provided for toilet. Canteen and living rooms located separated, far from production area. No outside eating areas provided on site.

4.4.1 - Staff Engaged in Food Handling and Processing Operations

4.4.1.1 - All personnel engaged in any pet food handling, preparation, or processing operations shall ensure that products and materials are handled and stored in such a way as to prevent damage or product contamination. They shall comply with the following processing practices: i. Personnel entry to processing areas shall be through the personnel access doors only; ii. All doors shall be kept closed. Doors shall not be open for extended periods when access is required for waste removal or receiving of product/ingredient/packaging; iii. Packaging, product, and ingredients shall be kept in appropriate containers as required and off the floor; iv. Waste shall be contained in the bins identified for this purpose and removed from the processing area on a regular basis and not left to accumulate; and v. All wash down and compressed air hoses shall be stored on hose racks after use and not left on the floor.

Response: Compliant

4.4.1.2 - Personnel working in or visiting pet food handling or processing operations shall ensure that: i. Staff shall not eat or taste any product being processed in the pet food handling/contact zone, except as noted in element 4.4.1.4; ii. The wearing of false fingernails, false eyelashes, eyelash extensions, long nails, or fingernail polish is not permitted when handling exposed pet food; iii. Hair restraints, and beard covers, where applicable, shall be used in areas where product is exposed. iv. Smoking, chewing, eating, or spitting is not permitted in areas where product is produced, stored, or otherwise exposed. v. Drinking of water is permissible only under conditions that prevent contamination or other food safety risks from occurring. Drinking water containers in production and storage areas shall be stored in clear, covered containers and in designated areas away from raw materials, packaging, tools, or equipment storage.

Response: Compliant

4.4.1.3 - The flow of personnel in pet food processing and handling areas shall be managed such that the potential for contamination is minimized.

Response: Compliant

4.4.1.4 - In circumstances where it is necessary to undertake sensory evaluations in a pet food handling/contact zone the site shall implement controls and procedures to ensure: i. Pet food safety is not compromised; ii. Sensory evaluations are conducted by authorized personnel only; iii. A high standard of personal hygiene is practiced by personnel conducting sensory evaluations; iv. Sensory evaluations are conducted in areas equipped for the purpose; and v. Equipment used for sensory evaluations is sanitized, maintained, and stored separate from processing equipment.

Response: Compliant

Summary -

Response: The company has implemented hygiene standards, BN-PD-007, A/0, 2026-01-15. The communication to all staff is documented through training records. Company's hygiene standards include specific guidelines relating to watches, jewellery, fingernails and perfume. Regular inspections are undertaken, daily, to verify the compliance with hygiene standards. record sighted 2026-06-10. Special staff all have certificates.

4.5.1 - Water Supply

4.5.1.1 - Adequate supplies of potable water drawn from a known clean source shall be provided for use during processing operations, as an ingredient, and for cleaning the premises and equipment. The source of potable water shall be identified as well as on-site storage (if applicable) and reticulation within the facility.

Response: Compliant

4.5.1.2 - Contingency plans shall be in place for instances when the potable water supply is deemed to be contaminated or otherwise inappropriate for use.

Response: Compliant

4.5.1.3 - Supplies of hot and cold water shall be provided as required to enable the effective cleaning of the premises and equipment.

Response: Compliant

4.5.1.4 - The delivery of water within the premises shall ensure potable water is not contaminated. Testing of the backflow system, where possible, shall be conducted at least annually and records shall be maintained.

Response: Compliant

4.5.1.5 - The use of non-potable water shall be controlled such that: i. There is no cross-contamination between potable and non-potable water lines; ii. Non-potable water piping and outlets are clearly identified; and iii. Hoses, taps, and other similar sources of possible contamination are designed to prevent back flow or back siphonage.

Response: Compliant

4.5.1.6 - Where water is stored on-site, storage facilities shall be adequately designed, constructed, and routinely cleaned to prevent contamination.

Response: Compliant

Summary -

Response: The risk of product contamination from the water, steam is controlled. Water supplied from the tap water and is reliable. Water is used as ingredients / for cleaning/ for hands washing. No further water treatment in the site. The water distribution plan in place, the potable water pipeline and waste water line are completely separated. The site has emergency preparing plan in place, including contingency plan in case of potable water contaminated or otherwise inappropriate for use, they would use water transporting vehicle for temporary support.

4.5.2 - Water Treatment

4.5.2.1 - Water treatment methods, equipment, and materials, if required, shall be designed, installed, and operated to ensure water receives an effective treatment. Water treatment equipment shall be monitored

Closeout Date: July 17, 2026

4.5.3.3 - Water and ice shall be analyzed using reference standards and methods.

Response: Compliant

Summary -

Response: Water meet China drinkable water national standard. An analysis from the supplier confirming the potability of water supplied is provided. Sampling and testing procedures for water used within the facilities are implemented, Parameters analysed: sensory, pH, chlorine, etc. Minor NC: Tap water was used for production, but the water was not test once a year as required.

4.5.4 - Ice Supply

4.5.4.1 - Ice provided for use during processing operations or as a processing aid or an ingredient shall comply with 4.5.3.1.

Response: N/A

Evidence: • No ice used in the site.

4.5.4.2 - Ice that is purchased shall be from an approved supplier and included in the site's food safety risk assessment. Ice shall be supplied in containers that are appropriate for use, cleanable if reused, and shall be tested as appropriate.

Response: N/A

Evidence: • No ice used in the site.

4.5.4.3 - Ice rooms and receptacles shall be constructed of materials as outlined in element 4.1.2 and designed to minimize contamination of the ice during storage, retrieval, and distribution.

Response: N/A

Evidence: • No ice used in the site.

Summary -

Response: NA. No ice used in the site.

4.5.5 - Air and Other Gasses

4.5.5.1 - Compressed air or other gases (e.g., nitrogen, carbon dioxide) that contact pet food or pet food contact surfaces shall be clean and present no risk to food safety.

Response: Compliant

4.5.5.2 - Compressed air systems, and systems used to store or dispense other gases that come into contact with pet food or pet food contact surfaces shall be maintained and regularly monitored for quality and applicable food safety hazards. The frequency of analysis shall be risk-based and at a minimum annually.

Response: Compliant

Summary -

Response: Steam is used for product sterilization but not in direct contact with the product. It is monitored by the site. No other gas use in the site.

4.6.1 - Receipt, Storage and Handling of Goods

4.6.1.1 - The site shall document and implement an effective storage plan that allows for the safe, hygienic receipt and storage of raw materials (i.e., frozen, chilled, and ambient), ingredients, packaging, equipment, and chemicals.

Response: Compliant

4.6.1.2 - Controls shall be in place to ensure all ingredients, raw materials, processing aids, and packaging are received and stored properly to prevent cross-contamination risks. Unprocessed raw materials shall be received and stored separately from processed raw materials to avoid cross-contamination risk.

Response: Compliant

4.6.1.3 - The responsibility and methods for ensuring effective stock rotation principles are applied shall be documented and implemented.

Response: Compliant

4.6.1.4 - Procedures shall be in place to ensure that all ingredients, materials, work-in-progress, rework, and finished product are utilized within their designated shelf life.

Response: Minor

Evidence: • A box of unopened food additive potassium sorbate stored in the raw material warehouse has expired (production date: April 20, 2019, shelf life: 18 months). This batch of additives was not placed in the designated area and there was no clear label to prevent misuse.

2019.4.20 18:00

Root Cause: Place labels on expired potassium sorbate and store it in the non-conforming products section. Provide training for warehouse staff. The Quality Inspection Department conducts monthly inspections of all warehouses to verify that material storage and labeling comply with regulations in each area.

[illegible]

Corrective Action: Warehouse staff lacked sufficient awareness of the importance of non-conforming labels and fail to affix them in a timely manner—the Quality Department did not conduct warehouse verification.

□ □

Verification Of Closeout: RCA & CA (Photo with labelled as expired & Training record) were found to be meeting the requirements. Evidence submitted for CA is satisfactory. Hence NC closure is approved as closed

Completion Date: July 6, 2026

Closeout Date: July 17, 2026

4.6.1.5 - Where raw materials, ingredients, packaging, equipment, and chemicals are held under temporary or overflow conditions that are not designed for the safe storage of goods, a risk analysis shall be undertaken to ensure there is no risk to the integrity of those goods and no contamination or adverse effect on food safety.

Response: Compliant

4.6.1.6 - Records shall be available to verify alternate or temporary control measures for the storage of raw materials, ingredients, packaging, equipment, chemicals, or finished products.

Response: Compliant

Summary -

Response: Adequate facilities for the storage of ingredients, in-process products and finished products are provided: e.g., Raw material storage room. Control measures are taken by the company to prevent hazards associated with storage: segregation between different raw materials, cleaning inspections etc. All materials

are stored under ambient temperature. Outdoor storage of raw materials, ingredients, packaging materials, semi-processed products or finished products is not used. All products (raw materials, ingredients, packaging materials, semi-processed products and finished products) are adequately identified. A correct stock rotation is made in the stores. Minor NC: A box of unopened food additive potassium sorbate stored in the raw material warehouse has expired (production date: April 20, 2019, shelf life: 18 months). This batch of additives was not placed in the designated area and there was no clear label to prevent misuse.

4.6.2 - Cold Storage, Freezing, and Chilling of Pet Food

4.6.2.1 - The site shall provide confirmation of the effective operational performance of freezing, chilling, and cold storage facilities. Chillers, blast freezers, and cold storage rooms shall be designed and constructed to allow for the hygienic and efficient refrigeration of pet food and easily accessible for inspection and cleaning.

Response: N/A

Evidence: • No products required for freezing and chilling.

4.6.2.2 - Sufficient refrigeration capacity shall be available to chill, freeze, store chilled, or store frozen the maximum anticipated throughput of product with allowance for periodic cleaning of refrigerated areas.

Response: N/A

Evidence: • No products required for freezing and chilling.

4.6.2.3 - The site shall have a written procedure for monitoring temperatures, including the frequency of checks, and corrective actions if the temperature is out of specification. Freezing, chilling, and cold storage rooms shall be fitted with temperature monitoring equipment that is located to monitor the warmest part of the room and be fitted with a temperature measurement device that is easily readable and accessible. Records shall be kept of frozen, cold, and chilled storage room temperatures.

Response: N/A

Evidence: • No products required for freezing and chilling.

4.6.2.4 - Discharge from defrost and condensate lines shall be controlled and discharged to the drainage system.

Response: N/A

Evidence: • No products required for freezing and chilling.

Summary -

Response: NA. No products required for freezing and chilling.

4.6.3 - Storage of Dry Ingredients, Packaging, and Shelf Stable Packaged Goods

4.6.3.1 - Rooms used for the storage of product ingredients, packaging, and other dry goods shall be located away from wet areas and constructed to protect the product from contamination and deterioration and to prevent packaging from becoming a harborage for pests or vermin.

Response: Compliant

4.6.3.2 - Racks provided for the storage of packaging shall be constructed of impervious materials and designed to enable cleaning and inspection of the floors and behind the racks. Storage areas shall be cleaned at a predetermined frequency.

Response: Compliant

Summary -

Response: All products including raw materials, ingredients, packaging materials, semi-processed products and finished products are stored under ambient temperature, located far from wet, pose no risk to product contamination. Storage areas are required for cleaning monthly, record sighted 2026-06-01.

4.6.4 - Storage of Hazardous Chemicals and Toxic Substances

4.6.4.1 - Hazardous chemicals and toxic substances with the potential for pet food contamination shall be: i. Clearly labelled, identifying and matching the contents of their containers; ii. Included in a current register of all hazardous chemicals and toxic substances that are stored on-site; and iii. Supplemented with current Safety Data Sheets (SDS) made available to all staff.

Response: Compliant

4.6.4.2 - Storage of hazardous chemicals and toxic substances shall be: i. An area with appropriate signage indicating that the area is for hazardous storage; ii. Controlled, lockable, and accessible only by personnel trained in the storage and use of chemicals; iii. Adequately ventilated; iv. Stored where intended and not comingled (e.g., food versus non-food grade); v. Designed such that pesticides, rodenticides, fumigants, and insecticides are stored separate from sanitizers and detergents; and vi. In a manner that prevents a hazard to finished product or product contact surfaces. Processing utensils and packaging shall not be stored in areas used to store hazardous chemicals and toxic substances.

Response: Compliant

4.6.4.3 - Hazardous chemicals and toxic substances shall be correctly labeled and: i. Used only according to manufacturer's instructions; ii. Controlled to prevent contamination or a hazard to raw and packaging material, work-in-progress, finished product, or product contact surfaces; iii. Returned to the appropriate storage areas after use, and iv. Be compliant with national and local legislation.

Response: Compliant

4.6.4.4 - Daily supplies of chemicals used for continuous sanitizing of water or as a processing aid, or for emergency cleaning of pet food processing equipment or surfaces in pet food contact zones, may be stored within or in close proximity to a processing area, provided that access to the chemical storage facility is restricted to authorized personnel.

Response: Compliant

4.6.4.5 - Personnel who handle hazardous chemicals and toxic substances, including pesticides and cleaning chemicals: i. Shall be fully trained in their purpose, storage, handling, and use; ii. Be provided with first aid equipment and personnel protective equipment; and iii. Ensure compliance with the proper identification, storage, usage, disposal, and clean-up requirements.

Response: Compliant

4.6.4.6 - The site shall dispose of empty, obsolete and unused chemicals, pesticides, toxic substances, and containers in accordance with requirements and ensure that primary containers are: i. Not reused; ii. Segregated and securely stored prior to collection; and iii. Disposed through an approved vendor.

Response: Compliant

4.6.4.7 - In the event of a hazardous spill, the site shall: i. Have spillage clean-up instructions to ensure that the spill is properly contained; and ii. Be equipped with spillage kits and cleaning equipment

Response: Compliant

Summary -

Response: Chemicals are adequately controlled to prevent chemical contamination. The procedures BN-PD-023, A/0, 2026-01-15 include list of chemicals, material safety data sheets and specifications, suitability for food use, avoidance of strongly scented products, labelling and/or identification of chemicals at all times, segregated and secure storage with restricted area to authorized staff, and use by trained personnel only. Chemical list include chemical name, usage concentration and location defined, chemical warehouse in place, with all chemical MSDS on site, PPE and usage record in place, sighted 2026-01-04. Staff received chemical training 2026-04-15. Spill proof tray used in the chemical warehouse. Chemical control procedure in place to defined the empty chemical containers handling requirement such as not reused, disposed through approved vendor.

4.6.5 - Loading, Transport, and Unloading Practices

4.6.5.1 - The practices applied during loading, transport, and unloading of pet food shall be documented, implemented, and designed to maintain appropriate storage conditions and product integrity. Pet food shall be loaded, transported, and unloaded under conditions suitable to prevent cross-contamination.

Response: Compliant

4.6.5.2 - Vehicles (e.g., trucks, vans, containers) used for transporting pet food within the site and from the site shall be inspected prior to loading to ensure they are clean, in good repair, suitable for the purpose, and free from odors or other conditions that may impact negatively on the product.

Response: Compliant

4.6.5.3 - Vehicles (e.g., trucks, vans, containers) shall be secured from tampering, using a seal or other agreed-upon and acceptable device or system.

Response: Compliant

4.6.5.4 - Loading and unloading docks shall be designed to protect the product during loading and unloading. Loading practices shall be designed to minimize unnecessary exposure of the product to conditions detrimental to maintaining the product and package integrity during loading and transport.

Response: Compliant

4.6.5.5 - Refrigerated units shall maintain the product at the required temperature and the unit's temperature settings shall be set, checked, and recorded before loading, and the product temperature shall be recorded at regular intervals during loading as appropriate.

Response: Compliant

4.6.5.6 - The refrigeration unit shall be operational at all times and checks completed of the unit's operation, the door seals, and the storage temperature at regular intervals during transit.

Response: Compliant

4.6.5.7 - On arrival, prior to opening the doors, the pet food transport vehicle's refrigeration unit's storage temperature settings and operating temperature shall be checked and recorded. Unloading shall be completed efficiently, and product temperatures shall be recorded at the commencement of unloading and at regular intervals during unloading.

Response: Compliant

4.6.5.8 - Unloading practices shall be designed to minimize unnecessary exposure of the product to conditions detrimental to maintaining the product and package integrity.

Response: Compliant

Summary -

Response: Finished products transport was under ambient environment and subcontracted to logistics companies. The hygiene and other requirement in this part were defined in the contract. Procedure to maintain product safety and quality during loading and transportation developed on the basis of risk assessment and implemented accordingly. The batch number of products was records during dispatching. Documented maintenance and hygiene procedures were maintained for all vehicles and equipment used for loading/unloading. The vehicle inspection before loading and unloading was conducted by storage person. The inspection item: cleanness, foreign bodies, odor, pest, allergen, seal condition and other. Products deliver and vehicle check records was reviewed, no issued found.

4.7.1 - High-Risk Processes

4.7.1.1 - The processing of high-risk pet food shall be conducted under controlled conditions such that sensitive areas in which high-risk pet food has undergone a “kill” step, a “food safety intervention,” or is subject to post-process handling, are protected/segregated from other processes, raw materials, or staff who handle raw materials to ensure cross-contamination is minimized.

Response: N/A

Evidence: • No high-risk process applied after risk analysis.

4.7.1.2 - Ambient air in high-risk areas shall be tested at least annually to confirm that it does not pose a risk to pet food safety.

Response: N/A

Evidence: • No high-risk process applied after risk analysis.

4.7.1.3 - Areas in which high-risk processes are conducted shall only be serviced by staff dedicated to that function.

Response: N/A

Evidence: • No high-risk process applied after risk analysis.

4.7.1.4 - Staff engaged in high-risk areas shall change into clean clothing and footwear or temporary protective outerwear when entering high-risk areas. Staff access points shall be located, designed, and equipped to enable staff to don distinctive protective clothing and to practice a high standard of personal hygiene to prevent product contamination.

Response: N/A

Evidence: • No high-risk process applied after risk analysis.

4.7.1.5 - Product transfer points shall be located and designed so as not to compromise high-risk segregation and to minimize the risk of cross-contamination.

Response: N/A

Evidence: • No high-risk process applied after risk analysis.

Summary -

Response: NA. No high-risk process applied after risk analysis.

4.7.2 - Thawing of Food

4.7.2.1 - Thawing of pet food shall be undertaken in equipment and rooms appropriate for the purpose. Equipment for water thawing shall be continuous flow to ensure the water exchange rate and temperature do not contribute to product deterioration or contamination. Water overflow shall be directed into the floor drainage system and not onto the floor or shall be appropriately plumbed.

Response: N/A

Evidence: • No thawing needed.

4.7.2.2 - Air thawing facilities shall be designed to thaw pet food under controlled conditions at a rate and temperature that does not contribute to product deterioration or contamination.

Response: N/A

Evidence: • No thawing needed.

4.7.2.3 - Provision shall be made for the containment and regular disposal of used cartons and packaging from thawed product so that there is no risk to the product.

Response: N/A

Evidence: • No thawing needed.

Summary -

Response: NA. No thawing needed.

4.7.3 - Control of Foreign Matter Contamination

4.7.3.1 - The responsibility and methods used to prevent foreign matter contamination of the product shall be documented, implemented, and communicated to all staff. Inspections shall be performed (refer to 2.5.4.3) to ensure plant and equipment remain in good condition, equipment has not become detached or deteriorated, and is free from potential contaminants.

Response: Compliant

4.7.3.2 - Containers, equipment, and other utensils made of glass, porcelain, ceramics, laboratory glassware, or other like material (except where the product is contained in packaging made from these materials, or measurement instruments with glass dial covers or MIG thermometers required under regulation) shall not be permitted in pet food processing /contact zones. Where glass objects or similar material are required in pet food handling/contact zones, they shall be listed in a glass inventory, including details of their location and condition.

Response: Compliant

4.7.3.3 - Regular inspections of pet food handling/contact zones shall be conducted (refer to 2.5.4.3) to ensure they are free of glass or other like material and to establish changes to the condition of the objects listed in the glass inventory.

Response: Compliant

4.7.3.4 - Glass instrument dial covers on processing equipment and MIG thermometers shall be inspected at the

start of each shift to confirm they have not been damaged.

4.7.3.5 - In circumstances where glass or similar material breakage occurs, the affected area shall be isolated, cleaned, thoroughly inspected (including cleaning equipment and footwear), and cleared by a suitably responsible person prior to the start of operations.

4.7.3.6 - Wooden pallets and other wooden utensils used in pet food processing and handling areas shall be dedicated for that purpose, clean, and maintained in good order. Their condition shall be subject to regular inspection.

4.7.3.7 - Loose metal objects on equipment, equipment covers, and overhead structures shall be removed or tightly fixed so as not to present a hazard.

4.7.3.8 - Knives and cutting instruments used in processing and packaging operations shall be controlled and kept clean and well maintained. Snap-off blades shall not be used in pet food manufacturing or storage areas.

Evidence: • A snap off knives were found using in the packaging room, although it was kept intact.

Root Cause: The company did not provide non-breakable blades, so employees brought their own. The workshop supervisor did not conduct the inspection.

Verification Of Closeout: RCA & CA (Photo of non-snap off cutter & daily issuance record) were found to be meeting the requirements. Evidence submitted for CA is satisfactory. Hence NC closure is approved as closed

Closeout Date: July 17, 2026

Summary -

responsibilities are described. There are products packed in glass or other brittle materials. The storage of glass items is segregated from the storage of raw materials, product or other packaging. Wood is not used in the workshop. Documented procedures are in place for the removal of packaging from raw materials: removing the outer packaging in a preparation room and packaging waste is controlled. Pens used in open product areas are controlled as metal detectable and not easy to break. Minor NC: A snap off knives were found using in the packaging room, although it was kept intact.

4.7.4 - Detection of Foreign Objects

4.7.4.1 - The responsibility, methods, and frequency for monitoring, maintaining, calibrating, and using screens, sieves, filters, or other technologies to remove or detect foreign matter shall be documented and implemented.

Response: Compliant

4.7.4.2 - Where detection and/or removal systems are used, the site shall establish limits for detection based on a risk assessment of the product and its packaging and the location of the detector in the process.

Response: Compliant

4.7.4.3 - Metal detectors or other physical contaminant detection technologies shall be routinely monitored, validated, and verified for operational effectiveness. The equipment shall be designed to isolate defective product and indicate when it is rejected.

Response: Compliant

4.7.4.4 - Records shall be maintained of the inspection of foreign object detection devices, of any products rejected or removed by them, and of corrective and preventative actions resulting from the inspections.

Response: Compliant

4.7.4.5 - In all cases of foreign matter contamination, the affected batch or item shall be isolated, inspected, reworked, or disposed of. Records shall be maintained of the disposition.

Response: Compliant

Summary -

Response: The company determined that foreign body detection or removal equipment is needed through risk assessment, sieves (80 meshes) used for power product and filter (30 meshes) used for liquid and semi-solid product. Regular inspections of sieves and filters are undertaken before and after shift, record sighted 2026-06-02. The damages are documented and potential for contamination of products is investigated. No metal detector or other foreign matter detection equipment is used in the site. The company documented the justification.

4.8.1 - Waste Disposal

4.8.1.1 - The responsibility and methods used to collect and handle dry, wet, and liquid waste and how to store it prior to removal from the premises shall be documented and implemented.

Response: Compliant

4.8.1.2 - Waste shall be removed on a regular basis and not build up in pet food handling or processing areas. Designated waste accumulation areas shall be maintained in a clean and tidy condition until external waste collection is undertaken.

Response: Compliant

4.8.1.3 - Waste and overflow water from tubs, tanks, and other equipment shall be discharged direct to the floor drainage system, or an alternative method that meets local regulatory requirements.

Response: Compliant

4.8.1.4 - Trolleys, vehicle waste disposal equipment, collection bins, and storage areas shall be maintained in a serviceable condition, cleaned, and sanitized regularly so as not to attract pests and other vermin.

Response: Compliant

4.8.1.5 - Adequate provision shall be made for the disposal of all solid processing waste including trimmings, inedible material, and used packaging.

Response: Compliant

4.8.1.6 - Where applicable, a documented procedure shall be in place for the controlled disposal of trademarked materials or waste considered high-risk for handling or other reasons. Where a contracted disposal service is used, the disposal process shall be reviewed regularly to confirm compliance.

Response: Compliant

4.8.1.7 - Inedible waste designated for animal feed shall be stored and handled so that it will not cause a risk to the animal or to further processing. If denaturant is used to identify inedible waste, it shall be demonstrated that it does not pose a risk to animal health.

Response: Compliant

4.8.1.8 - Waste held on-site prior to disposal shall be stored in a separate storage facility and suitably insect proofed and contained so as not to present a hazard.

Response: Compliant

4.8.1.9 - Adequate provision shall be made for the disposal of all liquid waste from processing and pet food handling areas. Liquid waste shall be either removed from the processing environment continuously or held in a designated storage area in lidded containers prior to disposal so as not to present a hazard.

Response: Compliant

4.8.1.10 - Reviews of the effectiveness of waste management shall form part of regular site inspections (refer to 2.5.4.3) and the results of these inspections shall be included in the relevant inspection reports.

Response: Compliant

Summary -

Response: The company implemented a system for waste disposal. No accumulation of waste in production areas during the audit. Waste mainly from peeling or cores removed, removed daily from workshop. A separated waste storage facility on site prior to disposal, suitably and insect proofed, present no hazards to products. Waste containers are clearly identified and clean, with adequate design, emptied at suitable frequency and kept closed as appropriate. There are customer-branded products. Surplus customer-branded products are disposed of in accordance with customer-specific requirements. Customer brand names are removed from packed surplus products under the control of the factory before the product enters the supply chain unless authorised otherwise by the customer. There are NO by-products and downgraded/surplus products intended for animal feed.
