- `mysqlx_interactive_timeout`: Number of seconds to wait for interactive clients to timeout. Added in MySQL 8.0.4.

- `mysqlx_lz4_default_compression_level`: Default compression level for the LZ4 algorithm on X Protocol connections. Added in MySQL 8.0.20.

- `mysqlx_lz4_max_client_compression_level`: Maximum permitted compression level for the LZ4 algorithm on X Protocol connections. Added in MySQL 8.0.20.

- `mysqlx_read_timeout`: Number of seconds to wait for blocking read operations to complete. Added in MySQL 8.0.4.

- `mysqlx_wait_timeout`: Number of seconds to wait for activity on a connection. Added in MySQL 8.0.4.

- `mysqlx_write_timeout`: Number of seconds to wait for blocking write operations to complete. Added in MySQL 8.0.4.

- `mysqlx_zstd_default_compression_level`: Default compression level for the zstd algorithm on X Protocol connections. Added in MySQL 8.0.20.

- `mysqlx_zstd_max_client_compression_level`: Maximum permitted compression level for the zstd algorithm on X Protocol connections. Added in MySQL 8.0.20.

- `named_pipe_full_access_group`: Name of Windows group granted full access to the named pipe. Added in MySQL 8.0.14.

- `no-dd-upgrade`: Prevent automatic upgrade of data dictionary tables at startup. Added in MySQL 8.0.4.

- `no-monitor`: Do not fork monitor process required for RESTART. Added in MySQL 8.0.12.

- `original_commit_timestamp`: The time when a transaction was committed on the original source. Added in MySQL 8.0.1.

- `original_server_version`: The MySQL Server release number of the server where a transaction was originally committed. Added in MySQL 8.0.14.

- `partial_revokes`: Whether partial revocation is enabled. Added in MySQL 8.0.16.

- `password_history`: Number of password changes required before password reuse. Added in MySQL 8.0.3.

- `password_require_current`: Whether password changes require current password verification. Added in MySQL 8.0.13.

- `password_reuse_interval`: Number of days elapsed required before password reuse. Added in MySQL 8.0.3.

- `performance_schema_max_digest_sample_age`: The query resample age in seconds. Added in MySQL 8.0.3.

- `performance_schema_show_processlist`: Select SHOW PROCESSLIST implementation. Added in MySQL 8.0.22.

- `persist_only_admin_x509_subject`: SSL certificate X.509 Subject that enables persisting persist-restricted system variables. Added in MySQL 8.0.14.

- `persisted_globals_load`: Whether to load persisted configuration settings. Added in MySQL 8.0.0.