Rajalakshmi Engineering College

Name: Yogeetha A 1

Email: 241801326@rajalakshmi.edu.in

Roll no: 241801326 Phone: 9790848844

Branch: REC

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

Input Format

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

Output Format

The output prints the singly linked list elements, after inserting them at the beginning.

241801326

Refer to the sample output for formatting specifications.

```
Sample Test Case
    Input: 5
    78 89 34 51 67
    Output: 67 51 34 89 78
    Answer
    #include <stdio.h>
#include <stdlib.h>
    struct Node {
      int data:
      struct Node* next;
    };
    void insertAtFront(struct Node** head,int value){
      struct Node* newn=(struct Node*)malloc(sizeof(struct Node));
      newn->data=value;
      newn->next=*head:
      *head=newn;
   void printList(struct Node* head){
      struct Node* temp=head;
      while(temp!=NULL){
        printf("%d ",temp->data);
        temp=temp->next;
      }
      printf("\n");
    int main(){
      struct Node* head = NULL;
scanf("%d", &n);
```

```
24,80,376
                                                                                           24,80,326
          ..., IT+) {
.... activity;
scanf("%d", &activity);
insertAtFront(&book)
int i = 0; i
int activity;
scanf("0/-"
        for (int i = 0; i < n; i++) {
          insertAtFront(&head, activity);
        printList(head);
        struct Node* current = head;
        while (current != NULL) {
           struct Node* temp = current;
          current = current->next;
          free(temp);
                              24,801326
                                                             24,801326
return 0;
                                                                                   Marks: 10/10
     Status: Correct
```

24,801326

041801326

24,801376

24,80,376

24,801326

241801326

24,80,376

24,80,326