

# Index

Note: Page numbers of article titles are in **boldface** type.

## A

Acetaminophen, 764–766

Adaptive devices, for amputee athletes, 808

Adenosine challenge, for cardiovascular screening, 643

Adolescent athletes

analgesics for, **751–774**

cardiovascular screening of, **635–647**

chronic conditions in, **839–847**

concussion in, **649–670**

diabetes mellitus management in, **829–837**

female, **697–718**

gene doping in, **719–727**

osteopathic treatments for, **775–794**

physically and cognitively challenged, **795–817**

resistance training for, 641–642, **671–682**

sports doping in, **729–750**, 799–800

stress fractures in, **819–827**

vitamin D and, **849–861**

wilderness injuries and illnesses in, **683–695**

Alcohol, for sports doping, 743

Allergy, latex, in athletes with myelomeningocele, 804

Altitude illness, prevention of, 693

Amenorrhea, 703–705

American Association of Intellectual and Developmental Disabilities, 810

American Heart Association recommendations, for preparticipation screening, 637

American Society of Pediatric Nephrology, 841

Amputee athletes, 808

Anabolic steroids, 733–740

agents resembling, 737–740

agents used with, 735–737

definition of, 733

effects of, 735

epidemiology of, 733–735

preventing use of, 737

Analgesics, **751–774**

efficacy of, 762–763

mechanism of action of, 752–753

nonpharmacological, 751

nonsalicylated, 755–762

salicylated, 753–755

side effects of, 760–762

topical, 763–768

use and abuse of, 768–770

ANAM test, for concussion, 654–655  
 Androstenedione, for sports doping, 738  
 Anemia, iron deficiency, in female athletes, 699–700  
 Angiotensin-converting enzyme gene, for gene doping, 723  
 Ankle sprain, 789–791  
 Anorexia nervosa, 708–709  
 Arachidonic acid, metabolism of, 752  
 Arthritis, 839–840  
 Aspirin, 753–755  
 Assistance exercises, in resistance training, 676  
 Asymmetry, breast, 702  
 Ataxia, in athletes with cerebral palsy, 805–807  
 Athetosis, in athletes with cerebral palsy, 805–807  
 Athlete's heart, 641–642  
 Atlantoaxial instability, in Down syndrome, 810–811  
 ATLAS (Adolescent Training and Learning to Avoid Steroids) program, 737  
 Autonomic dysreflexia, in spinal cord-injured athletes, 802–803

## B

Back pain, osteopathic treatment for, 785–788  
 Balance, problems with, in athletes with cerebral palsy, 806–807  
 Balance Error Scoring System, 652  
 Barbiturates, for sports doping, 743  
 Benzodiazepines, for sports doping, 743  
 Beta blockers, for sports doping, 743  
 Bites, in wilderness areas, 691–692  
 Bladder control, in athletes with myelomeningocele, 804  
 Blisters, prevention of, 690–691  
 Blood doping, 743  
 Blood glucose measurement, in diabetes mellitus, 834  
 Body composition, in female athletes, 698–699  
 Bone, fractures of  
     prevention of, 691  
     stress, **819–827**  
 Bone mass density, in female athletes, 705, 709–710  
 Bone morphogenetic protein gene, for gene doping, 722  
 Boosting, by spinal cord-injured athletes, 803  
 Bowel control, in athletes with myelomeningocele, 804  
 Brachial plexus stretch, 844–845  
 Brain  
     concussion injury of. *See* Concussion.  
     high altitude illness effects on, 693  
 Brassieres, sports, 701–702  
 Breast issues, in female athletes  
     asymmetry, 702  
     exercise effects, 701  
     galactorrhea, 702  
     injuries, 711–712  
     pain, 701–702

Bulimia nervosa, 708–709  
Burner, 844–845

## C

Caffeine, for sports doping, 742–743  
Calcium, for stress fracture healing, 823  
Camphor, 767, 769  
Capsaicin, 767–769  
Carbohydrates, for hypoglycemia, 834  
Cardiomyopathy, sudden death due to, 636  
Cardiovascular screening, **635–647**  
    echocardiography in, 642  
    electrocardiography in, 638, 640–642  
    genetic testing in, 642–643  
    history in, 636–639  
    physical examination in, 636–639  
    sudden cardiac death and, 635–636  
Cardiovascular system, NSAIDs effects on, 762  
Celecoxib, 757, 759  
Cerebral palsy, 805–807  
Cervical spine disorders  
    congenital, 844  
    in Down syndrome, 810–811  
    osteopathic treatment for, 781–782  
Chest wall syndromes, osteopathic treatment for, 782–784  
Chiari 2 malformation, 804–805  
Choline magnesium salicylate, 753–755  
Clenbuterol, for sports doping, 740  
Clinetrol, for sports doping, 743  
Cognitive disabilities, athletes with. *See* Disabilities, athletes with.  
Cognitive function assessment, for concussion, 652–656  
Cognitive rest, for concussion, 659  
CogSport test, for concussion, 654–655  
Cold injuries, prevention of, 686, 688  
Comotio cordis, 636  
Computed tomography  
    for concussion, 656–657  
    for stress fractures, 822  
Concentric muscle action, 677  
Concussion, **649–670**  
    cognitive function assessment for, 652–656  
    definition of, 649  
    developmental stage considerations in, 657–658  
    differential diagnosis of, 657  
    epidemiology of, 650  
    history of, 651  
    mechanism of, 650–651  
    multiple, 659  
    neuroimaging for, 656–657  
    neurologic examination for, 652

*Concussion (continued)*

- neuropsychological testing for, 653–656
- outcome of, 659–660
- pathophysiology of, 650–651
- prevention of, 660
- recovery from, 659–660
- return to play after, 658–659
- second impact syndrome in, 660
- severity of, 658
- symptoms of, 651–652
- systems review in, 651
- treatment of, 657–659

Contraceptives, oral, 705–706

Contusion, breast, 711

Cool-down period, for resistance training, 674

Core exercise, in resistance training, 676

Coronary artery anomalies, sudden death due to, 636

Counterirritants, 767–768

Creatine, for sports doping, 740–741

CRI test, for concussion, 654–655

Cuboid syndrome, 791

Cyclooxygenase inhibitors, 752, 757, 759–760

**D**

Deaf athletes, 809–810

Deaflympics, 795, 810

DEET insect repellent, 692

Degenerative disc disease, 844

Dehydration, prevention of, 690

Dehydroepiandrosterone, for sports doping, 737–738

Dermatologic conditions, 841–842

Diabetes mellitus, athletes with, **829–837**

- athletic staff of, 832
- coach of, 832
- complications affecting, 833–834
- exercise physiology ad, 832–833
- family of, 831
- information resources for, 835–836
- management for, 834–835
- preparticipation evaluation of, 829–830
- sport requirements and, 831–832
- teammates of, 832

Diarrhea, traveler's, prevention of, 690

Diclofenac, 756, 758, 764

Dietary Supplement Health and Education Act of 1994, sports doping agents and, 731

Diffunisal, 753–755

Dimethyl sulfoxide, for sports doping, 744

Disabilities, athletes with, **795–817**

- amputee, 808

- cerebral palsy, 805–807
- classification of, 796
- deaf, 795, 809–810
- Down syndrome, 810–812
  - intellectual, 810
  - musculoskeletal injuries in, 800–802
  - myelomeningocele, 803–805
  - preparticipation evaluation of, 796–800
  - spectrum of, 795–796
  - spinal cord conditions and, 802–803
  - sports for, 795
  - visual impairment, 808–809, 840–841
  - wheelchair sports for, 807–808
- Disabled Sports USA, 802
- Doping
  - gene, **719–727**
  - sports, **729–750**, 799–800
- Doppler studies, for cardiovascular screening, 643
- Down syndrome, 810–812
- Dyspepsia, NSAID-induced, 760

## E

- Eating disorders, in female athletes, 708–709
- Eccentric muscle action, 677
- Echocardiography, for preparticipation screening, 642
- Elbow, nursemaid's, osteopathic treatment for, 788–789
- Electrocardiography, for preparticipation screening, 638, 640–642
- Endorphin genes, for gene doping, 722
- Endurance, genes for, 721
- Endurance training, cardiac remodeling in, 641–642
- Ephedrine, for sports doping, 742
- Epicondylitis, lateral, 788–789
- Equipment, for wilderness trips, 686–687
- Ergogenic agents. *See* Sports doping.
- Erythropoietin, for blood doping, 743
- Erythropoietin gene, for gene doping, 721, 723
  - eSAC test, for cognitive function assessment, 654
- Etodolac, 756, 759
- Exercise, resistance training for, 641–642, **671–682**
- Exercise exchanges, in diabetes mellitus, 831
- Exercise stress testing, preparticipation, 643
- Eye disorders
  - in diabetes mellitus, 833
  - injuries, 840–841

## F

- Falls, orthopedic injuries from, 691
- Family, of athlete with diabetes mellitus, 831
- Fatigue fractures. *See* Stress fractures.

- Federal Food, Drug and Cosmetic Act of 1938, sports doping agents and, 731
- Female athletes, **697–718**
- anorexia nervosa in, 708–709
  - breast issues in, 701–702
  - eating disorders in, 708–709
  - female athlete triad risks in, 707–710
  - injuries in, 710–712
  - iron deficiency anemia in, 699–700
  - menstruation in, 702–706
  - oral contraceptives for, 705–706
  - osteoporosis in, 709–710
  - physiology of, 697–699
  - pregnant, 706–707
  - puberty and, 698–699
  - stress urinary incontinence in, 700–701
- Fenamate, 757, 759
- Fenoprofen, 756, 758
- Ferritin deficiency, in female athletes, 699–700
- Fever blisters, 842
- Fluid therapy, for dehydration, 690
- Flurbiprofen, 756, 758
- Foot, cuboid syndrome of, 791
- Footwear, for wilderness trips, 688
- Fractures
- prevention of, 691
  - stress, **819–827**
- Frequency, in resistance training, 675
- Frostbite, prevention of, 686, 688
- Functional classification system, of disability sports, 796

## G

- Galactorrhea, in athletes, 702
- Gamma-hydroxybutyrate, for sports doping, 739–740
- Gastrointestinal toxicity, of NSAIDs, 760
- Gene doping, **719–727**
- animal models for, 722
  - candidates for, 720–722
  - detection of, 724–725
  - germline, 720
  - human trials of, 722–724
  - methods for, 719–720
  - risks of, 724
  - somatic, 720
  - versus natural mutations, 723–724
- Genetic testing, in cardiovascular screening, 642–643
- Germline gene therapy, 720
- Ginseng, for sports doping, 744
- Glucagon, for hypoglycemia, 835
- Glucose
- measurement of, in diabetes mellitus, 834

metabolism of, in diabetes mellitus, 832–833  
Growth hormone, for sports doping, 738–739

## H

Harris-Kefauver Amendment, sports doping agents and, 731  
Head trauma, concussion in. *See* Concussion.  
Headache, osteopathic treatment for, 781–782  
Hearing impairment, 809–810  
Heart  
    NSAIDs effects on, 762  
    remodeling of, 641–642  
    smooth muscle of, vitamin D effects on, 855–856  
Heat exhaustion and heat stroke, prevention of, 690  
Helmets, for concussion prevention, 660  
Hematoma, breast, 711  
Hepatotoxicity, of NSAIDs, 760–761, 765–766  
Herniation, disc, 844  
Herpes simplex virus infections, 842  
High altitude illness, on wilderness trips, 693  
High-velocity, low-amplitude osteopathic technique, 778–779  
Hiking. *See* Wilderness injuries and illnesses.  
Holter monitoring, preparticipation, 643  
Human growth hormone, for sports doping, 738–739  
Hydrocephalus, 804  
Hyperglycemia, in diabetes mellitus, 833  
Hypertension, in diabetes mellitus, 833–834  
Hyperthermia  
    in spinal cord-injured athletes, 802  
    prevention of, 690  
Hypertrophic cardiomyopathy, sudden death due to, 636  
Hypoglycemia, in diabetes mellitus, 831–834  
Hypothermia  
    in spinal cord-injured athletes, 802  
    prevention of, 686, 688  
Hypoxia, on wilderness trips, 693

## I

Ibuprofen, 756, 758, 761  
Immune response, to gene doping, 724  
ImPACT test, for cognitive function assessment, 654–656  
Incontinence, urinary, in female athletes, 700–701  
Indomethacin, 757, 759  
Infections, skin, athletes with, 841–842  
Injuries  
    blisters, 690–691  
    breast, 711–712  
    concussion, **649–670**  
    eye, 840–841  
    fractures, 691, **819–827**

*Injuries (continued)*

- in athletes with disabilities, 800–812
- in female athletes, 710–712
- in wilderness activities, **683–695**
- insect, 691–692
- musculoskeletal, analgesics for, **751–774**
- osteopathic treatment for, **775–794**
- sprains and strains, 691, 789–791
- thermal, 686, 688–690

Insect bites and stings, prevention of, 691–692

*Insulin*

- for diabetes mellitus, 833–835
- for sports doping, 740

Insulinlike growth factor 1, for sports doping, 740

Insulinlike growth factor 1 gene, for gene doping, 721

Intellectual disabilities, athletes with, 810

Intensity, in resistance training, 674–675

International Society for Pediatric and Adolescent Diabetes 2009 guidelines, 829

Iron deficiency anemia, in female athletes, 699–700

Isokinetic muscle action, 677

Isotonic muscle action, 677

**J**

Jogger's nipple, 711

Junior National Wheelchair Games, 801

Juvenile idiopathic arthritis, 839–840

**K**

Ketoacidosis, in diabetes mellitus, 833

Ketoprofen, 756, 758

Ketorolac, 757, 759

*Kidney*

- failure of, in diabetes mellitus, 833–834
- NSAIDs effects on, 761–762
- solitary, 841

Klippel-Feil anomalies, 844

Knee injuries, in females, 710

Kyphosis, 843

**L**

Lateral, epicondylitis, 788–789

Latex allergy, in athletes with myelomeningocele, 804

Liver, NSAIDs effects on, 760–761, 765–766

Load, in resistance training, 674–675

Lower extremity disorders, osteopathic treatment for, 789–791

Low-velocity, low-amplitude osteopathic technique, 778–779

Luteal phase dysfunction, in athletes, 703–705



**M**

- Magnesium salicylate, 753–755
- Magnetic resonance imaging
  - for cardiovascular screening, 643
  - for concussion, 656–657
  - for stress fractures, 821–822
- Manual medicine. *See* Osteopathic treatment.
- Meclofenamate, 757, 759
- Mefenamic acid, 757, 759
- Meloxicam, 757, 759
- Menstruation, in athletes, 702–706
- Mental retardation, athletes with, 810
- Mentally challenged athletes. *See* Disabilities, athletes with.
- Menthol, 767, 769
- Methyl salicylate, 766–767, 769
- Metoprolol, for sports doping, 743
- Mondor disease, of breast veins, 711–712
- Muscle(s)
  - action of, in resistance training, 676
  - disorders of, in athletes with cerebral palsy, 805–807
  - gene doping for, 720–722
  - injuries of, analgesics for, **751–774**
  - sports doping for, **729–750**
  - vitamin D and. *See* Vitamin D.
- Muscle energy technique, 779
- Musculoskeletal injuries, in athletes with disabilities, 800–802
- Myelomeningocele, 803–805
- Myofascial approaches, to osteopathic treatment, 780–781
- Myopathy, in vitamin D deficiency, 853–854
- Myostatin gene, for gene doping, 721, 723

**N**

- Nabumetone, 757, 759
- Nandrolone, for sports doping, 734
- Naphthylalkanone, 759
- Naproxen, 756, 758
- National Collegiate Athletic Association, sports doping rules of, 737
- National Football League, sports doping rules of, 737
- National Wheelchair Athletic Association, 800–801
- Neck pain, osteopathic treatment for, 781–782
- Nephrotoxicity, of NSAIDs, 761–762
- Neuroimaging, for concussion, 656–657
- Neurologic examination, for concussion, 652
- Neuropathy, in diabetes mellitus, 833
- Neuropsychological testing, for concussion, 653–656
- Nicotine, for sports doping, 743
- Nipple injury, 711
- Nonsteroidal antiinflammatory drugs
  - drug interactions of, 762

Nonsteroidal (*continued*)

- efficacy of, 762–763
- for sports doping, 743–744
- mechanism of action of, 752–753
- nonsalicylated, 755–762
- salicylated, 753–755
- side effects of, 760–762
- topical, 763–766

NSAIDs. *See* Nonsteroidal antiinflammatory drugs.

Nuclear medicine scintigraphy, for stress fractures, 822

Nursemaid's elbow, osteopathic treatment for, 788–789

## Nutrition

- for diabetes mellitus, 835
- for female athletes, 700
- sports doping agents in, **729–750**

**O**

Obesity, vitamin D and, 857–858

## Ocular conditions

- in diabetes mellitus, 833
- injuries, 840–841

Odontoid abnormalities, 844

Oligomenorrhea, 703–705

Olympics, athletes with diabetes mellitus in, 832

Ophthalmic problems, in diabetes mellitus, 833

Oral contraceptives, 705–706

Orthopedic conditions, **839–847**

Orthoses, for amputee athletes, 808

Osteopathic treatment, **775–794**

- barriers to research on, 776–777
- complications of, 776
- for back pain, 785–788
- for cervical spine disorders, 781–782
- for chest wall syndromes, 782–784
- for cuboid syndrome, 791
- for lower extremity disorders, 789–791
- for nursemaid's elbow, 788–789
- for scoliosis, 785
- for upper extremity disorders, 788–789
- high-velocity, low-amplitude techniques, 778–779
- low-velocity, low-amplitude techniques, 778–779
- muscle energy technique, 779
- myofascial approaches, 780–781
- strain-counterstrain techniques, 779–780
- use of, 776

Osteoporosis, 709–710

Outdoor recreation. *See* Wilderness injuries and illnesses.

Oxandrolone, 734

Oxaprozin, 756, 758

Oxymetholone, 734

**P****Pain**

- analgesics for. *See* Analgesics.
- back, osteopathic treatment for, 785–788
- breast, exercise-induced, 701–702
- chest wall, 783–784
- in stress fractures, 821–822
- neck, osteopathic treatment for, 781–782

**Paralympics, 795, 800****Parathyroid hormone, vitamin D metabolism and, 855****Patellofemoral disorders, 710****Pelvic pain, osteopathic treatment for, 785–788****Periodization, in resistance training, 679****Peripheral neuropathy, in diabetes mellitus, 833****Peroxisome proliferator-activator receptor delta gene, for gene doping, 721–722****Phosphoenolpyruvate carboxykinase gene, for gene doping, 721****Physical disabilities, athletes with. *See* Disabilities, athletes with.****Phytosteroids, for sports doping, 740****Piroxicam, 757, 759****Pregnancy, 706–707****Preparticipation evaluation**

- cardiovascular, 635–647
- for wilderness trips, 685–686
- of athletes with diabetes mellitus, 829–830
- of athletes with disabilities, 796–800

**Pressure sores, in wheelchair athletes, 807–808****Progressive overload, in resistance training, 677–678****Propranolol, for sports doping, 743****Prostaglandins, 752****Prostheses, for amputee athletes, 808****Protective equipment**

- for concussion prevention, 660
- for eyes, 840–841

**Psychosocial considerations, in athletes with disabilities, 798–799****Puberty, in female athletes, 698–699****Pure Food and Drug Act, sports doping agents and, 731****R****Radiography, for stress fractures, 821****Recreation, outdoor. *See* Wilderness injuries and illnesses.****Remodeling, cardiac, 641–642****Repetitions, in resistance training, 675****Resistance training, 671–682**

- cardiac remodeling in, 641–642
- components of, 673–676
- definition of, 671
- evaluation before starting, 673
- goals of, 671
- guidelines for, 679

Resistance (*continued*)

- muscle actions in, 676
- program design for, 671
- progression of, 676–679
- safety of, 672–673
- techniques for, 671

Rest periods, in resistance training, 675–676

Reye syndrome, 755

Ringworm, 842

Rower's back, 843

**S**

SAC test, for cognitive function assessment, 655–656

Sacroiliac joint pain, osteopathic treatment for, 785–788

Salicylated NSAIDs, 753–755

Salsalate, 753–755

Scheuermann kyphosis, 843

Scintigraphy, for stress fractures, 822

Scoliosis, 785, 842–843

Second impact syndrome, 660

Selective androgen receptor moderators, for sports doping, 743–744

Selective progesterone receptor moderators, for sports doping, 743–744

Sets, in resistance training, 675

Shunt, ventriculoperitoneal, 804

Skin conditions, 841–842

Slipped vertebral apophysis, 844

Snake bites, prevention of, 692

Sodium bicarbonate, for sports doping, 743

Sodium channel blocker challenge, for cardiovascular screening, 643

Solitary kidney, 841

Somatic gene therapy, 720

Spasticity, in cerebral palsy, 805–807

Special Olympics, 795–796, 810–811

Specificity, in resistance training, 679

Spina bifida, 803–805

Spinal cord injury, 802–803

Spinal disorders, 785, 842–844

Spondylolisthesis, 843

Spondylolysis, 843

Sport Concussion Assessment Tool 2, 649, 652–653, 667–670

**Sports doping, 729–750**

- anabolic steroids in, 733–740

- blood, 743

- by athletes with disabilities, 799–800

- consumer protection against, 731–732

- creatine in, 740–742

- definition of, 731

- drugs misused in, 732–733

- gene therapy in, **719–727**

- history of, 729–731

- stimulants in, 742–743
- Sprains and strains
  - ankle, 789–791
  - prevention of, 691
- Stanozolol, 734
  - Staphylococcus aureus*, methicillin-resistant, transmission of, 842
- Steroids, anabolic, 733–740
- Stimulants, for sports doping, 737, 742–743
- Stingers, 844–845
- Strain-counterstrain osteopathic technique, 779–780
- Strength
  - genes for, 721
  - of female athletes, 698
- Strength training. *See* Resistance training.
- Stress fractures, **819–827**
  - diagnosis of, 821–822
  - differential diagnosis of, 823–824
  - epidemiology of, 819–821
  - grading of, 822
  - management of, 822–824
  - risk for, 819
  - sports predisposing to, 820
- Stress incontinence, urinary, in female athletes, 700–701
- Stress management, on wilderness trips, 692–693
- Stress testing, preparticipation, 643
- Sudden cardiac death, cardiovascular screening for, 635–636
- Sulindac, 756, 759
- Sunburn, prevention of, 689
- Survival skills, for wilderness trips, 686–687

## T

- Technical classification, of disability sports, 796
- Testicle, solitary, 841
- Testosterone
  - for sports doping, 734–736
  - polymorphisms of, in gene doping, 723
- Thermoregulation
  - in female athletes, 698
  - in spinal cord-injured athletes, 802
- Thoracic outlet syndrome, 782–783
- Thrombophlebitis, of breast veins, 711–712
- Thromboxanes, 752
- Thunderstorms, lightning dangers in, 688–689
- Ticks, 692
- Tinea lesions, 842
- Tissue repair, genes for, 722
- Tolmetin, 757, 759
- Torticollis, osteopathic treatment for, 781–782
- Travel, to wilderness areas. *See* Wilderness injuries and illnesses.
- Traveler's diarrhea, prevention of, 690

Trench foot, prevention of, 686, 688  
Trigger points, myofascial, release of, 780–781  
Trolamine salicylate, 768–769

## U

Ulcers, NSAID-induced, 760  
Ultrasonography, for stress fractures, 822  
Ultraviolet radiation, vitamin D and, 857  
United States Association for Blind Athletes, 801, 809  
United States Cerebral Palsy Athletic Association, 801  
United States Deaf Sport Federation, 810  
Upper extremity disorders, osteopathic treatment for, 788–789  
Urinary stress incontinence, in female athletes, 700–701

## V

Vascular endothelial growth factor gene, for gene doping, 721  
Vectors, for gene doping, 720  
Venom  
    insect, 692  
    snake, 692  
Ventriculoperitoneal shunt, 804  
Vertebral apophysis, slipped, 844  
Visual impairment, 808–809, 840–841  
Vitamin D, **849–861**  
    athletic performance and, 856–858  
    deficiency of  
        animal models of, 854–855  
        in athletes, 856  
        muscle histology in, 855  
        myopathy in, 853–856  
        obesity and, 857–858  
    for stress fracture healing, 823  
    functions of, 852  
    in cardiovascular smooth muscle function, 855–856  
    mechanism of action of, 852, 854  
    normal levels of, 850–852  
    receptor for, 852–855  
    requirements for, 850–852  
    seasonality of, 857  
    sources of, 850  
    ultraviolet radiation and, 857  
Volume of exercise, in resistance training, 676

## W

Warm-up period, for resistance training, 674  
Weakness, in athletes with cerebral palsy, 805–807  
Weight, of female athletes, 698–699  
Weight training. *See* Resistance training.

- Wheelchair athletes, 807–808
- Wilderness injuries and illnesses, **683–695**
  - epidemiology of, 683–685
  - prevention of
    - altitude illness, 693
    - anticipatory guidance for, 685–686
    - basic survival skills, 686–687
    - blisters, 690–691
    - dehydration, 690
    - fractures, 691
    - frostbite, 686, 688
    - heat exhaustion and heat stroke, 690
    - hypothermia, 686, 688
    - insect bites and stings, 691–692
    - packing considerations for, 686–687
    - preparticipation evaluation for, 685–686
    - snake bites, 692
    - sprains and strains, 691
    - stress, 692–693
    - sunburn, 689
    - traveler's diarrhea, 690
    - trench foot, 686, 688
- Wintergreen oil, 766–767
- World Anti-Doping Agency
  - on gene doping, 719
  - on sports doping, 740

## Z

- Zurich consensus statement, on concussion, 649, 658–659