

User Acceptance Testing (UAT) Execution Document

Phase / Category	Project Development Phase	Date	1/10/2026
Team ID	6ab9466dc23107aaaa73904b	Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	10 Marks		

User Acceptance Testing (UAT) Execution Document

This document records the user acceptance testing protocol, functional validation scenarios, execution steps, expected versus actual results, evidence screenshots, and defect tracking for the project.

1. Project & Environment Overview

Parameter	Configuration / Specification
Project Name	Implement Client Script & UI Policy (Incident)
Testing Period	22 September 2026 – 01 October 2026
Testing Scope	UI Policy (High Impact Control), UI Policy Actions, onChange Client Script, onSubmit Client Script, onCellEdit Client Script.
Testing Environment	ServiceNow Developer Instance (PDI) – Washington DC Release
Target Table	Incident [incident]
Overall Test Status	ALL 5 TEST CASES PASSED (100% SUCCESS RATE)

2. UAT Test Cases Execution Matrix

TC-001: Mandatory Assignment Group & Missing Assigned To Enforcement (Activity 1)

Test Case ID	Test Scenario	Execution Steps	Expected Result	Actual Result	Status
TC-001	Verify mandatory enforcement when Impact is High and Assigned To is empty.	1. Navigate to Incident → Create New. 2. Set Impact to 1 – High . 3. Leave Assigned To blank.	Record save must be blocked. Red error box must appear below Assigned To: "Assigned To is mandatory for High impact incidents." Assignment Group marked mandatory.	Record save blocked. Error box rendered under Assigned To. UI Policy marked Assignment Group mandatory.	PASS

4. Click
Submit.




Figure 5.1: Incident Form Submission Intercepted on Missing Assigned To




Figure 5.2: onSubmit Client Script Rendering Red Error Box Under Assigned To

TC-002: Auto-set Urgency & Successful Record Creation (Activity 2)

Test Case ID	Test Scenario	Execution Steps	Expected Result	Actual Result	Status
TC-002	Verify auto-set Urgency and successful record save when Assigned To is filled.	1. Open Incident form and set Impact to 1 – High. 2. Verify Urgency auto-updates. 3. Populate Assignment Group and select a user in Assigned To. 4. Click Submit.	Urgency automatically updates to 1 (High) and becomes read-only. Info message displayed. Incident record saves successfully with no errors.	Urgency set to 1 automatically, banner shown, and record committed to database.	PASS

The screenshot shows the ServiceNow 'Incident - Create INC0010012' form. The form is filled with the following data:

- Number: INC0010012
- Channel: -- None --
- State: New
- Impact: 1 - High
- Urgency: 1 - High
- Priority: 1 - Critical
- * Assignment group: Software
- Assigned to: Beth Anglin (highlighted with a red box)
- * Short description: testing UI policy
- Description: (empty)

The 'Submit' button is highlighted with a red box. The 'Assigned to' field is also highlighted with a red box. The 'Urgency' field is read-only. The 'Related Search Results' section shows search results for 'testing UI policy'.

Figure 5.3: Incident Saved Successfully with Urgency Auto-Populated and Locked Read-Only

TC-003: UI Policy Reversal Test (Activity 3)

Test Case ID	Test Scenario	Execution Steps	Expected Result	Actual Result	Status
TC-003	Verify Reverse if false logic when Impact is changed from High to Medium.	1. Open existing incident where Impact is High. 2. Change Impact from 1	Assignment Group reverts to optional. Urgency reverts to editable. Save completes without requiring Assigned To.	Fields reverted dynamically as expected; save succeeded without mandatory blocks.	PASS

– High to 2 –
Medium.
3. Observe
field behavior.
4. Click **Save /**
Update.

The screenshot displays the ServiceNow Incident form for INC0010012. The form is titled 'Incident - INC0010012' and has tabs for 'Notes', 'Related Records', and 'Resolution Information'. The form fields are organized into two columns. The left column contains fields for Number (INC0010012), Caller (Adela Cervantsz), Category (Inquiry / Help), Subcategory (-- None --), Service, Service offering, Configuration item, Short description (testing UI policy), and Description. The right column contains fields for Channel (-- None --), State (New), Impact (2 - Medium), Urgency (1 - High), Priority (2 - High), Assignment group (Software), and Assigned to. The Impact and Urgency fields are highlighted with red boxes. The Assigned to field is also highlighted with a red box. The form is titled 'Incident - INC0010012' and has tabs for 'Notes', 'Related Records', and 'Resolution Information'.

Figure 5.4: UI Policy Dynamically Reversed When Impact Changed to Medium

TC-004: List Edit Blocking on State Field (Activity 4)

Test Case ID	Test Scenario	Execution Steps	Expected Result	Actual Result	Status
TC-004	Verify onCellEdit script prevents modifying State in Incident list view.	1. Navigate to Incident → All. 2. Locate any active incident. 3. Double-click the State field in the list. 4. Attempt to change state value.	Alert modal appears: "State cannot be updated using list editing. Please open the Incident." Value remains unchanged; edit cancelled.	Alert modal triggered, cell editing cancelled, State retained previous value.	PASS

The screenshot displays the ServiceNow interface for the Incident List View. The left sidebar shows the navigation menu with 'Incident' selected. The main table lists incidents with columns: Number, Opened, Short description, Caller, Priority, State, Category, Assignment group, Assigned to, Updated, and Updated by. The incident with Number INC0008111 is highlighted, and its 'State' field, which currently shows 'New', is circled in red. A search bar at the top right contains the text 'Search'. The bottom of the screen shows a pagination bar indicating '1 to 20 of 41'.

Figure 5.5: Attempting Inline Cell Edit on State Field in Incident List View




Figure 5.6: onCellEdit Client Script Alert Blocking Unauthorized List Modification

TC-005: Form-Based State Update Execution (Activity 5)

Test Case ID	Test Scenario	Execution Steps	Expected Result	Actual Result	Status
TC-005	Verify legitimate State updates can still be performed inside the standard Incident form.	1. Open the Incident record in full form view. 2. Modify the State dropdown to a new value (e.g., In Progress). 3. Click Update.	State update must succeed without blocking. Other client rules continue to operate normally.	State updated and saved successfully on the form.	PASS




Figure 5.7: Updating State Field Legitimately via Incident Form View




Figure 5.8: Form Update Saved Successfully with Updated State Value

3. Defect & Bug Tracking Log

Bug ID	Description	Severity	Root Cause	Resolution	Status
BG-001	Whitespace in Assigned To field bypassed onSubmit validation during initial test.	Medium	<code>g_form.getValue('assigned_to')</code> was checked only against <code>' '</code> without trimming.	Updated condition to ensure whitespace strings are evaluated as empty.	Closed / Fixed
BG-002	Urgency field stayed read-only when user reverted Impact from High back to Low.	Low	Reverse if false checkbox had not been selected on initial policy save.	Configured Reverse if false = true on High Impact Control UI Policy.	Closed / Fixed

4. Sign-off & Acceptance Approval

Role	Signee	Date	Decision
Lead Test Engineer	Team Member (6ab9466dc23107aaaa73904b)	1/10/2026	APPROVED
ServiceNow Technical Lead	Governance Lead (6ab9466dc23107aaaa73904b)	1/10/2026	APPROVED & PRODUCTION READY