```
he authenticity of host '54.91.143.118 (54.91.143.118)' can't be established.
D25519 key fingerprint is SHA256:0brHui0Wy8+7U0/5leSyfNzQihUMy6lGtE161M+f7aXo.
his key is not known by any other names.
re you sure you want to continue connecting (yes/no/[fingerprint])? yes
arning: Permanently added '54.91.143.118' (ED25519) to the list of known hosts.
c2-user@54.91.143.118: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).

:\Users\Asus>ssh -i my-key.pem ec2-user@54.91.143.118
arning: Identity file my-key.pem not accessible: No such file or directory.
c2-user@54.91.143.118: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).

:\Users\Asus>cd
:\Users\Asus

:\Users\Asus>ssh -i my-key.pem ec2-user@54.91.143.118
arning: Identity file my-key.pem not accessible: No such file or directory.
c2-user@54.91.143.118: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).

:\Users\Asus>ssh -i C:\Users\Asus\Downloads\my-key.pem ec2-user@54.91.143.118
  ,     #_
  ~\_  ####_        Amazon Linux 2023
 ~~  \_#####\
 ~~     \###|
 ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
  ~~       V~' '->
   ~~~         /
     ~~._.   _/
        _/ _/
      _/m/'
ec2-user@ip-172-31-44-243 ~]$
```

SSH | Telnet | Rsh | Xdmcp | RDP | VNC | FTP | SFTP | Serial | File | Shell | Browser | Mosh | Aws S3 | WSL

Basic SSH settings

Remote host * 54.91.143.118 Username ec2-user Port 22

Advanced SSH settings | Terminal settings | Network settings | Bookmark settings

X11-Forwarding Compression Remote environment: Interactive shell

Execute command:

Do not exit after command ends

SSH-browser type: SFTP protocol

Try to follow SSH path in browser

Use private key C:\Users\Asus\Downloads\my-key

Expert SSH settings

Execute macro at session start: <none>

OK Cancel

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect... | 3. 54.91.143.118 (ec2-user) | 4. 54.91.143.118 (ec2-user)

```
                    • MobaXterm Personal Edition v26.3 •
                 (SSH client, X server and network tools)

  ▸ SSH session to ec2-user@54.91.143.118
    • Direct SSH      :  ✓
    • SSH compression :  ✓
    • SSH-browser     :  ✓
    • X11-forwarding  :  ✗  (disabled or not supported by server)

  ▸ For more info, ctrl+click on help or visit our website.


        #_
        ~\_  ####_        Amazon Linux 2023
       ~~   \_#####\
       ~~      \###|
       ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
        ~~       V~' '->
         ~~~         /
           ~~._.   _/
              _/ _/
            _/m/'
Last login: Tue Apr 21 04:00:53 2026 from 202.134.178.71
[ec2-user@ip-172-31-44-243 ~]$
```

sales_file - sales_file (1).csv Info

Copy S3 URI | Download | Open

Properties | Permissions | Versions

Object overview

Owner
96541d0892a00df7c9d59760969f0f5918b287261ef0be678c08666ea940b995

AWS Region
US East (N. Virginia) us-east-1

Last modified
April 21, 2026, 08:49:32 (UTC+05:30)

Size
1.4 KB

Type
csv

Key
sales_file - sales_file (1).csv

S3 URI
s3://student-etl-yogesh/sales_file - sales_file (1).csv

Amazon Resource Name (ARN)
arn:aws:s3:::student-etl-yogesh/sales_file - sales_file (1).csv

Entity tag (Etag)
4251e22187786ad07570188e96bd35db

Object URL
https://student-etl-yogesh.s3.us-east-1.amazonaws.com/sales_file+-+sales_file+(1).

```
  warnings.warn(warning, PythonDeprecationWarning)
Traceback (most recent call last):
  File "/home/ec2-user/etl_script.py", line 12, in <module>
    s3.download_file(bucket_name, input_key, "/tmp/input.csv")
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/context.py", line 123, in wrapper
    return func(*args, **kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/boto3/s3/inject.py", line 223, in download_file
    return transfer.download_file(
  File "/home/ec2-user/.local/lib/python3.9/site-packages/boto3/s3/transfer.py", line 484, in download_file
    future.result()
  File "/home/ec2-user/.local/lib/python3.9/site-packages/s3transfer/futures.py", line 111, in result
    return self._coordinator.result()
  File "/home/ec2-user/.local/lib/python3.9/site-packages/s3transfer/futures.py", line 287, in result
    raise self._exception
  File "/home/ec2-user/.local/lib/python3.9/site-packages/s3transfer/tasks.py", line 272, in _main
    self._submit(transfer_future=transfer_future, **kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/s3transfer/download.py", line 359, in _submit
    response = client.head_object(
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/client.py", line 606, in _api_call
    return self._make_api_call(operation_name, kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/context.py", line 123, in wrapper
    return func(*args, **kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/client.py", line 1076, in _make_api_call
    http, parsed_response = self._make_request(
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/client.py", line 1100, in _make_request
    return self._endpoint.make_request(operation_model, request_dict)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/endpoint.py", line 119, in make_request
    return self._send_request(request_dict, operation_model)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/endpoint.py", line 196, in _send_request
    request = self.create_request(request_dict, operation_model)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/endpoint.py", line 132, in create_request
    self._event_emitter.emit(
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/hooks.py", line 412, in emit
    return self._emitter.emit(aliased_event_name, **kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/hooks.py", line 256, in emit
    return self._emit(event_name, kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/hooks.py", line 239, in _emit
    response = handler(**kwargs)
  File "/home/ec2-user/.local/lib/python3.9/site-packages/botocore/signers.py", line 108, in handler
    return self.sign(operation_name, request)
```

ip-172-31-44-243.ec2.internal | 0% | 0.29 GB / 0.90 GB | 0.01 Mb/s | 0.00 Mb/s | 43 min | ec2-user (x2) | /: 24% | /tmp: 0% | /boot/efi: 13%

EC2 > Instances > Launch an instance

Success
Successfully initiated launch of instance (i-0a95de6d886f33820)

▶ **Launch log**

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

1 2 3 4 5 6

Create billing usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

EC2 > Instances

EC2

Dashboard
AWS Global View
Events

Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New

Images
AMIs
AMI Catalog

Elastic Block Store

Instances (2) Info

Connect | Instance state | Actions | Launch instances

Saved filter sets: Choose filter set

Find Instance by attribute or tag (case-sensitive)

1

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
	i-0153eff5a798a0d83	Running	t2.micro	2/2 checks passed	View alarms +	us-east-1c	ec2-34-228-
My-ETL-Server	i-0a95de6d886f33820	Running	t3.micro	3/3 checks passed	View alarms +	us-east-1d	ec2-54-91-1

Select an instance