









```
File Edit View Refactor Project Build Debug Team Data Tools Arghitecture Test Analyze Window Help 🔲 Full Screen
MyFileSystemWatcherService.cs* × MyFileSystemWatcherService.cs [Design]*

☆MyFileSystemWatcherService.MyFileSystemWatcherService

          protected override void OnStop()
              sw.WriteLine("Service Stopped @ " + DateTime.No
              sw.Flush();
              sw.Close();
              fs.Close();
          }
          private void fileSystemWatcher1_Changed(object ser
   FileSystemEventArgs e)
             sw.WriteLine("Content Changed for "+ e.FullPath +
   DateTime.Now.ToString());
<u>File Edit View Refactor Project Build Debug Team Data Tools Architecture Test Analyze Window Help 🗔 Full Screen</u>
MyFileSystemWatcherService.cs* × MyFileSystemWatcherService.cs [Design]*

        ✓ MyFileSystemWatcherService.MyFileSystemWatcherService

    → sileSystemWatcher1_Created(object sender, FileSystemWatcher1_Created)

          private void fileSystemWatcher1_Created(object sen
  ∮FileSystemEventArgs e)
              sw.WriteLine("Created " + e.FullPath + " @ " + Date
          }
          private void fileSystemWatcher1_Deleted(object send
  FileSystemEventArgs e)
          {
              sw.WriteLine("Deleted " + e.FullPath + " @ " + Date
          private void fileSystemWatcher1_Renamed(object se
   RenamedEventArgs e)
```

































