



PRODUCT CHECK LOG SHEET

Line clearance by PCL and Invoice issuer (Initial, time and Date) JP 8 16:08 30 MAR 2026

Line clearance verification before batch checking (Initial, time and Date) JP 16:10 30 MAR 2026

Controlled Drug Product:

☒

Cold Chain Product:

☒

Contract Supplier:

N/A

Product Name: Flutiform suspenze k inhalaci v tlakovem obalu

Strength & Pack Size: 250/10microgram / 120 actuations

ECMA: 14/555/12-C

Source Country: SLOVAKIA

☒ Country of origin (if different from the Source Country):

CZECH REPUBLIC

Invoice No: 905260072

Raw Product scans checked:

Yes

☒

No

☐

Batch No: 25088FA

Expiry: 07/2027

Quantity Received: 450

All packs are in good condition

Number of boxes in this batch

08

Manufacturer: Mundipharma DC B.V.

Manufacturer Address: 3832 RC Leusden, The Netherlands.

Foreign ECMA Holder: Mundipharma Gesellschaft m.b.H., Wiedner Gurtel 13, Turm 24, OG 15, 1100 Vienna, Austria.

Foreign leaflet Date: 02/2025

Any Comments:

N/A

Checks carried out by: JP

and found satisfactory on: 30 MAR 2026

Batch Assembly Record

B&S Batch Number

03A1582

Expiry Date

07/2027

Product Name	Flutiform pressurised inhalation, suspension		
Foreign Name	Flutiform suspenze k inhalaci v tlakovem obalu		
Strength	250/10microgram		
Pack Size	120 actuations		
ECMA	14/555/12-C		
PL No	18799/2922	Units per pack	1
Country of origin	CZECH REPUBLIC		
Product Introduced	20 Jul 2016	Leaflet Date	12 Jun 2025
Date Revised	05 Nov 2025		
Variation Information (If Applicable)			

PROCESS 1

Issuing of batch assembly record, Refer: SOP/PLPI/0006

BAR Issuer check below details

- Ensure PCL sheet has been checked for completeness and invoice is attached
- Batch number and expiry date
- Product name, Strength, Pack size and ECMA

Checked & Confirmed
(By Ticking ✓/X)

✓
✓
✓

This batch is:

Consolidated ☒Composite ☒Controlled Drug Product ☒Cold Chain Product ☒

BAR Created By Juston Nazareth R

Date/Time 30 Mar 2026 16:25

Confirm By (Initial & Date) JR30MAR2026

Comments

Supplier's Name	Review Date	Expiry Date	Supplier Invoice	Manuf. lot no	Qty	Line clearance Initial, Date & Time
DerStar Pharma SK s. r. o.	04/04/2025	03/04/2026	905260072	25088FA	450	15:12 2025 May 2026
UAB "Dineras"	09/09/2025	08/09/2026	2600164	25088FA	200	16:00 2025 May 2026
Total :					650	

For verification - EBR

**COPY**Beauty
19 May 2026

03A1582

07/2027

Product Name Flutiform pressurised inhalation, suspension

Strength 250/10microgram

Pack Size 120 actuations

ECMA 14/555/12-C

PL No 18799/2922

PROCESS 2

Printing Labels, Refer: SOP/PLPI/0036 & Braille Label Printing and Embossing, Refer: SOP/PLPI/0021

Line Clearance Verifications:

(Initial, Date & Time)

	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
Carton/ Braille Label 1	BRAI/120X60MM	659	FLU250-10/120/CZ (R4)	03A1582	07/2027	<i>W 20 Apr 2026 12:40</i>

Line Clearance Verifications:

(Initial, Date & Time)

	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
Blister Label 1	THER/120X60MM	659	FLU250-10/120/CZ/B1 (R3)	03A1582	07/2027	<i>Ag 13 March 2026 08:31</i>

Line Clearance Verifications:

(Initial, Date & Time)

	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
Blister/Carton Label 2	PEELOUT/LABEL/T93	659	FLU250-10/120/CZ/B2 (R3)	03A1582	07/2027	<i>Ag 13 March 2026 08:19</i>

Line Clearance Verifications:

(Initial, Date & Time)

Label Type	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
Other						

Line Clearance Verifications:

(Initial, Date & Time)

Label Type	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
Other						

Line Clearance Verifications:

(Initial, Date & Time)

Label Type	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
Other						

M56 22 Apr 2026

03A1582

07/2027

Product Name Flutiform pressurised inhalation, suspension

Strength 250/10microgram

Pack Size 120 actuations

ECMA 14/555/12-C

PL No 18799/2922

Extra Label Info**Line Clearance Verifications:**

(Initial, Date & Time)

Label Type	Label Size	Required (n%1)+2	Label Reference	B&S Batch Number	Expiry Date	Confirmed By (Initial & Date)
			NIA	03A1582	07/2027	

MSB 22 Apr 2026

03A1582

07/2027

Product Name	Flutiform pressurised inhalation, suspension		
Strength	250/10microgram	Pack Size	120 actuations
ECMA	14/555/12-C	PL No	18799/2922

For all printed label, Attach the First & Last label of the print run on the label attachment page

PROCESS 3

Printing of Leaflet, Refer: SOP/PLPI/0034

Line Clearance Verifications: DCI 07 APR 2026 11:34
(Initial, Date & Time)

	Leaflet Size	Required (n%1)+1	Leaflet Reference	Confirmed By (Initial & Date)
Leaflet 1:	A3/L	658	FLU250-10/120/CZ/LT (R5)	DCI 07 APR 2026
Leaflet 2 (IF Applicable):				
Leaflet 3 (IF Applicable):				

Attach a random leaflet of the print run on the reverse page of process 3

PROCESS 4

Issuing of Pre-printed carton for assembly, Refer: SOP/PLPI/0045

Line Clearance Verifications: _____
(Initial, Date & Time)

Carton Reference	Required (n%1)+1	Location Number	Confirmed By (Initial & Date)

Attach a random Pre-printed carton to the reverse page of process 4

03A1582

07/2027

Product Name	Flutiform pressurised inhalation, suspension		
Strength	250/10microgram	Pack Size	120 actuations
ECMA	14/555/12-C	PL No	18799/2922

PROCESS 5

Leaflet Folding, Refer: SOP/PLPI/0033

Line Clearance Verifications: RPD 26 APR 2026 14:00
(Initial, Date & Time)

	Leaflet Size	Required (n%1)+1	Leaflet Reference	Confirmed By (Initial & Date)
Leaflet 1:	A3/L	658	FLU250-10/120/CZ/LT (R5)	RPD 26 APR 2026
Leaflet 2 (IF Applicable):				
Leaflet 3 (IF Applicable):				

Leaflet folding barcode



N/A

Comments

03A1582

07/2027

Product Name	Flutiform pressurised inhalation, suspension		
Strength	250/10microgram	Pack Size	120 actuations
ECMA	14/555/12-C	PL No	18799/2922

Label attachment page

Attach first label from print run

Attach last label from print run

Flutiform® 250microgram/10microgram per actuation
pressurised inhalation, suspension 120 actuations
(fluticasone propionate/formoterol fumarate) For Inhalation Use
To the patient: on opening the pouch, peel off and stick this label to **POM**
the rear of the Inhaler. Do not obscure the counter window.
Also contains sodium cromoglicate, ethanol and apafurane HFA 227. Use within
3 months of opening the foil pouch. Shake before use. Do not store above 25°C.
Do not refrigerate or freeze. The canister contains a pressurised liquid. Do not
expose to temperature higher than 50°C. Do not puncture, break or burn even
when apparently empty. Flutiform should NOT be used in adolescents under
18 years of age and children. Read the enclosed leaflet before use.
KEEP OUT OF THE SIGHT AND REACH OF CHILDREN. PL holder: B&S
Healthcare, HA4 ONU UK. PL 18799/2922 ECMA: 14/555/12-C
Int. Batch: 03A1582 Batch: 25088FA Exp: 07/2027 FLU250-10/120/CZ/B2 (R3)

Flutiform® 250microgram/10microgram per actuation
pressurised inhalation, suspension 120 actuations
(fluticasone propionate/formoterol fumarate) For Inhalation Use
To the patient: on opening the pouch, peel off and stick this label to **POM**
the rear of the Inhaler. Do not obscure the counter window.
Also contains sodium cromoglicate, ethanol and apafurane HFA 227. Use within
3 months of opening the foil pouch. Shake before use. Do not store above 25°C.
Do not refrigerate or freeze. The canister contains a pressurised liquid. Do not
expose to temperature higher than 50°C. Do not puncture, break or burn even
when apparently empty. Flutiform should NOT be used in adolescents under
18 years of age and children. Read the enclosed leaflet before use.
KEEP OUT OF THE SIGHT AND REACH OF CHILDREN. PL holder: B&S
Healthcare, HA4 ONU UK. PL 18799/2922 ECMA: 14/555/12-C
Int. Batch: 03A1582 Batch: 25088FA Exp: 07/2027 FLU250-10/120/CZ/B2 (R3)

Flutiform® 250microgram/10microgram per actuation pressurised inhalation, suspension
(fluticasone propionate/formoterol fumarate) For inhalation use 120 actuations
Each metered dose (ex-valve) contains 250micrograms of fluticasone propionate and
10micrograms of formoterol fumarate dihydrate. This is equivalent to a delivered dose
(ex-actuator) of approximately 230micrograms of fluticasone propionate and 9micrograms of
formoterol fumarate dihydrate. Also contains sodium cromoglicate, ethanol and apafurane
HFA 227. Contains fluorinated greenhouse gases. See the leaflet for further information.
Use within 3 months of opening the foil pouch. Use as directed by your doctor or asthma nurse.
Shake before use. Use regularly. Full instructions for use can be found in the leaflet. Do not
store above 25°C. Do not refrigerate or freeze. The canister contains a pressurised liquid.
Do not expose to temperature higher than 50°C. Do not puncture, break or burn even when
apparently empty. Read the enclosed leaflet before use. Flutiform should NOT be used in
adolescents under 18 years of age and children. The peelable label on back face of a pouch
is for the patient to apply to the inhaler body once the foil pouch is opened.
KEEP OUT OF THE SIGHT AND REACH OF CHILDREN.
Manufactured by: Mundipharma DC B.V., 3832 RC Leusden, The Netherlands.
PL holder: B&S Healthcare, HA4 ONU, UK.
PL 18799/2922 ECMA: 14/555/12-C Int. Batch: 03A1582 Batch: 25088FA Exp: 07/2027
FLU250-10/120/CZ/B1 (R3)

Flutiform® 250microgram/10microgram per actuation pressurised inhalation, suspension
(fluticasone propionate/formoterol fumarate) For inhalation use 120 actuations
Each metered dose (ex-valve) contains 250micrograms of fluticasone propionate and
10micrograms of formoterol fumarate dihydrate. This is equivalent to a delivered dose
(ex-actuator) of approximately 230micrograms of fluticasone propionate and 9micrograms of
formoterol fumarate dihydrate. Also contains sodium cromoglicate, ethanol and apafurane
HFA 227. Contains fluorinated greenhouse gases. See the leaflet for further information.
Use within 3 months of opening the foil pouch. Use as directed by your doctor or asthma nurse.
Shake before use. Use regularly. Full instructions for use can be found in the leaflet. Do not
store above 25°C. Do not refrigerate or freeze. The canister contains a pressurised liquid.
Do not expose to temperature higher than 50°C. Do not puncture, break or burn even when
apparently empty. Read the enclosed leaflet before use. Flutiform should NOT be used in
adolescents under 18 years of age and children. The peelable label on back face of a pouch
is for the patient to apply to the inhaler body once the foil pouch is opened.
KEEP OUT OF THE SIGHT AND REACH OF CHILDREN.
Manufactured by: Mundipharma DC B.V., 3832 RC Leusden, The Netherlands.
PL holder: B&S Healthcare, HA4 ONU, UK.
PL 18799/2922 ECMA: 14/555/12-C Int. Batch: 03A1582 Batch: 25088FA Exp: 07/2027
FLU250-10/120/CZ/B1 (R3)

Use extra sheets if required

Flutiform® 250microgram/10microgram per actuation pressurised inhalation, suspension 120 actuations **POM** **UK Only**

(fluticasone propionate/formoterol fumarate) For inhalation use
Each metered dose (ex-valve) contains 250micrograms of fluticasone propionate and 10micrograms of formoterol fumarate dihydrate. This is equivalent to a delivered dose (ex-actuator) of approximately 230micrograms of fluticasone propionate and 9micrograms of formoterol fumarate dihydrate. Also contains sodium cromoglicate, ethanol and apafurane HFA 227. Contains fluorinated greenhouse gases. See the leaflet for further information. Use within 3 months of opening the foil pouch. Use as directed by your doctor or asthma nurse. Shake before use. Use regularly. Full instructions for use can be found in the leaflet. Do not store above 25°C. Do not refrigerate or freeze. The canister contains a pressurised liquid. Do not expose to temperature higher than 50°C. Do not puncture, break or burn even when apparently empty. Read the enclosed leaflet before use.

Flutiform should NOT be used in adolescents under 18 years of age and children.
KEEP OUT OF THE SIGHT AND REACH OF CHILDREN. FLU250-10/120/CZ (R4)

Manufactured by: Mundipharma DC B.V., 3832 RC Leusden, The Netherlands. Procured from within the EU and repackaged by the Product Licence holder: B&S Healthcare, Ruislip, Middlesex, HA4 0NU, UK.
PL 18799/2922 ECMA: 14/555/12-C Int. Batch: 03A1582 Batch: 25088FA Exp: 07/2027
Flutiform is the registered trademark of Jagotec AG.

Flutiform® 250microgram/10microgram per actuation pressurised inhalation, suspension 120 actuations **POM** **UK Only**

(fluticasone propionate/formoterol fumarate) For inhalation use
Each metered dose (ex-valve) contains 250micrograms of fluticasone propionate and 10micrograms of formoterol fumarate dihydrate. This is equivalent to a delivered dose (ex-actuator) of approximately 230micrograms of fluticasone propionate and 9micrograms of formoterol fumarate dihydrate. Also contains sodium cromoglicate, ethanol and apafurane HFA 227. Contains fluorinated greenhouse gases. See the leaflet for further information. Use within 3 months of opening the foil pouch. Use as directed by your doctor or asthma nurse. Shake before use. Use regularly. Full instructions for use can be found in the leaflet. Do not store above 25°C. Do not refrigerate or freeze. The canister contains a pressurised liquid. Do not expose to temperature higher than 50°C. Do not puncture, break or burn even when apparently empty. Read the enclosed leaflet before use.

Flutiform should NOT be used in adolescents under 18 years of age and children.
KEEP OUT OF THE SIGHT AND REACH OF CHILDREN. FLU250-10/120/CZ (R4)

Manufactured by: Mundipharma DC B.V., 3832 RC Leusden, The Netherlands. Procured from within the EU and repackaged by the Product Licence holder: B&S Healthcare, Ruislip, Middlesex, HA4 0NU, UK.
PL 18799/2922 ECMA: 14/555/12-C Int. Batch: 03A1582 Batch: 25088FA Exp: 07/2027
Flutiform is the registered trademark of Jagotec AG.

Beauty
19 May 2026

Page 6 of 2/14.

03A1582

07/2027

Product Name Flutiform pressurised inhalation, suspension

Strength 250/10microgram

Pack Size 120 actuations

ECMA 14/555/12-C

PL No 18799/2922

PROCESS 6

Pre Assembly Quality check, Refer: SOP/PLPI/0052

Line Clearance Verifications: MSB 22 Apr 2026 07:08
(Initial, Date & Time)**Quality Check**

Prior to commencing detailed quality check, operator must confirm that all printed materials have been received.

Confirmed By
(Initial & Date)MSB
22 Apr 2026**Check labels/leaflets/Pre-printed cartons received are correct**Checked & Confirmed
(By Ticking ✓/X)

Type Of label

Reference code

Carton/Braille Label 1:

FLU250-10/120/CZ (R4)

✓

Blister Label 1:

FLU250-10/120/CZ/B1 (R3)

✓

Blister/Carton Label 2:

FLU250-10/120/CZ/B2 (R3)

✓

Leaflet 1:

FLU250-10/120/CZ/LT (R5)

✓

Other:

Other:

Other:

Other:

N/A

No of specimen:

01

No Of Leaflet Folds:

03

• Tamper seal per pack

01

• Stamp a Dot on the inner flap of the specimen pack and initial the Dot

• Details in working copy of BAR are satisfactory & Printed materials are correct

Confirmed by
(Initial & Date)MSB
22 Apr 2026

Comments

MSB 22 Apr 2026one (55 X 20) blank label used qty. 659**PROCESS 7**

Allocating batches to assembly rooms, Refer: SOP/PLPI/0037

Line Clearance Verifications: PC 15 May 2026 14:55
(Initial, Date & Time)**Production Controller**Check Product name, Strength,
Mfg. batch no, Exp date and Lot
size on the box label against the
BAR as populated in process 1

No. of Boxes:

12Confirmed by
(Initial & Date)PC 15 May 2026

03A1582

07/2027

Product Name
Flutiform pressurised inhalation, suspensionStrength
250/10microgramPack Size
120 actuationsECMA
14/555/12-CPL No
18799/2922**PROCESS 8**

Assembly in the rooms, Refer: SOP/PLPI/0007

Line Clearance Verifications: CR 15 May 2026 15:10
(Initial, Date & Time)

Assembly Room Number:

06

Briefing Done By: CR 15 May 2026 15:13
(Initial, Date & Time)

- 1) Verify allocated BNS Batch No on PLPI system against the BAR
- 2) Verify following checks of received materials against the BAR
- 3) Verify the specimen against the BAR

Type Of label	Reference code	Checked & Confirmed (By Ticking ✓/X)
Carton/Braille Label 1:	FLU250-10/120/CZ (R4)	✓
Blister Label 1:	FLU250-10/120/CZ/B1 (R3)	✓
Blister/Carton Label 2:	FLU250-10/120/CZ/B2 (R3)	✓
Leaflet 1:	FLU250-10/120/CZ/LT (R5)	✓
Other:	Blank Label	✓
Other:		
Other:	NIA	
Other:		

Room leader to confirm BAR, Printed Material & specimen are correct

Confirmed by
(Initial & Date)CR 15 May 2026**Product Random sample check against the BAR**

Box number:	01 708	02 708	03 708	04 708	05 708
Mfg. Lot no.:	25088FA	25088FA	25088FA	25088FA	25088FA
Exp. Date:	07/2027	07/2027	07/2027	07/2027	07/2027
Checked by (Initial & date):	CR 15 May 2026	CR 15 May 2026	CR 15 May 2026	CR 15 May 2026	CR 15 May 2026

03A1582

07/2027

Product Name	Flutiform pressurised inhalation, suspension
--------------	--

250/10microgram

120 actuations

14/555/12-C

18799/2922

Pack Check against BAR

Box Number

Mfg. Lot. No.

Exp. Date _____

Checked by
(Initial & Date)

06	108
----	-----

250 88 FA

07/2027

15 MAY 2026

07	08
----	----

250 88 FA

07	2027
----	------

15 MAY 2026

08408

25088 FA

07	2027
----	------

15 MAY 2026

01	104
----	-----

25088FA

07/2027

CRIS MAY 2026

02 704

250 88 FA

07/2027

15 MAY 2026

03 104

250 88 FA

07/2027

12 15 MAY 2026

04 907

25088FA

07 | 2027

15 MAY 2026

BAR V27 12-2024

Continuation 1

Page 1 of 1

03A1582

07/2027

Product Name Flutiform pressurised inhalation, suspension

Strength 250/10microgram

Pack Size 120 actuations

ECMA 14/555/12-C

PL No 18799/2922

In Process Checks

	IPC	IPC	IPC	IPC
Flutiform pressurised inhalation, suspension	/	/	/	/
250/10microgram	/	/	/	/
120 actuations	/	/	/	/
1	/	/	/	/
25088FA	/	/	/	/
03A1582	✓	/	/	/
07/2027	✓	/	/	/
18799/2922	✓	/	/	/
Placement of labels applied are verified against the specimen pack (By Ticking ✓ / X)	✓	✓	✓	✓

Time	15:36	16:17	16:56
Confirmed By (Initial & Date)	15 MAY 2026	15 MAY 2026	15 MAY 2026

Use extra sheets if required

03A1582

07/2027

Product Name Flutiform pressurised inhalation, suspension

Strength 250/10microgram

Pack Size 120 actuations

ECMA 14/555/12-C

PL No 18799/2922

Reconciliation: (Discrepancies - Both shortages and remaining printed material should be recorded here)**Discrepancy
Acceptable Limit:**+/-1% when Quantity >100
+/-1 Unit when Quantity <100
(Rounded to nearest whole number)

Type Of label	Reference code	Qty Received	Qty Used	Damages	Discrepancies (if any)(%)
Carton / Braille Label 1:	FLU250-10/120/CZ (R4)	657	650		07 Surplus
Blister Label 1:	FLU250-10/120/CZ/B1 (R3)	657	650		07 Surplus
Blister/ Carton 2:	FLU250-10/120/CZ/B2 (R3)	657	650		07 Surplus
Leaflet 1:	FLU250-10/120/CZ/LT (R5)	657	650		07 Surplus
Other:	Blank Label	657	650		07 Surplus
Other:					
Other:					
Other:					

No of packs produced: Total: 650

Retention
Sample : 1

Yield: 649

Damages: 00

Comment:

* Bar has been checked and found satisfactory - GP 15 May 2026

End of batch Line clearanceChecked & Confirmed
(By Ticking ✓/X)

- 1) Ensure waste materials is cleared from work surfaces & floor:
- 2) Ensure that waste bin is empty:
- 3) Remove Unwanted containers from room:
- 4) Ensure that no materials have been left from current operation:

✓
✓
✓
✓

Line Clearance Performed By: GP 15 May 2026 17:04
(Initial, Date & Time)

03A1582

07/2027

Product Name
Flutiform pressurised inhalation, suspensionStrength
250/10microgramPack Size
120 actuationsECMA
14/555/12-CPL No
18799/2922

PROCESS 10

QA Checking, Refer: SOP/PLPI/0009

Confirmed by
(Initial & Date)Random Sample taken
from Box Number:

01

RP3 18 May 2016

Line Clearance Verifications: RP3 18 May 2016 12:10
(Initial, Date & Time)

Check for the presences of following to documents	Yes/No	Comments
Supplier invoice and PCL	YU	
Mock UP and Braille Verification Sheet	YU	
Sample with backing-paper (if applicable)	NO	
Foreign Leaflet	YU	
Change of pack size form (if applicable)	NO	
Foreign Carton (if applicable)	NO	

Confirm that correct material has been used

Type Of label	Reference code	Checked & Confirmed (By Ticking ✓ or X)
Carton / Braille Label 1	FLU250-10/120/CZ (R4)	✓
Blister Label 1	FLU250-10/120/CZ/B1 (R3)	✓
Blister/Carton 2	FLU250-10/120/CZ/B2 (R3)	✓
Leaflet 1	FLU250-10/120/CZ/LT (R5)	✓
Other	Blank Label	✓
Other		
Other		
Other		

Comments (State any deviation, error, etc. relevant to this batch)

The Batch Assembly Record, ancillary paperwork attached and sample pack have been examined and found to be compliant.

Pre-QP Checker Signature:

RP3

Date:

18 May 2016

03A1582

07/2027

Product Name	Flutiform pressurised inhalation, suspension		
Strength	250/10microgram	Pack Size	120 actuations
ECMA	14/555/12-C	PL No	18799/2922

PROCESS 11**Batch Sentencing, Refer: SOP/PLPI/0010**

Sample pack from Lot No. _____ kept as the retention sample (For composite batches only)

Comments:

NONE

Declaration by Qualified Person:

I hereby certify that this is a true and accurate record of this process.

This batch has been assembled at Gowrie Laxmico Ltd T/A B&S Healthcare (Unit 4 Bradfield Road, Ruislip, Middlesex, HA4 0NU, England) in full compliance with national requirements for Parallel Imports and EU rules for Parallel Distribution.

The batch packaging record was reviewed and found to be in full compliance with the marketing Authorisation and GMP and duly released for sale.

For and on behalf of B&S Healthcare*: S TEWOLAEQuantity released: 649Signature: [Signature]Date: 19 MAY 2026*** Qualified Person in accordance with Directive 2001/83/EC & Human Medicines Regulations 2012/1916**

Surplus printed packaging material destroyed after QP Certification


Destroyed by (Sign & Date):

Braille label

Braille to be embossed on the carton label

Braille reads: flutiform #250 mcg/#10 mcg

Label size: 12cm x 6cm



Braille text has been added; if the foreign Braille does not match, then it will be embossed on the carton label made of permanent adhesive opaque blackout material that has been approved by the RNIB and MHRA. The label is plain white and semi gloss. This will not obscure the printed text on the carton label for the sighted patients. Please accept this as written assurance that the size of the Braille on the labels do correspond to the Marburg Medium specification.

The Braille will be embossed on the outer carton label and the existing foreign Braille on the imported carton will be obscured using this proposed outer carton label and if required by the clear label.

03A1582

07/2027

Product Name
Flutiform pressurised inhalation, suspensionStrength
250/10microgramPack Size
120 actuationsECMA
14/555/12-CPL No
18799/2922

Product for assembly

Flutiform suspenze k inhalaci v
tlakovem obalu

Assembled as

Flutiform pressurised inhalation,
suspension

Strength

Pack Size

250/10microgram

120 actuations

PL Number

Quantity

18799/2922

650

Barcode For Batch Start



Start

End

Date

15 May 2026

15 May 2026

Time

15:11

17:03


Initial

CR

CR

Barcode For Batch End





ADARTREL® 0.5mg Film-coated Tablets
(ropinirole hydrochloride) **28 Tablets**

Each film-coated tablet contains 0.5mg ropinirole (as hydrochloride). Also contains lactose monohydrate. See the leaflet for further information.

To be taken as directed by your doctor. For oral use.

Do not store above 25°C. Store in the original pack.

Read the enclosed leaflet before use.


POM

KEEP OUT OF THE SIGHT AND REACH OF CHILDREN.

ADARTREL® 0.5mg
Film-coated Tablets
(ropinirole hydrochloride) **28 Tablets**

pip
14828/15947

Seal pack using temper seal



UI Label not required

ADARTREL® 0.5mg Film-coated Tablets

(ropinirole hydrochloride)

28 Tablets

Procured from within the EU and repackaged by the Product
Licence holder: B&S Healthcare, Unit 4, Bradfield Road,
Ruislip, Middlesex, HA4 0NU, UK.

PC 05056225316888
SN 267254 AAC7A0A
IBN 08T0876
EXP 01/2023
0002

ADA0.5/28/ES/C

Dispensing label

Manufactured by:
Glaxo Wellcome S.A.,
Avenida de Extremadura 3,
09400 Aranda de Duero,
Burgos, Spain.
PL 18799/2070
ECMA: 67821
Batch: 6R3C
Adartrel is a registered
trademark of SmithKline
Beecham Ltd. ADA0.5/28/ES/V