

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

Author _____ Date _____

Yogeshkumar Vimalan
Business Analyst

Reviewer _____ Date _____

Amit Sanandiya
Project Manager

Reviewer _____ Date _____

Ronex Pereira
Team Leader

Reviewer _____ Date _____

Rajesh Patel
Team Leader

Approver _____ Date _____

Beauty Dadhaniya
Quality Specialist / RP

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

Revision History

Version	Previous version	Reason for revision	Issued
1	NA	New Functional Specification prepared for PLPI Batch Record Automation Phase 1 based on the approved URS.	Jul 2026

Functional Specification: PLPI Batch Record Automation FS/PLPI/PH1/v2.0

TABLE OF CONTENTS

Revision History	2
1. Introduction.....	4
1.1 Purpose of the document.....	4
1.2 Scope.....	4
1.3 Abbreviations	4
2. Overall Description	5
3. Functional Specification	5
3.1 Digital Goods Receiving Checklist and Packing List Module	5
3.2 RPi Pack Creation Module	9
3.3 RPi Approval Module	13
3.4 Batch Checker Module.....	17
3.5 Product Verification Pop-up	20
3.6 Print PCL Preview and Verification	21
3.7 Goods-In Summary	22
4. Non-Functional Specification.....	23
4.1 Audit Trail	27
4.2 Availability	27
4.3 Capacity Limits	27
4.4 Performance.....	27
4.5 Recoverability	27
4.6 Security Requirements	27
4.7 Error Handling	27
4.8 Usability	28
4.9 Accuracy & Validity	28
4.10 User Access and Responsibilities	28
4.11 Testing	28
4.12 Controlled Documents and Training	28
4.13 Support and Administration.....	28

Functional Specification: PLPI Batch Record Automation FS/PLPI/PH1/v2.0

1. Introduction

As defined in the URS, the PLPI Batch Record Automation project will digitalise the Goods Receiving Checklist and the associated Phase 1 workflow, from Goods-In receipt and Packing List processing through RP/RPi approval, India stock acceptance status reflection and Batch Checker/Product Check Log completion.

1.1 Purpose of the document

The purpose of this document is to define the functional specification for PLPI Batch Record Automation Phase 1 and meet the user needs described in the URS.

1.2 Scope

This document covers the Phase 1 functional changes for the digital Goods Receiving Checklist, Packing List, RP/RPi document review and approval, approved-pack email and acceptance-status reflection, and Batch Checker/Product Check Log workflow. Downstream BAR and production stages are excluded.

Out of Scope: - Following BAR and production stages are excluded in this scope.

1.3 Abbreviations

These abbreviations are used throughout this document.

IT	Information Technology
URS	User Requirement Specification
DS	Design Specification
FS	Functional Specification
PLPI	Parallel Import / PLPI system workflow
PO	Purchase Order
RP / RPi	Responsible Person / Responsible Person import
PCL	Product Check Log
BAR	Batch Assembly Record

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

GMP	Good Manufacturing Practice
EORI	Economic Operators Registration and Identification
WDA	Wholesale Distribution Authorisation
FMD	Falsified Medicines Directive
ECMA	European Centralised Marketing Authorisation
MFG	Manufacturing / manufacturer

2. Overall Description

This section provides a general description of the software characteristics and workflow behaviour. The controlled sequence is PO Initiated, Checklist Pending or In Progress, RPi Exception Review where required, Checklist Decision Approved and Accepted, Packing List Pending or Complete, RPi Pack in Progress or Ready for RPi Review, Returned for Correction or RPi Approved, PDF and Email Processed, Awaiting External Acceptance, Ready for Batch Check, and PCL Complete or Regulatory Review Required.

3. Functional Specification

This section describes the functional attributes of the software that will be implemented to meet the requirements defined in the URS.

3.1 Digital Goods Receiving Checklist and Packing List Module

3.1	Digital Goods Receiving Checklist and Packing List Module		
Priority	High		
Purpose	To implement WSC India PO entry and supplier-file upload, WSC checklist generation, Goods-In tablet completion, Team Lead decision, RPi exception approval and Checklist decision acceptance where required, followed by Packing List verification, line clearance and generation.		
Role	Authorised WSC India User, Goods-In User, Goods-In Team Lead and RP/RPi User		
Input	Field Name	Field type	Comments
	Add Packing List	Existing module - updated function	Used by WSC India to initiate the PO workflow.

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

	Supplier Invoice Upload	New file upload field	Uploads the Supplier Invoice against the PO.
	Supplier Packing List Upload	New file upload field	Uploads the Supplier Packing List against the PO.
	Supplier Declaration Upload	New file upload field	Uploads the Supplier Declaration against the PO.
	Generate Goods Receiving Checklist	New system integration/control	Generates the checklist from WSC and places it in the Goods-In tablet queue.
	Goods-In Team Queue	New tablet queue	Shows generated checklists awaiting Goods-In completion.
	Workflow Stepper	New system navigation	Shows Delivery details, Goods-In Team inspection and Information confirmed.
	PO Number	Existing WSC data - new tablet display	Displays the PO number or related PO numbers.
	Supplier	Existing WSC field - no change	Existing WSC value displayed read-only.
	Goods Receiving Checklist	Existing checklist - digitised	Display existing checklist on the tablet.
	Save Draft - Goods-In	New action	Retains the unfinished Goods-In record for continuation.
	Send for Goods-In Approval	New controlled action	Moves the completed Goods-In record to the Lead Approval queue.
	Lead Approval Queue	New tablet queue	Shows submitted records awaiting Goods-In Team Lead review.
	Submitted Details and Checks	New read-only approval view	Displays the Goods-In submission without allowing the Team Lead to amend it.
	Information Confirmed	Existing checklist approval field - digitised	Team Lead Yes / No decision. Yes, continues normally. No quarantines the stock and creates an

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

			exception task in the RPi QA Decision queue.
	Save Draft - Lead Approval	New action	Retains an unfinished Team Lead approval for continuation.
	Complete	New controlled action	Completes the Team Lead decision after mandatory controls are satisfied.
	Completed Preview	New read-only output	Displays the Team Lead-approved, locked and filed checklist PDF.
	QA Decision Section	Existing checklist section - digitised	Displays the completed Goods Receiving Checklist and submitted data read-only for RPi review.
	Review checklist	New queue action	Opens the completed Goods Receiving Checklist for an Information Confirmed No exception.
	QA Decision	Existing checklist decision - digitised	Allows one selection: Quarantine for investigation, Approved for unpacking or Reject.
	QA Comment	Existing text field - digitised	Records the RPi user review comment against the completed checklist.
	QA Name / Signature / Date	Existing approval details - system populated	Records the authenticated RPi user and approval date/time when the checklist is approved.
	Approve checklist	New controlled action	Enabled only when Approved for unpacking is selected and sends the approved decision to Packing List > Checklist decision.
	Checklist decision	New Packing List tab	Displays RPi-approved Goods Receiving Checklist exceptions awaiting Goods-In acceptance.
	Accept	New controlled action	Accepts the approved exception and makes the applicable PO or POs

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

			available in the View Packing List queue.
	Goods-In Line Clearance	Existing PLPI control - no change	Existing control; no field change required.
	Verify & print	New Packing List action	Verifies the line, prints labels and records user/date/time.
	LOG	New read-only Packing List log	Displays verification and printing status, user, date/time and comments.
Operations	WSC India enters the PO information in Add Packing List and uploads the Supplier Invoice, Supplier Packing List and Supplier Declaration. WSC generates the Goods Receiving Checklist for the Goods-In tablet queue. Goods-In completes the checklist and the Team Lead records Information Confirmed. A Yes decision continues to View Packing List. A No decision is quarantined and sent to the RPi QA Decision queue. The RPi user opens the completed checklist read-only, records one QA decision and a comment, and may select Approve checklist only when Approved for unpacking is selected. The approved decision appears in Packing List > Checklist decision, where Goods-In selects Accept to release the applicable PO or POs to View Packing List. Goods-In then completes Verify & Print, LOG review, line clearance and Packing List generation.		
Use case	WSC India initiates the receipt record, Goods-In completes the tablet inspection, the Team Lead records the decision, RPi reviews and records the QA decision for any No exception, Goods-In accepts an Approved for unpacking Checklist decision, and Goods-In completes the controlled Packing List activities.		
Output	PO-linked supplier files; generated tablet checklist; retained QA decision, comment and RPi attribution where applicable; normal or RPi-approved and Goods-In-accepted checklist decision; applicable PO or POs in the View Packing List queue; verified lines; LOG; line clearance; and generated Packing List automatically attached to its respective PO.		
DS ID	3.1		
URS ID	4.1.1 - 4.1.12		
Business Rule	Add Packing List files shall remain visible against the same PO without re-upload. A Team Lead Yes decision may proceed to View Packing List. A No decision shall remain quarantined. QA Decision selections shall be mutually exclusive; only Approved for unpacking shall enable Approve checklist and create the decision for Goods-In acceptance. Quarantine for investigation or Reject shall not release the checklist. Only the PO or POs recorded on the checklist shall form		

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	the individual or merged set. Each generated Packing List shall remain PO-specific and attach automatically.
--	--

3.2 RPi Pack Creation Module

3.2	RPi Pack Creation Module		
Priority	High		
Purpose	To provide a progressively populated RPi Pack Creation module in which source files originate from Add Packing List, workflow outputs attach automatically, checklist-related POs are grouped automatically, eligible same-supplier POs may also be merged or unmerged by Goods-In, shared files use one common reference, and Goods-In supplies only missing mandatory documents.		
Role	Goods-In User		
Input	Field Name	Field type	Comments
	RPi Pack Creation	New separate module	Opens the Goods-In-operated pack creation workflow.
	PO Queue Creation	New automatic system action	Creates the PO queue immediately from the Add Packing List entry.
	PO Number Search	New search field	Filters the RPi Pack Creation queue by PO number.
	Active PO Queue	New queue	Shows all POs created through Add Packing List and their current completion status.
	Queue Status	New read-only status	Shows Awaiting Checklist, Checklist In Progress, Exception Review, Checklist Decision Approved, Packing List Pending, Documents Pending, Ready for RPi Review, Returned for Correction or Corrected / Re-submitted.
	PO and Supplier Details	Existing data - new linked display	Displays the PO and supplier details originating from Add Packing List.
	Add Packing List Files	New automatic file linkage	Displays the Supplier Invoice, Supplier Packing List and Supplier Declaration already uploaded against the PO.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	Related PO Detection	New automatic system control	Reads all and only the PO numbers recorded on the completed Goods Receiving Checklist.
	Automatic Merged PO Set	New automatic system control	Creates one merged set containing all and only the multiple PO numbers recorded on the same completed Goods Receiving Checklist.
	Merge Selection	New checkbox	Allows Goods-In to select an eligible individual PO for a user-controlled merge.
	Merge selected POs	New controlled action	Enabled when at least two eligible POs are selected and creates a merged PO set after validation.
	Manual Merge Validation	New system validation	Requires the selected POs to have the same supplier and prevents a PO already in a merged set from being merged again.
	Merged PO Set	New read-only status	Displays all PO numbers included in an automatically or manually merged pack.
	Shared Documents	New document group	Uses one applicable common file from any member PO for the merged set. The same file reference remains available to each PO if the set is later unmerged.
	Completed Goods Receiving Checklist	Existing workflow output - automatic attachment	Links to the respective PO when single, or once as a shared document when multiple POs are merged.
	PO-Specific Documents	New document group	Retains Supplier Invoice, Supplier Packing List, generated Packing List and other PO-specific files against each PO. Additional Files is optional and does not block submission when absent.
	Generated PO Packing List	Existing generated document - automatic attachment	Attaches each generated Packing List automatically to its respective PO.

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

	Document Status	New read-only status	Shows Automatically attached, Uploaded or Upload required for each file.
	Diagnostic Batch	New checkbox	Identifies a diagnostic batch and removes Supplier Declaration from the mandatory document list for the individual or merged PO set.
	Contract Route	Existing data - new routing rule	Determines the submission route from the Contract value of every Packing List line in every included PO.
	Route Status	New read-only status	Shows whether the pack follows RPi Approval or the direct Stock Control route.
	Required Document Upload	New file upload field	Allows Goods-In to upload missing mandatory documents. Additional Files may be uploaded optionally.
	View File	New action	Opens an automatically attached or manually uploaded document.
	Re-upload	New controlled file action	Allows an uploaded document to be replaced while retaining the previous file/version and audit history.
	Additional Files	New optional file-upload field	Allows supporting files to be added when available; absence of Additional Files does not block submission.
	PO to Remove	New selection field	Selects a PO to remove from the merged set when correction is required.
	Reason for Unmerge	New mandatory text field	Records the reason before a PO can be removed.
	Unmerge Selected PO	New controlled action	Removes the selected PO while retaining the common shared-file reference for the remaining and removed PO records.
	Goods-In Operator	New read-only user field	Displays the authenticated Goods-In user completing pack submission.
	Date / Time	New read-only date/time	Records the RPi Pack Creation submission date and time.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	Send PO Set to RPi	New conditional controlled action	Submits the complete individual or merged pack to RPi Approval when the direct CON-G route does not apply.
	Send to Stock Control	New conditional action	Submits the pack directly to the configured Stock Control recipient when every Contract line in every included PO is CON-G.
	Pack Status	New read-only status	Shows progressive document and submission status.
Operations	Goods-In opens the pre-populated individual or automatically merged PO pack. Goods-In may also select at least two eligible same-supplier individual POs and use Merge selected POs, or unmerge a selected PO with a mandatory reason. The user reviews linked documents, re-uploads an incorrect file where required and uploads mandatory files marked Upload required; Additional Files remains optional. PLPI then evaluates Diagnostic Batch and the Contract route for the resulting PO set.		
Use case	Goods-In completes an individual, automatically merged or user-merged pack, corrects its membership where required, identifies a diagnostic batch where applicable and submits it through the route determined from all included Contract lines.		
Output	Progressively populated individual or merged pack with merge source and membership, document status, diagnostic-batch status, route status and either an RPi submission or a direct Stock Control PDF submission.		
DS ID	3.2		
URS ID	4.1.8, 4.1.12; 4.2.1 - 4.2.3; 4.2.6, 4.2.8 and 4.2.9		
Business Rule	PLPI shall automatically group only the PO or POs recorded on one completed checklist. Goods-In may also manually merge at least two eligible individual POs when the supplier is the same; a PO already in a merged set cannot be merged again. Unmerge requires a reason. One applicable common file from any member PO may be referenced as the shared file and remain available after unmerge. Re-upload retains document version and audit history. Diagnostic Batch applies to the full set, removes Supplier Declaration from the mandatory list and is reversible before submission. Direct Stock Control routing is permitted only when every Contract line in every included PO is CON-G; WHO, mixed, missing or unknown values follow RPi Approval. Missing mandatory documents block submission; Additional Files remains optional.		

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

3.3 RPi Approval Module

3.3	RPi Approval Module		
Priority	High		
Purpose	To provide RPi review of Goods Receiving Checklist exceptions and individual or merged packs, including approval or return, checklist completion, electronic sign-off, combined PDF generation and email transmission.		
Role	RP/RPi User		
Input	Field Name	Field type	Comments
	Search	New search field	Filters the RPi Approval queue by PO, supplier, batch or status.
	Active PO / Exception Queue	New queue	Shows RPi packs and Information Confirmed No exceptions with PO number(s), failed checklist checks, exception count, status and Review checklist action.
	Review checklist	New queue action	Opens the completed Goods Receiving Checklist with submitted values and signatures read-only.
	QA Decision	Existing checklist decision - digitised	Provides mutually exclusive Quarantine for investigation, Approved for unpacking and Reject selections.
	QA Comment	Existing text field - digitised	Records the RPi review comment retained with the checklist.
	QA Attribution	New system-populated audit values	Records the authenticated RPi user, electronic signature and approval date/time.
	Approve checklist	New controlled action	Enabled only for Approved for unpacking; records the QA approval and sends it to Packing List > Checklist decision.
	PO Card Status	New read-only status	Shows PO number(s), document completion, workflow status and rejection note.

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

	Required Document Tiles	New document viewer	Displays common and PO-specific files and each generated PO Packing List.
	View File	New action	Opens the selected file and records that it has been viewed.
	Approve File	New controlled action	Approves the selected document and automatically marks the mapped RPi approval-form checks as Yes with the source document identified.
	Approve	New action	Opens the RPi checklist after every required document has been approved.
	Reject	New controlled action	Allows an incorrect uploaded document pack to be returned to RPi Pack Creation with mandatory comments. Missing mandatory files are blocked before RPi submission.
	EORI Verification	New electronic Yes / No field	Records EORI verification.
	Commodity Code Verification	New electronic Yes / No field	Records commodity code verification.
	Supplier Status in FE	New electronic Active / Inactive field	Records supplier status in FE.
	Reason if Inactive	New conditional text field	Mandatory when Supplier Status in FE is Inactive.
	Collection Address Matches WDA	New electronic Yes / No field	Records the collection-address check.
	Authorised Transporter	New electronic	Records whether an authorised transporter was used.

Functional Specification: PLPI Batch Record Automation
FS/PLPI/PH1/v2.0

		Yes / No field	
	Transit Temperature Within Parameters	New electronic Yes / No field	Records the transit-temperature review.
	Storage-site Temperature Within Parameters	New electronic Yes / No / N/A field	Records the storage-site temperature review where applicable.
	Article 51 Supplier Declaration	New electronic Yes / No field	Records the Article 51 declaration check.
	Diagnostic Batch Status	New read-only status	Identifies a diagnostic pack received from RPi Pack Creation.
	Diagnostic Regulatory Checks	New system-populated N/A values	Sets Article 51 Supplier Declaration, FMD Compliance in Declaration and FMD Decommissioning Statement to N/A; Bollino / Vignette remains editable.
	FMD Compliance in Declaration	New electronic Yes / No field	Records the FMD compliance check.
	FMD Decommissioning Statement	New electronic Yes / No field	Records the decommissioning statement check.
	Bollino / Vignette Sticker Check	New electronic Yes / No / N/A field	Records the applicable sticker check.
	RPi Comments	New text area	Records review comments and decision context.
	Stock Suitable for Processing	New electronic Yes / No field	Records the Responsible Person conclusion.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	Deviation Required	New electronic Yes / No field	Records whether a deviation is required.
	Responsible Person	New read-only user field	Displays the authenticated Responsible Person.
	Date / Time	New read-only date/time	Displays the RPi sign-off date and time.
	Generate & sign	New controlled action	Completes RPi approval only when mandatory controls are satisfied, Stock Suitable for Processing is Yes and Deviation Required is No.
	Combined PDF	New generated output	Combines every document attached to and approved as part of the pack with the RPi approval form. Shared files are included once.
	Email Recipient	New configured value	sc.india@bnsdistribution.com
	Email Status	New read-only audit status	Records recipient, generation/send date and time and sending status.
Operations	For a Goods Receiving exception, the RPi user selects Review checklist, reviews the completed Goods Receiving Checklist and submitted signatures read-only, records one QA decision and a comment, and selects Approve checklist when Approved for unpacking is selected. PLPI records the authenticated RPi user and date/time and sends the approved decision to Packing List > Checklist decision. For a submitted RPi-route pack, every mandatory file is present. The RPi user views and approves each required document. For a diagnostic pack, Supplier Declaration is omitted and the three applicable regulatory checks are N/A while Bollino / Vignette remains editable. Direct all-CON-G packs bypass this queue.		
Use case	The Responsible Person reviews completed Goods Receiving Checklists requiring a QA decision and reviews and signs a complete individual or merged digital pack.		
Output	Goods Receiving QA decision with comment, user and date/time; or an approved/returned pack decision with user/date/time. An		

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	approved pack produces one combined PDF containing all attached and approved documents plus the RPi approval form.
DS ID	3.3
URS ID	4.1.3; 4.2.4 - 4.2.9
Business Rule	For a Goods Receiving exception, only one QA Decision may be selected. Approve checklist remains disabled unless Approved for unpacking is selected; Quarantine for investigation or Reject does not release the checklist to Packing List. Missing mandatory files prevent submission to RPi. Pack approval requires all required documents to be approved. Import / Export, CMR, Temperature Record and Supplier Declaration approvals mark their mapped checks as Yes and identify the source document. For Diagnostic Batch, Supplier Declaration is not required and Article 51, FMD Compliance and FMD Decommissioning are N/A; Bollino / Vignette remains editable. Deselecting Diagnostic Batch before submission restores the Supplier Declaration requirement and clears the automatic N/A values. Direct all-CON-G packs do not enter RPi Approval and do not produce an RPi approval form. An incorrect uploaded file may be returned with mandatory comments. Generate & sign remains unavailable when Stock Suitable for Processing is No or Deviation Required is Yes. Shared files require one approval for the merged set.

3.4 Batch Checker Module

3.4	Batch Checker Module		
Priority	High		
Purpose	To provide the new eligible-PO worklist and the updated Batch Checker line, Product Verification and print controls.		
Role	Batch Checker		
Input	Field Name	Field type	Comments
	Existing Batch Checker fields	Existing fields - no change	All existing Batch Checker fields remain unchanged.
	Supplier Declaration	New document link	Opens the Supplier Declaration from the approved pack.
	Temperature Record	New document link	Opens the applicable Temperature Record.
	INVOICE_FILE	Existing field -	Displays a View invoice button for every Batch Checker line.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

		updated function	
	View invoice	New line-level action	Opens the Supplier Invoice uploaded during RPi Pack Creation for the applicable PO.
	Batch Check	Existing button - updated logic	Opens Product Verification for the selected line only after Manufacturer is selected.
	Print PCL	Existing button - updated logic	Available for first print after Product Verification is saved and for controlled reprint with a mandatory reason.
	Printed PCL line status	New visual status	Displays a printed line in a different completed colour while keeping the line editable.
	Split after PCL print	Existing Split action - updated reset logic	When Split changes Batch No., Quantity or Expiry Date on a printed line, resets the PCL and Product Verification state for the affected lines and treats them as new entries.
	RPi Approved PO List	New Screen 1 worklist	Lists externally accepted RPi-approved and direct Stock Control accepted CON-G POs available to the Batch Checker.
	Screen 1 filters	New filter controls	Filters the worklist using Supplier, Invoice No., Contract Supplier, IMP, Batch No. and Product.
	PO summary columns	New read-only summary	Displays one row per eligible PO. Invoice, Product and Batch No. show the distinct values for that PO, while Quantity and Boxes show totals across its current lines.
	Open PO	New row action	Opens the selected PO in the detailed Batch Checker line screen.
	Split	Existing action - no change	Uses the existing split behaviour for Batch No., Quantity and Expiry Date.
	PCL Cold Chain Continuation	Existing conditional action - no change	Retains the existing cold-chain continuation action where applicable.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	Manufacturer	Existing field - updated gate	Must contain a valid manufacturer before Batch Check can be opened.
	Reprint Reason	New mandatory text field	Required before reprinting a PCL, cold-chain continuation, Box Label or Goods-In Label.
	Print/Reprint History	New audit history	Retains output type, reason where applicable, user and date/time for each print event.
	PCL Comments	New conditional mandatory text area	Captures comments included in the printed PCL and is mandatory when any Product Verification check is incomplete.
Operations	After external acceptance is reflected in PLPI, Screen 1 displays one summarized row per eligible RPi-approved or direct Stock Control accepted CON-G PO. Selecting a PO opens the existing detailed line screen. Manufacturer comes from the existing PLPI manufacturer selection, while Supplier Declaration where applicable, Temperature Record and Supplier Invoice open the retained pack documents. Product Verification may be saved with incomplete checks. Before an incomplete PCL can be printed as a Regulatory review copy, the Batch Checker must enter a Regulatory comment. The copy remains incomplete for downstream release. If Split changes a printed line, the affected verification and PCL states are reset.		
Use case	Batch Checker selects an eligible PO, reviews its product lines and evidence, saves Product Verification and prints or reprints-controlled outputs.		
Output	One-row-per-PO worklist, selected product line with saved check status, complete or Regulatory review PCL output, retained print history and Split-triggered reset status.		
DS ID	3.4		
URS ID	4.3.1 - 4.3.12		
Business Rule	Screen 1 shall show one row per eligible PO after external acceptance is reflected, whether the PO completed RPi Approval or the direct all-CON-G Stock Control route. Saving Product Verification with incomplete checks is permitted; Print PCL remains disabled until a Regulatory comment is entered, and the resulting Regulatory review copy does not satisfy downstream release. A mandatory reason shall be captured for each applicable reprint. Split remains existing but resets the affected printed lines.		

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

3.5 Product Verification Pop-up

3.5	Product Verification Pop-up		
Priority	High		
Purpose	To display and save the applicable product checks for the selected Batch Checker line.		
Role	Batch Checker		
Input	Field Name	Field type	Comments
	Product Verification	New pop-up	Displays the applicable verification checks for the selected product line.
	Verification Details	Existing data - new read-only display	Displays the applicable product, batch, PO and supporting details.
	Verification Checks	New selectable checkboxes	Stores selected checks as complete and unselected checks as incomplete. An incomplete save may be printed for physical submission to Regulatory only after a Regulatory comment is entered.
	Save Batch Check	New controlled action	Saves the current check statuses and records user/date/time.
	Cancel / Close	New action	Closes the pop-up without overwriting the last saved record.
Operations	The Batch Checker selects one product line and clicks Batch Check. Manufacturer and Manufacturer Address come from the existing PLPI manufacturer selection; product, batch, country, invoice, quantity, ECMA and leaflet values come from the selected Batch Checker line and linked approved pack evidence. PLPI saves completed and incomplete checks and records the Batch Checker user, date and time.		
Use case	Batch Checker verifies the selected product against system data, supplier documents and the received product.		
Output	Saved Product Verification record with every check status and electronic attribution; an incomplete record remains open and may produce an incomplete Regulatory review PCL after a Regulatory comment is entered.		
DS ID	3.5		
URS ID	4.3.3, 4.3.7, 4.3.9, 4.3.12		
Business Rule	A selected product line and valid Manufacturer are required. Save Batch Check stores each selected and unselected check. Incomplete		

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

	checks remain incomplete for downstream release and require a Regulatory comment before printing for Regulatory review. Cancel or Close does not overwrite the last saved record. Splitting a printed line invalidates the affected verification and requires a new save.
--	---

3.6 Print PCL Preview and Verification

3.6	Print PCL Preview and Verification		
Priority	High		
Purpose	To display the saved Product Verification result, line clearance and comments before controlled PCL printing.		
Role	Batch Checker		
Input	Field Name	Field type	Comments
	PCL Preview	New pop-up preview	Displays the PCL for the product line after Product Verification is saved.
	Saved Details	Existing data - new read-only display	Displays the applicable product, batch, supplier and document details from the saved record.
	Saved Check Status	New read-only status display	Displays every completed and incomplete Product Verification check. An incomplete output is identified as a Regulatory review copy.
	Line Clearance	New mandatory confirmation	Records area, product and documentation clearance.
	Verify and print	New controlled action	Prints the PCL and records status, user and date/time; reprint also requires and records a reason.
	Close	New action	Closes the preview without marking the PCL as printed.
	Print Status	New read-only audit status	Shows each successful print or reprint event with user, date and time.
	PCL Comments	New conditional mandatory text area	Captures comments included in the printed PCL and is mandatory when any Product Verification check is incomplete.
	Reprint Reason	New mandatory text field	Required before a PCL is reprinted.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

Operations	After Product Verification is saved, Print PCL displays each completed and incomplete check, line-clearance evidence and comments. If any check is incomplete, the Regulatory comment is mandatory and Print PCL remains disabled until it is entered. PLPI then identifies the output as an incomplete Regulatory review copy for physical submission to Regulatory and keeps downstream release blocked. If all checks are complete, the normal PCL may be printed. A reprint requires a reason. If Split changes a printed line, the affected lines return to new-entry status.
Use case	Batch Checker reviews the saved check status and prints either the complete PCL or an incomplete Regulatory review copy.
Output	Complete PCL or incomplete Regulatory review copy containing the saved checks and required Regulatory comment, with retained print history and downstream status.
DS ID	3.6
URS ID	4.3.4 - 4.3.8, 4.3.11, 4.3.12
Business Rule	Print PCL requires a saved Product Verification record. Incomplete checks require a Regulatory comment before Print PCL is enabled; the resulting Regulatory review copy does not complete the downstream gate. Reprint requires a reason. A Split after printing resets the affected lines. Each print, reprint and reset is auditable.

3.7 Goods-In Summary

3.7	Goods-In Summary		
Priority	High		
Purpose	To provide authorised users with a read-only summary of Goods-In and RPi workflow status and action history for individual or merged PO records.		
Role	Authorised Business, QA, Operations and IT User		
Input	Field Name	Field type	Comments
	Goods-In Summary	New read-only module	Opens the workflow summary for authorised users.
	PO Number Search	New search field	Filters summaries by PO number.
	PO Number(s)	New read-only field	Displays the individual PO or merged PO set.
	Supplier	Existing data -	Displays the supplier linked to the PO record.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

		new read-only display	
	Current Stage	New read-only status	Displays the current Goods-In or RPi workflow stage.
	Last Updated	New read-only date/time	Displays the latest recorded workflow action time.
	View Summary	New action	Opens the selected PO summary.
	Action History	New read-only log	Displays stage, action, user and date/time.
	View Summary PDF	New read-only preview action	Opens the generated Goods-In Summary PDF preview.
Operations	The user searches by PO number, opens the applicable individual or merged PO summary, reviews the current stage and action history, and may open the read-only summary PDF.		
Use case	An authorised user reviews the recorded Goods-In and RPi workflow without changing the operational record.		
Output	Read-only PO summary, current stage, last update, action history and summary PDF preview.		
DS ID	3.7		
URS ID	4.4.1		
Business Rule	The module is new and read-only. Individual and merged PO relationships shall be retained. Summary data shall be generated from recorded workflow actions and shall not permit operational changes.		

4. Non-Functional Specification

This section provides complete URS-to-FS traceability and defines the non-functional controls for PLPI Batch Record Automation Phase 1, including user access, testing, documentation and support.

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.1.1 / DS: 3.1	WSC-Generated Tablet Checklist and Lead Approval	Generate the checklist from WSC, complete it in Goods-In, route it to Team Lead approval and file the locked PDF.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.1.2 / DS: 3.1	Driver Signature and Line Clearance	Capture the driver signature and authenticated Goods-In line-clearance record.
URS: 4.1.3 / DS: 3.1, 3.3	Team Lead Decision and RPi QA Exception Review	Route Information Confirmed No to the QA Decision queue, display the completed checklist read-only, record the mutually exclusive decision and attribution, and send Approved for unpacking to Packing List for Goods-In acceptance.
URS: 4.1.4 / DS: 3.1	Add Packing List Queue and File Linkage	Create the RPi PO queue immediately and link the three uploaded supplier files.
URS: 4.1.5 / DS: 3.1	Verify & print	Verify Packing List lines and print the required labels.
URS: 4.1.6 / DS: 3.1	Packing List LOG	Display verification and printing status, user, date/time and comments.
URS: 4.1.7 / DS: 3.1	Goods-In Checks	Complete the required verification and line-clearance checks.
URS: 4.1.8 / DS: 3.1, 3.2	Automatic Supporting-Documents Availability	Make source uploads, completed checklist and generated Packing List available without re-upload.
URS: 4.1.9 / DS: 3.1	Document Verification	Require mandatory document verification before Goods-In sign-off.
URS: 4.1.10 / DS: 3.1	Goods-In Attribution	Capture Goods-In user, role, date and time for controlled actions.
URS: 4.1.11 / DS: 3.1	Packing List Generation Gate	Enable generation after required verification, printing and line clearance.
URS: 4.1.12 / DS: 3.1, 3.2	Controlled Handoff	Control generated Packing List changes and release after any required RPi exception approval and Goods-In acceptance.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.2.1 / DS: 3.2	Progressive RPi Pack Creation Queue	Provide and progressively populate the Goods-In-operated RPi Pack Creation module from Add Packing List onward.
URS: 4.2.2 / DS: 3.2	Missing-Document Completion	Allow Goods-In to upload only missing documents before submission.
URS: 4.2.3 / DS: 3.2	Automatic and User-Controlled PO Merge and Shared Documents	Automatically group POs from one completed checklist; allow eligible same-supplier POs to be manually merged or unmerged; retain shared files once and preserve PO-specific documents.
URS: 4.2.4 / DS: 3.3	RPi Document Review Gate	Require every mandatory file before submission, require document approval, automatically mark mapped approval-form checks as Yes and permit return of an incorrect uploaded file with comments.
URS: 4.2.5 / DS: 3.3	RPi Decision Audit	Record approval or rejection with authenticated attribution.
URS: 4.2.6 / DS: 3.2, 3.3	Correction and Unmerge Control	Return rejected packs, record unmerge reasons and control approved changes.
URS: 4.2.7 / DS: 3.3	Combined PDF and External Submission	Generate one PDF containing every attached and approved document plus the RPi approval form, send it to the configured recipient and retain processing evidence.
URS: 4.2.8 / DS: 3.2, 3.3	Diagnostic Batch	Remove Supplier Declaration from the mandatory set and record the applicable RPi checks as N/A while retaining editable Bollino / Vignette.
URS: 4.2.9 / DS: 3.2 - 3.4	Direct CON-G Stock Control Route	Route only an all-CON-G individual or merged pack directly to Stock Control and return accepted POs to the normal Batch Checker route.
URS: 4.3.1 / DS: 3.4	New eligible PO worklist	List eligible RPi-approved and direct Stock Control accepted CON-G POs after external acceptance is reflected in PLPI.
URS: 4.3.2 / DS: 3.4	Batch Checker Evidence	Display required PO, product, batch and supporting evidence.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.3.3 / DS: 3.5	Product Verification	Open Product Verification and save completed and incomplete checks.
URS: 4.3.4 / DS: 3.6	PCL Preview and Print	Preview saved check statuses and require a Regulatory comment before printing an incomplete Regulatory review copy.
URS: 4.3.5 / DS: 3.6	Batch Checker Line Clearance	Record required area, product and documentation clearance.
URS: 4.3.6 / DS: 3.6	PCL Generation Gate	Allow PCL generation after Product Verification is saved.
URS: 4.3.7 / DS: 3.5, 3.6	Batch Checker Attribution	Capture user, role, date and time for verification and PCL actions.
URS: 4.3.8 / DS: 3.4, 3.6	Downstream Gate	Block downstream release while checks remain incomplete or until applicable Regulatory review and PCL requirements are complete.
URS: 4.3.9 / DS: 3.4, 3.5	Approved PO Line Control	Review approved PO lines and control changes before final completion.
URS: 4.4.1 / DS: 3.7	Goods-In Summary	Provide a read-only Goods-In and RPi workflow summary and history.
URS: 4.3.10 / DS: 3.4	View Invoice	Open the Supplier Invoice linked through RPi Pack Creation from the existing INVOICE_FILE field.
URS: 4.3.11 / DS: 3.4, 3.6	Print and Reprint Controls	Allow controlled printing and require a reason for each PCL, cold-chain continuation, Box Label or Goods-In Label reprint.
URS: 4.3.12 / DS: 3.4 - 3.6	Post-print Edit Reset	Reset the printed and Product Verification state of affected lines when a printed line is changed through Split.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

4.1 Audit Trail

The system shall retain audit records for WSC India PO creation and source-file upload, automatic RPi Pack Creation queue creation, checklist and Packing List attachment, automatic and user-controlled PO merge, shared-document linkage, file re-upload/versioning, unmerge actions, RPi Approval, PDF/email, Batch Checker invoice viewing, Product Verification, PCL print/reprint, edit-triggered PCL reset and Goods-In Summary access.

4.2 Availability

The PLPI Phase 1 functions shall be available to authorised WSC India, Goods-In, RP/RPi, Batch Checker, QA/RP, Operations and IT users during agreed operational hours.

4.3 Capacity Limits

The system shall support the expected operational volume of tablet checklist records, Add Packing List uploads, Packing Lists, individual and merged RPi packs, approval records, combined PDFs, email records, Product Verification records, PCL outputs and Goods-In Summary history.

4.4 Performance

PO and queue search, tablet checklist actions, file upload, Verify & Print, LOG display, PO merge/unmerge, document viewing, RPi Approval, PDF generation, email status, Product Verification, PCL preview/printing and Goods-In Summary shall complete within agreed operational response times.

4.5 Recoverability

An unfinished Goods-In checklist or Team Lead approval retained through Save draft shall remain available for continuation. Completed approval, filed PDF and committed workflow states shall recover without duplication or loss.

4.6 Security Requirements

Access shall be role based. WSC India users shall use Add Packing List and its file-upload controls. Goods-In users shall complete the tablet checklist, Packing List verification and the separate RPi Pack Creation module. RP/RPi users shall use RPi Approval. Batch Checker actions shall remain limited to authorised users. Completed or approved records shall be read-only except through controlled correction.

4.7 Error Handling

The system shall validate mandatory Goods-In details, signatures, inspection checks and the Team Lead decision. A No decision shall enter RPi Exception Review and remain quarantined until RPi approval appears in Checklist decision and Goods-In selects Accept. Missing mandatory pack files shall prevent RPi submission; Additional Files shall remain optional.

Functional Specification: PLPI Batch Record Automation

FS/PLPI/PH1/v2.0

4.8 Usability

The tablet workflow shall provide separate Goods-In Team and Lead Approval queues, a clear three-stage stepper, locked WSC-loaded values, touch-suitable controls, signature areas, visible draft status and a locked completed PDF without overlap or truncation.

4.9 Accuracy & Validity

PO, checklist decisions, shared-file references, WSC-loaded values, signatures, line clearance, approved pack documents, Product Verification, complete or incomplete PCL output and PDF/email records shall remain linked through controlled identifiers and reflect the committed source record.

4.10 User Access and Responsibilities

WSC India enters PO details and uploads the three supplier files. Goods-In completes the tablet checklist. The Team Lead Yes route continues normally; a No route is approved by RPi and accepted by Goods-In in Packing List > Checklist decision before View Packing List. Goods-In uploads missing mandatory RPi pack files; Additional Files is optional.

4.11 Testing

Verification testing shall cover Add Packing List source linkage; Goods Receiving No routing to the RPi QA Decision queue; Approved for unpacking visibility in Checklist decision; Goods-In Accept release to View Packing List; automatic merge of only the POs recorded on one checklist; manual same-supplier merge validation; prevention of re-merging an already grouped PO; shared-file references after unmerge; document re-upload/version history; mandatory versus optional Additional Files; incorrect-file return; combined PDF contents; incomplete Regulatory review PCL printing; and Split-triggered verification reset.

4.12 Controlled Documents and Training

Applicable SOPs, work instructions and training shall describe WSC PO entry and checklist generation, Team Lead Yes and No routes, RPi exception approval, Checklist decision acceptance, Packing List generation, mandatory and optional RPi documents, RPi Approval, combined PDF/email, incomplete Regulatory review PCL handling, Split reset and Goods-In Summary.

4.13 Support and Administration

IT shall support PLPI access, configuration, queues, document upload and storage, RPi Pack Creation, PO merge/unmerge controls, PDF/email services, Goods-In Summary, audit retrieval, backup/recovery and incident resolution. Business, QA/RP and Operations shall own process decisions and controlled master data.