

Functional Specification: PLPI Batch Record Automation Phase 2
PLPI/BAR/FS/01/v1

Author _____ Date _____

Yogeshkumar Vimalan

Business Analyst

Reviewer _____ Date _____

Amit Sanandiya

Project Manager

Reviewer _____ Date _____

Juston Rodrigues

Team Leader

Reviewer _____ Date _____

Anthony Fernandes

Team Leader

Approver _____ Date _____

Beauty Dadhaniya

QA

Functional Specification: PLPI Batch Record Automation Phase 2
PLPI/BAR/FS/01/v1

Revision History

Version	Previous version	Reason for revision	Issued
1	NA	New Functional Specification prepared for PLPI Batch Record Automation Phase 2 covering B&S Batch Add, Printing modules and Leaflet Folding.	Aug 2026

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

TABLE OF CONTENTS

Revision History	2
1. Introduction.....	4
1.1 Purpose of the document.....	4
1.2 Scope.....	4
1.3 Abbreviations	4
2. Overall Description	5
3. Functional Specification	5
3.1 B&S Batch Add and BAR Creation Module	5
3.2 Printing Module - Common Controls	7
3.3 Label Printing Module.....	9
3.4 Leaflet Printing Module.....	11
3.5 Carton Issuing Module	12
3.6 Braille Printing Module	14
3.7 Leaflet Folding Module	15
4. Non-Functional Specification.....	17
4.1 Audit Trail	19
4.2 Availability	19
4.3 Capacity Limits	19
4.4 Performance.....	20
4.5 Recoverability.....	20
4.6 Security Requirements	20
4.7 Error Handling	20
4.8 Usability	20
4.9 Accuracy & Validity	20
4.10 User Access and Responsibilities	20
4.11 Testing	21
4.12 Controlled Documents and Training	21
4.13 Support and Administration.....	21

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

1. Introduction

As defined in the approved URS, PLPI Batch Record Automation Phase 2 will digitalise the workflow from B&S Batch Add and electronic BAR creation through route-based printing and Leaflet Folding, while retaining controlled GMP checks, attribution and audit history.

1.1 Purpose of the document

The purpose of this document is to define the functional specification for PLPI Batch Record Automation Phase 2 and describe the functional behaviour required to meet the approved URS.

1.2 Scope

This document covers B&S Batch Add and BAR creation, BAR verification and digital line clearance, the Printer module, Label Printing, Leaflet Printing, Carton Issuing, Braille Printing where required, and Leaflet Folding.

Out of Scope: Pre-Assembly, Production Control, assembly-room activities, Post-Assembly QC, Pre-QP and QP Approval are excluded except for the controlled handoff from Leaflet Folding.

1.3 Abbreviations

These abbreviations are used throughout this document.

IT	Information Technology
URS	User Requirement Specification
DS	Design Specification
FS	Functional Specification
PLPI	Parallel Import / PLPI system workflow
BAR	Batch Assembly Record
PCL	Product Check Log
B&S	B&S Batch Add / batch identifier

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

GMP	Good Manufacturing Practice
MFG	Manufacturing / manufacturer
QP	Qualified Person
RP / RPi	Responsible Person / Responsible Person import
QA	Quality Assurance
PDF	Portable Document Format
ECMA	European Centralised Marketing Authorisation

2. Overall Description

This section provides a general description of the Phase 2 workflow. An eligible checked batch is selected in B&S Batch Add, one electronic BAR is generated and signed after verification and digital line clearance, and the batch enters Label Printing. Where required, it continues through Leaflet Printing and then through Carton Issuing for reboxing or Braille Printing for applicable relabelling. When all route-specific printing is complete, the batch enters Leaflet Folding and is handed to the next configured process stage.

3. Functional Specification

This section describes the functional attributes and controlled workflow behaviour that will be implemented to meet the approved Phase 2 URS.

3.1 B&S Batch Add and BAR Creation Module

3.1	B&S Batch Add and BAR Creation Module		
Priority	High		
Purpose	To select eligible B&S batch records, create one controlled electronic BAR, complete BAR verification and digital line clearance, and release the signed batch to Label Printing.		
Role	Authorised B&S Batch Add / BAR Creation User		
Input	Field Name	Field type	Comments
	Country	Existing search field	Filters eligible products by country.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.1	B&S Batch Add and BAR Creation Module		
	Site	Existing search field	Filters eligible products by site.
	Category	Existing search field	Filters by Reboxing or Relabelling route.
	Status	Existing search field - updated values	Filters Not Printed BAR and Printed BAR records.
	Batch Number	Existing search field	Finds the applicable B&S batch record.
	Product Selection	Existing grid control - updated function	Allows one or more compatible source rows to be selected for BAR generation.
	Batch/Product Details	Existing data - new controlled display	Displays product status, site, country, part number, ECMA, strength, pack size, batch, expiry, quantity, IMP, invoice, warehouse, supplier and route data.
	Generate BAR	New controlled action	Creates one electronic BAR from the confirmed eligible selection.
	Print Batch Details	New action	Opens the controlled batch-detail output for printing.
	Generated BAR	New controlled document	Provides the populated BAR for review.
	Line Clearance Checks	Existing control - digitised	Records each required B&S line-clearance confirmation.
	Comments	New text area	Records relevant BAR or line-clearance comments.
Operations	The authorised user opens B&S Batch Add, applies the available filters and selects the eligible batch record or compatible source records. The system displays the selected product, batch, quantity, expiry, location and process-route information. Generate BAR creates one controlled electronic BAR while retaining traceability to the source selection. The user opens the generated BAR, completes the required verification and digital line-clearance checks, enters		

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.1	B&S Batch Add and BAR Creation Module
	comments where needed and selects User Sign Off. The signed batch is removed from B&S Batch Add and becomes available in the Printer module under Label Printing.
Use case	A BAR Creation user finds an eligible checked batch, confirms the batch and route data, generates the BAR, completes line clearance and signs the record for printing.
Output	Controlled electronic BAR; retained source-record linkage; completed B&S line-clearance record; authenticated sign-off; and an eligible batch in the Label Printing queue.
DS ID	3.1
URS ID	4.1.2 - 4.1.7
Business Rule	Only eligible records shall be selectable. Combined source records shall use compatible product, batch and expiry criteria. One confirmed selection shall create one controlled BAR. Sign-off shall remain unavailable until mandatory BAR and line-clearance checks are complete. Completed records shall not be generated again and shall retain the user, role, date and time.

3.2 Printing Module - Common Controls

3.2	Printing Module - Common Controls		
Priority	High		
Purpose	To provide a single Printer entry point, route-controlled work queues and common document, quantity, completion and audit controls for Label Printing, Leaflet Printing, Carton Issuing and Braille Printing.		
Role	Authorised Printer User		
Input	Field Name	Field type	Comments
	Printer Menu	New module menu	Provides Label Printing, Leaflet Printing, Carton Issuing and Braille Printing options.
	Active / In Progress Counts	New read-only indicators	Shows the current workload for each printing option.
	B&S Batch Number	New queue search field	Searches the selected printing queue by B&S batch number.
	MFG Lot No	New queue search field	Searches the selected printing queue by manufacturing lot number.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.2		Printing Module - Common Controls	
	Printing Queue	New controlled list	Displays only batches eligible for the selected printing stage.
	Batch Summary	New read-only display	Shows batch, product, strength, pack size, ECMA, expiry, required quantity and status.
	Approved BAR and Artwork	New controlled document access	Opens the populated BAR, approved component artwork and supporting records for the selected batch.
	Print	New controlled action	Opens the applicable print or PDF workflow for the selected component line.
	Extra Quantity / Reason	New controlled fields	Records additional quantity and requires a reason where the approved quantity is exceeded.
	Line Completion	New controlled status	Records component-line completion and the completing user/date.
	Print Done	New controlled action	Completes the applicable printing stage after all required lines are complete.
Operations	The Printer user opens the Printer menu and selects the required module. Each option opens its own eligibility-controlled queue and supports search by B&S batch number or manufacturing lot number. Selecting a row opens the batch summary, approved documents and the applicable component lines. Label, Leaflet and Braille Printing use the same core sequence: review the reference and required quantity, complete the required test or master check, print the approved quantity, record extra quantity with a reason where applicable, complete each line and select Print Done. Carton Issuing uses the same batch, quantity, extra-reason, completion and audit principles but records issued cartons rather than a print run.		
Use case	A Printer user selects the applicable printing option, opens an eligible batch, reviews the controlled documents, completes the required component lines and releases the batch to its next route-defined activity.		
Output	Stage-specific printing record; quantities and reasons; component-line status; user/date attribution; updated batch status; and route-controlled handoff.		
DS ID	3.2		

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.2	Printing Module - Common Controls
URS ID	4.2.1 - 4.2.3, 4.2.5, 4.2.8
Business Rule	A batch shall appear only in queues permitted by its completed prior stage and approved route. Shared controls shall behave consistently across Label, Leaflet and Braille Printing. Print Done shall remain unavailable until each mandatory line is complete. Extra quantities shall require a reason. Controlled actions shall be retained in the audit history.

3.3 Label Printing Module

3.3	Label Printing Module		
Priority	High		
Purpose	To print and complete every label line required by the approved BAR route before the batch moves to Leaflet Printing or the next applicable stage.		
Role	Authorised Printer User		
Input	Field Name	Field type	Comments
	Label Printing List	New controlled queue	Lists BAR-signed batches ready for label printing.
	Label	New read-only line value	Identifies each required label type.
	Reference	New read-only line value	Displays the approved label reference.
	Size	New read-only line value	Displays the approved label size.
	Required Quantity	New read-only quantity	Displays the quantity derived from the batch route.
	Location / In Hand Quantity	Existing stock data - new display	Shows the material location and available stock.
	Change of Pack Size	Existing route information	For reboxing, requires Received As and Assembled As details and sign-off before label printing.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.3	Label Printing Module		
		- digitised control	
	Test Print	New controlled print action	Produces the test label for acceptance before the full run where required.
	Print / Print Extra	New controlled actions	Records required and additional label quantities.
	Line Completion	New controlled status	Shows Pending or Done for each label line.
	Completed By / Date	New read-only audit display	Shows the authenticated user and completion time for each line.
	Print Done	New controlled action	Finalises Label Printing when all required lines are complete.
Operations	The Printer user opens Label Printing and selects a BAR-signed batch. The system derives and displays the label lines required by the approved Reboxing or Relabelling route. For a reboxing batch, the Received As and Assembled As sections must be completed and signed before printing. The user reviews the approved references, performs the test print where required, prints each label line and records any extra quantity and reason. Each completed line shows Done with user/date attribution. When every required line is complete, Print Done finalises Label Printing and routes the batch to Leaflet Printing where required.		
Use case	A Printer user completes all route-derived label lines for an approved BAR and confirms the batch ready for the next printing activity.		
Output	Completed label lines; print quantities and extra reasons; line-level audit attribution; final Label Printing status; and handoff to Leaflet Printing or the next applicable stage.		
DS ID	3.3		
URS ID	4.2.4, 4.2.5, 4.2.8		
Business Rule	Label lines shall be derived from the approved process route. Reboxing label printing shall remain blocked until the Change of Pack Size information is complete. Each mandatory label line shall be Done before Print Done is enabled. Printed quantities, extras and completion attribution shall be retained against the batch.		

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.4 Leaflet Printing Module

3.4	Leaflet Printing Module		
Priority	High		
Purpose	To review the approved leaflet, complete the required test or master check, print each required leaflet line and route the batch according to the approved packaging process.		
Role	Authorised Printer User		
Input	Field Name	Field type	Comments
	Leaflet Printing List	New controlled queue	Lists batches that completed Label Printing and require leaflets.
	Leaflet	New read-only line value	Identifies each required leaflet.
	Reference	New read-only line value	Displays the approved leaflet reference/version.
	Size	New read-only line value	Displays the leaflet format or size.
	Required Quantity	New read-only quantity	Displays the approved leaflet quantity.
	Location	Existing stock data - new display	Shows the applicable leaflet location.
	Leaflet PDF	New controlled document action	Opens the approved leaflet for printing.
	Test / Master Check	New controlled confirmation	Records review of the test or master copy before completion.
	Print / Print Extra	New controlled actions	Records required and additional leaflet quantities.
	Mark as Done	New controlled action	Completes an individual leaflet line after printing.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.4	Leaflet Printing Module		
	Completed By / Date	New read-only audit display	Shows the authenticated line-completion attribution.
	Print Done	New controlled action	Finalises Leaflet Printing when all leaflet lines are complete.
Operations	The Printer user opens Leaflet Printing and selects a batch that completed Label Printing. The system displays the approved leaflet reference, size, required quantity and location and provides the controlled leaflet PDF. The user reviews the test or master copy, prints the required quantity, records extra quantity with a reason where applicable and marks each leaflet line Done. Print Done becomes available when all required lines are complete. A reboxing batch moves to Carton Issuing; a relabelling batch requiring braille moves to Braille Printing; otherwise the batch moves to the next applicable stage.		
Use case	A Printer user reviews and prints the approved leaflet for the batch, completes every leaflet line and releases the batch to its route-specific preparation stage.		
Output	Completed leaflet lines; approved reference/version linkage; print quantities and extra reasons; completion attribution; and route to Carton Issuing, Braille Printing or the next applicable stage.		
DS ID	3.4		
URS ID	4.2.5, 4.2.6, 4.2.8		
Business Rule	Only batches requiring a leaflet and having completed Label Printing shall appear. The approved leaflet shall be reviewed before the line is completed. Every required leaflet line shall be Done before Print Done. Routing shall follow Reboxing, Relabelling and braille-required values held against the approved batch.		

3.5 Carton Issuing Module

3.5	Carton Issuing Module
Priority	High
Purpose	To record the controlled issue of approved cartons for reboxing batches after Leaflet Printing.
Role	Authorised Printer / Packaging User

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.5	Carton Issuing Module		
Input	Field Name	Field type	Comments
	Carton Issuing List	New controlled queue	Lists reboxing batches that completed Leaflet Printing.
	Carton Reference	New read-only value	Displays the approved carton reference.
	Required Quantity	New read-only quantity	Displays the carton quantity required for the batch.
	On Hand Quantity	Existing stock data - new display	Shows the available carton quantity.
	Location Number	Existing stock data - new display	Shows the carton issue location.
	Issue Extra	New controlled action	Records additional cartons after the required issue is confirmed.
	Extra Quantity / Reason	New controlled fields	Requires a reason for additional carton issue.
	Confirmed By	New read-only audit display	Shows the authenticated confirming user and date/time.
	Done	New controlled action	Confirms the required carton issue line.
Operations	After Leaflet Printing, a reboxing batch appears in Carton Issuing. The user opens the batch and confirms the approved carton reference, required quantity, available quantity and location. Done records the required carton issue with the authenticated user and date/time. If additional cartons are needed, Issue Extra records the extra quantity and requires a reason. The completed carton issue becomes part of the batch history and the batch proceeds to Leaflet Folding or the next configured stage.		

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.5	Carton Issuing Module
Use case	A Printer or Packaging user confirms the correct cartons and quantity have been issued for a reboxing batch.
Output	Confirmed carton issue; required and extra quantities; location; reason where applicable; user/date attribution; and completed route-specific preparation.
DS ID	3.5
URS ID	4.2.6 - 4.2.8
Business Rule	Only reboxing batches that completed Leaflet Printing shall appear. Extra carton quantity shall not be accepted without a reason. The required issue shall be confirmed before extra cartons can be issued. The issue record shall remain linked to the batch.

3.6 Braille Printing Module

3.6	Braille Printing Module		
Priority	High		
Purpose	To print and complete the approved braille labels required for applicable relabelling batches after Leaflet Printing.		
Role	Authorised Printer User		
Input	Field Name	Field type	Comments
	Braille Printing List	New controlled queue	Lists eligible relabelling batches for which braille is required.
	Braille Label	New read-only line value	Identifies each required braille label.
	Reference	New read-only line value	Displays the approved braille reference.
	Size	New read-only line value	Displays the approved braille label size.
	Required Quantity	New read-only quantity	Displays the approved braille label quantity.
	Location / In Hand Quantity	Existing stock data - new display	Shows material location and available quantity.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.6		Braille Printing Module	
	Test Print	New controlled print action	Produces a test braille label where required.
	Print / Print Extra	New controlled actions	Records required and additional braille quantities.
	Line Completion	New controlled status	Shows Pending, Mark as Done or Done for each line.
	Completed By / Date	New read-only audit display	Shows the authenticated completion attribution.
	Print Done	New controlled action	Finalises Braille Printing after all lines are complete.
Operations	After Leaflet Printing, a relabelling batch requiring braille appears in Braille Printing. The user reviews the approved reference, size, quantity, location and available stock. Braille Printing follows the same core process as Label Printing: complete any required test print, print the required quantity, record extra quantity with a reason, complete each line and select Print Done after all lines are Done. The completed batch proceeds to Leaflet Folding or the next configured stage.		
Use case	A Printer user completes the required braille label lines for an eligible relabelling batch.		
Output	Completed braille lines; print quantities and extra reasons; line-level user/date attribution; and completed route-specific preparation.		
DS ID	3.6		
URS ID	4.2.5 - 4.2.8		
Business Rule	Only relabelling batches with braille required and completed Leaflet Printing shall appear. The common printing, quantity, extra-reason and completion controls defined for Label Printing shall apply. Every required line shall be Done before Print Done.		

3.7 Leaflet Folding Module

3.7		Leaflet Folding Module
Priority	High	
Purpose	To complete and record leaflet folding after all printing and route-specific preparation required for the batch has finished.	

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.7	Leaflet Folding Module		
Role	Authorised Leaflet Folding User		
Input	Field Name	Field type	Comments
	B&S Batch Number	New queue search field	Searches the folding queue by B&S batch number.
	MFG Lot No	New queue search field	Searches the folding queue by manufacturing lot number.
	Leaflet Folding List	New controlled queue	Lists batches eligible for folding.
	Product / Batch Summary	New read-only display	Shows product, strength, pack size, ECMA, expiry, required quantity and status.
	BAR and Supporting Documents	New controlled document access	Opens the applicable BAR and approved leaflet information.
	Leaflet Reference	New read-only value	Displays the approved leaflet reference.
	Leaflet Size	New read-only value	Displays the approved leaflet format or size.
	Required Quantity	New read-only quantity	Displays the folding quantity required by the batch.
	On Hand Quantity	Existing stock data - new display	Shows the available leaflet quantity.
	Done	New controlled action	Completes leaflet folding and records attribution.
	Folded By / Date-Time	New read-only audit display	Shows the authenticated completion user and date/time.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

3.7	Leaflet Folding Module
Operations	The Leaflet Folding user opens the queue and searches by B&S batch number or manufacturing lot number. Only batches that have completed the required printing and route-specific preparation are listed. The user opens the batch, reviews the BAR and approved leaflet reference, confirms the leaflet size and required quantity, and selects Done when folding is complete. The system records the folded quantity, authenticated user and date/time, updates the batch status and hands the batch to the next configured process stage.
Use case	A Leaflet Folding user confirms the correct leaflet and batch, completes the required folding quantity and records completion.
Output	Completed folding record; folded quantity; approved leaflet linkage; user/role/date-time attribution; updated status; and downstream handoff.
DS ID	3.7
URS ID	4.3.1 - 4.3.6
Business Rule	A batch shall not enter Leaflet Folding until all required printing and route-specific preparation is complete. The batch identity, approved leaflet reference, format and required quantity shall be available before Done. Completion shall be retained in batch history and shall remove the record from the active folding queue.

4. Non-Functional Specification

This section provides complete URS-to-FS traceability and defines the non-functional controls for PLPI Batch Record Automation Phase 2, including audit, access, printing, testing, documentation and support.

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.1.2 / DS: 3.1	B&S Batch Search and Selection	Search and select eligible products by batch, product, country, site, status and available criteria.
URS: 4.1.3 / DS: 3.1	Selected Batch Display	Display the product, pack, reference, expiry, quantity, order, location and route information needed to confirm the batch.
URS: 4.1.4 / DS: 3.1	Compatible Source Combination	Allow only compatible source records to be combined and retain traceability to each selected source.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.1.5 / DS: 3.1	Controlled BAR Creation	Require confirmation of the selected B&S batch before creating one controlled electronic BAR.
URS: 4.1.6 / DS: 3.1	BAR Verification and Line Clearance	Provide batch, product, source-document and digital line-clearance checks.
URS: 4.1.7 / DS: 3.1	BAR Sign-off and Printing Handoff	Capture authenticated attribution, lock completed checks and route the batch to Label Printing.
URS: 4.2.1 / DS: 3.2	Printer Module Options	Provide Label Printing, Leaflet Printing, Carton Issuing and Braille Printing options.
URS: 4.2.2 / DS: 3.2	Printing Queue and Batch Display	Select a batch from the relevant queue and display route, component, quantity and location information.
URS: 4.2.3 / DS: 3.2	Controlled BAR and Artwork Access	Open the approved BAR, artwork and supporting documents for the selected activity.
URS: 4.2.4 / DS: 3.3	Route-Derived Label Lines	Display and require completion of all label lines applicable to the approved route.
URS: 4.2.5 / DS: 3.2 - 3.4, 3.6	Common Printing Process	Apply reference/quantity review, test or master checks, required and extra quantity controls and completion to Label, Leaflet and Braille Printing.
URS: 4.2.6 / DS: 3.4 - 3.6	Leaflet Completion and Route Branch	Route completed reboxing batches to Carton Issuing and applicable relabelling batches to Braille Printing.
URS: 4.2.7 / DS: 3.5, 3.6	Carton and Braille Route Controls	Confirm reboxing carton issue and complete braille labels only for eligible relabelling batches.
URS: 4.2.8 / DS: 3.2 - 3.7	Printing Completion and Folding Handoff	Record user/date-time, update status and move a route-complete batch to Leaflet Folding.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

URS ID & DS ID Ref	Function/Feature	Description/Specification
URS: 4.3.1 / DS: 3.7	Leaflet Folding Eligibility	List only batches that completed required printing and route-specific preparation.
URS: 4.3.2 / DS: 3.7	Folding Search and Batch Display	Search by B&S batch or manufacturing lot and display product, leaflet, quantity and status information.
URS: 4.3.3 / DS: 3.7	Folding Document Access	Provide controlled access to the BAR, approved leaflet and supporting documents.
URS: 4.3.4 / DS: 3.7	Batch and Leaflet Confirmation	Require agreement between the selected batch, leaflet and approved BAR.
URS: 4.3.5 / DS: 3.7	Folded Quantity and Completion Gate	Record folded quantity and prevent completion when identity, reference, format or quantity is missing or incorrect.
URS: 4.3.6 / DS: 3.7	Folding Attribution and History	Capture authenticated user, role and date-time and retain the completed folding record in batch history.

4.1 Audit Trail

The system shall retain audit records for B&S batch selection, source-record combination, BAR generation, BAR and artwork access, verification and line clearance, test/master review, required and extra quantities, reasons, component-line completion, Print Done, carton issue, braille completion, Leaflet Folding and every controlled status handoff.

4.2 Availability

The PLPI Phase 2 functions shall be available to authorised B&S Batch Add, Printer, Leaflet Folding, QA/RP, Operations and IT users during agreed operational hours.

4.3 Capacity Limits

The system shall support the expected operational volume of eligible B&S batches, generated BAR records, printing queue records, component lines, print runs, extra-quantity reasons, carton issues, braille records, folding records and retained audit history.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

4.4 Performance

B&S Batch Add search, BAR generation and viewing, printing queue search, approved-document opening, print actions, quantity save, line completion, Print Done, carton issue and Leaflet Folding completion shall operate within agreed operational response times.

4.5 Recoverability

Saved BAR, printing and folding progress shall remain available for continuation. Completed BAR, line-clearance, printing, carton, braille, folding and workflow-handoff records shall recover without duplication or loss.

4.6 Security Requirements

Access shall be role based. B&S Batch Add users shall create and sign BAR records. Printer users shall access only the printing modules permitted by their role. Leaflet Folding users shall complete assigned folding records. QA/RP, Operations and authorised IT users shall have controlled review, exception, reporting or administration access. Completed records shall be read-only except through an authorised correction or reprint process.

4.7 Error Handling

The system shall validate batch eligibility, compatible source selection, mandatory BAR and line-clearance checks, approved references, required quantities, test/master controls, extra-quantity reasons and completion status. Validation failures shall prevent the affected action and retain the batch in its current controlled stage.

4.8 Usability

The workflow shall provide clear B&S Batch Add, printing and folding queues, consistent search and status presentation, readable controlled documents, line-level progress, visible completion attribution and clear route-based handoff messages without overlap or truncation.

4.9 Accuracy & Validity

B&S batch identifiers, source selections, BAR data, approved component references, quantities, reasons, line clearance, print runs, carton issue, braille and folding records shall remain linked through controlled identifiers and reflect the committed batch record.

4.10 User Access and Responsibilities

B&S Batch Add users select eligible records, generate the BAR, complete verification and line clearance and sign the batch to Label Printing. Printer users complete Label, Leaflet, Carton and Braille activities applicable to the route. Leaflet Folding users complete the folding record. QA/RP, Operations and IT users perform their authorised review, exception and support responsibilities.

Functional Specification: PLPI Batch Record Automation Phase 2

PLPI/BAR/FS/01/v1

4.11 Testing

Verification testing shall cover B&S search and eligibility; compatible and incompatible source combinations; BAR creation and duplicate prevention; BAR/document access; line-clearance gating; printing-menu and queue eligibility; Label, Leaflet and Braille common controls; test/master checks; partial and extra quantities and reasons; Carton Issuing; Print Done gates; user/date attribution; route branching; Leaflet Folding completion; audit history; errors, corrections and reprints; and downstream handoff.

4.12 Controlled Documents and Training

Applicable SOPs, work instructions and training shall describe B&S Batch Add, BAR creation and verification, line clearance, the Printer menu and queues, Label/Leaflet/Braille common controls, test/master review, quantities and reasons, Carton Issuing, Leaflet Folding, controlled corrections, reprints and electronic sign-off.

4.13 Support and Administration

IT shall support PLPI access, configuration, printer and device connectivity, document and artwork links, workflow queues, audit retrieval, backup/recovery and incident resolution. Business, QA/RP and Operations shall own process decisions, approved references, master data, exception decisions and controlled use.