

Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Author _____ Date _____

Yogeshkumar Vimalan
Business Analyst

Reviewer _____ Date _____

Amit Sanandiya
Project Manager

Reviewer _____ Date _____


Ronex Pereira
Team Lead

Reviewer _____ Date _____

Rajesh Patel
Team Lead

Approver _____ Date _____


Beauty Dadhaniya
Quality Specialist / RP



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

TABLE OF CONTENTS

TABLE OF CONTENTS	2
1. Introduction.....	3
1.1 Purpose of the Document	3
1.2 Scope.....	3
1.3 Abbreviations	3
2. Overall Description.....	4
3. Design Specification	6
3.1 Digital Goods Receiving Checklist.....	6
3.1.1 Packing List Module.....	13
3.2 RPi Pack Creation Module	16
3.3 RPi Approval Module	18
3.3.1 Document Review and Decision.....	19
3.3.2 RPi Approval Checklist.....	21
3.3.3 Combined PDF and Email	23
3.4 Batch Checker Module.....	24
3.5 Product Verification Pop-up	27
3.6 Print PCL Preview and Verification	30
3.7 Goods-In Summary	33
3.8 Workflow Status, Corrections and Audit Behaviour.....	34
4. Additional Non-Functional Requirements.....	35
4.1 Audit Trail	35
4.2 Availability	35
4.3 Capacity Limits	35
4.4 Performance.....	35
4.5 Recoverability	35
4.6 Security Requirements	35
4.7 Error Handling	36
4.8 Usability	36
4.9 Accuracy and Validity	36



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

1. Introduction

PLPI Batch Record Automation digitises Goods-In receipt, document-pack creation, Responsible Person approval and Product Check Log completion within the existing PLPI application. Existing functions remain unchanged unless a design change is identified in this document.

1.1 Purpose of the Document

This document defines the system design required to implement the approved URS and FS for PLPI Batch Record Automation. It describes screen changes, workflow controls, validation gates, records and audit behaviour.

1.2 Scope


The scope covers WSC India PO initiation and supplier-file upload, the tablet Goods Receiving Checklist and Goods-In Team Lead approval, Packing List Verify & Print and LOG, the RPi Pack Creation and RPi Approval modules, automatic and user-controlled PO grouping, combined PDF and email processing, Batch Checker evidence, Product Verification, PCL preview/printing and the read-only Goods-In Summary. Existing PLPI fields remain unchanged unless specifically identified.

Out of Scope: - Downstream BAR and production activities are outside Phase 1.

1.3 Abbreviations

These abbreviations are used throughout this document.

IT	Information Technology
URS	User Requirement Specification
DS	Design Specification
FS	Functional Specification
PLPI	Parallel Import / PLPI system workflow
PO	Purchase Order
RP / RPi	Responsible Person / Responsible Person import
PCL	Product Check Log



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

BAR	Batch Assembly Record
GMP	Good Manufacturing Practice
EORI	Economic Operators Registration and Identification
WDA	Wholesale Distribution Authorisation
FMD	Falsified Medicines Directive
ECMA	European Centralised Marketing Authorisation
MFG	Manufacturing / manufacturer


2. Overall Description

The design extends the existing PLPI application with controlled queues, automatic document linkage and approval gates. WSC India initiates the PO in Add Packing List and uploads the three supplier source files; saving that entry creates the RPi Pack Creation queue immediately. Goods-In may identify the full individual or merged set as Diagnostic Batch. Separately, the WSC user selects Generate Checklist in the Warehouse Stock Control Booked Orders screen, which creates the receipt work item in the Goods-In Team tablet queue.

Goods-In completes the tablet record and submits it to Lead Approval. The Team Lead records Information Confirmed. A Yes decision locks and files the checklist for normal processing. A No decision quarantines the stock and creates an exception in the RPi QA Decision queue. The RPi user reviews the completed checklist read-only, records one QA decision and a comment, and can approve only when Approved for unpacking is selected. The approved decision appears in Packing List > Checklist decision for Goods-In acceptance.

After a Team Lead Yes decision, or after Goods-In accepts an RPi-approved No decision, the applicable PO or POs enter the View Packing List queue. Goods-In completes Verify & Print, LOG review, line clearance and PO Packing List generation. PLPI automatically groups only the POs recorded on the same checklist; Goods-In may also manually merge eligible same-supplier individual POs or unmerge a selected PO. One common file reference may be used for a grouped set and remains available after unmerge.

PLPI evaluates every Contract line in every included PO. An all-CON-G pack follows the direct Stock Control route; WHO, mixed, missing or unknown values follow RPi Approval.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

For a diagnostic RPi pack, Supplier Declaration is not required and the applicable approval checks are N/A. RPi approval combines the approved pack with the approval form, while direct submission combines the uploaded documents and each generated PO Packing List without an approval form. After external acceptance is reflected, either route enters Batch Checker. Batch Checker may save incomplete Product Verification but must enter a Regulatory comment before printing an incomplete Regulatory review copy. Only a Split change to a printed line resets the affected verification and PCL states.

Workflow control: Each action is enabled only when the mandatory data, signatures, documents and preceding approvals are complete. PLPI retains the applicable PO or merged set, previous and new status, authenticated user, role, date/time and comments at each controlled event.

End-to-end design sequence: The following visual shows the normal ownership hand-offs, automatic document population, validation gates and controlled outputs.





Figure 1 - End-to-end PLPI Batch Record Automation design sequence

Queue separation: Add Packing List and Generate Checklist remain separate. A Team Lead Yes decision continues normally. A No decision enters the RPi QA Decision queue; after RPi approval, Goods-In accepts it in Packing List > Checklist decision before View Packing List. Pack submission then follows either RPi Approval or the direct all-CON-G Stock Control route. After external acceptance, both routes continue to Batch Checker. Incomplete Product Verification may produce a Regulatory review copy only after a Regulatory comment is entered. A Split change resets the affected printed lines. Goods-In Summary remains read-only.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

3. Design Specification

The following sections define the screen and workflow design that will be implemented to satisfy the current URS and FS.

3.1 Digital Goods Receiving Checklist

Add Packing List and WSC Warehouse Stock Control perform separate initiation functions. Saving the Add Packing List entry creates the PO queue in RPi Pack Creation and links the Supplier Invoice, Supplier Packing List and Supplier Declaration. The tablet workflow starts only when the WSC user selects Generate Checklist for the booked PO or POs in Warehouse Stock Control; this creates the receipt in the Goods-In Team tablet queue. Lead Approval remains a separate role-controlled queue.





Figure 2 - WSC Warehouse Stock Control Generate Checklist action

Screen logic - Booked Orders. Warehouse Stock Control displays the booked delivery records and associated PO number or PO numbers available for checklist generation.

Generate Checklist - Selecting this action generates the Goods Receiving Checklist for the selected booked record and creates the corresponding work item in the Goods-In Team tablet queue.

Queue separation - Generate Checklist does not create the RPi Pack Creation queue. That queue is created separately when the Add Packing List entry is saved.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

B&S Goods Receiving Two role-based queues Saved on this tablet

1 Goods receiving work queues
Each queue is owned by a different user role.

2 Search by PO **Search by supplier**
Enter PO number Enter supplier name

3 Goods-In Team (3) **4 Lead Approval (1)**

5 Goods-In Team queue
Driver sign-off and checks through "Pallets and boxes are undamaged".

PO number	Supplier	Transporter	Status	
C13628, C13629, C13630 Generated 09:12	LIAFARM SA	VTS	Ready	Start
C13651 Generated 10:05	MedSupply Europe	QuickFreight	Ready	Start
C13672 Generated 10:28	Helix Pharma	EuroTrans	Ready	Start


Figure 3 - Tablet role queues and WSC-generated Goods-In work item

Callout 1 - Role queues. The Goods-In Team and Lead Approval tabs separate data capture from approval. A user sees only queues permitted for the authenticated role.

Callout 2 - Goods-In Team queue. Each generated checklist displays the linked PO reference or PO references, supplier, generated date/time and current status. Search and status filters locate the applicable receipt without creating a new checklist.

Callout 3 - Lead Approval queue. A record appears here only after Goods-In selects Send for Goods-In Approval. The submitted Goods-In data remains read-only to the Team Lead.

Callout 4 - Queue status and continuation. Draft records remain available to the owning queue. Submitted records cannot be amended by Goods-In unless returned through the controlled correction process.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

B&S Goods Receiving Saved on this tablet

Goods-In Team checklist - C13628, C13629, C13630 C13628, C13629, C13630 - LIAFARM SA

← All queues

1 Delivery Goods-In Team 2 Goods checks Goods-In Team 3 Information confirmed Lead Approval

Delivery details Goods-In Team

WSC details are pre-filled; locked fields are read-only.

2

PO number: C13628, C13629, C13630 Supplier: LIAFARM SA

Approved transporter: VTS

Delivery / collection address: 1 Kranidioti 3, Pilea Thessaloniki, 55535, Greece

3

Vehicle registration: BS 0233-J

Driver name: Enter full name

Delivery note / reference: Enter reference or note

4

Driver signature
Sign inside the box using a finger or stylus.

Not signed Clear signature

Save draft 5 Continue to goods checks →


Figure 4 - Goods-In delivery details and driver signature

Callout 1 - WSC context. PO Number, Supplier and other WSC-generated receipt context are displayed from the source record and remain linked to the checklist.

Callout 2 - Delivery details. Goods-In records the applicable vehicle, driver and delivery-reference information. Mandatory values are validated before the inspection stage opens.

Callout 3 - Driver signature. The signature is captured on the approved tablet and retained with the checklist record. Clear permits recapture before submission.

Callout 4 - Draft and progression controls. Save Draft retains an unfinished Goods-In record. Continue is enabled only when the required delivery information and driver signature are present.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

B&S Goods Receiving Saved on this tablet

Goods-In Team checklist - C13628, C13629, C13630

← All queues C13628, C13629, C13630 - LIAFARM SA

1 Delivery Goods-In Team **2** Goods checks Goods-In Team **3** Information confirmed Lead Approval

Goods-In Team inspection Goods-In Team

Complete the three goods checks, sign, then send the delivery to the approval queue.

2 **Vehicle is clean** Yes No
No visible dirt, residue, pests, or odour.

No non-pharmaceutical products Yes No
Load contains only approved product types.

Pallets and boxes are undamaged Yes No
Packaging is dry, sealed, and intact.

3 **Goods receiver name**
G. Receiver

Receiver comments
No exceptions observed.

4 **Goods receiver signature**
Sign after completing all three checks.

Signature captured Clear signature

← Back Save draft **5** Send for Goods-In approval


Figure 5 - Goods-In inspection, receiver sign-off and approval submission

Callout 1 - Goods-In inspection. The user records the three required checks: vehicle clean, no non-pharmaceutical products, and pallets or boxes undamaged. Each check requires a controlled Yes or No response.

Callout 2 - Receiver details. Goods Receiver name and the receiver signature are mandatory. Comments provide context for damage, exceptions or other receipt information.

Callout 3 - Send for Goods-In Approval. The action validates the delivery information, three checks and both signatures, then transfers the record to the Lead Approval queue. It does not complete or file the controlled PDF.

Callout 4 - Audit hand-off. PLPI records the submitting Goods-In user, role, date/time and status change while retaining the submitted data as the approval baseline.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

B&S

Goods Receiving

Lead Approval - C13628, C13629, C13630

Saved on this tablet

← All queues

C13628, C13629, C13630 - LIAFARM SA

1

Delivery Goods-In Team

2

Goods checks Goods-In Team

3

Information confirmed Lead Approval

Goods-In approval

Team Lead action

The Goods-In Team Lead reviews the completed checks and confirms the information.

2

Per number

C13628, C13629, C13630

Supplier

LIAFARM SA

Driver

A. Driver

Signed by driver

Goods receiver

G. Receiver

Signed by Goods-In Team

Vehicle

BS 0233-J

Goods checks

3 of 3 completed · no exceptions

3

Information confirmed

If "No", quarantine the stock and pass the documents to QA for investigation.

☒ Yes
 ☐ No

4

Goods-In Team Lead name

T. Lead

Team Lead signature

Sign after confirming the information.

Signature captured

Clear signature

Approval comments

Information confirmed.

5

confirm this record is complete and ready to file.

← Approval queue

Save draft

6 Complete


Figure 6 - Goods-In Team Lead approval and completion gate

Callout 1 - Read-only submitted record. Delivery details, inspection responses, receiver information and signatures are displayed to the Team Lead without amendment controls.

Callout 2 - Information Confirmed. Yes, permits normal completion. No quarantines the stock and creates an exception task in the RPi QA Decision queue.

Callout 3 - Team Lead attribution. Team Lead name, approval comments and Team Lead signature are captured. Save Draft retains an incomplete approval without changing the submitted record.

Callout 4 - Final confirmation and Complete. Complete remains disabled until the Team Lead decision, mandatory identity/signature information and final record confirmation are present. Successful completion creates the Team Lead-approved, locked and filed checklist PDF.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0





Figure 6A - RPi QA Decision queue and checklist-exception worklist

Callout 1 - QA Decision tab. The queue is separated from the RPi PO Work Queue and shows the number of checklist exceptions awaiting review.

Callout 2 - Exception worklist. Each row displays the PO number or PO numbers, failed Goods Receiving checks, exception count and current status.

Callout 3 - Review checklist. The action opens the completed Goods Receiving Checklist for the selected exception without permitting changes to submitted Goods-In or Team Lead data.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Figure 6B - Completed Goods Receiving Checklist QA review and approval gate

Callout 1 - Completed checklist. PO, supplier, delivery, inspection, receiver, Team Lead decision, comments and signatures are displayed from the submitted record in read-only form.

Callout 2 - QA Decision. Quarantine for investigation, Approved for unpacking and Reject are mutually exclusive selections.

Callout 3 - QA Comment. The RPi user records review context against the completed checklist.

Callout 4 - QA attribution. PLPI records the authenticated QA name, electronic signature and approval date/time when approval is completed.


Callout 5 - Approve checklist. The action is enabled only when Approved for unpacking is selected. Quarantine for investigation or Reject does not release the checklist to Packing List.

Detailed design sequence:

Step 1 - WSC India saves the PO in Add Packing List and uploads Supplier Invoice, Supplier Packing List and Supplier Declaration. PLPI creates the corresponding RPi Pack Creation queue and links those files immediately.

Step 2 - In WSC Warehouse Stock Control, the WSC user selects Generate Checklist for the applicable booked PO or POs. The integration creates the tablet work item and assigns it to the Goods-In Team queue against those PO references.

Step 3 - Goods-In opens the generated work item and reviews the read-only WSC context before entering delivery-specific values.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Step 4 - Goods-In records delivery details and captures the driver signature. The inspection stage remains unavailable until the required delivery gate is satisfied.

Step 5 - Goods-In completes the three controlled inspection checks, records receiver details and captures the Goods Receiver signature.

Step 6 - Goods-In may save a draft or select Send for Goods-In Approval. Submission validates mandatory data and moves the record to the Lead Approval queue.

Step 7 - The Goods-In Team Lead opens the submitted record and reviews all Goods-In data and signatures in read-only mode.

Step 8 - The Team Lead records Information Confirmed, name, approval comments and signature, then applies the final record confirmation.

Step 9 - Complete creates the controlled checklist PDF. Yes, releases the checklist for normal Packing List processing. No records quarantine and send the exception to the RPi QA Decision queue.

Step 10 - For a No decision, the RPi user opens the QA Decision queue and selects Review checklist. PLPI displays the completed Goods Receiving Checklist, submitted checks, comments and signatures read-only. The user records one QA decision and a comment. Approve checklist is enabled only when Approved for unpacking is selected; PLPI records the authenticated RPi user and date/time and sends the approved decision to Packing List > Checklist decision.

Step 11 - Goods-In selects Accept in Checklist decision. The applicable PO or POs enter View Packing List. The completed checklist attaches to the single PO or once to the merged set containing only the POs recorded on that checklist. Goods-In then completes Verify & Print, LOG, line clearance and Packing List generation.


Draft and correction control: Goods-In and Team Lead drafts are retained separately. A submitted or completed record is changed only through the controlled return or correction process, with the previous state retained in the audit trail. Quarantine for investigation or Reject does not release a No checklist; only Approved for unpacking can proceed to Goods-In acceptance.

Entry condition: Add Packing List is saved and WSC has generated the checklist. Exit condition: a Yes decision has released the PO or POs normally, or an RPi-approved No decision has been accepted by Goods-In in Checklist decision and released to View Packing List.

URS traceability: URS 4.1.1 - 4.1.4, 4.1.10 and 4.1.12. FS traceability: FS 3.1.

3.1.1 Packing List Module

Add Packing List creates the PO record and links the three supplier files. Checklist decision is the third tab used to accept an RPi-approved Goods Receiving exception. View Packing List is used by Goods-In for verification, LOG, line clearance and controlled Packing List generation.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0




Figure 7 - Add Packing List PO entry and supplier-document uploads


Callout 1 - Add Packing List tab. WSC India uses this tab to enter and maintain the PO and supplier record before Goods-In processing.

Callout 2 - PO and supplier search. The user enters the PO number and supplier details and retrieves the applicable source information before saving the record.

Callout 3 - Supplier document uploads. The Supplier Declaration, Supplier Packing List and Supplier Invoice are uploaded against the PO. The files remain visible against that PO in RPi Pack Creation without re-upload.

Callout 4 - Save. Saving the Add Packing List entry creates the PO queue in RPi Pack Creation and records the uploaded supplier files against the PO.

Queue control: Add Packing List does not create the Goods-In tablet queue. The tablet queue is created separately when WSC selects Generate Checklist for the booked PO or POs in Warehouse Stock Control.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0




Figure 8 - View Packing List verification, LOG and generation controls

Callout 1 - View Packing List Tab. Goods-In uses this tab for Packing List line processing. RPi Pack Creation and RPi document controls are not part of this screen.

Callout 2 - PO search and line context. Goods-In opens the PO after a Team Lead Yes decision or after accepting the RPi-approved exception in Checklist decision.

Callout 3 - QTY, BOXES and Verify & Print. QTY and BOXES remain existing fields. Verify & Print is the new line-level action used to complete the required confirmation, line-clearance check and authenticated sign-off for the selected line.

Callout 4 - LOG. This new read-only action displays the retained verification status, print status, authenticated user, date/time and comments for the selected line.

Generation control: Generate PO Packing List remains in the View Packing List action area and is enabled only after all applicable lines are verified, required label printing is successful and line clearance is complete. The generated Packing List is locked and attached automatically to the respective PO in RPi Pack Creation.


Detailed screen sequence:

Step 1 - WSC India enters the PO and supplier details in Add Packing List and uploads the Supplier Declaration, Supplier Packing List and Supplier Invoice.

Step 2 - Saving the Add Packing List entry creates the PO queue in RPi Pack Creation and links the three supplier files to that PO.

Step 3 - After a Team Lead Yes decision, or after the RPi-approved No decision is accepted in Checklist decision, Goods-In opens the PO in View Packing List.

Step 4 - Goods-In selects an applicable line and chooses Verify & Print. PLPI binds the action to that line and displays the required confirmation data.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Step 5 - Goods-In completes the line-clearance confirmation and authenticated sign-off. After successful printing, PLPI records the print result, user and date/time and changes the line to Verified. A cancelled or failed action leaves the line incomplete.

Step 6 - Goods-In opens LOG to review the retained verification and printing history and resolves any identified exception through the controlled process.

Step 7 - PLPI evaluates every applicable PO line. Generate PO Packing List remains unavailable while a line is unverified, required printing is incomplete or line clearance is missing.

Step 8 - PLPI generates and locks the PO Packing List, then links it automatically to the corresponding PO-specific document group in RPi Pack Creation.

Validation and control: A locked or generated Packing List cannot be changed through Verify & Print. A controlled correction invalidates affected downstream approval or generated output and requires the applicable workflow steps to be repeated.

Entry condition: The checklist has a Team Lead Yes decision or an RPi-approved No decision accepted by Goods-In. Exit condition: All applicable lines are verified and printed, line clearance is complete, and the generated Packing List is attached to the respective RPi pack.

URS traceability: URS 4.1.4 - 4.1.12. FS traceability: FS 3.1.

3.2 RPi Pack Creation Module





Figure 9 - RPi Pack Creation queue, automatic grouping and user merge/unmerge controls

RPi Pack Creation is a separate Goods-In-operated module. The PO queue is created immediately when WSC India saves the Add Packing List entry; it does not wait for Goods-In completion. The workspace is progressively populated by source uploads and controlled workflow outputs. PLPI can group checklist-related POs automatically, while Goods-In can also merge or unmerge eligible POs before the resulting set is routed from the Contract values of all included PO lines.

Automatic merge control: When one completed Goods Receiving Checklist contains multiple PO numbers, PLPI creates one merged set containing all and only those PO numbers. A single-PO checklist remains linked to its individual PO.

User-controlled merge: The RPi Pack Creation queue provides a Merge checkbox for eligible individual POs and enables Merge selected POs when at least two POs are selected. The selected POs must have the same supplier, and a PO already assigned to a merged set cannot be merged again.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Merge and unmerge data control: PLPI records the merge source (automatic or user-controlled), merged-set identifier, member PO numbers, supplier, user and date/time. Unmerge requires a selected PO and reason, preserves shared-file references for the remaining and removed records, recalculates the route and retains the relationship change in the audit history.

Document correction control: Re-upload replaces the current document for processing while retaining the previous file/version and the user/date-time audit. Additional Files is optional and its absence does not block pack submission.

Callout 1 - PO search. Filters the RPi Pack Creation queue by PO number.

Callout 2 - Merge selection. Allows Goods-In to select an eligible individual PO for a user-controlled merge.

Callout 3 - PO queue. Displays individual PO cards and system-created merged sets with supplier and document status.

Callout 4 - Merge selected POs. Becomes available when at least two eligible POs are selected and applies the same-supplier and existing-membership validations.

Callout 5 - Merged-set identity. Displays every PO retained in the automatically or manually created set.

Callout 6 - Unmerge control. Requires the PO to remove and a reason before the relationship is changed and audited.

Shared-document behavior: One applicable common file from any member PO may be referenced for the merged set. The same shared-file reference remains available to each PO if the set is later unmerged.

PO-specific document behavior: Supplier Invoice, Supplier Packing List and each generated Packing List remain against the respective PO. Additional Files is optional and does not block submission when absent.


Submission behavior: Goods-In uploads missing mandatory documents. Additional Files may be uploaded optionally. Submission remains blocked by missing mandatory documents or other mandatory workflow gates.

Unmerge behavior: The user selects the PO and records a mandatory reason. PLPI retains the common shared-file reference for the remaining set and for the removed PO record, then recalculates the route.

Routing controls: Diagnostic Batch applies to the full set and is reversible before submission. The Stock Control recipient is configured in the background and is not presented as an email-address button.

Detailed design sequence:

Step 1 - Add Packing List save creates the PO queue and PO/supplier context in RPi Pack Creation. The queue initially shows the checklist and Packing List as pending.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Step 2 - The source files uploaded in Add Packing List are linked without re-upload. When Diagnostic Batch is selected for the full set, Supplier Declaration is removed from the mandatory list; deselection restores it.

Step 3 - PLPI uses all and only the PO numbers on the completed checklist. A single PO receives the checklist directly; multiple POs automatically form one merged set and reference the checklist once. Before submission, Goods-In may also select at least two eligible same-supplier individual POs for user-controlled merge.

Step 4 - Generated Packing Lists attach to the applicable PO-specific groups. A merged set therefore retains a separate controlled Packing List for each PO.

Step 5 - PLPI evaluates mandatory shared and PO-specific documents. A common file from any member PO may satisfy the shared requirement. Supplier Declaration is conditional on Diagnostic Batch and Additional Files is optional.

Step 6 - PLPI reads every Contract value from every line in every included PO. Only an all-CON-G set qualifies for direct Stock Control; WHO, mixed, missing or unknown values retain the normal RPi route.

Step 7 - Goods-In reviews linked files, uses Re-upload where an attached file is incorrect and resolves required uploads. Additional Files is optional. If a PO is unmerged, the mandatory reason and relationship change are audited, common file references remain available and each resulting route is recalculated.

Step 8 - When complete, Goods-In selects Send PO Set to RPi for the normal route or Send to Stock Control for an all-CON-G route. Direct submission creates one PDF from uploaded documents and each included PO Packing List, uses the configured recipient and does not include an RPi approval form.


Validation and error handling: Manual merge requires at least two individual POs with the same supplier and rejects a PO already assigned to a merged set. Duplicate PO association, unavailable linked files, missing mandatory documents, incomplete generated Packing Lists or an unmerge without a reason prevent submission and identify the affected PO or shared-document group. Additional Files is optional. Any non-CON-G, missing or unknown Contract value prevents direct routing and retains the RPi route for the entire merged set.

Entry condition: Add Packing List has created the PO queue. Exit condition: A complete individual, automatically merged or user-merged pack is submitted to RPi Approval or directly to Stock Control, or a rejected RPi pack remains available for controlled correction and re-submission.

URS traceability: URS 4.1.8, 4.1.12, 4.2.1 - 4.2.3, 4.2.6, 4.2.8 and 4.2.9. FS traceability: FS 3.2.

3.3 RPi Approval Module

RPi Approval contains the PO Work Queue and the RPi QA Decision queue. The QA Decision queue receives Information Confirmed No checklist exceptions and displays the affected



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

PO number(s), failed checks, exception count, status and Review checklist action. The PO Work Queue receives complete individual or merged packs assigned to the RPi route. Direct all-CON-G packs bypass this queue. RPi-route packs support document review, approval or return, electronic sign-off, combined PDF generation and email transmission.

For a checklist exception, RPi opens the completed Goods Receiving Checklist read-only, records one of the three QA Decision selections and a comment. Only Approved for unpacking enables Approve checklist and sends the decision to Packing List > Checklist decision; Quarantine for investigation or Reject does not release it. PLPI records QA name, electronic signature and approval date/time. For a pack, all mandatory files are present before submission; shared files are approved once and PO-specific files are approved against the applicable PO. Approving a mapped source document sets its related RPi approval-form checks to Yes and displays the source document. For Diagnostic Batch, Supplier Declaration is omitted and the three applicable regulatory checks are N/A.

URS traceability: URS 4.2.4 - 4.2.9. FS traceability: FS 3.3.

3.3.1 Document Review and Decision





Figure 10 - RPi Approval document review workspace

Callout 1 - Queue search and pack identity. Search filters the active queue by PO, supplier, batch or status. A merged card displays all included PO numbers and preserves each PO identity throughout review.

Callout 2 - Pack readiness. Only a complete pack submitted from RPi Pack Creation opens for controlled review. Rejected or corrected packs retain the previous reason and current submission status.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Callout 3 - Shared-document group. Supplier Declaration where required, Temperature Record, Goods Receiving Checklist, CMR and Import / Export are displayed once for the merged set where applicable. A single approval satisfies the shared-file gate.

Callout 4 - PO-specific groups. Supplier Invoice, Supplier Packing List, optional Additional Files and the generated Packing List are displayed under the applicable PO. Additional Files does not block review when absent; when attached, it is included in the document review and approved pack.

Callout 5 - View and approve status. View File opens the document without approving it. Approve records the document decision. Mapped source-document approval also marks the related approval-form checks as Yes and identifies the source. An incorrect or unreadable uploaded file may be returned with comments.

Callout 6 - Open checklist or return. After every required document is approved, the pack-level Approve action opens the RPi checklist. Return is available for an incorrect uploaded file, requires comments and sends the pack to RPi Pack Creation.

Detailed review sequence:

Step 1 - The Responsible Person locates the individual or merged pack in the active queue and confirms the displayed PO and supplier context.

Step 2 - PLPI loads Shared Documents once for the merged set and PO-Specific Documents under each included PO. Generated Packing Lists are never treated as shared.

Step 3 - The user opens and approves every applicable shared file. PLPI records the approval once against the merged review task.

Step 4 - The user opens and approves every required PO-specific file and generated Packing List against each PO. PLPI records the PO reference with each approval event.


Step 5 - Missing mandatory files cannot reach RPi. If an uploaded file is incorrect or unreadable, the user returns the pack with correction comments. Prior audit history is retained.

Step 6 - A corrected pack is re-submitted and all affected document approval gates are repeated. Unaffected retained files remain traceable but approval is based on the current submitted version.

Step 7 - Each approved mapped source document sets its related approval-form checks to Yes and displays the source document. When all required documents are approved, the pack-level Approve action opens the RPi Approval Checklist. PLPI records the authenticated decision, role and date/time.

Entry condition: The pack has Ready for RPi Review status. Exit condition: The pack is returned with traceable comments or released to the RPi Approval Checklist.

URS traceability: URS 4.2.4 - 4.2.6 and 4.2.8. FS traceability: FS 3.3.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

3.3.2 RPi Approval Checklist


Figure 11 - RPi checklist: identity, supplier, transport and temperature controls

Callout 1 - Import / Export mapping. Approval of Import / Export automatically sets EORI Verification and Commodity Code Verification to Yes and displays Marked from Import / Export.

Callout 2 - Supplier status and conditional reason. Supplier Status in FE is Active or Inactive. Reason if Inactive becomes mandatory when Inactive is selected.

Callout 3 - CMR mapping. Approval of CMR automatically sets Collection Address Matches WDA and Authorised Transporter to Yes and displays Marked from CMR.

Callout 4 - Temperature Record mapping. Approval of the Temperature Record automatically sets Transit Temperature Within Parameters and Storage-site Temperature Within Parameters to Yes and displays Marked from Temperature Record.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

RPI Approval Checklist - PO C13719

All required documents have been viewed by RPI. Complete the checklist and generate the signed form.

[Back to task queue](#) [PENDING RPI SIGN-OFF](#)

Checklist

1 Compliance check in line with Article 51 of Directive 2001/83/EC

2 Approve batch - Supplier Declaration not required

3 Supplier declaration that all Goods on delivery note comply with Article 51 of Directive 2001/83/EC and sourced from approved suppliers

Question	YES	NO	N/A
Does the declaration contain compliance with FMD	YES	NO	N/A
Does the declaration states that all FMD applicable products has been Decommissioned in accordance with FMD 2011/62/EU	YES	NO	N/A
Italian and Greek packs checked for presence of Bollino/Vignette stickers	YES	NO	N/A

5. Conclusion

RPI Comments:
Enter any RPI comments...

RPI Checks completed and stock is suitable for processing

Any Deviation to be raised?

Figure 12 - Rpi checklist: regulatory review, conclusion and electronic sign-off

Callout 1 - Diagnostic regulatory mapping. For Diagnostic Batch, Article 51 Supplier Declaration, FMD Compliance in Declaration and FMD Decommissioning Statement are set to N/A without a Supplier Declaration. For a standard pack, Supplier Declaration approval sets them to Yes. Bollino / Vignette remains editable in both cases.

Callout 2 - Conclusion. RPi Comments records decision context. Stock Suitable for Processing and Deviation Required record the final disposition and any controlled follow-up.


Callout 3 - Responsible Person attribution. Responsible Person and Date/Time are populated from the authenticated session and cannot be replaced with uncontrolled free text.

Callout 4 - Generate & Sign. The action remains disabled until every mandatory document approval, remaining checklist response and conditional value is complete. It is also blocked when Stock Suitable for Processing is No or Deviation Required is Yes. Successful execution creates the signed approval record and locks the approved pack.

Detailed checklist sequence:

Step 1 - PLPI sets EORI Verification and Commodity Code Verification to Yes from the approved Import / Export document. The user completes Supplier Status in FE and Reason if Inactive where applicable.

Step 2 - PLPI sets Collection Address Matches WDA and Authorised Transporter to Yes from approved CMR, and sets the transit and storage-site temperature checks to Yes from the approved Temperature Record.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Step 3 - For a standard pack, PLPI sets Article 51, FMD compliance and FMD decommissioning checks to Yes from the approved Supplier Declaration. For Diagnostic Batch, PLPI sets these checks to N/A. The user completes the editable Bollino / Vignette response.

Step 4 - Record RPi Comments, Stock Suitable for Processing and Deviation Required. Negative or exception outcomes remain visible in the signed record.

Step 5 - Select Generate & Sign. PLPI validates the current pack version, document-approval gates, mapped values and remaining mandatory responses. Sign-off is blocked when Stock Suitable for Processing is No or Deviation Required is Yes.

Validation rules: A mapped Yes value is created only by approval of its source document and displays that source. Diagnostic Batch creates only the defined N/A values. Deselecting Diagnostic Batch before submission restores Supplier Declaration as mandatory and clears those automatic N/A values. Bollino / Vignette and remaining mandatory responses remain editable. A changed or corrected source file invalidates its approval and mapped values and requires approval to be repeated.

Exit condition: A signed RPi approval record is attached to the individual or merged pack and the pack is ready for combined PDF generation.

URS traceability: URS 4.2.4 - 4.2.6 and 4.2.8. FS traceability: FS 3.3.

3.3.3 Combined PDF and Email

PDF assembly: After successful RP approval, PLPI combines every document attached to and approved as part of the current pack with the RP approval form into one controlled PDF. Shared documents are included once. Optional Additional Files are included when attached and approved.

Email dispatch: PLPI sends the combined PDF to sc.india@bnsdistribution.com and records the configured recipient, PDF generation result, sending status and date/time.

Detailed processing sequence:


Step 1 - PLPI verifies that Generate & Sign completed successfully for the current individual or merged pack version.

Step 2 - PLPI retrieves every document attached to and approved as part of the current pack, includes each shared file once, and retrieves the RP approval form.

Step 3 - PLPI validates the approved document set and creates one PDF without altering the source files.

Step 4 - PLPI validates the generated output and records the generation result. A missing expected component prevents dispatch.

Step 5 - PLPI sends the combined PDF to sc.india@bnsdistribution.com and records recipient, send status and date/time.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Step 6 - If generation or dispatch fails, the approval record remains retained, the pack does not advance and retry does not create a duplicate approval.

Step 7 - After successful processing, the approved pack remains locked. A later correction returns the record through the controlled review and approval workflow.

External acceptance: External acceptance for either the RPi-approved route or the direct all-CON-G Stock Control route is reflected as workflow status in PLPI. No separate external Stock Control user role is introduced in these modules.

Exit condition: The approved combined PDF has been generated and emailed, and the processing evidence is available for external stock-control action.

URS traceability: URS 4.2.7 and 4.2.9. FS traceability: FS 3.2 and 3.3.

3.4 Batch Checker Module





Figure 13 - Batch Checker eligible PO list and filters

Callout 1 - New Screen 1. The Batch Checker module opens with the eligible PO list. This screen is new and separates PO selection from the existing detailed product-line screen.

Callout 2 - Eligibility and filters. RPi-approved and direct Stock Control accepted CON-G POs are listed only after external acceptance is reflected in PLPI. Screen 1 contains one row per PO. Filters use the accepted PO and current product-line values.

Callout 3 - PO summary. Each PO appears once. Invoice, Product and Batch No. display the distinct values for that PO; Quantity and Boxes are totals across its current lines.

Callout 4 - Open PO. Selecting a row opens that PO in the detailed Batch Checker screen. No new Batch Check record is created by opening the PO.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0




Figure 14 - Batch Checker detailed PO and action controls

Callout 1 - Detailed PO screen. Selecting a PO from Screen 1 opens its product lines in the detailed Batch Checker screen. Existing line data remains unchanged unless an updated behavior is identified below.

Callout 2 - Existing and linked evidence. Existing product-line values remain unchanged. Supplier Declaration and Temperature Record open the applicable documents from the approved RPi pack, and View invoice opens its PO-specific Supplier Invoice.


Callout 3 - Manufacturer gate. Manufacturer remains editable on the selected line, but a valid Manufacturer must be selected before Batch Check opens.

Callout 4 - Selected product line. Batch Check, Print PCL, PCL Cold Chain Continuation and label actions apply only to the selected line.

Callout 5 - Batch Check. The updated action opens Product Verification for the selected line after Manufacturer is selected. Save Batch Check stores both completed and incomplete check statuses.

Callout 6 - Print controls. Print PCL is available after Product Verification is saved. If any check is incomplete, Print PCL remains disabled until a Regulatory comment is entered. Existing PCL Cold Chain Continuation remains unchanged. Reprinting either output requires a reason.

Callout 7 - View invoice. The button in the existing INVOICE_FILE field opens the PO-specific Supplier Invoice linked through RPi Pack Creation and is disabled when no invoice is linked.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Callout 8 - Existing and reset actions. A printed line remains visually completed. When Split changes Batch No., Quantity or Expiry Date, PLPI clears the PCL and Product Verification state of the affected lines and treats them as new entries.

Existing-function boundary: Split and PCL Cold Chain Continuation remain existing functions with no design change. INVOICE_FILE is an existing field updated only to show View invoice. Other detailed-screen fields remain unchanged.

Eligibility: The list displays RPi-approved packs and direct Stock Control accepted all-CON-G packs only after external acceptance is reflected in PLPI.

New evidence links: Supplier Declaration and Temperature Record open the approved shared evidence retained in the RPi pack. View invoice opens the PO-specific Supplier Invoice retained through RPi Pack Creation.

Updated actions: Manufacturer comes from the existing PLPI manufacturer selection. Print PCL uses the saved checks. Incomplete checks require a Regulatory comment before printing and produce a Regulatory review copy that does not complete downstream release. A Split change resets the affected printed lines.

Entry condition: The applicable RPi or direct Stock Control submission is complete and external acceptance has been reflected in PLPI.

Step 1 - Open Batch Checker. The authorised Batch Checker opens the new eligible PO list and views RPi-approved or direct Stock Control accepted CON-G POs after external acceptance is reflected in PLPI.

Step 2 - Locate the eligible PO. PLPI lists only records that satisfy the preceding RPi or direct Stock Control route and external acceptance gate.

Step 3 - Select a product line. The user selects the required product and batch line. Actions apply only to that selected line.


Step 4 - Review Supplier Declaration. The new evidence link opens the approved supplier declaration associated with the PO where applicable.

Step 5 - Review Temperature Record. The new evidence link opens the applicable temperature evidence. An unavailable mandatory record prevents completion.

Step 6 - Review Supplier Invoice. The user selects View invoice in the existing INVOICE_FILE column. PLPI opens the Supplier Invoice linked to the selected PO through RPi Pack Creation.

Step 7 - Start Batch Check. The user selects Batch Check. PLPI first validates Manufacturer and then opens Product Verification for the selected line.

Step 8 - Print or reprint PCL. If checks remain incomplete, PLPI requires a Regulatory comment and keeps Print PCL disabled until it is entered. The printed output is identified as an incomplete Regulatory review copy for physical submission to Regulatory and downstream release remains incomplete. A reprint requires a reason.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Step 9 - Control Split after print. When Split changes Batch No., Quantity or Expiry Date, PLPI clears the printed and Product Verification states for the affected lines, restores the normal colour and treats them as new entries.

Existing-field boundary: No Packing List fields are added to the detailed Batch Checker screen. Split and PCL Cold Chain Continuation retain existing behaviour. INVOICE_FILE is updated only to contain View invoice.

Exit condition: The selected line has the required evidence and invoice access, and is either ready for Product Verification or retains a current printed PCL status. An amended printed line exits this state and returns as a new entry.

URS traceability: URS 4.3.1, 4.3.2 and 4.3.8 - 4.3.10. FS traceability: FS 3.4.

3.5 Product Verification Pop-up


Figure 15 - Product Verification pop-up: identity and source checks

Callout 1 - Product Verification window. PLPI opens the modal from Batch Check and binds it to the selected PO and product line. The user remains in the Batch Checker context and cannot apply the verification to another line while the window is open.

Callout 2 - Product identity checks. Product Name, Strength, Pack Size and ECMA come from the selected existing Batch Checker line and are compared with approved RPi pack documents and physical or scanned evidence.

Callout 3 - Country and invoice checks. Source Country, Country of Origin and Invoice No. are presented as individual confirmations. A mismatch is not accepted through the check box; the source record must be corrected through the owning process and Product Verification saved again.

Callout 4 - Raw scan and batch commencement. Raw Product Scan starts the physical-evidence group and is followed by Batch No. and MFG Lot No. The user confirms that the scanned or physical pack evidence matches the system-held line data.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Callout 5 - Save Batch Check. The action saves the current selection state, including completed and incomplete checks, and records Batch Checker identity and date/time against the selected line.

Callout 6 - Cancel or close. Cancel and Close exit without overwriting the last saved Product Verification record.

Figure 16 - Product Verification pop-up: batch, quantity and manufacturer checks

Callout 1 - Batch and MFG lot. Batch No. and MFG Lot No. are checked against the physical pack, scan evidence and approved system record. The controls remain separate so a matching batch number cannot conceal an incorrect manufacturing lot.


Callout 2 - Expiry. The Batch Checker confirms the expiry value for the selected line against the pack and supporting evidence. Any discrepancy requires correction and a new controlled verification.

Callout 3 - Quantity and boxes. Quantity Received and Number of Boxes are confirmed against the Goods-In and Packing List records. The values support reconciliation of the received stock before the PCL is generated.

Callout 4 - Manufacturer details. Manufacturer and Manufacturer Address are displayed as separate values. A valid Manufacturer must be selected before Batch Check can open; the selected values are retained in the saved Product Verification record.

Callout 5 - Foreign ECMA Holder. The user confirms the displayed foreign ECMA holder against the approved product and supplier documentation for the selected line.

Callout 6 - Foreign Leaflet Date. The applicable foreign leaflet date is checked against the controlled leaflet or approved source record and is retained in the saved data used by the PCL preview.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Callout 7 - Final save. Selected checks are stored as complete and unselected checks as incomplete. An incomplete save remains open for resolution and may be printed for Regulatory review only after a Regulatory comment is entered.

Callout 8 - Final Cancel. Cancel closes the modal without overwriting the last saved states. Unsaved checkbox changes are discarded.

Displayed checks: The pop-up presents Product Name, Strength / Pack Size, ECMA, Source Country, Country of Origin, Invoice No., Raw Product Scan, Batch No., MFG Lot No., Expiry, Quantity Received, Number of Boxes, Manufacturer, Manufacturer Address, Foreign ECMA Holder and Foreign Leaflet Date.

Save behaviour: Save Batch Check stores all completed and incomplete checks and records the Batch Checker user and date/time against the product line.

Cancel: Cancel closes the pop-up without creating a verification record or changing the line status.

Detailed verification sequence: The Batch Checker completes the pop-up as follows.

Step 1 - Open the selected line. PLPI loads Product Verification for the selected Batch Checker line and prevents the result from being applied to a different line.

Step 2 - Review product identity. The user verifies Product Name, Strength / Pack Size and ECMA against approved records and physical evidence.

Step 3 - Review country and invoice details. The user verifies Source Country, Country of Origin and Invoice No.

Step 4 - Review scan and batch details. The user verifies Raw Product Scan, Batch No., MFG Lot No. and Expiry.

Step 5 - Review received quantities. The user verifies Quantity Received and Number of Boxes against Goods-In and Packing List records.


Step 6 - Review manufacturer and leaflet details. The user verifies Manufacturer, Manufacturer Address, Foreign ECMA Holder and Foreign Leaflet Date.

Step 7 - Save Product Verification. Save Batch Check stores every selected and unselected check and records user and date/time. All checks do not need to be complete.

Validation and exception handling: Manufacturer must be selected. Incomplete checks may be saved, but Print PCL remains disabled until a Regulatory comment is entered. The resulting Regulatory review copy does not satisfy downstream release. Cancel does not overwrite the last saved record. A Split change to a printed line clears the affected saved states.

Exit condition: Product Verification is saved against the selected line with each check status, and Print PCL becomes available.

URS traceability: URS 4.3.3, 4.3.7, 4.3.9 and 4.3.12. FS traceability: FS 3.5.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

3.6 Print PCL Preview and Verification

Product Check Log (PCL) Preview and Print Control

1 Select Check Log (PCL) Sheet

2 Reference by PCL and Invoice event (Date, Time and User)

3

4

5 Print and Print

6 Close

Figure 17 - Product Check Log preview and print control

Callout 1 - Product Check Log preview. The controlled preview opens for the selected line after Product Verification is saved and displays its current PCL context.


Callout 2 - Saved detail line. The preview populates the applicable PO, supplier, product, batch, quantity, boxes and manufacturer information from the selected saved record.

Callout 3 - Saved check statuses. Completed and incomplete states remain visible. If any check is incomplete, the output is identified as an incomplete Regulatory review copy and downstream release remains blocked.

Callout 4 - Line-clearance audit evidence. The preview displays line-clearance evidence before Batch Check, including the recorded user and date/time. This establishes that the applicable operational clearance preceded the final PCL action.

Callout 5 - Print PCL. First print is permitted after Product Verification is saved. When any check is incomplete, the action remains disabled until a Regulatory comment is entered. Each reprint requires a reason. PLPI records the output type, user, date/time and reason where applicable.

Callout 6 - Close. Close exits the preview without recording a successful print. The line remains incomplete for the PCL stage and downstream gating remains in place.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

Figure 18 - Product Check Log lower details, audit and print controls

Callout 1 - Manufacturer. The PCL displays the manufacturer value carried from the saved Product Verification result. The value is reviewable in the preview but is not edited as uncontrolled free text at print time.

Callout 2 - Manufacturer address. The saved manufacturer address is displayed separately so the user can confirm both organisation and location before the PCL is finalised.

Callout 3 - Foreign ECMA holder. The foreign ECMA holder is populated from the saved line and included in the final PCL record for product and regulatory traceability.


Callout 4 - Foreign leaflet date. The preview displays the saved leaflet date and its current check status so the final printed record reflects the applicable controlled leaflet information.

Callout 5 - Regulatory comment. The Batch Checker may enter or edit comments before printing. A comment is mandatory when any saved check is incomplete; the saved comment is included in the printed PCL and remains associated with the selected line.

Callout 6 - Checks carried out by. PLPI displays the Batch Checker identity and saved date drawn from the Product Verification audit record. These fields are system populated and provide the signatory trace for the printed PCL.

Callout 7 - Final print. Print PCL produces the complete PCL or, after the mandatory Regulatory comment is entered, an incomplete Regulatory review copy. A reprint requires a reason and retains prior history. A print failure does not create a successful status.

Callout 8 - Final Close. Closing the lower preview creates no print event and does not satisfy the downstream completion gate.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

PCL preview: Print PCL displays the saved details and check states. Any incomplete check marks the output as an incomplete Regulatory review copy and makes the Regulatory comment mandatory.

Line clearance: The preview requires the applicable area, product and documentation clearance confirmations before final sign-off.

Print PCL: After Product Verification is saved and line clearance is confirmed, PLPI prints either the complete PCL or, after the mandatory Regulatory comment is entered, an incomplete Regulatory review copy. The physical incomplete copy is submitted to Regulatory. Reprint requires a reason.

Close and downstream gate: Close exits without printing. An incomplete Regulatory review copy does not complete downstream release; the gate remains until the incomplete verification is resolved and the applicable PCL requirements are complete.

Detailed preview and print sequence: The Product Check Log is finalised as follows.

Step 1 - Select Print PCL. PLPI confirms that the selected line has a saved Product Verification record before opening the preview.

Step 2 - Populate the preview. The preview is populated from the saved product, batch, quantity, manufacturer and document-check values.

Step 3 - Display check status. The preview shows each completed and incomplete Product Verification check.

Step 4 - Complete line clearance. The user confirms the applicable area, product and documentation clearance items.

Step 5 - Review the final PCL. The user reviews the displayed details and saved check statuses. If any check is incomplete, the user must enter a Regulatory comment before Print PCL is enabled.


Step 6 - Print PCL. Complete checks produce the normal PCL. Any incomplete check produces an incomplete Regulatory review copy for physical submission only after the mandatory Regulatory comment is entered; reprint requires a reason.

Step 7 - Record the print or reprint event. After successful printing, PLPI records status, user, role and date/time without removing the prior print history.

Step 8 - Display status. A complete PCL shows the completed colour. An incomplete Regulatory review copy remains visibly incomplete and does not satisfy downstream release.

Step 9 - Reset after Split. If Split changes Batch No., Quantity or Expiry Date after printing, PLPI clears the PCL and Product Verification states of the affected lines and treats them as new entries.

Validation and exception handling: Print PCL remains disabled when checks are incomplete and the Regulatory comment is blank. A print failure cannot record success.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

An incomplete Regulatory review copy remains incomplete. Reprinting records an additional event. Split after print invalidates the affected lines and requires re-verification.

Exit condition: Downstream release requires completed Product Verification, line clearance and a successful complete PCL. An incomplete Regulatory review copy does not meet this condition. Split withdraws the condition for the affected lines.

URS traceability: URS 4.3.4 - 4.3.8, 4.3.11 and 4.3.12. FS traceability: FS 3.6.

3.7 Goods-In Summary

The Goods-In Summary is a new read-only module for authorised Business, QA, Operations and IT users. It presents the current Goods-In and RPi workflow state without exposing operational amendment controls.

Search and result list: PO Number Search filters individual and merged records. Each result displays PO Number(s), Supplier, Current Stage and Last Updated. A merged result retains all related PO numbers.

View Summary: The action displays WSC initiation, tablet completion, Team Lead decision, RPi exception approval, Checklist decision acceptance, Packing List activities, diagnostic status, selected RPi or direct Stock Control route, PDF/email, external acceptance, Regulatory review copy and Batch Checker status.

Action History: The read-only log displays stage, action, authenticated user and date/time in recorded sequence. Correction, rejection, unmerge and re-submission events remain visible and are not replaced by the latest status.

View Summary PDF: The preview is generated from recorded workflow events and shows the applicable individual or merged PO relationship. It cannot be used to change the source operational record.

Detailed summary sequence:


Step 1 - The authorised user searches by PO number and selects the applicable individual or merged result.

Step 2 - PLPI displays the current stage and latest update from the controlled workflow record.

Step 3 - The user opens View Summary to review the retained stage history and document/approval outcomes.

Step 4 - The user opens View Summary PDF where a printable read-only representation is required. No summary action changes workflow status.

URS traceability: URS 4.4.1. FS traceability: FS 3.7.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

3.8 Workflow Status, Corrections and Audit Behaviour

Status control: PLPI shows the current PO, merged-set and line status in the relevant module. A status changes only after the applicable validation and authenticated action succeeds.

Step 1 - PO initiated. Add Packing List has created the RPi Pack Creation queue and linked available source files.

Step 2 - Checklist Pending or In Progress. WSC has generated the checklist and Goods-In or Lead Approval remains incomplete.

Step 3 - Normal Decision or RPi Exception Review. Team Lead Yes proceeds normally. No remains quarantined while RPi reviews the completed checklist and records the QA Decision. Only Approved for unpacking proceeds to Checklist decision, where Goods-In must select Accept.

Step 4 - Packing List Pending or Complete. Accepted PO or POs enter View Packing List; Verify & Print, LOG, line clearance and generation are evaluated for each PO.

Step 5 - Pack in progress. The individual, automatically merged or user-merged pack is progressively populated, Diagnostic Batch is recorded where applicable and missing mandatory documents are completed. Additional Files remains optional.

Step 6 - Route selected. PLPI sends WHO, mixed, missing or unknown Contract sets to RPi Approval and sends only all-CON-G sets directly to Stock Control.

Step 7 - Review or direct processing. RPi-route packs may be returned with comments; direct packs are assembled without an RPi approval form and sent using the configured Stock Control recipient.

Step 8 - Route completed. RPi-route packs complete document review, checklist and sign-off; direct all-CON-G packs complete direct PDF submission.


Step 9 - PDF and submission processed. The applicable combined pack is generated and its configured submission outcome is recorded.

Step 10 - Ready for Batch Check. External acceptance has been reflected and the eligible RPi-approved or direct CON-G PO is visible to Batch Checker.

Step 11 - PCL Complete or Regulatory Review Required. A complete PCL satisfies the line gate. An incomplete Regulatory review copy remains open and blocks downstream release.

Correction control: A returned incorrect file goes to RPi Pack Creation. A Split after PCL print resets the affected lines. RPi exception approval and Checklist decision acceptance remain visible in history.

Audit content: Each controlled event retains the PO or merged-set reference, merge source and membership changes, Diagnostic Batch status, evaluated route, affected line or document and file version where applicable, previous and new status, authenticated user, role, date/time, decision and comments or reason.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

4. Additional Non-Functional Requirements

4.1 Audit Trail

PLPI shall retain traceable records for WSC PO initiation and source-file linkage; delivery details; signatures; Goods-In and Team Lead actions; completed checklist PDF; line clearance; PO relationships; document status; Diagnostic Batch selection; Contract-route evaluation; RPi review or direct Stock Control submission; PDF generation; configured dispatch; external acceptance status; Batch Checker worklist access; invoice viewing; saved Product Verification checks; PCL and label print or reprint with reasons; Split-triggered reset; and summary access. Records shall include the applicable PO, line or document, user, role, action, previous and new status, comments or reason, and date/time where applicable.

4.2 Availability

The new workflow shall operate within the established PLPI availability and planned maintenance arrangements. Saved records shall remain available to authorised users after service restoration.

4.3 Capacity Limits

The design shall support the expected operational volume of individual and merged PO sets, product lines, checklist records, signatures, shared documents, PO-specific documents and concurrent authorised tablet or desktop users. Shared documents shall be stored once for a merged set where applicable. Record locking shall prevent conflicting updates to the same controlled task.

4.4 Performance


Search, document status, checklist validation, preview and sign-off actions shall respond within acceptable operational time under normal PLPI load. Large PDF generation and email processing shall show a clear in-progress or completion status.

4.5 Recoverability

Goods-In and Lead Approval drafts, final checklist data, signatures, PO and merged-set relationships, linked source files, uploaded files and generated records shall be included in the existing database and file backup and recovery controls. A draft is not the final controlled record. A failed PDF or email action shall be recoverable without duplicating approval records.

4.6 Security Requirements

Access shall use existing PLPI authentication and role permissions. WSC India, Goods-In, Goods-In Team Lead, RP/RPi and Batch Checker actions shall be available only to authorised roles. Team Lead approval shall be separated from Goods-In data capture. Internal electronic sign-off shall use authenticated identity; driver, receiver and Team Lead signatures shall be retained with the completed receiving record. The Goods-In Summary shall remain read-only.



Design Specification: PLPI Batch Record Automation DS/PLPI/PH1/v1.0

4.7 Error Handling

The system shall display clear messages for missing mandatory data, a pending or non-releasing QA Decision, RPi exception approval, Checklist decision acceptance, missing mandatory pack files, incorrect uploaded files, incomplete verification, a missing Regulatory comment, optional Additional Files, failed generation/email and unavailable records. Errors shall not advance status.

4.8 Usability

The Goods Receiving Checklist and signature controls shall be usable on the approved tablet form factor. Goods-In Team and Lead Approval queues, workflow stepper, three mandatory inspection checks, Information Confirmed decision, final confirmation and disabled actions shall be clear without changing the established PLPI navigation pattern. RPi Pack Creation shall distinguish shared documents from PO-specific documents and identify only files that require upload.

4.9 Accuracy and Validity

WSC-loaded values, checklist PO membership, RPi exception and Goods-In acceptance decisions, shared-file references, mandatory versus optional documents, document-to-approval-form mappings, Product Verification, Regulatory comment gating and workflow gates shall be validated. The combined PDF shall contain every attached and approved document plus the RPi approval form.