

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Artificial Intelligence and Data Science

ASSESSMENT TOOL 3 – ERROR ANALYSIS

Course Code:	DSA03	Course Title:	Natural Language Processing
CO Assessed:	CO2 – Manipulation	Assessment:	Assessment Tool 3 – ERROR ANALYSIS
Weightage:	30% of CIA		
CO5 Statement:	Design inflectional, derivational, finite-state parsing, stemming algorithms and for analyse morphological methods. (BL-3)		
Student Name:	V Yogeswar	Reg. No.:	192425175
Section / Batch:		Date:	

Code of Conduct

I V Yogeswar / 192425175 (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: V Yogeswar

Instructions

- Read all questions carefully before attempting the answers.
- Answer any 4 questions (2 Scenario-Based & 2 Programming-Based). Each question carries equal marks.
- Show all intermediate steps, calculations, probability computations, tagging decisions, and justifications wherever applicable.
- Duration: 30 minutes.

Section / Topic	Focus	Q Nos
Inflectional Morphology and Derivational Morphology	Error analysis of morphological decomposition in unhappiness, happiness, and happier; identification of roots, prefixes, suffixes, inflectional and derivational morphemes, and correction of incorrect morphological classifications.	Q1
Inflectional Morphology and Derivational Morphology	Error analysis of national, nationality, and nationalize; identification of derivational layers, word-class changes, affixes, and semantic effects of derivation.	Q2
Finite-State Morphological Parsing	Error analysis of finite-state morphological parsing for replayed, playing, and players; identification of incorrect transitions, root forms, affixes, and inflectional features in the morphological analysis.	Q3
Finite-State Morphological Parsing	Error analysis of FSA/FST-based parsing for disagreement, agreements, and agreeable; identification and correction of incorrect prefix/suffix segmentation, base forms, and derivational interpretations.	Q4
Porter Stemmer and Applications of Stemming in NLP	Programming-based error analysis of a Porter Stemmer implementation for words such as <i>connected</i> , <i>connection</i> , <i>connecting</i> , and <i>connectivity</i> ; identify stemming-rule errors and correct the implementation.	Q5
Porter Stemmer and Applications of Stemming in NLP	Programming-based error analysis of a morphological normalization program that processes <i>studies</i> , <i>studied</i> , <i>studying</i> , and <i>study</i> ; identify incorrect stemming outputs and modify the code to produce consistent stems.	Q6
Porter Stemmer and Applications of Stemming in NLP	Programming-based error analysis of a document indexing/stemming program; identify errors in applying Porter stemming to a collection of words, correct the code, and explain how the correction improves search and information retrieval.	Q7

Annexure A – Error Analysis

Question 1 – Error Analysis of Derivational Morphology in Biomedical Text

A biomedical information-retrieval system performs morphological decomposition of words before indexing research articles. The system incorrectly analyzes the words:

1. treatment
2. treatable
3. retreatment
4. treated
5. untreated

The system sometimes removes prefixes or suffixes that carry important morphological information, resulting in incorrect search matches.

Use the PubMed 20k RCT Dataset or another publicly available biomedical corpus for experimentation.

Tasks

1. Identify words that produce incorrect morphological analyses.
2. Decompose the selected words into prefixes, roots, and suffixes.
3. Determine whether each identified affix is inflectional or derivational.
4. Explain the root cause of the incorrect morphological analysis.
5. Propose a corrected morphological-analysis strategy.
6. Compare the original and corrected analyses.
7. Explain how the correction could improve biomedical information retrieval.

Word	Prefix	Root	Suffix	Affix Type
treatment	–	treat	ment	Derivational
treatable	–	treat	able	Derivational
retreatment	re	treat	ment	Derivational
treated	–	treat	ed	Inflectional
untreated	un	treat	ed	Prefix: Derivational, Suffix: Inflectional

```
Q1.py
Q1.py > ...
5 def analyze(word):
26     elif root.endswith("able"):
27         suffix = "able"
28         root = root[:-4]
29         types.append("able: Derivational")
30
31     elif root.endswith("ed"):
32         suffix = "ed"
33         root = root[:-2]
34         types.append("ed: Inflectional")
35
36     return prefix, root, suffix, ", ".join(types)
37
38     print(f"{'Word':<15}{'Prefix':<10}{'Root':<10}{'Suffix':<10}{'Type'}")
39
40     for word in words:
41         p, r, s, t = analyze(word)
42         print(f"{'word':<15}{'p':<10}{'r':<10}{'s':<10}{'t'}")
43
44     print("\nNormalized form: treat")

Problems Output Debug Console Terminal Ports
PS M:\NLP\CO2_AT3> & C:\Users\Y0geswar\AppData\Local\Programs\Python\Python313\python.exe m:\NLP\CO2_AT3\Q1.py
Word Prefix Root Suffix Type
treatment - treat ment ment: Derivational
treatable - treat able able: Derivational
retreatment re treat ment re: Derivational, ment: Derivational
treated - treat ed ed: Inflectional
untreated un treat ed un: Derivational, ed: Inflectional

Normalized form: treat
PS M:\NLP\CO2_AT3>
```

Question 2 – Error Analysis of Finite-State Morphological Parsing

A social-media NLP system uses a finite-state morphological parser to analyze user-generated text. The parser produces incorrect analyses for words such as:

1. replayed
2. unhappier
3. disconnected
4. players
5. restarting
6. unreadable

The parser can recognize a single affix correctly but fails when multiple prefixes and suffixes occur in the same word.

Use the Sentiment140 Dataset or another publicly available social-media dataset.

Tasks

1. Identify words that produce incorrect morphological analyses.
2. Identify the incorrect FSA/FST transitions responsible for the errors.
3. Modify the finite-state transitions to correctly recognize multiple affixes.
4. Execute the corrected parser on the selected dataset.
5. Compare the parser output before and after correction.
6. Calculate the parsing accuracy before and after correction.
7. Discuss the limitations and computational complexity of the modified finite-state parser.

Word	Prefix	Root	Suffix	Classification
replayed	re	play	ed	re: Derivational, ed: Inflectional
unhappier	un	happy	er	un: Derivational, er: Inflectional
disconnected	dis	connect	ed	dis: Derivational, ed: Inflectional
players	-	play	er + s	er: Derivational, s: Inflectional
restarting	re	start	ing	re: Derivational, ing: Inflectional
unreadable	un	read	able	un: Derivational, able: Derivational

```
Q1.py Q2.py
Q2.py > ...
45     "replayed": ("re", "play", ["ed"]),
46     "unhappier": ("un", "happy", ["er"]),
47     "disconnected": ("dis", "connect", ["ed"]),
48     "players": ("-", "play", ["er", "s"]),
49     "restarting": ("re", "start", ["ing"]),
50     "unreadable": ("un", "read", ["able"])
51 }
52
53 correct = 0
54
55 for word in words:
56     p, r, s = parser(word)
57     predicted = (p, r, [x[0] for x in s])
58
59     if predicted == gold[word]:
60         correct += 1
61
62 accuracy = correct / len(words) * 100
63
64 print("\nCorrected Parser Accuracy:", accuracy, "%")
```

```
Problems Output Debug Console Terminal Ports
PS M:\NLP\C02_AT3> & C:\Users\Y0geswar\AppData\Local\Programs\Python\Python313\python.exe m:/NLP/C02_AT3/Q2.py
Word      Prefix  Root    Suffixes
replayed  re      play    [('ed', 'Inflectional')]
unhappier un      happi   [('er', 'Derivational')]
disconnected dis     connect [('ed', 'Inflectional')]
players   -       player  [('s', 'Inflectional')]
restarting re      start   [('ing', 'Inflectional')]
unreadable un      read    [('able', 'Derivational')]

Corrected Parser Accuracy: 66.66666666666666 %
PS M:\NLP\C02_AT3> |
```

Question 3 – Identify the Error, Rectify It, and Analyze the Output

The following program is intended to perform stemming on a collection of documents.

```
from nltk.stem import PorterStemmer
import pandas as pd
ps = PorterStemmer()
data = pd.read_csv("news.csv")
data["Processed"] = data["Text"].apply(ps.stem)
print(data["Processed"].head())
```

The program produces unexpected results and does not correctly process complete sentences.

Tasks

1. Identify the programming and preprocessing errors.
2. Explain why the output is incorrect.
3. Correct the program so that tokenization and stemming are performed appropriately.
4. Execute the corrected program using the AG News Dataset or another publicly available news corpus.
5. Compare:
 - Original text
 - Tokens
 - Stemmed tokens
6. Identify at least 20 problematic stemming cases and classify them as inflectional or derivational.
7. Explain how the corrected program improves morphological preprocessing.

```
Q3.py > ...
13     "Scientists developed a new medical treatment.",
14     "The technology company released a new smartphone.",
15     "Researchers discovered important information about climate change."
16 ]
17 })
18
19 def process(text):
20     tokens = re.findall(r"[A-Za-z]+", text.lower())
21     stems = [ps.stem(word) for word in tokens]
22     return tokens, stems
23
24 data[["Tokens", "Stemmed Tokens"]] = data["Text"].apply(
25     lambda x: pd.Series(process(x))
26 )
27
28 print(data[["Text", "Tokens", "Stemmed Tokens"]].to_string(index=False))
```

Problems Output Debug Console Terminal Ports

PS M:\NLP\CO2_AT3> C:\Users\Y0geswar\AppData\Local\Programs\Python\Python313\python.exe m:/NLP/CO2_AT3/Q3.py

Text	Tokens	Stemmed Tokens
India won the cricket match against Australia.	[india, won, the, cricket, match, against, australia]	[india, won, the, cricket, match, agains
The government announced a new education policy.	[the, government, announced, a, new, education, policy]	[the, govern, announc, a, new,
Scientists developed a new medical treatment.	[scientists, developed, a, new, medical, treatment]	[scientist, develop, a, new, medi
The technology company released a new smartphone.	[the, technology, company, released, a, new, smartphone]	[the, technolog, compani, releas, a, ne
Researchers discovered important information about climate change.	[researchers, discovered, important, information, about, climate, change]	[research, discov, import, inform, about, c

PS M:\NLP\CO2_AT3>

Word	Stem	Type
connected	connect	Inflectional
connecting	connect	Inflectional
connections	connect	Inflectional
played	play	Inflectional
playing	play	Inflectional
players	player	Inflectional
studies	studi	Inflectional
studied	studi	Inflectional
studying	studi	Inflectional
cars	car	Inflectional
boxes	box	Inflectional
cats	cat	Inflectional
happiness	happi	Derivational
happily	happili	Derivational

Word	Stem	Type
kindness	kind	Derivational
organization	organ	Derivational
organizational	organ	Derivational
relational	relat	Derivational
treatment	treat	Derivational
readable	readabl	Derivational

Question 4 – Error Analysis of a Finite-State Morphological Parser

The following Python program is intended to identify plural nouns:

```
def parser(word):
    if word.endswith("s"):
        return word[:-2], "Plural Noun"
    else:
        return word, "Singular"

words = [
    "cars",
    "boxes",
    "cities",
    "children",
    "books"
]

for w in words:
    print(w, "->", parser(w))
```

The parser produces incorrect morphological analyses for several words.

Tasks

1. Identify all logical errors in the program.
2. Explain why the parser fails for different plural formation rules.
3. Modify the program to correctly handle:
 - Regular plurals
 - Words ending in -es
 - Words ending in -ies
 - Irregular plurals
4. Execute the corrected parser using WordNet or another publicly available English lexical resource.
5. Compare the original and corrected outputs.
6. Identify the limitations of the rule-based finite-state approach.
7. Explain how the corrected parser improves morphological analysis.

```

Q1.py Q2.py Q3.py Q4.py
Q4.py > ...
18 def parser(word):
30
31     return word, "Singular"
32
33 words = ["cars", "boxes", "cities", "children", "books"]
34
35 print(f"{'Word':<12}{'Root':<12}{'Analysis'}")
36
37 for word in words:
38     root, analysis = parser(word)
39     print(f"{word:<12}{root:<12}{analysis}")
40
41 print("\nWordNet Check:")
42
43 for word in words:
44     print(word, "->", bool(wn.synsets(word)))

```

Problems Output Debug Console Terminal Ports

```

PS M:\NLP\C02_AT3> & C:\Users\Y0geswar\AppData\Local\Programs\Python\Python313\python.exe m:\NLP\C02_AT3/Q4.py
Word      Root      Analysis
cars      car       Regular Plural
boxes     box       Plural -es
cities    city      Plural -ies
children  child     Irregular Plural
books     book      Regular Plural

WordNet Check:
cars -> True
boxes -> True
cities -> True
children -> True
books -> True
PS M:\NLP\C02_AT3>

```

Word	Original	Corrected
cars	ca	car
boxes	box	box
cities	cit	city
children	children	child
books	book	book

Question 5 – Error Analysis of Morphological Preprocessing for Feature Extraction

The following program is intended to perform stemming before extracting machine-learning features:

```

from nltk.stem import PorterStemmer
from sklearn.feature_extraction.text import CountVectorizer

stemmer = PorterStemmer()

documents = [
    "connected connection connecting connectivity",
    "studies studied studying study",
    "organize organized organizer organization"
]

vectorizer = CountVectorizer()

X = vectorizer.fit_transform(documents)

features = [
    stemmer.stem(word)
    for word in vectorizer.get_feature_names_out()
]

```

The developer observes that the vocabulary contains redundant or inappropriate morphological representations.

Tasks

1. Identify the preprocessing error in the program.
2. Explain why applying stemming after feature extraction can lead to an inappropriate vocabulary representation.
3. Correct the preprocessing pipeline so that normalization occurs before feature extraction.
4. Execute the corrected program using the 20 Newsgroups Dataset or another publicly available text corpus.
5. Compare:
 - Vocabulary size before correction
 - Vocabulary size after correction
 - Classification accuracy before correction
 - Classification accuracy after correction
 - Processing time
6. Analyze at least 10 examples of morphological normalization before and after correction.
7. Interpret how the corrected preprocessing pipeline affects the NLP classification system.

Q1.py Q2.py Q3.py Q4.py **Q5.py**

Q5.py > ...

```
1 # Q5: Error Analysis of Morphological Preprocessing
2
3 import time
4 from nltk.stem import PorterStemmer
5 from sklearn.datasets import fetch_20newsgroups
6 from sklearn.feature_extraction.text import CountVectorizer
7 from sklearn.linear_model import LogisticRegression
8 from sklearn.metrics import accuracy_score
9
10 stemmer = PorterStemmer()
11
12 # Load 20 Newsgroups Dataset
13 categories = [
14     "rec.sport.baseball",
15     "sci.space",
16     "comp.graphics",
17     "sci.space"
18 ]
```

Problems Output Debug Console **Terminal** Ports

```
PS M:\NLP\C02_AT3> & C:\Users\Y0geswar\AppData\Local\Programs\Python\Python313\python.exe m:/NLP/C02_AT3/Q5.py
```

MORPHOLOGICAL PREPROCESSING COMPARISON

Vocabulary before correction	: 5000
Vocabulary after correction	: 5000
Accuracy before correction	: 91.14 %
Accuracy after correction	: 91.48 %
Processing time before	: 1.47 seconds
Processing time after	: 11.95 seconds

MORPHOLOGICAL NORMALIZATION

Original	Stemmed
connected	connect
connection	connect
connecting	connect
studies	studi
studied	studi
studying	studi
organize	organ
organized	organ
organizer	organ
organization	organ

```
PS M:\NLP\C02 AT3>
```

Rubrics for Calculation

Criteria	Weightage	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Error Identification	20%	Accurately identifies all errors with clear understanding of issues	Identifies most errors with minor omissions	Identifies limited errors; some are missed	Fails to identify key errors
Root Cause Analysis	30%	Clearly explains underlying causes with strong technical reasoning	Explains causes with moderate clarity	Partial explanation; weak reasoning	Unable to identify causes of errors
Correction & Justification	25%	Provides correct solutions with strong justification and logic	Provides correct corrections with some justification	Corrections are partially correct or weakly justified	Incorrect or no corrections provided
Application of Concepts	15%	Effectively applies relevant concepts to analyze and resolve errors	Applies concepts with minor errors	Limited application; requires guidance	Unable to apply concepts
Clarity & Presentation	10%	Presents analysis clearly, logically, and systematically	Generally clear with minor issues	Lacks clarity or proper structure	Poor presentation and difficult to understand

Q. No. / Criteria Level	Error Identification	Root Cause Analysis	Correction & Justification	Applications of Concepts	Clarity & Presentation	Sub. Total	Total %
1	3	3	3	3	3	75	75
2	3	3	3	3	3	75	
3	3	3	3	3	3	75	
4	3	3	3	3	3	75	
5	3	3	3	3	3	75	

Faculty In-charge	Course Coordinator	Program Director
KUMARAGURUBARAN. T		
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____