# Serverless Data Processing (CSCI 5410)

Dr. Saurabh Dey

# Outline

AWS Step Functions

# Step Functions

- AWS Step Functions is a web service that enables us to coordinate components of distributed applications and microservices using visual workflows.




https://aws.amazon.com/blogs/aws/new-compute-database-messaging-analytics-and-machine-learning-integration-for-aws-step-functions/

# Overview of Step Functions



# What is a State Machine?

- A state machine contains finite number of states and some input-output.
- States are elements in the state machine.
  - Must be unique within the scope of the entire state machine.
- Individual states can make decisions based on their input, perform actions, and pass output to other states.




https://blog.coinbase.com/aws-step-functions-state-machines-bifrost-and-building-deployers-5e3745fe645b

# What can states perform in a state machine?

- A state can perform some tasks
- Make a choice between branches of execution
  - E.g. Stop an execution with success or a failure
- Simply pass its input to its output
- Provide a delay for a certain amount of time
- Begin parallel branches of execution




https://aws.amazon.com/blogs/devops/using-aws-step-functions-state-machines-to-handle-workflow-driven-aws-codepipeline-actions/

# Features shared by States

- A **Type** field associated with each state indicates its type.
- An optional **Comment** field, which indicates human-readable description
- Each state (except a **Succeed** or **Fail** state) requires a **Next** field or, alternatively, can become a terminal state by specifying an **End** field.
- A **Choice** state may have more than one **Next**, but only one within each Choice Rule. A **Choice** state cannot use **End**.




```
"HelloWorld": {
"Type": "Task",
"Resource": "arn:aws:lambda:us-east-1:123456789012:function:HelloFunction",
"Next": "AfterHelloWorldState",
"Comment": "Run the HelloWorld Lambda function"
}
```

https://docs.aws.amazon.com/step-functions/latest/dg/concepts-states.html

# Structure of a State Machine

```
{
        "State1" : {
        },
        "State2" : {
        },
        ...
}
```

- State machines are defined using JSON text that represents a structure.
- Some fields, such as (StartAt, States) are required
- Other fields (Comment, TimeoutSeconds, Version) are optional

```
{
  "Comment": "A Hello World example of the Amazon States Language using a Pass state",
  "StartAt": "HelloWorld",
  "States": {
    "HelloWorld": {
      "Type": "Pass",
      "Result": "Hello World!",
      "End": true
    }
  }
}
```

# Create a State Machine (1-3)

Create role

1 2 3 4

## Review

Provide the required information below and review this role before you create it.

**Role name*** RoleLambdaStepFunction

Use alphanumeric and '+=,.@-_' characters. Maximum 64 characters.

**Role description** Allows Step Functions to access AWS resources on your behalf.

Maximum 1000 characters. Use alphanumeric and '+=,.@-_' characters.

**Trusted entities** AWS service: states.amazonaws.com

**Policies** AWSLambdaRole

**Permissions boundary** Permissions boundary is not set

*No tags were added.*



# Create a State Machine (2-3)



# Create a State Machine (3-3)

**Definition**

Define your workflow using **Amazon States Language**. Refresh the graph to render the definition.

Export ▼ Layout ▼

Generate code snippet ▼ Format JSON

```
{
 "StartAt":"InvokeLambda",
 "States":{
   "InvokeLambda":{
     "End":true,
     "Type": "Task",
     "Resource": "arn:aws:states:::lambda:invoke",
     "Parameters": {
       "FunctionName": "arn:aws:lambda:us-east-1:070088211879:function:addFirstLastName",
       "Payload": {
         "Input": {
           "first_name": "Saurabh",
           "last_name": "Dey"
         }
       }
     }
   }
 }
}
```



# Questions to Consider

- How does AWS step function help in debugging?
- Is it possible to automate a process using AWS step function?