Data Associate BatchDA 13 Batch

HR Database

Ritviz singh

Yesterday



hr-schema.sql SQL

Class comments

```
* You can copy, modify, distribute and perform the work, even for commercial purposes,
* all without asking permission.
* @Author: Andrei N. CIOBANU
DROP SCHEMA
IF EXISTS hr;
      CREATE SCHEMA hr COLLATE = utf8 general ci;
USE hr;
/* *********************************
CREATE TABLE regions (
      region_id INT (11) UNSIGNED NOT NULL,
       region name VARCHAR(25),
       PRIMARY KEY (region id)
      );
CREATE TABLE countries (
      country id CHAR(2) NOT NULL,
       country name VARCHAR(40),
       region_id INT (11) UNSIGNED NOT NULL,
       PRIMARY KEY (country_id)
);
CREATE TABLE locations (
      location id INT (11) UNSIGNED NOT NULL AUTO INCREMENT,
      street address VARCHAR(40),
      postal code VARCHAR(12),
      city VARCHAR(30) NOT NULL,
       state_province VARCHAR(25),
       country_id CHAR(2) NOT NULL,
       PRIMARY KEY (location id)
CREATE TABLE departments (
       department_id INT (11) UNSIGNED NOT NULL,
       department name VARCHAR(30) NOT NULL,
       manager id INT (11) UNSIGNED,
       location_id INT (11) UNSIGNED,
       PRIMARY KEY (department id)
CREATE TABLE jobs (
       job id VARCHAR(10) NOT NULL,
       job title VARCHAR(35) NOT NULL,
       min_salary DECIMAL(8, 0) UNSIGNED,
       max_salary DECIMAL(8, 0) UNSIGNED,
       PRIMARY KEY (job_id)
CREATE TABLE employees (
       employee id INT (11) UNSIGNED NOT NULL,
       first name VARCHAR(20),
       last name VARCHAR(25) NOT NULL,
       email VARCHAR(25) NOT NULL,
       phone_number VARCHAR(20),
       hire date DATE NOT NULL,
       job id VARCHAR(10) NOT NULL,
       salary DECIMAL(8, 2) NOT NULL,
       commission pct DECIMAL(2, 2),
       manager id INT (11) UNSIGNED,
       department id INT (11) UNSIGNED,
```

```
PRIMARY KEY (employee_id)
CREATE TABLE job history (
      employee id INT (11) UNSIGNED NOT NULL,
      start date DATE NOT NULL,
      end date DATE NOT NULL,
      job_id VARCHAR(10) NOT NULL,
      department_id INT (11) UNSIGNED NOT NULL
ALTER TABLE job_history ADD UNIQUE INDEX (
      employee id,
      start date
      );
CREATE VIEW emp_details_view
SELECT e.employee_id,
      e.job_id,
      e.manager_id,
      e.department id,
      d.location id,
      1.country_id,
      e.first_name,
      e.last_name,
      e.salary,
      e.commission_pct,
      d.department_name,
      j.job_title,
      l.city,
      1.state province,
      c.country name,
      r.region_name
FROM employees e,
      departments d,
      jobs j,
      locations 1,
      countries c,
      regions r
WHERE e.department id = d.department id
      AND d.location id = 1.location id
      AND l.country_id = c.country_id
      AND c.region_id = r.region_id
      AND j.job_id = e.job_id;
/* ***********************************
INSERT INTO regions
VALUES (
      1,
      'Europe'
      );
INSERT INTO regions
VALUES (
      'Americas'
      );
INSERT INTO regions
VALUES (
      3,
      'Asia'
      );
INSERT INTO regions
VALUES (
      'Middle East and Africa'
COMMIT;
INSERT INTO countries
VALUES (
  'IT',
'Italy',
      );
INSERT INTO countries
VALUES (
      'JP',
      'Japan',
      );
INSERT INTO countries
VALUES (
```

```
'US',
       'United States of America',
       2
       );
INSERT INTO countries
VALUES (
      'CA',
       'Canada',
       );
INSERT INTO countries
VALUES (
       'CN',
       'China',
       );
INSERT INTO countries
VALUES (
       'IN',
       'India',
       3
       );
INSERT INTO countries
VALUES (
      'AU',
       'Australia',
       );
INSERT INTO countries
VALUES (
       'ZW',
       'Zimbabwe',
       4
       );
INSERT INTO countries
VALUES (
      'SG',
       'Singapore',
       );
INSERT INTO countries
VALUES (
       'UK',
       'United Kingdom',
       1
       );
INSERT INTO countries
VALUES (
      'FR',
       'France',
       1
       );
INSERT INTO countries
VALUES (
       'DE',
       'Germany',
       1
       );
INSERT INTO countries
VALUES (
       'ZM',
       'Zambia',
INSERT INTO countries
VALUES (
      'EG',
      'Egypt',
      4
       );
INSERT INTO countries
VALUES (
    'BR',
      'Brazil',
       );
INSERT INTO countries
VALUES (
     'CH',
```

```
'Switzerland',
       );
INSERT INTO countries
VALUES (
       'NL',
       'Netherlands',
       1
       );
INSERT INTO countries
VALUES (
       'MX',
       'Mexico',
       );
INSERT INTO countries
VALUES (
       'KW',
       'Kuwait',
       );
INSERT INTO countries
VALUES (
       'IL',
       'Israel',
       4
       );
INSERT INTO countries
VALUES (
       'DK',
       'Denmark',
       1
       );
INSERT INTO countries
VALUES (
       'HK',
       'HongKong',
       3
       );
INSERT INTO countries
VALUES (
       'NG',
       'Nigeria',
       4
       ) ;
INSERT INTO countries
VALUES (
       'AR',
       'Argentina',
       );
INSERT INTO countries
VALUES (
       'BE',
       'Belgium',
       );
COMMIT;
INSERT INTO locations
VALUES (
       1000,
       '1297 Via Cola di Rie',
       'Roma',
       NULL,
       'IT'
       );
INSERT INTO locations
VALUES (
       1100,
       '93091 Calle della Testa',
       '10934',
       'Venice',
       NULL,
       'IT'
       );
INSERT INTO locations
VALUES (
      1200,
```

```
'2017 Shinjuku-ku',
       '1689',
        'Tokyo',
        'Tokyo Prefecture',
       'JP'
       );
INSERT INTO locations
VALUES (
       1300,
       '9450 Kamiya-cho',
        '6823',
       'Hiroshima',
       NULL,
       'JP'
       );
INSERT INTO locations
VALUES (
       1400,
       '2014 Jabberwocky Rd',
       '26192',
       'Southlake',
       'Texas',
        'US'
       );
INSERT INTO locations
VALUES (
       1500,
       '2011 Interiors Blvd',
       '99236',
        'South San Francisco',
        'California',
        'US'
       );
INSERT INTO locations
VALUES (
       1600,
       '2007 Zagora St',
       '50090',
        'South Brunswick',
        'New Jersey',
        'US'
       );
INSERT INTO locations
VALUES (
       1700,
       '2004 Charade Rd',
       '98199',
        'Seattle',
        'Washington',
        'US'
       );
INSERT INTO locations
VALUES (
       1800,
       '147 Spadina Ave',
        'M5V 2L7',
        'Toronto',
        'Ontario',
       'CA'
       );
INSERT INTO locations
VALUES (
       1900,
        '6092 Boxwood St',
        'YSW 9T2',
        'Whitehorse',
       'Yukon',
       'CA'
       );
INSERT INTO locations
VALUES (
       2000,
       '40-5-12 Laogianggen',
       '190518',
       'Beijing',
       NULL,
       'CN'
       );
INSERT INTO locations
VALUES (
       2100,
        '1298 Vileparle (E)',
        '490231',
```

```
'Bombay',
        'Maharashtra',
        'IN'
       );
INSERT INTO locations
VALUES (
       2200,
        '12-98 Victoria Street',
        '2901',
        'Sydney',
        'New South Wales',
        'AU'
       );
INSERT INTO locations
VALUES (
       2300,
        '198 Clementi North',
        '540198',
        'Singapore',
       NULL,
        'SG'
       );
INSERT INTO locations
VALUES (
       2400,
       '8204 Arthur St',
       NULL,
       'London',
       NULL,
        'UK'
       );
INSERT INTO locations
VALUES (
       2500,
        'Magdalen Centre, The Oxford Science Park',
        'OX9 9ZB',
        'Oxford',
        'Oxford',
        'UK'
       );
INSERT INTO locations
VALUES (
       2600,
       '9702 Chester Road',
       '09629850293',
        'Stretford',
        'Manchester',
        'UK'
       );
INSERT INTO locations
VALUES (
       2700,
        'Schwanthalerstr. 7031',
        '80925',
        'Munich',
        'Bavaria',
        'DE'
       );
INSERT INTO locations
VALUES (
        'Rua Frei Caneca 1360 ',
        '01307-002',
        'Sao Paulo',
        'Sao Paulo',
        'BR'
       );
INSERT INTO locations
VALUES (
       2900,
       '20 Rue des Corps-Saints',
        '1730',
        'Geneva',
        'Geneve',
        'CH'
       );
INSERT INTO locations
VALUES (
       3000,
        'Murtenstrasse 921',
        '3095',
        'Bern',
        'BE',
```

```
'CH'
        );
INSERT INTO locations
VALUES (
       3100,
        'Pieter Breughelstraat 837',
        '3029SK',
        'Utrecht',
        'Utrecht',
        'NL'
       );
INSERT INTO locations
VALUES (
       3200,
        'Mariano Escobedo 9991',
        '11932',
'Mexico City',
        'Distrito Federal,',
        'MX'
       );
COMMIT;
SET FOREIGN_KEY_CHECKS = 0;
INSERT INTO departments
VALUES (
       10,
        'Administration',
        200,
       1700
       );
INSERT INTO departments
VALUES (
       20,
        'Marketing',
        201,
       1800
       );
INSERT INTO departments
VALUES (
        30,
        'Purchasing',
        114,
       1700
       );
INSERT INTO departments
VALUES (
        40,
        'Human Resources',
       203,
       2400
       );
INSERT INTO departments
VALUES (
       50,
        'Shipping',
        121,
       1500
       );
INSERT INTO departments
VALUES (
        60,
        'IT',
        103,
        1400
INSERT INTO departments
VALUES (
       70,
       'Public Relations',
       204,
       2700
       );
INSERT INTO departments
VALUES (
       80,
       'Sales',
       145,
       2500
       );
INSERT INTO departments
```

```
VALUES (
       90,
        'Executive',
       100,
       1700
       );
INSERT INTO departments
VALUES (
       100,
        'Finance',
        108,
       1700
       );
INSERT INTO departments
VALUES (
        110,
        'Accounting',
       205,
       1700
       );
INSERT INTO departments
VALUES (
       120,
        'Treasury',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       130,
        'Corporate Tax',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       140,
        'Control And Credit',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       150,
       'Shareholder Services',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       160,
        'Benefits',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       170,
        'Manufacturing',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
        180,
        'Construction',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       190,
       'Contracting',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
        200,
        'Operations',
       NULL,
```

```
1700
       );
INSERT INTO departments
VALUES (
       210,
       'IT Support',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       220,
       'NOC',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       230,
       'IT Helpdesk',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       240,
        'Government Sales',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       250,
        'Retail Sales',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
       260,
        'Recruiting',
       NULL,
       1700
       );
INSERT INTO departments
VALUES (
        270,
        'Payroll',
       NULL,
       1700
       );
SET FOREIGN KEY CHECKS = 1;
COMMIT;
INSERT INTO jobs
VALUES (
        'AD_PRES',
        'President',
        20000,
        40000
       );
INSERT INTO jobs
VALUES (
        'AD_VP',
        'Administration Vice President',
        15000,
        30000
       );
INSERT INTO jobs
VALUES (
        'AD ASST',
        'Administration Assistant',
       3000,
        6000
       );
INSERT INTO jobs
VALUES (
        'FI_MGR',
        'Finance Manager',
        8200,
```

```
16000
       );
INSERT INTO jobs
VALUES (
       'FI ACCOUNT',
        'Accountant',
        4200,
        9000
       );
INSERT INTO jobs
VALUES (
        'AC MGR',
        'Accounting Manager',
        8200,
        16000
       );
INSERT INTO jobs
VALUES (
        'AC_ACCOUNT',
        'Public Accountant',
        4200,
        9000
       );
INSERT INTO jobs
VALUES (
        'SA MAN',
        'Sales Manager',
        10000,
        20000
       );
INSERT INTO jobs
VALUES (
       'SA_REP',
        'Sales Representative',
        6000,
       12000
       );
INSERT INTO jobs
VALUES (
        'PU MAN',
        'Purchasing Manager',
        8000,
       15000
       );
INSERT INTO jobs
VALUES (
        'PU CLERK',
        'Purchasing Clerk',
        2500,
        5500
       );
INSERT INTO jobs
VALUES (
        'ST_MAN',
        'Stock Manager',
        5500,
        8500
       );
INSERT INTO jobs
VALUES (
        'ST CLERK',
        'Stock Clerk',
        2000,
        5000
INSERT INTO jobs
VALUES (
       'SH CLERK',
        'Shipping Clerk',
       2500,
        5500
       );
INSERT INTO jobs
VALUES (
       'IT PROG',
       'Programmer',
       4000,
       10000
       );
INSERT INTO jobs
```

```
VALUES (
        'MK_MAN',
        'Marketing Manager',
       15000
       );
INSERT INTO jobs
VALUES (
        'MK REP',
        'Marketing Representative',
        9000
       );
INSERT INTO jobs
VALUES (
        'HR REP',
        'Human Resources Representative',
        4000,
        9000
       );
INSERT INTO jobs
VALUES (
        'PR REP',
        'Public Relations Representative',
        4500,
       10500
       );
COMMIT;
INSERT INTO employees
VALUES (
        100,
        'Steven',
        'King',
        'SKING',
        '515.123.4567',
        STR TO DATE('17-JUN-1987', '%d-%M-%Y'),
        'AD PRES',
        24000,
       NULL,
       NULL,
        90
       );
INSERT INTO employees
VALUES (
       101,
        'Neena',
        'Kochhar',
        'NKOCHHAR',
        '515.123.4568',
        STR_TO_DATE('21-SEP-1989', '%d-%M-%Y'),
        'AD_VP',
       17000,
       NULL,
        100,
        90
       );
INSERT INTO employees
VALUES (
       102,
        'Lex',
        'De Haan',
        'LDEHAAN',
        '515.123.4569',
        STR TO DATE('13-JAN-1993', '%d-%M-%Y'),
        'AD VP',
        17000,
       NULL,
        100,
        90
        );
INSERT INTO employees
VALUES (
       'Alexander',
        'Hunold',
        'AHUNOLD',
        '590.423.4567',
       STR TO DATE('03-JAN-1990', '%d-%M-%Y'),
        'IT PROG',
        9000,
       NULL,
        102,
        60
        );
```

```
INSERT INTO employees
VALUES (
       104,
        'Bruce',
        'Ernst',
        'BERNST',
        '590.423.4568',
        STR_TO_DATE('21-MAY-1991', '%d-%M-%Y'),
        'IT_PROG',
        6000,
        NULL,
        103,
        60
        );
INSERT INTO employees
VALUES (
        105,
        'David',
        'Austin',
        'DAUSTIN',
        '590.423.4569',
        STR TO DATE('25-JUN-1997', '%d-%M-%Y'),
        'IT PROG',
        4800,
        NULL,
        103,
        60
        );
INSERT INTO employees
VALUES (
        106,
        'Valli',
        'Pataballa',
        'VPATABAL',
        '590.423.4560',
        STR_TO_DATE('05-FEB-1998', '%d-%M-%Y'),
        'IT PROG',
        4800,
        NULL,
        103,
        60
        );
INSERT INTO employees
VALUES (
       107,
        'Diana',
        'Lorentz',
        'DLORENTZ',
        '590.423.5567',
STR_TO_DATE('07-FEB-1999', '%d-%M-%Y'),
        'IT_PROG',
        4200,
        NULL,
        103,
        60
        );
INSERT INTO employees
VALUES (
        108,
        'Nancy',
        'Greenberg',
        'NGREENBE',
        '515.124.4569',
        STR TO DATE('17-AUG-1994', '%d-%M-%Y'),
        'FI MGR',
        12000,
        NULL,
        101,
        100
        );
INSERT INTO employees
VALUES (
       109,
        'Daniel',
        'Faviet',
        'DFAVIET',
        '515.124.4169',
        STR_TO_DATE('16-AUG-1994', '%d-%M-%Y'),
        'FI_ACCOUNT',
        9000,
        NULL,
        108,
        100
        );
```

INSERT INTO employees

```
VALUES (
        110,
        'John',
        'Chen',
        'JCHEN',
        '515.124.4269',
        STR_TO_DATE('28-SEP-1997', '%d-%M-%Y'),
        'FI ACCOUNT',
        8200,
        NULL,
        108,
        100
        );
INSERT INTO employees
VALUES (
        111,
        'Ismael',
        'Sciarra',
        'ISCIARRA',
        '515.124.4369',
        STR TO DATE('30-SEP-1997', '%d-%M-%Y'),
        'FI ACCOUNT',
        7700,
        NULL,
        108,
        100
        );
INSERT INTO employees
VALUES (
        'Jose Manuel',
        'Urman',
        'JMURMAN',
        '515.124.4469',
        STR TO DATE ('07-MAR-1998', '%d-%M-%Y'),
        'FI ACCOUNT',
        780<del>0</del>,
        NULL,
        108,
        100
        );
INSERT INTO employees
VALUES (
       113,
        'Luis',
        'Popp',
        'LPOPP',
        '515.124.4567',
STR_TO_DATE('07-DEC-1999', '%d-%M-%Y'),
        'FI ACCOUNT',
        6900,
        NULL,
        108,
        100
       );
INSERT INTO employees
VALUES (
        114,
        'Den',
        'Raphaely',
        'DRAPHEAL',
        '515.127.4561',
        STR_TO_DATE('07-DEC-1994', '%d-%M-%Y'),
        'PU MAN',
        11000,
        NULL,
        100,
        30
INSERT INTO employees
VALUES (
       115,
        'Alexander',
        'Khoo',
'AKHOO',
        '515.127.4562',
        STR TO DATE('18-MAY-1995', '%d-%M-%Y'),
        'PU_CLERK',
        3100,
        NULL,
        114,
        30
        );
INSERT INTO employees
VALUES (
       116,
```

```
'Shelli',
        'Baida',
        'SBAIDA',
        '515.127.4563',
        STR TO DATE('24-DEC-1997', '%d-%M-%Y'),
        'PU CLERK',
        2900,
       NULL,
        114,
        30
        );
INSERT INTO employees
VALUES (
       117,
        'Sigal',
        'Tobias',
        'STOBIAS',
        '515.127.4564',
        STR_TO_DATE('24-JUL-1997', '%d-%M-%Y'),
        'PU_CLERK',
        2800,
       NULL,
       114,
        30
       );
INSERT INTO employees
VALUES (
       118,
       'Guy',
        'Himuro',
        'GHIMURO',
        '515.127.4565',
        STR_TO_DATE('15-NOV-1998', '%d-%M-%Y'),
        'PU CLERK',
        2600,
       NULL,
       114,
        30
       );
INSERT INTO employees
VALUES (
       119,
        'Karen',
        'Colmenares',
        'KCOLMENA',
        '515.127.4566',
        STR TO DATE('10-AUG-1999', '%d-%M-%Y'),
        'PU CLERK',
        2500,
       NULL,
        114,
        30
        );
INSERT INTO employees
VALUES (
       120,
        'Matthew',
        'Weiss',
        'MWEISS',
        '650.123.1234',
        STR_TO_DATE('18-JUL-1996', '%d-%M-%Y'),
        'ST_MAN',
        8000,
       NULL,
        100,
        50
       );
INSERT INTO employees
VALUES (
       121,
        'Adam',
        'Fripp',
        'AFRIPP',
        '650.123.2234',
        STR TO DATE('10-APR-1997', '%d-%M-%Y'),
        'ST MAN',
        8200,
       NULL,
        100,
        50
       );
INSERT INTO employees
VALUES (
        122,
        'Payam',
        'Kaufling',
```

```
'PKAUFLIN',
        '650.123.3234',
        STR_TO_DATE('01-MAY-1995', '%d-%M-%Y'),
        7900,
       NULL,
        100,
        50
       );
INSERT INTO employees
VALUES (
       123,
        'Shanta',
        'Vollman',
        'SVOLLMAN',
        '650.123.4234',
        STR_TO_DATE('10-OCT-1997', '%d-%M-%Y'),
        'ST_MAN',
        6500,
       NULL,
       100,
        50
       );
INSERT INTO employees
VALUES (
       124,
        'Kevin',
        'Mourgos',
        'KMOURGOS',
        '650.123.5234',
        STR TO DATE('16-NOV-1999', '%d-%M-%Y'),
        'ST MAN',
        5800,
       NULL,
        100,
        50
       );
INSERT INTO employees
VALUES (
       125,
        'Julia',
        'Nayer',
        'JNAYER',
        '650.124.1214',
        STR_TO_DATE('16-JUL-1997', '%d-%M-%Y'),
        'ST CLERK',
        3200,
       NULL,
       120,
        50
        );
INSERT INTO employees
VALUES (
       126,
        'Irene',
        'Mikkilineni',
        'IMIKKILI',
        '650.124.1224',
        STR TO DATE('28-SEP-1998', '%d-%M-%Y'),
        'ST_CLERK',
        2700,
       NULL,
        120,
        50
       );
INSERT INTO employees
VALUES (
        127,
        'James',
        'Landry',
        'JLANDRY',
        '650.124.1334',
        STR TO DATE('14-JAN-1999', '%d-%M-%Y'),
        'ST CLERK',
        2400,
        NULL,
        120,
        50
       );
INSERT INTO employees
VALUES (
       128,
        'Steven',
        'Markle',
        'SMARKLE',
        '650.124.1434',
```

```
STR_TO_DATE('08-MAR-2000', '%d-%M-%Y'),
        'ST CLERK',
        2200,
       NULL,
        120,
        50
       );
INSERT INTO employees
VALUES (
       129,
        'Laura',
        'Bissot',
        'LBISSOT',
        '650.124.5234',
        STR TO DATE('20-AUG-1997', '%d-%M-%Y'),
        'ST CLERK',
        3300,
        NULL,
       121,
        50
       );
INSERT INTO employees
VALUES (
       130,
        'Mozhe',
        'Atkinson',
        'MATKINSO',
        '650.124.6234',
        STR TO DATE('30-OCT-1997', '%d-%M-%Y'),
        'ST CLERK',
        2800,
       NULL,
        121,
        50
        );
INSERT INTO employees
VALUES (
       131,
        'James',
        'Marlow',
        'JAMRLOW',
        '650.124.7234',
        STR TO DATE('16-FEB-1997', '%d-%M-%Y'),
        'ST_CLERK',
        2500,
       NULL,
        121,
        50
        );
INSERT INTO employees
VALUES (
        132,
        'TJ',
        'Olson',
        'TJOLSON',
        '650.124.8234',
        STR TO DATE('10-APR-1999', '%d-%M-%Y'),
        'ST_CLERK',
        2100,
        NULL,
        121,
        50
       );
INSERT INTO employees
VALUES (
        133,
        'Jason',
        'Mallin',
        'JMALLIN',
        '650.127.1934',
        STR_TO_DATE('14-JUN-1996', '%d-%M-%Y'),
        'ST CLERK',
        3300,
       NULL,
        122,
        50
       );
INSERT INTO employees
VALUES (
        'Michael',
        'Rogers',
        'MROGERS',
        '650.127.1834',
        STR_TO_DATE('26-AUG-1998', '%d-%M-%Y'),
        'ST CLERK',
```

```
2900,
       NULL,
       122,
        50
       );
INSERT INTO employees
VALUES (
       135,
        'Ki',
        'Gee',
        'KGEE',
        '650.127.1734',
        STR TO DATE('12-DEC-1999', '%d-%M-%Y'),
        'ST CLERK',
        2400,
       NULL,
        122,
        50
        );
INSERT INTO employees
VALUES (
       136,
        'Hazel',
        'Philtanker',
        'HPHILTAN',
        '650.127.1634',
        STR TO DATE('06-FEB-2000', '%d-%M-%Y'),
        'ST CLERK',
        2200,
       NULL,
       122,
        50
        );
INSERT INTO employees
VALUES (
       137,
        'Renske',
        'Ladwig',
        'RLADWIG',
        '650.121.1234',
        STR_TO_DATE('14-JUL-1995', '%d-%M-%Y'),
        'ST_CLERK',
        3600,
       NULL,
        123,
        50
       );
INSERT INTO employees
VALUES (
        138,
        'Stephen',
        'Stiles',
        'SSTILES',
        '650.121.2034',
        STR TO DATE('26-OCT-1997', '%d-%M-%Y'),
        'ST CLERK',
        3200,
        NULL,
        123,
        50
        );
INSERT INTO employees
VALUES (
        139,
        'John',
        'Seo',
        'JSEO',
        '650.121.2019',
        STR TO DATE('12-FEB-1998', '%d-%M-%Y'),
        'ST_CLERK',
        2700,
        NULL,
        123,
        50
       );
INSERT INTO employees
VALUES (
       140,
       'Joshua',
        'Patel',
        'JPATEL',
        '650.121.1834',
        STR TO DATE('06-APR-1998', '%d-%M-%Y'),
        'ST CLERK',
        2500,
       NULL,
```

```
123,
        50
        );
INSERT INTO employees
VALUES (
       141,
        'Trenna',
        'Rajs',
        'TRAJS',
        '650.121.8009',
        STR_TO_DATE('17-OCT-1995', '%d-%M-%Y'),
        'ST CLERK',
        3500,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
       142,
        'Curtis',
        'Davies',
        'CDAVIES',
        '650.121.2994',
        STR TO DATE('29-JAN-1997', '%d-%M-%Y'),
        'ST_CLERK',
        310\overline{0},
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
        143,
        'Randall',
        'Matos',
        'RMATOS',
        '650.121.2874',
        STR TO DATE('15-MAR-1998', '%d-%M-%Y'),
        'ST CLERK',
        2600,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
        144,
        'Peter',
        'Vargas',
        'PVARGAS',
        '650.121.2004',
        STR_TO_DATE('09-JUL-1998', '%d-%M-%Y'),
        'ST CLERK',
        2500,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
       145,
        'John',
        'Russell',
        'JRUSSEL',
        '011.44.1344.429268',
        STR TO DATE ('01-OCT-1996', '%d-%M-%Y'),
        'SA_MAN',
        14000,
        .4,
        100,
        80
        );
INSERT INTO employees
VALUES (
        146,
        'Karen',
        'Partners',
       'KPARTNER',
        '011.44.1344.467268',
        STR TO DATE('05-JAN-1997', '%d-%M-%Y'),
        'SA MAN',
        13500,
        .3,
100,
        80
```

```
);
INSERT INTO employees
VALUES (
       147,
        'Alberto',
        'Errazuriz',
        'AERRAZUR',
        '011.44.1344.429278',
        STR TO DATE('10-MAR-1997', '%d-%M-%Y'),
        'SA MAN',
       12000,
        .3,
        100,
        80
        );
INSERT INTO employees
VALUES (
       148,
        'Gerald',
        'Cambrault',
        'GCAMBRAU',
        '011.44.1344.619268',
        STR TO DATE('15-OCT-1999', '%d-%M-%Y'),
        'SA MAN',
        11000,
       .3,
100,
        80
       );
INSERT INTO employees
VALUES (
       149,
        'Eleni',
        'Zlotkey',
        'EZLOTKEY',
        '011.44.1344.429018',
       STR TO DATE('29-JAN-2000', '%d-%M-%Y'),
        'SA MAN',
       10500,
        .2,
        100,
        80
       );
INSERT INTO employees
VALUES (
       150,
        'Peter',
        'Tucker',
        'PTUCKER',
        '011.44.1344.129268',
        STR TO DATE('30-JAN-1997', '%d-%M-%Y'),
        'SA_REP',
       10000,
        .3,
       145,
        80
       );
INSERT INTO employees
VALUES (
       151,
        'David',
        'Bernstein',
        'DBERNSTE',
        '011.44.1344.345268',
        STR TO DATE('24-MAR-1997', '%d-%M-%Y'),
        'SA REP',
        9500,
        .25,
        145,
        80
       );
INSERT INTO employees
VALUES (
       152,
        'Peter',
        'Hall',
        'PHALL',
        '011.44.1344.478968',
        STR TO DATE('20-AUG-1997', '%d-%M-%Y'),
        'SA REP',
        9000,
        .25,
        145,
        80
        );
```

```
INSERT INTO employees
VALUES (
       153,
        'Christopher',
        'Olsen',
        'COLSEN',
        '011.44.1344.498718',
        STR TO DATE('30-MAR-1998', '%d-%M-%Y'),
        'SA REP',
        8000,
        .2,
        145,
        80
        );
INSERT INTO employees
VALUES (
        154,
        'Nanette',
        'Cambrault',
        'NCAMBRAU',
        '011.44.1344.987668',
        STR TO DATE('09-DEC-1998', '%d-%M-%Y'),
        'SA REP',
       7500,
        .2,
        145,
        80
        );
INSERT INTO employees
VALUES (
       155,
        'Oliver',
        'Tuvault',
        'OTUVAULT',
        '011.44.1344.486508',
        STR_TO_DATE('23-NOV-1999', '%d-%M-%Y'),
        'SA_REP',
        7000,
        .15,
        145,
        80
       );
INSERT INTO employees
VALUES (
       156,
        'Janette',
        'King',
        'JKING',
        '011.44.1345.429268',
        STR TO DATE('30-JAN-1996', '%d-%M-%Y'),
        'SA REP',
        10000,
        .35,
        146,
        80
       );
INSERT INTO employees
VALUES (
       157,
        'Patrick',
        'Sully',
'PSULLY',
        '011.44.1345.929268',
        STR TO DATE('04-MAR-1996', '%d-%M-%Y'),
        'SA REP',
        9500,
        .35,
        146,
        80
       );
INSERT INTO employees
VALUES (
       158,
        'Allan',
        'McEwen',
        'AMCEWEN',
        '011.44.1345.829268',
        STR_TO_DATE('01-AUG-1996', '%d-%M-%Y'),
        'SA_REP',
        9000,
        .35,
        146,
        80
        ) ;
INSERT INTO employees
VALUES (
```

```
159,
        'Lindsey',
        'Smith',
        'LSMITH',
        '011.44.1345.729268',
        STR TO DATE('10-MAR-1997', '%d-%M-%Y'),
        'SA REP',
        8000,
        .3,
        146,
        80
        );
INSERT INTO employees
VALUES (
        160,
        'Louise',
        'Doran',
        'LDORAN',
        '011.44.1345.629268',
        STR_TO_DATE('15-DEC-1997', '%d-%M-%Y'),
        'SA REP',
        7500,
        .3,
        146,
        80
       );
INSERT INTO employees
VALUES (
       161,
        'Sarath',
        'Sewall',
        'SSEWALL',
        '011.44.1345.529268',
        STR TO DATE('03-NOV-1998', '%d-%M-%Y'),
        'SA REP',
        7000,
        .25,
       146,
        80
       );
INSERT INTO employees
VALUES (
       162,
        'Clara',
        'Vishney',
        'CVISHNEY',
        '011.44.1346.129268',
        STR TO DATE('11-NOV-1997', '%d-%M-%Y'),
        'SA REP',
        10500,
        .25,
        147,
        80
       );
INSERT INTO employees
VALUES (
       163,
        'Danielle',
        'Greene',
        'DGREENE',
        '011.44.1346.229268',
        STR_TO_DATE('19-MAR-1999', '%d-%M-%Y'),
        'SA REP',
        9500,
        .15,
        147,
        80
        );
INSERT INTO employees
VALUES (
       164,
        'Mattea',
        'Marvins',
        'MMARVINS',
        '011.44.1346.329268',
        STR TO DATE('24-JAN-2000', '%d-%M-%Y'),
        'SA REP',
        7200,
        .10,
        147,
        80
        );
INSERT INTO employees
VALUES (
        165,
        'David',
```

```
'Lee',
        'DLEE',
        '011.44.1346.529268',
        STR_TO_DATE('23-FEB-2000', '%d-%M-%Y'),
        'SA REP',
        6800,
        .1,
        147,
        80
        );
INSERT INTO employees
VALUES (
       166,
        'Sundar',
        'Ande',
        'SANDE',
        '011.44.1346.629268',
        STR_TO_DATE('24-MAR-2000', '%d-%M-%Y'),
        'SA_REP',
        6400,
        .10,
        147,
        80
        );
INSERT INTO employees
VALUES (
       167,
        'Amit',
        'Banda',
        'ABANDA',
        '011.44.1346.729268',
        STR_TO_DATE('21-APR-2000', '%d-%M-%Y'),
        'SA REP',
        6200,
        .10,
        147,
        80
       );
INSERT INTO employees
VALUES (
       168,
        'Lisa',
        'Ozer',
        'LOZER',
        '011.44.1343.929268',
        STR_TO_DATE('11-MAR-1997', '%d-%M-%Y'),
        'SA REP',
        11500,
        .25,
        148,
        80
       );
INSERT INTO employees
VALUES (
       169,
        'Harrison',
        'Bloom',
        'HBLOOM',
        '011.44.1343.829268',
        STR_TO_DATE('23-MAR-1998', '%d-%M-%Y'),
        'SA REP',
        10000,
        .20,
        148,
        80
        );
INSERT INTO employees
VALUES (
        170,
        'Tayler',
        'Fox',
        'TFOX',
        '011.44.1343.729268',
        STR TO DATE('24-JAN-1998', '%d-%M-%Y'),
        'SA_REP',
        9600,
        .20,
        148,
        80
       );
INSERT INTO employees
VALUES (
       171,
        'William',
        'Smith',
        'WSMITH',
```

```
'011.44.1343.629268',
        STR_TO_DATE('23-FEB-1999', '%d-%M-%Y'),
        'SA_REP',
        7400,
        .15,
        148,
        80
       );
INSERT INTO employees
VALUES (
       172,
       'Elizabeth',
        'Bates',
        'EBATES',
        '011.44.1343.529268',
        STR TO DATE('24-MAR-1999', '%d-%M-%Y'),
        'SA REP',
        7300,
        .15,
       148,
        80
       );
INSERT INTO employees
VALUES (
       173,
        'Sundita',
        'Kumar',
        'SKUMAR',
        '011.44.1343.329268',
        STR TO DATE('21-APR-2000', '%d-%M-%Y'),
        'SA REP',
        6100,
        .10,
        148,
        80
       );
INSERT INTO employees
VALUES (
       174,
        'Ellen',
        'Abel',
        'EABEL',
        '011.44.1644.429267',
        STR_TO_DATE('11-MAY-1996', '%d-%M-%Y'),
        'SA_REP',
        11000,
        .30,
        149,
        80
       );
INSERT INTO employees
VALUES (
       175,
        'Alyssa',
        'Hutton',
        'AHUTTON',
        '011.44.1644.429266',
        STR_TO_DATE('19-MAR-1997', '%d-%M-%Y'),
        'SA REP',
        8800,
        .25,
        149,
        80
       );
INSERT INTO employees
VALUES (
        176,
        'Jonathon',
        'Taylor',
        'JTAYLOR',
        '011.44.1644.429265',
        STR TO DATE('24-MAR-1998', '%d-%M-%Y'),
        'SA REP',
        8600,
        .20,
        149,
        80
        );
INSERT INTO employees
VALUES (
       177,
        'Jack',
        'Livingston',
        'JLIVINGS',
        '011.44.1644.429264',
        STR TO DATE('23-APR-1998', '%d-%M-%Y'),
```

```
'SA REP',
        8400,
        .20,
        149,
        80
       );
INSERT INTO employees
VALUES (
        178,
        'Kimberely',
        'Grant',
        'KGRANT',
        '011.44.1644.429263',
        STR TO DATE('24-MAY-1999', '%d-%M-%Y'),
        'SA REP',
        7000,
        .15,
        149,
       NULL
       );
INSERT INTO employees
VALUES (
       179,
        'Charles',
        'Johnson',
        'CJOHNSON',
        '011.44.1644.429262',
        STR_TO_DATE('04-JAN-2000', '%d-%M-%Y'),
        'SA REP',
        6200,
        .10,
        149,
        80
       );
INSERT INTO employees
VALUES (
       180,
        'Winston',
        'Taylor',
        'WTAYLOR',
        '650.507.9876',
        STR_TO_DATE('24-JAN-1998', '%d-%M-%Y'),
        'SH_CLERK',
        3200,
       NULL,
        120,
        50
       );
INSERT INTO employees
VALUES (
        181,
        'Jean',
        'Fleaur',
        'JFLEAUR',
        '650.507.9877',
        STR TO DATE('23-FEB-1998', '%d-%M-%Y'),
        'SH CLERK',
        3100,
        NULL,
        120,
        50
        ) ;
INSERT INTO employees
VALUES (
        182,
        'Martha',
        'Sullivan',
        'MSULLIVA',
        '650.507.9878',
        STR TO DATE('21-JUN-1999', '%d-%M-%Y'),
        'SH CLERK',
        2500,
       NULL,
        120,
        50
       );
INSERT INTO employees
VALUES (
       183,
       'Girard',
        'Geoni',
        'GGEONI',
        '650.507.9879',
        STR TO DATE('03-FEB-2000', '%d-%M-%Y'),
        'SH CLERK',
        2800,
```

```
NULL,
        120,
        50
        );
INSERT INTO employees
VALUES (
        184,
        'Nandita',
        'Sarchand',
        'NSARCHAN',
        '650.509.1876',
        STR TO DATE('27-JAN-1996', '%d-%M-%Y'),
        'SH CLERK',
        4200,
        NULL,
        121,
        50
        );
INSERT INTO employees
VALUES (
        185,
        'Alexis',
        'Bull',
        'ABULL',
        '650.509.2876',
        STR TO DATE('20-FEB-1997', '%d-%M-%Y'),
        'SH_CLERK',
        4100,
        NULL,
        121,
        50
        );
INSERT INTO employees
VALUES (
        186,
        'Julia',
        'Dellinger',
        'JDELLING',
        '650.509.3876',
        STR TO DATE('24-JUN-1998', '%d-%M-%Y'),
        'SH CLERK',
        3400,
        NULL,
        121,
        50
        );
INSERT INTO employees
VALUES (
        187,
        'Anthony',
        'Cabrio',
        'ACABRIO',
        '650.509.4876',
        STR TO DATE('07-FEB-1999', '%d-%M-%Y'),
        'SH CLERK',
        3000,
        NULL,
        121,
        50
        );
INSERT INTO employees
VALUES (
        188,
        'Kelly',
        'Chung',
        'KCHUNG',
        '650.505.1876',
        \mathtt{STR\_TO\_DATE}\,(\texttt{'14-JUN-1997'}, \texttt{'%d-\%M-\%Y'})\,,
        'SH_CLERK',
        3800,
        NULL,
        122,
        50
        );
INSERT INTO employees
VALUES (
       189,
        'Jennifer',
        'Dilly',
        'JDILLY',
        '650.505.2876',
        STR TO DATE('13-AUG-1997', '%d-%M-%Y'),
        'SH CLERK',
        3600,
        NULL,
        122,
```

```
50
        );
INSERT INTO employees
VALUES (
       190,
        'Timothy',
        'Gates',
        'TGATES',
        '650.505.3876',
        STR_TO_DATE('11-JUL-1998', '%d-%M-%Y'),
        'SH_CLERK',
        2900,
       NULL,
        122,
        50
       );
INSERT INTO employees
VALUES (
       191,
        'Randall',
        'Perkins',
        'RPERKINS',
        '650.505.4876',
        STR TO DATE('19-DEC-1999', '%d-%M-%Y'),
        'SH CLERK',
        2500,
       NULL,
        122,
        50
       );
INSERT INTO employees
VALUES (
        192,
        'Sarah',
        'Bell',
        'SBELL',
        '650.501.1876',
        STR TO DATE('04-FEB-1996', '%d-%M-%Y'),
        'SH CLERK',
        4000,
       NULL,
        123,
        50
       );
INSERT INTO employees
VALUES (
       193,
        'Britney',
        'Everett',
        'BEVERETT',
        '650.501.2876',
        STR_TO_DATE('03-MAR-1997', '%d-%M-%Y'),
        'SH_CLERK',
        3900,
       NULL,
       123,
        50
       );
INSERT INTO employees
VALUES (
       194,
        'Samuel',
        'McCain',
        'SMCCAIN',
        '650.501.3876',
        STR TO DATE('01-JUL-1998', '%d-%M-%Y'),
        'SH CLERK',
        3200,
       NULL,
        123,
        50
       );
INSERT INTO employees
VALUES (
       195,
        'Vance',
        'Jones',
        'VJONES',
        '650.501.4876',
       STR TO DATE('17-MAR-1999', '%d-%M-%Y'),
        'SH CLERK',
        2800,
       NULL,
        123,
        50
        ) ;
```

```
INSERT INTO employees
VALUES (
       196,
        'Alana',
        'Walsh',
        'AWALSH',
        '650.507.9811',
        STR_TO_DATE('24-APR-1998', '%d-%M-%Y'),
        'SH_CLERK',
        3100,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
        197,
        'Kevin',
        'Feeney',
        'KFEENEY',
        '650.507.9822',
        STR TO DATE('23-MAY-1998', '%d-%M-%Y'),
        'SH CLERK',
        3000,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
        198,
        'Donald',
        'OConnell',
        'DOCONNEL',
        '650.507.9833',
        STR TO DATE('21-JUN-1999', '%d-%M-%Y'),
        'SH CLERK',
        2600,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
       199,
        'Douglas',
        'Grant',
        'DGRANT',
        '650.507.9844',
STR_TO_DATE('13-JAN-2000', '%d-%M-%Y'),
        'SH CLERK',
        2600,
        NULL,
        124,
        50
        );
INSERT INTO employees
VALUES (
        200,
        'Jennifer',
        'Whalen',
        'JWHALEN',
        '515.123.4444',
        STR TO DATE('17-SEP-1987', '%d-%M-%Y'),
        'AD ASST',
        4400,
        NULL,
        101,
        10
        );
INSERT INTO employees
VALUES (
       201,
        'Michael',
        'Hartstein',
        'MHARTSTE',
        '515.123.5555',
        STR_TO_DATE('17-FEB-1996', '%d-%M-%Y'),
        'MK_MAN',
        13000,
        NULL,
        100,
        20
        );
```

INSERT INTO employees

```
VALUES (
        202,
         'Pat',
         'Fay',
         'PFAY',
         '603.123.6666',
        STR_TO_DATE('17-AUG-1997', '%d-%M-%Y'),
         'MK REP',
         6000,
        NULL,
        201,
        20
        );
INSERT INTO employees
VALUES (
        203,
         'Susan',
         'Mavris',
         'SMAVRIS',
         '515.123.7777',
        STR TO DATE('07-JUN-1994', '%d-%M-%Y'),
         'HR REP',
         6500,
        NULL,
        101,
         40
        );
INSERT INTO employees
VALUES (
        204,
        'Hermann',
         'Baer',
         'HBAER',
         '515.123.8888',
        STR_TO_DATE('07-JUN-1994', '%d-%M-%Y'),
         'PR_REP',
        10000,
        NULL,
        101,
        70
        );
INSERT INTO employees
VALUES (
        205,
         'Shelley',
        'Higgins',
         'SHIGGINS',
         '515.123.8080',
        STR TO DATE('07-JUN-1994', '%d-%M-%Y'),
         'AC MGR',
        12000,
        NULL,
        101,
        110
        );
INSERT INTO employees
VALUES (
        206,
         'William',
         'Gietz',
         'WGIETZ',
         '51hr5.123.8181',
         STR TO DATE('07-JUN-1994', '%d-%M-%Y'),
         'AC ACCOUNT',
         8300,
        NULL,
        205,
        110
         );
COMMIT;
INSERT INTO job_history
VALUES (
        102,
        STR_TO_DATE('13-Jan-1993', '%d-%M-%Y'), STR_TO_DATE('24-Jul-1998', '%d-%M-%Y'),
         'IT PROG',
         60
        );
INSERT INTO job_history
VALUES (
        101,
        STR_TO_DATE('21-Sep-1989', '%d-%M-%Y'), STR_TO_DATE('27-Oct-1993', '%d-%M-%Y'),
         'AC ACCOUNT',
        110
```

```
INSERT INTO job_history
VALUES (
       STR TO DATE('28-Oct-1993','%d-%M-%Y'),
       STR TO DATE('15-Mar-1997','%d-%M-%Y'),
       'AC MGR',
       110
       );
INSERT INTO job history
VALUES (
       STR TO DATE('27-Feb-1996','%d-%M-%Y'),
       STR TO DATE ('19-Dec-1999', '%d-%M-%Y'),
       'MK REP',
       20
       );
INSERT INTO job_history
VALUES (
       STR TO DATE('24-Mar-1998','%d-%M-%Y'),
       STR TO DATE('31-Dec-1999','%d-%M-%Y'),
       'ST CLERK',
       50
       );
INSERT INTO job_history
VALUES (
       STR TO DATE('01-Jan-1999','%d-%M-%Y'),
       STR TO DATE ('31-Dec-1999', '%d-%M-%Y'),
       'ST CLERK',
       50
       );
INSERT INTO job_history
VALUES (
       STR TO DATE('17-Sep-1987','%d-%M-%Y'),
       STR TO DATE('17-Jun-1993','%d-%M-%Y'),
       'AD ASST',
       90
       );
INSERT INTO job_history
VALUES (
       STR TO DATE('24-Mar-1998','%d-%M-%Y'),
       STR TO DATE('31-Dec-1998','%d-%M-%Y'),
       'SA REP',
       80
       );
INSERT INTO job_history
VALUES (
       STR TO DATE('01-Jan-1999','%d-%M-%Y'),
       STR TO DATE('31-Dec-1999','%d-%M-%Y'),
       'SA MAN',
       80
       );
INSERT INTO job_history
VALUES (
       STR TO DATE('01-Jul-1994','%d-%M-%Y'),
       STR TO DATE ('31-Dec-1998', '%d-%M-%Y'),
       'AC ACCOUNT',
       90
       );
COMMIT;
/* ***********************
ALTER TABLE countries ADD FOREIGN KEY (region_id) REFERENCES regions(region_id);
ALTER TABLE locations ADD FOREIGN KEY (country_id) REFERENCES countries(country_id);
ALTER TABLE departments ADD FOREIGN KEY (location_id) REFERENCES locations(location_id);
ALTER TABLE employees ADD FOREIGN KEY (job_id) REFERENCES jobs(job_id);
ALTER TABLE employees ADD FOREIGN KEY (department_id) REFERENCES departments (department_id);
ALTER TABLE employees ADD FOREIGN KEY (manager id) REFERENCES employees (employee id);
ALTER TABLE departments ADD FOREIGN KEY (manager id) REFERENCES employees (employee id);
ALTER TABLE job history ADD FOREIGN KEY (employee_id) REFERENCES employees(employee_id);
ALTER TABLE job_history ADD FOREIGN KEY (job_id) REFERENCES jobs(job_id);
ALTER TABLE job history ADD FOREIGN KEY (department id) REFERENCES departments (department id);
hr-schema.sql
```

);