

GPT-6 ASTRA

Links & Prompts

A companion sheet to the YouTube video — every app link and every prompt used in the tests, cleaned up and ready to copy.

Most of these work alongside Higgsfield.

► Test these prompts in Higgsfield

<https://higgsfield.ai/?fpr=atomic>

★ Join my free Skool community for the latest AI updates AND MORE PROMPTS — come say hi 😊

<https://www.skool.com/atomicgains/about>

* This is a living document. I'll keep updating it over time, so check back for new prompts and links.

00 Inside this document

Two apps you can play right now, then eight prompts in the order they appear in the video.

- 01 **Apps I made** Live links to the Clay Pottery and FernFlight games
- 02 **Product commercial from a link** ~30 s, 16:9, built with Higgsfield
- 03 **3D Gallery** Walk-through portfolio built in Blender
- 04 **3D GameBoy** Original GameBoy UI as a video player
- 05 **WRONG CABLE** 5-channel CRT comedy anthology site
- 06 **DEAD BAND** Radio-dial analogue-horror film teaser
- 07 **Archery Game** First-person, gesture-controlled bow
- 08 **Animation Style Lab** Generative style-invention app

How to use this sheet

Each prompt sits in a dark block you can copy straight into Astra. Anything flagged with a * is a placeholder or a note — swap in your own concept, links or file names before you run it. The longer builds (WRONG CABLE, DEAD BAND) are written as full briefs; keep the structure and change the content.

01 Apps I made

Both were built with Astra and are live — open them in a browser.

Clay Pottery Game

Throw and shape clay on a wheel.

clay-wheel-astra.atomicgainssora.chatgpt.site

FernFlight — FlappyBird-style Game

Weave through a floating forest.

fernflight-floating-forest.atomicgainssora.chatgpt.site

02 Prompts from the tests

Copy the dark block. Edit anything marked *.

Product Commercial from a Link

Hand Astra a product page and let it plan, generate and stitch a 30-second spot through Higgsfield.

USE WITH **HIGGSFIELD** / **VIDEO**

* Paste the product URL after the colon.

PROMPT

Your job is to make a ~30 second commercial, 16:9, about this product: [PRODUCT LINK]

You may use the images and product specs on that page for reference. Use Higgsfield to generate the content using whichever image or video generator you want, for the best result. If necessary, you may generate multiple clips and stitch them together for the 30 second commercial.

3D Gallery

An interactive portfolio: a Blender-built gallery you walk through, with your own videos and images hung in the frames.

USE WITH **BLENDER** / **WEBSITE** / **PORTFOLIO**

PROMPT

Hey Astra, make me a website. It should render a 3D gallery I can navigate through that you'll build in Blender if possible. The gallery is filled with frames that contain all

my videos and images (that I can upload to show them), as I want to be able to visualize all my video files on it. I want it so that the user can walk around the gallery to view all my content, like an interactive portfolio.

3D GameBoy

A 3D GameBoy that plays your video library through the original UI and button interactions.

USE WITH [BLENDER](#) / [APP](#) / [VIDEO PLAYER](#)

PROMPT

Hey Astra, make me an app. It should render a 3D GameBoy that you'll build in Blender (or use GPT Astra), then using the original GameBoy UI and interactions I want to be able to visualize all my video files on it.

WRONG CABLE — TV Video Player

A wood-panelled 1983 CRT receiving five deadly-serious shows from a neighbouring reality. Full end-to-end build brief with a hidden sixth channel.

USE WITH [THREE.JS](#) / [SITES](#) / [SEEDANCE 2.5](#)

* [Change the concept, channels and ads to your own.](#)

PROMPT

You are building an interactive comedy anthology as a hosted website. Build it end-to-end: code, asset scaffolding, hosting, and a shareable URL. Ask questions only if the answer would change the build.

Concept

Title: WRONG CABLE

A wood-panelled 1983 CRT television sits in a dim living room. It's receiving a 5-channel cable package from a neighbouring reality. Every channel is a fully-produced, deadly serious TV show from a culture with slightly different priorities. The joke is never winked at: there are ad breaks, ratings bugs, and a programme guide.

The experience (single page)

1. **LOAD:** Room in near darkness. The TV switches on with a CRT bloom and a degauss "thunk", landing on channel 1 mid-programme. Small text on the TV's plastic bezel: "TURN THE DIAL".
2. **THE CHANNEL KNOB:** A chunky rotary channel selector on the TV's right side, 5 detents, rendered in Three.js with a satisfying mechanical click per detent (audio + a 1-frame picture roll). Drag to rotate, or scroll/arrow keys. Turning past 5 wraps to 1. This is the primary control.
3. **THE VOLUME KNOB:** Below it, a smaller volume knob. Turning it to zero brings up a burned-in "MUTE" caption in the wrong font.
4. **CHANNELS:** Each channel plays a looping clip with a persistent channel bug (bottom right) and a show ident card for the first 1.5 s after arrival. Clips are

placeholders: /clips/ch01.mp4 ... ch05.mp4 (I'll supply 8-15 s files, 16:9, 1080p; handle 4:3 pillarboxing). Between channels: 0.4 s of static with a burst of the previous channel's audio.

5. THE SCHEDULE: If the visitor stays on a channel more than 20 s, it "goes to ad break": a 5 s ad clip from /ads/ad01-ad03.mp4 chosen at random, then resumes the show mid-loop. Ads run for products from the same reality.
6. CHANNEL 6: Doesn't exist on the dial. Turning the knob back and forth between 5 and 1 rapidly five times catches the TV between detents and lands on a sixth channel: black, a single test tone, then /clips/ch06.mp4 plays once. The knob is locked until it ends.
7. TV GUIDE: Pressing 6 (or a small "GUIDE" button on a remote sitting on the couch arm) overlays a scrolling 1980s cable-guide grid in blue with yellow text listing all 5 channels' shows with fake air times and one-line synopses. Purely decorative, but the synopses are the comedy.

The 5 channels (use these names, idents, and synopses in the guide)

1 HAMSTER COURT – daytime small-claims court. All litigants are hamsters. The judge is a very tired human man who has never once been surprised.

2 GRANDPA HORSE – multi-cam family sitcom. Grandpa is a horse. Nobody has noticed. Laugh track.

3 SANDWICH DETECTIVES – two hard-boiled detectives who are sandwiches. They keep getting partially eaten by witnesses.

4 MOTH NEWS – the evening news, read by moths, who keep drifting toward the studio lights mid-headline.

5 THE SAME CAR – nightly drama about a car parked in a car park. Nothing happens. It's the network's highest-rated show.

6 (hidden) YOUR ROOM – a static shot of a dim living room with a wood-panelled TV in it. The channel bug reads 6.

Ads (placeholder synopses for /ads)

A knob that does nothing (\$19.99). A lawyer who specialises in hamster claims. A cereal that's mostly a warning.

Look and sound

Diegetic throughout: the page IS the TV. Warm, dusty living-room lighting from the CRT only. Post-process pass on the screen: barrel distortion, scanlines, slight colour bleed, phosphor glow. Show clips get an additional VHS-tracking wobble every ~15 s. Channel bugs in 1980s cable typography, slightly misaligned. Web Audio API: mains hum, CRT whine, mechanical knob clicks, per-channel audio ducking under static.

Technical

- Three.js scene for the TV + room + knobs, custom GLSL for CRT post-process. Vanilla JS.
- Mobile: touch-drag both knobs, clips playsinline, "tap for sound" as a label stuck to the TV bezel.
- Lazy-load; preload channels N±1 as the knob moves. Under 2.5 MB before first clip.
- 60 fps on a 2022 laptop; auto-degrade post-process on low-end devices.
- Host via Sites with a public URL, plus a zip of the source.

Also deliver

1. README listing every file I need in /clips and /ads with specs.

2. Tunable constants at the top of main.js: ad-break timer, static duration, channel-6 trigger count, and the channel list itself so I can add channels later without touching the scene code.
3. A prompt sheet: for each of the 6 channels and 3 ads, one 8-15 s Seedance 2.5 text-to-video prompt in a consistent 1980s cel-animation style (flat colours, limited palette, 12 fps look, slight cel misregistration), each ending with a burned-in show title ident. Keep character designs consistent within a show across loop, ad, and guide.

Build it, test it in a browser yourself, fix what breaks, then report.

DEAD BAND — Radio Dial Video Player

A slow-burn analogue-horror teaser where the only control is a shortwave tuning dial. Five hidden frequencies, one final transmission.

USE WITH [THREE.JS](#) / [SITES](#) / [WEB AUDIO](#)

* Change the film, frequencies and clips to your own.

PROMPT

You are building an interactive film teaser as a hosted website. Build it end-to-end: code, assets scaffolding, hosting, and a shareable URL. Ask me questions only if the answer would change the build.

The film

Title: DEAD BAND

Logline: In 1987, a two-person crew at a decommissioned signals-intelligence station high in New Zealand's Southern Alps keeps logging a transmission on a frequency that was shut down in 1971. Genre: slow-burn analogue horror. Reference textures: 16mm grain, Sony Trinitron monitors, reel-to-reel tape, sodium-vapour lamps in snow, practical creature effects glimpsed not shown. No neon, no cyberpunk.

The experience (single page, no navigation)

1. LOAD: Black screen. A CRT "power on" bloom, then a full-screen static field (WebGL shader, not a video file). Faint text in monospace: "STATION KAIKŌURA-7 // RECEIVER ONLINE // TUNE TO LISTEN".
2. THE DIAL: A large analogue tuning dial rendered in Three.js, bottom-centre, brushed metal with a frequency scale 3.0-30.0 MHz. The user drags horizontally (or scrolls / arrow keys) to tune. As they move, the static shader and audio noise change pitch and density. This is the ONLY control on the page.
3. HIDDEN CLIPS: Five frequencies are "live". Within ± 0.15 MHz of each, the static thins and a video clip bleeds through, locking cleanly when the user is within ± 0.03 MHz. Each clip plays with the frequency readout burned in, then dissolves back to static. Clips are placeholders for now: use /clips/clip_01.mp4 through clip_05.mp4 (I will drop in 6-10 s files, 16:9, 1080p). The five frequencies, in order of discovery difficulty: 7.42, 11.85, 4.19, 18.30, 26.66.
4. PROGRESSION: Found frequencies get a small scratched tick mark on the dial scale. After all five are found, the static collapses, the screen goes to black, and a final locked clip plays from /clips/clip_final.mp4 followed by the title card "DEAD

BAND" and a single line: "Transmission continues 2027". No email capture, no buttons.

5. EASTER EGG: Tuning to exactly 0.00 (below the scale, requires dragging past the stop) plays 8 seconds of audio only: a voice reading station coordinates. Placeholder audio at /audio/zero.mp3.

Audio

Web Audio API. Generate the static procedurally (filtered noise, band-pass centre tracks the dial position). Layer a low 50 Hz mains hum. Clip audio ducks the noise bed. Autoplay-safe: audio initialises on the first drag.

Look

Everything is diegetic: the page IS the receiver. Add a subtle CRT curvature + scanline + chromatic-aberration post-process pass over the whole canvas. Monospace UI font only. Palette: black, phosphor amber, one desaturated cold blue for the snow clips. No rounded corners, no gradients, no drop shadows.

Technical

- Three.js + custom GLSL for static and post-processing. Vanilla JS, no framework.
- Mobile: touch drag on the dial, clips play inline (playsinline, muted fallback with a "tap for sound" prompt in-world as a label on the receiver).
- Target 60 fps on a 2022 laptop; degrade the post-process pass on low-end devices.
- Lazy-load clips; preload the next-nearest clip as the dial approaches it.
- Load under 2 MB before any clip.
- Host it via Sites with a public URL. Also give me a zip of the source.

Deliver

1. The live URL.
2. A README listing exactly which files I need to drop into /clips and /audio, with specs.
3. A short list of the tunable constants (frequencies, lock tolerance, static density) at the top of main.js so I can retune without touching shader code.

Build it, test it in a browser yourself, fix what breaks, then report.

Archery Game

First-person bow and arrow with gesture controls — one hand holds, the other draws and releases.

USE WITH **HIGGSFIELD** / **GAME** / **GESTURE CONTROL**

PROMPT

Can you create a first person game where I have a bow and arrow and I have to shoot targets that appear. Use Higgsfield capabilities for asset development, and the controls must be gesture-based, so one of my hands is holding the bow while the other hand pulls back the string, and when I open that hand the arrow releases to where I'm pointing it.

Animation Style Lab

A five-step generative tool that invents an animation style, writes the master prompts, and previews it as image and video.

USE WITH [HIGGSFIELD](#) / [APP](#) / [PROMPT GENERATOR](#)

PROMPT

Build a polished Higgsfield generative application called:

ANIMATION STYLE LAB

Purpose

Help creators invent distinctive animation styles and automatically generate professional prompts and visual tests.

Interface

STEP 1 – MEDIUM

Cel animation / Ink / Oil paint / Watercolour / Felt / Clay / Wood / Paper / Fabric / Charcoal / Pencil / CG / Mixed media

STEP 2 – ERA

1920s / 1930s / 1950s / 1960s / 1970s / 1980s / 1990s / 2000s / Contemporary / Future

STEP 3 – MOTION LANGUAGE

Full animation / Limited animation / On-twos / On-threes / Stop motion / Smear animation / Rotoscoping / Cutout / Paint-on-glass / Experimental

STEP 4 – VISUAL CHARACTERISTICS

Allow users to adjust: line quality, texture, colour palette, lighting, shading, frame rate, camera style, background treatment, motion exaggeration.

STEP 5 – SUBJECT

Text input.

Output

Generate:

- STYLE NAME
- SHORT STYLE DESCRIPTION
- DETAILED IMAGE MASTER STYLE PROMPT
- DETAILED VIDEO MASTER STYLE PROMPT
- NEGATIVE / AVOIDANCE PROMPT
- EXAMPLE IMAGE PROMPT
- EXAMPLE 10-SECOND VIDEO PROMPT
- IMAGE PREVIEW
- VIDEO PREVIEW

Include buttons: REGENERATE STYLE / CREATE VARIATION / MAKE MORE CINEMATIC / MAKE MORE EXPERIMENTAL / COPY MASTER PROMPT.

Design

Design the UI like a sophisticated professional creative tool rather than a novelty AI generator. Dark neutral interface with large visual previews. Users should be able to save favourite styles into a personal STYLE LIBRARY.

More from Atomic Gains

Community skool.com/atomicgains/about

Higgsfield higgsfield.ai